



Certificate of Appropriateness Application Renovation

Planning & Zoning Department
2 Plum Street; Cape Charles, VA 23310
757-331-3259 x31

planningtech@capecharles.org

Revised 12/2024

Taxes	1PdMS
Violations	NA
Fee	\$150
Decision	HDRB

Budget Code: HISTF 100-3100-1100

Budget Code VIOLATIONS: PERMZ 100-3100-1370

PART 1: APPLICATION NOTES

A Certificate of Appropriateness is required for all applications for zoning clearances and permits involving any exterior alteration, modification, restoration, reconstruction, demolition, new construction or moving of a property within the Cape Charles Historic District Overlay.

Minor Exterior Work* is exterior maintenance and repair, replacement of missing or broken windowpanes, roofing shingles, slates, tiles, porch floors, posts, rails, or shutters where no substantial change to design or material is proposed and other minor changes that do not materially change the historic characteristics of the building may be reviewed by the Zoning Administrator. Upon approval the applicant is responsible for confirming and obtaining all necessary building permits.

Major Exterior Work: is any alteration of the architectural style of a structure or its significant architectural elements, modifications, additions, and any major or minor work not eligible for administrative review must be reviewed and approved* by the Historic District Review Board. Upon approval the applicant is responsible for confirming and obtaining all necessary building permits.

Note: A pre-application meeting is available upon request prior to submitting this application.

The following documents must be submitted to the Town before this application can be reviewed. In addition to these documents, the COA application and requested supporting information relevant to the applicable sections must be deemed complete by department staff prior to being evaluated.

- ☒ A) Zoning Clearance Application ☒ B) Photos of existing condition ☐ C) Owner Permission Affidavit
☒ D) Payment of COA Fee (Residential – Minor \$75, Major \$150 / \$500 OR Commercial/Commercial Residential - \$1,000)
☐ E) Site Plan/Survey ☒ F) Material Specifications ☐ G) Tree Permit Application

Owner signature:

Date:

PART 2: PROPERTY INFORMATION

Property Address: 115 Mason Ave #202

Tax Map #: 83A3 2-1-2020

Is there an active Certificate of Appropriateness on this property? ☒ No ☐ Yes _____ Date

Zoning District: C-1

PART 3: PROPERTY OWNER INFORMATION

Name and/or Company: Debbie & Lee Blackburn

Mailing Address: 10015 Cheroy Woods Lane Ashland VA 23005

Phone Number: 804-337-5973

Email: auroracanyon@comcast.net

PART 4: APPLICANT INFORMATION

☐ Check here if the applicant is owner. (If applicant is not the property owner, an Owner's Permission Affidavit must be attached.)

Name and/or Company:

Mailing Address:

Phone Number:

Email:

PART 5: PROJECT INFORMATION – Describe in detail proposed work.

(If any tree removal is being proposed a Tree Permit Application must be completed):

PART 6. ALTERATIONS, REPAIRS OR ADDITIONS

Select the type of work to be performed (check all that apply):

☐ Addition ☐ Doors ☒ Windows ☐ Masonry ☐ Porch ☐ Roofs ☐ Siding ☐ Steps/Stoop & Railings
☐ Trim Work ☐ Fence or Wall ☐ Partial demolition ☐ Hardscaping ☐ Appurtenances ☐ Other:

A. ADDITION ☒ **Not applicable****SEE SECTION 5.6 or 5.12 OF THE HISTORIC DISTRICT DESIGN GUIDELINES**

Location (Attach a diagram; Survey/Site Plan is required):

Stories: _____ Building height: _____ Footprint: _____ Gross square footage: _____

Complete all sections below that apply to your addition and supply elevation drawings.

B. ROOF ☒ **Not applicable****SEE SECTION 4.2, 5.2, or 5.8 OF THE HISTORIC DISTRICT DESIGN GUIDELINES**

Type of work: ☐ New ☐ Repair % of roof structure _____ ☐ Reroofing: In kind _____ Different in style or material _____
☐ Add/Repair Gutters and downspouts ☐ Solar Panels ☐ Other Solar Installation

Location (Pictures of existing condition):

Existing Roof	Proposed Roof
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed Work:
Existing Material:	Proposed Material:
Pitch:	Pitch:
Gutters & Downspouts: (Pictures of Location & Material Specs)	Solar: (Pictures of Location & Material Specs)
Proposed Work:	Proposed Work:
Proposed Material:	Proposed Material:
Other / Additional Notes:	

C. DOORS ☒ **Not applicable****SEE SECTION 4.5, 5.5, or 5.11 OF THE HISTORIC DISTRICT DESIGN GUIDELINES**

Number of doors to be: Added: _____ Removed: _____
 Repaired: _____ Replaced: In kind _____ Different in style or material _____

Attach a diagram of the house exterior with all doors numbered. Add documentation for each additional door.

Existing Door	Proposed Door
Door 1: Complete a separate Section C for each door being modified.	Work to be completed:
Original to the home: ☐ Yes ☐ No ☐ Not Sure	☐ Added ☐ Removed ☐ Repaired ☐ Replaced
Existing Material:	Proposed Material:
Dimensions: Width _____ Height _____	Dimensions: Width _____ Height _____
Configuration with picture (i.e., glass panes, divisions, decorative details & panels):	Configuration with picture (i.e., glass panes, divisions, decorative details & panels):

Indicate the reason for change:

D. WINDOWS ☐ Not applicable SEE SECTION 4.5, 5.5, or 5.11 OF THE HISTORIC DISTRICT DESIGN GUIDELINES	
Number of windows to be: Added: _____ Removed: _____ Repaired: _____ Replaced: In kind <u>2</u> Different in style or material _____	
Minimum Guidelines: Window Sill – thickness of 1-1/2" and Window Casing or Trim – thickness of 3-1/2"	
Attach a diagram of the house exterior with all windows numbered. Add documentation for each additional window.	
Existing Windows	Proposed Windows
Window 1: Complete a separate Section D for each window being modified if it is a different size, configuration, etc. Original to the home: ☐ Yes ☐ No ☐ Not Sure	Work to be completed: ☐ Added ☐ Removed ☐ Repaired ☒ Replaced
Configuration (i.e., double-hung sash, 2/2, 6/1, 6/6, etc.): Include a picture	Configuration (i.e., double-hung sash, 2/2, 6/1, 6/6, etc.): Include a picture
Width: <u>28</u> Height: <u>54</u> Depth: <u>6</u>	Width: <u>28"</u> Height: <u>54"</u> Depth: <u>6"</u>
Existing Material: <u>WOOD</u>	Proposed Material: <u>VINYL</u>
Sill: Length: <u>28 1/4</u> Thickness: <u>3"</u> Depth: <u>6"</u>	Sill: Length: <u>28 1/4</u> Thickness: <u>3</u> Depth: <u>6</u>
Existing Material: <u>WOOD</u>	Proposed Material: <u>VINYL</u>
Casing / Trim: Width: _____ Height: _____ Depth: <u>N/A</u>	Casing / Trim: Width: _____ Height: _____ Depth: <u>N/A</u>
Existing Material: _____	Proposed Material: _____
Shutters: Original: ☐ Yes ☒ No (Attach Location Picture)	Shutters: ☐ Repair ☐ Replace ☐ New (Attach Location Picture) <u>N/A</u>
Existing Material: _____	Proposed Material: <u>ATRIUM WINDOWS</u>
Indicate the reason for change: <u>WINDOWS OLD & LEAKING</u> <u>6 / Panel Double Hang</u>	
E. PORCHES ☒ Not applicable SEE SECTION 4.4, 5.4, or 5.10 OF THE HISTORIC DISTRICT DESIGN GUIDELINES	
New materials should match the historic material, composition, shape, size, and other visual qualities.	
Work to be done: ☐ Repair flooring ☐ Repair ceiling ☐ Repair columns ☐ Repair/Add Skirting ☐ Repair/Add Screening ☐ Flooring = ☐ Alter ☐ Replace ☐ Repair ☐ Columns = ☐ Alter ☐ Replace ☐ Repair ☐ Balustrade = ☐ Alter ☐ Replace ☐ Repair ☐ Ceiling = ☐ Replace ☐ Repair ☐ Skirting = ☐ New ☐ Replace ☐ Repair	
Location (Attach pictures for all work including existing and proposed; Survey may be requested):	
FLOORBOARDS: Number of boards to be: _____ Repaired _____ Replaced _____ Altered _____ Replacement of flooring should match the historic floorboard orientation. Replacement of an entire porch floor, ensure the new floor slopes away from the building.	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed
Existing Material:	Proposed Material:
Dimensions: Length: _____ Width: _____ Depth: _____	Dimensions: Length: _____ Width: _____ Depth: _____
CEILING	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed
Existing Material:	Proposed Material:
COLUMNS	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed
Existing Material & Design:	Proposed Material & Design:
Existing Dimensions: Height: _____ Width: _____ Diameter: _____	Proposed Dimensions: Height: _____ Width: _____ Diameter: _____
CONTINUE COMPLETING THIS SECTION ON PAGE 4	

D. WINDOWS ☐ Not applicable SEE SECTION 4.5, 5.5, or 5.11 OF THE HISTORIC DISTRICT DESIGN GUIDELINES	
Number of windows to be: Added: _____ Removed: _____ Repaired: _____ Replaced: In kind <u>1</u> Different in style or material _____	
Minimum Guidelines: Window Sill – thickness of 1-1/2" and Window Casing or Trim – thickness of 3-1/2"	
Attach a diagram of the house exterior with all windows numbered. Add documentation for each additional window.	
Existing Windows	Proposed Windows
Window 1: Complete a separate Section D for each window being modified if it is a different size, configuration, etc. Original to the home: ☒ Yes ☐ No ☐ Not Sure	Work to be completed: ☐ Added ☐ Removed ☐ Repaired ☒ Replaced
Configuration (i.e., double-hung sash, 2/2, 6/1, 6/6, etc.): Include a picture	Configuration (i.e., double-hung sash, 2/2, 6/1, 6/6, etc.): Include a picture
Width: <u>34</u> Height: <u>60 1/4</u> Depth: <u>6"</u>	Width: <u>34</u> Height: <u>60 1/4</u> Depth: <u>6"</u>
Existing Material: <u>WOOD</u>	Proposed Material: <u>VINYL</u>
Sill: Length: <u>38 1/4</u> Thickness: <u>3</u> Depth: <u>4</u>	Sill: Length: <u>39 1/4</u> Thickness: <u>3</u> Depth: <u>4</u>
Existing Material: <u>WOOD</u>	Proposed Material: <u>VINYL</u>
Casing / Trim: Width: _____ Height: _____ Depth: <u>N/A</u>	Casing / Trim: Width: _____ Height: _____ Depth: <u>N/A</u>
Existing Material: _____	Proposed Material: _____
Shutters: Original: ☐ Yes ☐ No <u>N/A</u> (Attach Location Picture)	Shutters: ☐ Repair ☐ Replace ☐ New (Attach Location Picture)
Existing Material: _____	Proposed Material: _____
Indicate the reason for change: <u>Window old & leaking</u> <u>atrium window DOUBLE HUNG SASHES 8900 6 pane</u>	
E. PORCHES ☐ Not applicable SEE SECTION 4.4, 5.4, or 5.10 OF THE HISTORIC DISTRICT DESIGN GUIDELINES	
New materials should match the historic material, composition, shape, size, and other visual qualities.	
Work to be done: ☐ Repair flooring ☐ Repair ceiling ☐ Repair columns ☐ Repair/Add Skirting ☐ Repair/Add Screening ☐ Flooring = ☐ Alter ☐ Replace ☐ Repair ☐ Columns = ☐ Alter ☐ Replace ☐ Repair ☐ Balustrade = ☐ Alter ☐ Replace ☐ Repair ☐ Ceiling = ☐ Replace ☐ Repair ☐ Skirting = ☐ New ☐ Replace ☐ Repair	
Location (Attach pictures for all work including existing and proposed; Survey may be requested):	
FLOORBOARDS: Number of boards to be: _____ Repaired _____ Replaced _____ Altered Replacement of flooring should match the historic floorboard orientation. Replacement of an entire porch floor, ensure the new floor slopes away from the building.	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed
Existing Material: _____	Proposed Material: _____
Dimensions: Length: _____ Width: _____ Depth: _____	Dimensions: Length: _____ Width: _____ Depth: _____
CEILING	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed
Existing Material: _____	Proposed Material: _____
COLUMNS	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed
Existing Material & Design: _____	Proposed Material & Design: _____
Existing Dimensions: Height: _____ Width: _____ Diameter: _____	Proposed Dimensions: Height: _____ Width: _____ Diameter: _____
CONTINUE COMPLETING THIS SECTION ON PAGE 4	

D. WINDOWS ☐ Not applicable SEE SECTION 4.5, 5.5, or 5.11 OF THE HISTORIC DISTRICT DESIGN GUIDELINES	
Number of windows to be: Added: _____ Removed: _____ Repaired: _____ Replaced: In kind <u>9</u> Different in style or material _____	
Minimum Guidelines: Window Sill – thickness of 1-1/2" and Window Casing or Trim – thickness of 3-1/2"	
Attach a diagram of the house exterior with all windows numbered. Add documentation for each additional window.	
Existing Windows	Proposed Windows
Window 1: Complete a separate Section D for each window being modified if it is a different size, configuration, etc. Original to the home: ☒ Yes ☐ No ☐ Not Sure	Work to be completed: ☐ Added ☐ Removed ☐ Repaired ☒ Replaced
Configuration (i.e., double-hung sash, 2/2, 6/1, 6/6, etc.): Include a picture	Configuration (i.e., double-hung sash, 2/2, 6/1, 6/6, etc.): Include a picture
Width: <u>38"</u> Height: <u>74"</u> Depth: <u>6"</u>	Width: <u>38"</u> Height: <u>74"</u> Depth: <u>6"</u>
Existing Material: <u>WOOD</u>	Proposed Material: <u>VINYL</u>
Sill: Length: <u>38 1/4</u> Thickness: <u>3</u> Depth: <u>6</u>	Sill: Length: <u>38 1/4</u> Thickness: <u>3"</u> Depth: <u>6"</u>
Existing Material: <u>WOOD</u>	Proposed Material: <u>VINYL</u>
Casing / Trim: Width: _____ Height: _____ Depth: <u>N/A</u>	Casing / Trim: Width: _____ Height: _____ Depth: <u>N/A</u>
Existing Material: _____	Proposed Material: _____
Shutters: Original: ☐ Yes ☒ No (Attach Location Picture)	Shutters: ☐ Repair ☐ Replace ☐ New (Attach Location Picture) <u>N/A</u>
Existing Material: <u>N/A</u>	Proposed Material: <u>N/A</u>
Indicate the reason for change: <u>old & leaking</u> <u>Atrium Double hung windows series 2900 9 pane</u>	
E. PORCHES ☒ Not applicable SEE SECTION 4.4, 5.4, or 5.10 OF THE HISTORIC DISTRICT DESIGN GUIDELINES	
New materials should match the historic material, composition, shape, size, and other visual qualities.	
Work to be done: ☐ Repair flooring ☐ Repair ceiling ☐ Repair columns ☐ Repair/Add Skirting ☐ Repair/Add Screening ☐ Flooring = ☐ Alter ☐ Replace ☐ Repair ☐ Columns = ☐ Alter ☐ Replace ☐ Repair ☐ Balustrade = ☐ Alter ☐ Replace ☐ Repair ☐ Ceiling = ☐ Replace ☐ Repair ☐ Skirting = ☐ New ☐ Replace ☐ Repair	
Location (Attach pictures for all work including existing and proposed; Survey may be requested):	
FLOORBOARDS: Number of boards to be: _____ Repaired _____ Replaced _____ Altered	
Replacement of flooring should match the historic floorboard orientation. Replacement of an entire porch floor, ensure the new floor slopes away from the building.	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed
Existing Material:	Proposed Material:
Dimensions: Length: _____ Width: _____ Depth: _____	Dimensions: Length: _____ Width: _____ Depth: _____
CEILING	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed
Existing Material:	Proposed Material:
COLUMNS	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed
Existing Material & Design:	Proposed Material & Design:
Existing Dimensions: Height: _____ Width: _____ Diameter: _____	Proposed Dimensions: Height: _____ Width: _____ Diameter: _____
CONTINUE COMPLETING THIS SECTION ON PAGE 4	

BALUSTRADE	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed
Existing Material:	Proposed Material:
Existing Dimensions: Height: Width: Diameter:	Proposed Dimensions: Height: Width: Diameter:
Existing Style / Design:	Proposed Style / Design:
SCREENING	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed Work: ☐ New ☐ Replace ☐ Repair
Existing Material:	Proposed Material:
SKIRTING	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed Work: ☐ New ☐ Replace ☐ Repair
Existing Material:	Proposed Material:
If replacing any item above, indicate the reason for replacement:	
If altering any item above, describe any proposed change (material, size, etc.):	
F. STEPS/STOOPS/RAILINGS ☒ Not applicable SEE SECTION 4.4, 5.4, or 5.10 OF THE HISTORIC DISTRICT DESIGN GUIDELINES	
Location (Attach pictures; Survey may be requested):	
Number of Steps to be: Repaired Replaced Altered	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed
Existing Material:	Proposed Material:
Dimensions: Rise: Run: Tread Width:	Dimensions: Rise: Run: Tread Width:
If replacing, indicate the reason for replacement. If altering, describe any proposed change (material, configuration, size, etc.):	
Stoop to be: Repaired Replaced Altered	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed
Existing Material & Size:	Proposed Material & Size:
If replacing, indicate the reason for replacement. If altering, describe any proposed change (material, configuration, size, etc.):	
Number of Railings to be: Repaired Replaced Altered	
Location (Attach pictures; Survey may be requested):	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure	Proposed
Existing Material:	Proposed Material:
Existing Dimensions: Height: Width: Diameter:	Proposed Dimensions: Height: Width: Diameter:
Existing Style / Design:	Proposed Style / Design:
If replacing, indicate the reason for replacement. If altering, describe any proposed change (material, configuration, size, etc.):	


G. SIDING ☒ Not applicable SEE SECTION 4.4, 5.4, or 5.9 OF THE HISTORIC DISTRICT DESIGN GUIDELINES			
Type of work: ☐ Minor Repair ☐ Full Re-Siding (same material) ☐ Full Re-Siding (Change of material)			
Location (Attach diagram & pictures):			
Existing Siding		Proposed Siding	
Original to the home: ☐ Yes ☐ No ☐ Not sure			
Existing Material:		Proposed Material:	
Dimensions: Thickness:	Width:	Dimensions: Thickness:	Width:
Indicate the reason for change, e.g., underlying material condition, rot:			
H. TRIM WORK ☒ Not applicable SEE SECTION 4.4, 5.4, or 5.10 OF THE HISTORIC DISTRICT DESIGN GUIDELINES			
Type of work: ☐ Minor Repair ☐ Alteration			
Location (Attach diagram & pictures):			
Existing Trim		Proposed Trim	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure			
Existing Material:		Proposed Material:	
Dimensions: Width:	Height:	Dimensions: Width:	Height:
Depth:		Depth:	
Style / Design:		Style / Design:	
Reason for repair or alteration (change of material or design):			
I. MASONRY ☒ Not applicable SEE SECTION 4.3 or 5.3 OF THE HISTORIC DISTRICT DESIGN GUIDELINES			
Type of work: ☐ New foundation ☐ Substantial Reconstruction ☐ Minor Repair ☐ Repointing			
Location (Attach diagram & pictures):			
Existing Masonry		Proposed Masonry	
Existing Condition: ☐ Original ☐ Not Original ☐ Not Sure			
Existing Material:		Proposed Materials:	
Existing mortar:	Joints:	Mortar to be used:	Mortar joints:
Other / Additional Notes: (Unpainted masonry cannot be painted.)			
Existing Chimney		Proposed Chimney	
Show location and document conditions with photographs		☐ Repair ☐ Remove ☐ Add a chimney cap	
Indicate the reason for change and materials:			
J. HARDSCAPING ☒ Not applicable SEE SECTION 9.1 OF THE HISTORIC DISTRICT DESIGN GUIDELINES			
Location (Attach Site Plan/Survey & pictures):			
☐ Driveway:	Length:	Width:	Materials:
☐ Walkway:	Length:	Width:	Materials:
☐ Other Paving:	Length:	Width:	Materials:

K. FENCE OR WALL ☒ Not applicable SEE SECTION 9.2 OF THE HISTORIC DISTRICT DESIGN GUIDELINES	
Type of work: ☐ New ☐ Repair % of structure _____ ☐ Replace In kind _____ ☐ Different in style or material _____	
Location (include survey showing location, setbacks, and height)	
Existing Material:	Proposed Material
Height:	Height:
Describe the style:	Describe the style:
L. DECKS & PATIOS ☒ Not applicable SEE SECTION 9.3 OF THE HISTORIC DISTRICT DESIGN GUIDELINES	
Location (Attach Site Plan/Survey & pictures):	
☐ Deck: Length: _____ Width: _____ Materials: _____	
☐ Patio: Length: _____ Width: _____ Materials: _____	
M. APPURTENCES ☒ Not applicable SEE SECTION 9.4 OF THE HISTORIC DISTRICT DESIGN GUIDELINES	
Location (Attach Site Plan/Survey & pictures):	
☐ New ☐ Repair ☐ Replacing ☐ Other:	
Outdoor Shower: ☐ Enclosed Length: _____ Width: _____	
Material: _____	Foot Pad Material: _____
Other, describe: _____	
Dimensions: _____	Material _____
Other: _____	
Dimensions: _____	Material _____
I hereby certify that I have the authority to make the foregoing application, that the information given is true and correct, and that the construction or improvements will conform to the regulations in the Virginia Statewide Building Code, all pertinent Town Ordinances, including fire, sewer and water ordinances, and private building restrictions, if any, which may be imposed on the property by deed. Furthermore, I certify that the changes to the improvement before or during construction will be provided to the Zoning Administrator and Building Official before such changes are constructed.	
Applicant's signature: <u>Deldis Blackberry/Marin L. Duff</u>	Date: <u>4/25/2025</u>
Zoning Administrator's signature: _____	Date: _____
Zoning Ordinance Article VIII Section: _____	


→ Application fully completed on 9/16/2025

115 Mason Avenue Unit #202 Existing Conditions






















ATRIUM
WINDOWS AND DOORS

Series #8900 Double Hung Replacement Window



- Premium Vinyl Construction with Beautiful, Contemporary Design and Ultimate Performance
- InsulKor™ Polyurethane Enriched Sash Reinforcement
- 3/4" Constant Force Coil Balance for Smooth, Quiet Sash Operation
- Design Pressure (DP) Rated 60 is Standard
- External Accessory Groove for Nail Fin Option
- Low-E Glass with Argon Gas and Warm Edge Spacer System
- Full Screen Standard
- Transferable Limited Lifetime Warranty with Lifetime Insulated Glass Coverage and Lifetime Glass Breakage Warranty

Available Options:

Color: White and Almond

Interior Laminates: Light Oak, Dark Oak or Cherry (All Available with White Exterior Only)

Exterior Paint Colors: Terracotta, Clay, Gray, Brick Red, Bronze, Tan, Hunter Green or Dark Chocolate (All Available with White Interior Only)

Grid: 5/8" or 1" Contoured, 3/4" or 5/8" Flat, 1-1/8" Simulated Divided Lite, 5/8" Contoured Valance

Styles: Picture Windows, 2 and 3-Lite Sliders, Architectural Shapes, Bay/Bows

Other: Available with Silent Guard sound control glass system for an STC rating of 34, InsulKor™ Multi-Cavity Foam Filled Frame, R-5 Triple Glaze, Nail Fin



* 1 Grid* Dual Glazed MFR#073

ATRIUM
SFP#S: 8900
VINYL Double Hung
Low - e Argon

ADW - A - 356 - 00031 - 00002

ENERGY PERFORMANCE RATINGS

U-Factor (U.S./I-P)

0.29

Solar Heat Gain Coefficient

0.18

ADDITIONAL PERFORMANCE RATINGS

Visible Transmittance

0.42

Air Leakage (U.S./I - P)

≤ 0.3

Manufacturer stipulates that these ratings conform to applicable NFRC procedures for determining whole product performance. NFRC ratings are determined for a fixed set of environmental conditions and a specific product size. NFRC does not recommend any product and does not warrant the suitability of any product for any specific use. Consult manufacturer's literature for other product performance information. www.nfrc.org



This product is ENERGY STAR
Qualified in Highlighted Regions

This window has been tested in accordance with other AAMA/AMA/ANWIDA 101A.S.2-97, 101A.S.2/AMPS-40 or AAMA/AMA/ANWIDA 101A.S.2/440-45 and has a Design Pressure of 60. Applies to windows up to 36" X 74" in size.

+/- **DP60**

1. Prod Approval: FL204/3.7
Glazing complies with ASTM E 1300
Keep Life Glazing
Single - Strength Annealed
Airspace
Single - Strength Annealed

1. DI:
Lock Life Glazing
Single - Strength Annealed
Airspace
Single - Strength Annealed

SEQUENCE : 00092

DEPT-014 S.O.:07682726

LOAD:76751 MOD:E21

Product Name: 02728/2017

07682726 - 01 - 0001 - 0001