



130936-01

Oct 16, 2025

CITY OF CREST HILL
20600 CITY CENTER BLVD
CREST HILL, IL 60403

Attention: BRIAN SEMPLINSKI



Dear Brian,

We would like to thank you for your interest in our company and our products and are pleased to quote the following for your consideration.

ONE (1) NEW CATERPILLAR MODEL: 926-14A SMALL WHEEL LOADER WITH ALL STANDARD EQUIPMENT IN ADDITION TO THE ADDITIONAL SPECIFICATIONS LISTED BELOW:

STOCK NUMBER: Y01386

SERIAL NUMBER: 0K8E01773

YEAR: 2025

SMU: 10.20

We wish to thank you for the opportunity of quoting on your equipment needs. This quotation is valid for 30 days, after which time we reserve the right to re-quote. If there are any questions, please do not hesitate to contact me. **In closing, we do greatly appreciate this opportunity to earn your business. We are confident that our products, backed by our unparalleled product support after the sale, will exceed your expectations.**

Sincerely,

Jeff Speer

Jeff Speer
Machine Sales Representative

ONE (1) NEW CATERPILLAR MODEL: 926-14A SMALL WHEEL LOADER WITH ALL STANDARD EQUIPMENT IN ADDITION TO THE ADDITIONAL SPECIFICATIONS LISTED BELOW:

STANDARD EQUIPMENT

POWERTRAIN -Cat C7.1 ACERT engine -- Auto Idle shut down feature -- Auto Engine RPM -- Power modes (Standard and Performance) -- Power by range (High power in range 4) -- Tier 4 final/Stage V compliant -- Turbocharged and aftercooled -- Filtered crankcase breather -- Diesel particulate filter -- Selective catalyst reduction -Dry type air cleaner -Coolant protection to -34C (-29F) -Fuel priming pump, automatic -Fuel Water separator -Differential lock in front axle -Axle seal guards -Enclosed wet disc full hydraulic brakes -Parking brake, electric -Lubed for life driveshafts -Hydrostatic transmission with electronic -control -- Operator modes (TC, Hydrostat, Single Pedal -and Ice) -- Directional shift aggressiveness (Fast, -Medium, Slow) -- Auto Rim pull control, adjust wheel -torque -- Creeper control, adjust ground speed -Single plane cooling package wide 6 fins -per inch density - Hydraulically driven demand cooling fan -S-O-S port, engine, coolant, transmission -oil -

HYDRAULICS -Automatic lift and bucket kick outs, -adjustable in-cab -Bucket and fork modes, adjustable in-cab -Cylinder damping at kick out and -mechanical end stops -Fine mode control (fast, medium, slow) -in Fork Mode -Hydraulic response setting (fast, - medium, slow) -Hydraulic diagnostic connectors and -S-O-S ports -Hydraulic sight gauge, visible -Load sensing hydraulics and steering -Seat mounted hydraulic joystick controls -Cat Payload 250 hours of Demo -

ELECTRICAL -Alternator, 115-amp, heavy duty -12V power supply in cab (2) -Batteries, 1,000 CCA (2) 24-volt system, -disconnect switch -Back up alarm -Emergency shutdown switch -LED rear stop and turn lights -Heavy duty gear reduction starter -Product Link -Remote jump start post -Resettable main and critical function -breakers -Roading lights front and rear -

OPERATOR ENVIRONMENT -75 mm (3 in) retractable seatbelt -Automatic temperature control -Cab, enclosed ROPS/FOPS pressurized -and sound suppressed -Push to Start -8-Inch Touch Screen -Jog Dial with Screen Control -Programmable Joystick - Cup holders -External mirrors with lower -parabolic -Ground level cab door release -Hydraulic control lockout -Interior cab lighting, door -Lunch box storage -Operator warning system indicators -Radio ready speakers -Rear window defrost, electric -Seat mounted electronic implement -controls, adjustable -Sliding glass on the side windows -Column mounted multi-function control -- lights, wipers, turn signal -Suspension seat, fabric -Tilt steering wheel -Tinted front glass -Wet arm wiper/washer, 2-speed and - intermittent, front -Wet arm wiper washer, rear -Mounting Provision -Gauges -- Digital hour meter, odometer and -tachometer -- Digital ground speedometer and -direction indicator -- Engine coolant temperature gauge -- Fuel and diesel exhaust fluid level - indicator -- Hydraulic oil temperature gauge -

OTHER STANDARD EQUIPMENT -Large-access enclosure doors with -adjustable close/open force -Parallel lift loader linkage - Recovery hitch with pin -Remote mounted lubrication points -Vandalism protection- -lockable compartments -1000-hour Service Intervals -(after initial 500) -



MACHINE SPECIFICATIONS

926 14A WHEEL LOADER	579-7700
POWER TRAIN AR	593-8990
INSTALLATION AR	593-8998
ELECTRONICS AR-M	595-9693
LANE 3 ORDER	0P-9003
PREP PACK, UNITED STATES	593-8900
PRODUCT LINK, CELLULAR PLE643	573-8455
FILM GP, WARNING, PL, ANSI	638-5475
STANDARD LIFT, COUPLER READY	593-8911
HYDRAULICS, STANDARD, SL	536-5281
HYDRAULICS, 3V	593-8913
JOYSTICK 3V, STEERING WHEEL	593-8916
STEERING WHEEL, STANDARD	579-7716
DIFFERENTIAL, LIMITED SLIP REAR	333-6527
ENVIRONMENT, MEDIUM DEBRIS	579-7722
WEATHER, COLD START 120V	611-3021
CAB, STANDARD	578-1363
AIR CONDITIONING, R134A REF	579-7735
ENGINE	593-8993
PUSH START, PASSCODE SECURITY	579-7738
CAMERA, REAR VIEW	579-7761
MIRRORS, HEAT, ELEC ADJUST	578-1409
SEAT, DELUXE, TILT AND TELE	593-8962
LIGHTS, HALOGEN, AUX LED	590-8868
LIGHTS, ROADING, LED, RH	633-0598
STANDARD RADIO (12V)	590-8872
WINDSHIELD ACCESS STEPS	598-2802
TIRES, 20.5R25 MX XTLA * L2	366-6896
FENDERS, STANDARD	593-8950
CTWT, STD, 538LBS, 2PCS	376-0502
TOOLBOX AUX	491-7922
HYDRAULIC OIL, STANDARD	619-8443
SERIALIZED TECHNICAL MEDIA KIT	421-8926
LINES, AUX 3RD, STD LIFT	530-1623
RIDE CONTROL	579-7697
MIRRORS, INTERNAL 1X REAR VIEW	596-5866
VISOR, INTERNAL, REAR	342-0215
CAT PAYLOAD, ENABLED	627-5236
PACK, DOMESTIC TRUCK	0P-0210
JUMPER LINES, NONE	536-5339
SEA, CAT PAYLOAD, SWL (LIFETIME)	518-3210
QUICK COUPLER, FUSION	579-9974
BUCKET-GP, 3.0 YD3, FUS, BOCE	360-3323
CARRIAGE, PAL C3/4, 62", FUS	532-8222
FORK TINE, 2.25" X 6" X 54" (TWO)	371-2354

WARRANTY & COVERAGE

Standard Warranty: 12 Months/Unlimited Hours Full Machine Standard Warranty
Extended Warranty: 60 Months 2500 hours Premier Extended Warranty

LIST PRICE	\$337,336.00
FREIGHT & DEALER PREP	\$2,910.00
USA SOURCE WELL GOVERNMENTAL DISCOUNT	(\$118,246.00)
NET BALANCE DUE	\$222,000.00
AFTER TAX BALANCE	\$222,000.00

***60 Months 2500 Hours Premier Extended Warranty Included \$3,500 Value**

