ZONING SYNOPSIS

Petition Number(s): <u>Z24-03</u>

REQUEST SUMMARY:

WJDS Inc., applicant, requests a change in zoning from G-C (General Commercial) to RA-12 (Residential Attached) to construct approximately ninety-six (96) for-rent townhomes on the 9.5 acre tract.

APPLICANT INFORMATION AND PROPERTY DESCRIPTION

Applicant: WJDS Inc.

Representative: Walt Busby.

Location: 0 Thornwood Dr (Tax ID No. C082-0002-100)

Total Acreage: 9.5 -/+ Acres

LAND USE INFORMATION

Current Zoning: G-C (General Commercial),
Proposed Zoning: RA-12 (Residential Attached)
Proposed Use: Townhome Development

Current Zoning of Adjacent Property:

North: R-7 (Residential- Thornwood Subdivision)

South: G-C and O-C (Office-Commercial)

East: R-20 (Country Club), MF-14 and Utility (Ga Power)

West: G-C

For All Tracts:

District: 4th Section: 3rd LL(S): 18,19,54 & 55 Ward: 6 Council Member: Alyssa Cordell

The Future Development Map designates adjacent properties as: Parkway Corridor & Neighborhood Living

The Future Land Use Map designates adjacent or nearby city properties as: Commercial, Low-Medium Density Residential, & Parks/ Conservation.

ANALYSIS

City Departments Reviews

Electric: Not in Service Area

Fibercom: Takes no exception.

<u>Fire:</u> CFD takes no exceptions to the request provided all adopted codes and ordinances of the city of Cartersville are followed

<u>Gas:</u> The Gas System takes no exception to the following as shown in the attachments as long as the developer provides a City of Cartersville utility easement with a width suitable to locate all proposed and future utilities with adequate separation.

<u>Planning and Development:</u> Takes no exception.

Public Works: Please see Public Works comments below for this application:

- 1. Private streets in development will be required to be constructed to all standards for public streets.
- 2. The geometric design of all internal streets shall accommodate an AASHTO WB-40 design vehicle to accommodate City of Cartersville fire trucks. Turning template tracks need to be shown on plans before final approval.
- 3. Utility easement required to extend 30 feet from centerline of Thornwood Drive.
- 4. Access/maintenance easements will be required for all proposed stormwater conveyances and detention facilities associated with proposed development.
- 5. A stormwater maintenance agreement will be required for all proposed stormwater conveyances and detention facilities associated with proposed development.
- 6. Does the developer plan any improvements or long-term maintenance for Thornwood Drive where development traffic plans to use Thornwood Drive?

<u>Water and Sewer:</u> Cartersville Water Department takes no exceptions to the requested zoning application. However, the comments discussed at the concept plan review meeting (1/17/24) still apply. Cartersville Water Department will require an extension of the existing water line on Thornwood Drive, and for the proposed water line to be looped inside the development. Adequate spacing to accommodate all proposed utilities will also be required.

Cartersville School District:

[In response to D.Hardegree, informing Dr. Feuerbach that the current zoning is G-C, General Commercial]...Thanks, David. I'm assuming that means it is not currently zoned to have any type of housing. My previous comments/questions regarding other projects remain the same for this project but I would like to add one additional comment (third bullet point is new):

- How does this project align with the other projects that have been previously approved?
- Where are we currently with how many projects have already been approved and are awaiting construction?

• Since the current zoning is not for any type of residential, we are not in support of this project at this time. We are not opposed to growth but with everything that has been previously approved, it is our opinion that we need to see what impact the previously approved projects are going to be before the approval of any type of current zoning that is not initially zoned for any type of residential.

<u>Bartow County:</u> Bartow County Water Department provides sewer service to this area. No comments have been received.

Public comments: None received as of 4-3-24.

STAFF SUMMARY:

Applicant requests to rezone 9.5 acres (+/-) located along Thornwood Drive north of Joe Frank Harris Pkwy and Clubview Drive on Tax ID <u>C082-0002-100</u>. The property is owned by QC Express, LLC and is currently undeveloped. A regional detention pond for the area is located on site near the property line with the Thornwood Subdivision.

The applicant is requesting RA-12 zoning for the construction of approximately ninety-six (96) forrent townhome units. All streets will be privately owned. City gas, water, stormwater and County sewer utilities are available in the area.

Per the concept plan, all RA-12 zoning development requirements can be met. No variances are expected at this time. See attached analysis sheet.

The proposed density of the development is 10.3 units/ acre.

Several concepts for commercial and residential projects have been proposed for this site since 2018. Despite having utilities and stormwater systems in place or nearby, this private street section of Thornwood Drive complicates the development process. The western property line for this property is the centerline of Thornwood Dr. The developer understands design solutions will be needed to accommodate the city's request for utility easements. This would be required on any project at this location.

STANDARDS FOR EXERCISE OF ZONING POWERS.

A. Whether the zoning proposal will permit a use that is suitable in view of the use and development of adjacent and nearby property.

The zoning proposal will permit a use (residential) that is suitable in view of the use and development of adjacent and nearby property. Multi-family and single family detached developments are present adjacent to near the site location.

B. Whether the zoning proposal will create an isolated district unrelated to adjacent and nearby districts.

The proposed application will create an isolated district for townhome development; however, the project will provide an additional residential product in area that contains a mix of residential, commercial and industrial uses.

C. Whether the zoning proposal will adversely affect the existing use or usability of adjacent or nearby property.

The proposed zoning should not adversely affect the existing use or usability of adjacent property.

D. Whether the property to be affected by the zoning proposal has a reasonable economic use as currently zoned.

Under the current G-C zoning, the property does have a reasonable, but restricted, economic use as zoned with access challenges due to the affected portion of Thornwood Dr being a private street. The townhome zoning should be considered a downgrade in zoning from G-C and likely more suited to a limited access street.

E. Whether the zoning proposal will result in a use which will or could cause an excessive or burdensome use of existing streets, transportation facilities, utilities, or schools.

The zoning proposal should not result in a use that will have an excessive or burdensome use of streets, transportation facilities, utilities or schools. The proposed zoning and project may be less burdensome on the private street or utilities than a Commercial project.

F. Whether the zoning proposal is in conformity with the adopted local Comprehensive Land Use Plan.

The proposed zoning does conflict with city's land use plan for the area. (General-Commercial)

G. Whether the zoning proposal will result in a use which will or could adversely affect the environment, including but not limited to drainage, wetlands, groundwater recharge areas, endangered wildlife habitats, soil erosion and sedimentation, floodplain, air quality, and water quality and quantity.

The zoning proposal should not have an adverse environmental effect. A regional detention pond for the area exists on site and drainage ways exist along Thornwood Dr.

H. Whether there are other existing or changing conditions affecting the use and development of the property which give supporting grounds for either approval or disapproval of the zoning proposal.

No additional conditions are known.

RECOMMENDATION: Staff does not oppose the rezoning with the following conditions for utilities.

Zoning Conditions:

- 1. Developer to provide a City of Cartersville utility easement with a width suitable to locate all proposed and future utilities with adequate separation. A utility easement along Thornwood Drive is required to extend 30 feet from the centerline of Thornwood Drive.
- 2. Developer to extend the existing water line on Thornwood Drive and to loop the proposed water line inside the development.

6.7 RA-12 Single-family dwelling district.

Z24-03 P&D Analysis. Thornwood Dr

Code Section	Description and/ or Requirements	Required	Proposed	Notes
6.7.1	RA-12 district scope and intent. Regulations set forth in this section are the RA-12 district regulations. The RA-12 district is intended to provide land areas devoted to high density uses consisting of single-family dwellings as further described in section 3.1.8 of this chapter. Land areas zoned RA-12 are also intended to provide a transition between medium density single-family residential areas and higher density multifamily residential areas or between medium density residential areas and nonresidential areas. The RA-12 district is intended to encourage home ownership.		Fee Simple Implied	Condo Association required.
6.7.2	Use Regulation			
6.7.3	Development Standards			
A.	Height regulations. Buildings shall not exceed a height of thirty-five (35) feet or two and one-half (2½) stories, whichever is higher.	Υ		2-story units.
В.	Minimum lot area per dwelling unit: Two thousand (2,000) square feet.	2000sf	None shown	For condo, building footprint only. No lot.
C.	Maximum density: Twelve (12) units per gross acre.	Max. 111 un/ allowed	10.3un/ac.	96 units proposed on 9.28ac.
D.	Minimum lot width: Twenty (20) feet.	Y		Building width = 20-21ft measured on concept plan.
E.	Minimum lot frontage:			
1	Single-family detached units: Thirty-five (35) feet.		NA	
2	All other uses: Twenty (20) feet.	Υ	ОК	Can be met
F.	Minimum lot depth: One hundred (100) feet.	Υ		Building depth @50ft. As per plan. No lots shown.
G.	Minimum development area: One-half (0.5) acres.	Υ	9.28	
Н.	Minimum heated floor area: One thousand (1,000) square feet.	Υ	1,000-2,000sf est.	20x50' unit measured as per plan x 2 floors= 2,000sf.
l.	Setbacks:			

Code Section	Description and/ or Requirements	Required	Proposed	Notes
1	Front yard: Ten (10) feet.	Υ		Min. 20ft provided per plan.
2	Side yard: Ten (10) feet (each end of row).	Υ		Min. 20ft provided.
3	Rear yard: Twenty (20) feet.	Υ		20ft provided.
J.	[Gable or hip roofs.] Gable or hip roofs shall have a minimum roof pitch of 6/12. Both gable and hip roofs shall provide overhanging eaves on all sides that extend a minimum of one (1) foot beyond the building wall.	Υ	No data provided	Addressed during building plan review.
K.	Accessory use, building and structure requirements. See section 4.9 of this chapter.			
L.	Minimum buffer requirements. In addition to required setbacks, a fifteen-foot wide buffer is required along all property lines which abut a single-family district or use to provide a visual screen in accordance with section 4.17 of this chapter.	Υ		Buffer required along Southview Dr homes and Country Club Dr. Potential natural buffer.
M.	Other required standards.			
1	No fewer than three (3) dwelling units in a row shall be allowed.	Υ	8 or 10 units per block per concept	
2	Alley or private drive access required.	Υ	Private Driveways shown.	
3	Required parking shall be allowed in the rear yard only.	Υ		Unit driveways are on the rear of the units.
4	Principal buildings shall front a private drive or public right-of-way.	Υ	Private Driveway shown.	
5	Principal structures on lots within the RA-12 district shall have a minimum of fifty (50) percent finish product on the exterior walls of the buildings consisting of brick, stone, hard-coat stucco, or fiber cement siding.	Υ	No data provided	Addressed during building plan review.

Code	Description and/ or Requirements	Required	Proposed	Notes
Section				
	A metal panel exterior finish product shall not be allowed on metal buildings exceeding one hundred fifty (150) square feet in gross floor area constructed or placed on lots within the RA-12 district.		NA	

Ordinance Source:

 $https://library.municode.com/ga/cartersville/codes/code_of_ordinances? nodeId=COOR_CH26ZO_ARTVISIMIDWDIRE_S6.7 RASIMIDWDIRE_S6.7 RASIMID$



Alternate ID 49432

Commercial

9.28

Class

Acreage

Overview



Legend

Parcels
Roads

Parcel ID C082-0002-100

Sec/Twp/Rng n/a
Property Address JOE FRANK HARRIS PKWY

District Cartersville

Brief Tax Description

LL 18 19 54 55 D4 S3

(Note: Not to be used on legal documents)

Owner Address QC EXPRESS LLC


613 TURNER MCCALL BLVD NE

ROME, GA 30165

Date created: 2/20/2024

Last Data Uploaded: 2/19/2024 10:40:50 PM






District Brief Tax Description Cartersville LL 18 19 54 55 D4 S3

(Note: Not to be used on legal documents)

Date created: 2/20/2024

Last Data Uploaded: 2/19/2024 10:40:50 PM





R1CU R2 (wC) XX R2CU // R3 (wC) XX R3CU R4 (wC) **R4CU** R7 (wC) RE-1 RE-2 RE1 (wC) XX RE1CU RE2 (wC) RE2CU Unknown Zoning with Conditions

Owner Address QC EXPRESS LLC

613 TURNER MCCALL BLVD NE

ROME, GA 30165

Parcel ID C082-0002-100

Sec/Twp/Rng n/a Property Address JOE FRANK HARRIS PKWY

District Cartersville

Brief Tax Description

LL 18 19 54 55 D4 S3

Alternate ID 49432

Commercial

9.28


Class


Acreage


(Note: Not to be used on legal documents)

Date created: 2/20/2024 Last Data Uploaded: 2/19/2024 10:40:50 PM

Developed by Schneider GEOSPATIAL







CARTERSVILLE, GEORGIA Future Development Map

Character Areas of the Future Development Map

- Civic Village
- Community Parks, Recreation, and Conservation
- Community Village Center
- Downtown Business District
- Highlands
- Highway Commercial
- Historic Neighborhood
 Atco Mill Historic Village
 Cherokee Cassville Historic District
 Olde Town Historic District
 West End Historic District
- Main Street Overlay District
- Mining
- Mixed-Use Activity Center
- Neotraditional Neighborhood
- Neighborhood Living <</p>
- North Towne Revitalization Area
- Parkway Corridor
- Suburban Living
- Summer Hill
- Tellus Interchange Commercial
- Tennessee Street Corridor
- Transitional Use Area
- Workplace Center


Application for Rezoning City of Cartersville	Case Number: $24-03$ Date Received: 240
Public Hearing Dates: Planning Commission 49/14 1st City Council 4/18 7:00pm	2 nd City Council <u>5/4</u> 7:00pm
Applicant WJDS, INC- Office Phone Address 333 W. 9 TH STREET Mobile/Other Phone 7	06-252-2254
City Rome State GA Zip 30/65 Email Wolf	
WALT BUSBY Phone (Rep) 7	106-252-2254
Representative Signature Signature	altcbusby@yahoo.com
Signed, sealed and delivered in presence of: My commission experience of: My commission experience of: My commission experience of:	xpires: 3/11/25
Danda Loe Rodgett Pour Notary Public	
THE COLUMN SECTION OF THE PROPERTY OF THE PROP	
* Titleholder Q.C. EXIRESS, LLC 706 - 9 (titleholder's printed name)	
Address G13 TURNER MCCALL BLVD BINGINSA ECONTED	ie aol.com
Signature Signed, sealed, delivered in presence of: Notary Public Signature GEORGS My commission May 29 302 BLIC COUNTY	expires: 5-29-27
""กักกัง"	
Present Zoning District Requested Zoning Acreage	RA-12 tion(s) 3 RO
(street address, nearest intersections, etc.)	rcel ID No. <u>C082-0082-700</u>
Reason for Rezoning Request: REZONE TO RESIDENTIAL FOR	THE DEVELOPMENT
(attach additional statement as necessary)	


^{*} Attach additional notarized signatures as needed on separate application pages.

CAMPAIGN DISCLOSURE REPORT FOR REZONING ACTIONS

Pursuant to O.C.G.A. 36-67A-3 any and all applicants to a rezoning action must make the following disclosures:

	vo Years Prior to Application					
Date Tv	vo rears i noi to Application	2/16/2022				
Date Fiv	ve Years Prior to Application:	2/16/2024 2/16/2022 2/16/2019				
	applicant within the five (5) ampaign contributions aggre					
		YES	NO			
Ma	yor: Matt Santini		<u> </u>			
Cou	ıncil Member:					
1	Ward 1- Kari Hodge		<u> </u>			
\	Ward 2- Jayce Stepp		<u> </u>			
\	Ward 3- Cary Roth					
1	Ward 4- Calvin Cooley		<u> </u>			
\	Ward 5- Gary Fox		$-\nu$			
\	Ward 6- Taff Wren					
Plai	nning Commission		,			
L	amar Pendley, Chair					
1	Anissa Cooley					
	Fritz Dent					
	Greg Culverhouse					
	effery Ross					
	Stephen Smith					
1	Fravis Popham	8				
	If the answer to any of the above is <u>Yes</u> , please indicate below to whom, the dollar amount, date, and description of each campaign contribution, during the past five (5 years.					
		Mac L Signature				
		WALT BUSBY Print Name				





- GRADE CONDITIONS MAY VARY FOR INDIVIDUAL SITE FROM THAT SHOWN. BUILDER SHALL VERIFY AND COORDINATE PER ACTUAL SITE CONDITIONS. WINDOW HEAD HEIGHTS: IST FLOOR = 7'-0" U.N.O. ON ELEVATIONS. 2ND FLOOR = 7'-0" U.N.O. ON ELEVATIONS. ROOFING: PITCHED SHINGLES PER DEVELOPER. WINDOWS: MANUFACTURER PER DEVELOPER. DIVIDED LITES AS SHOWN ON THE EXTERIOR ELEVATIONS - ENTRY DOOR: AS SELECTED BY DEVELOPER. - GARAGE DOORS: AS SELECTED BY DEVELOPER, RAISED PANEL AS SHOWN. CHIMNEY AS OCCURS: TOP OF CHIMNEYS TO BE A MINIMUM OF 24" ABOVE ANY ROOF WITHIN 10'-0" OF CHIMNEY. ALL EXTERIOR MATERIALS TO BE INSTALLED PER MANUFACTURER'S WRITTEN INSTRUCTIONS. PROTECTION AGAINST DECAY: (ALL PORTIONS OF A PORCH, SCREEN PORCH OR DECK FROM THE BOTTOM OF THE HEADER DOWN, INCLUDING POST, RAILS, PICKETS, STEPS AND FLOOR STRUCTURE.) SHINGLED ROOF PITCHES FROM 2/12 TO 4/12 TO HAVE (2) LAYERS OF UNDERLAYMENT APPLIED AND OVERLAPPED PER TABLE R905.1.1(2) KEY NOTES: ADHERED STONE VENEER AS SELECTED BY DEVELOPER. HEIGHT AS NOTED. 2 MASONRY FULL BRICK AS SELECTED BY DEVELOPER. HEIGHT AS NOTED. 3 MASONRY FULL STONE AS SELECTED BY DEVELOPER. HEIGHT AS NOTED. 4 8" SOLDIER COURSE. 5 ROWLOCK COURSE 6 N/A TYPICALS: 7 CORROSION RESISTANT SCREEN LOUVERED VENTS, SIZE AS NOTED. 8 CODE APPROVED TERMINATION CHIMNEY CAP. GORROSION RESISTANT ROOF TO WALL FLASHING. CODE COMPLIANT FLASHING PER NCRC R905.2.8.3 O STANDING SEAM METAL ROOF, INSTALL PER MANUFACTURER'S WRITTEN INSTRUCTIONS. II DECORATIVE WROUGHT IRON. SEE DETAILS. 12 VINYL SHAKE SIDING PER DEVELOPER WITH VINYL CORNER TRIM PER DEVELOPER. (AT SPECIFIED LOCATIONS: FIBER CEMENT SHAKE SIDING PER DEVELOPER W/ IX4 CORNER TRIM BOARD.) 13 VINYL LAP SIDING PER DEVELOPER WITH VINYL CORNER TRIM PER DEVELOPER. (AT SPECIFIED LOCATIONS: FIBER CEMENT LAP SIDING PER DEVELOPER W IX4 CORNER TRIM BOARD.) 14 VINYL WAVY SIDING PER DEVELOPER WITH VINYL CORNER TRIM PER DEVELOPER. (AT SPECIFIED LOCATIONS: FIBER CEMENT WAVY SIDING PER DEVELOPER W/ IX4 CORNER TRIM BOARD.) 15 VINYL BOARD AND BATT SIDING PER DEVELOPER WITH VINYL CORNER TRIM PER DEVELOPER. (AT SPECIFIED LOCATIONS: FIBER CEMENT PANEL SIDING W IX3 BATTS AT 12" O.C. PER DEVELOPER W IX4 CORNER TRIM BOARD.) 16 VINYL TRIM SIZE AS NOTED (AT SPECIFIC LOCATIONS: IX FIBER CEMENT TRIM OR EQUAL, U.N.O. SIZE AS NOTED FYPON SHUTTERS, TYPE AS SHOWN. SIZE AS NOTED. (AT SPECIFIC LOCATIONS: FALSE VINYL SHUTTERS, TYPE AS SHOWN. SIZE AS NOTED.)


ALL WINDOWS WHOSE OPENING IS LESS THAN 24" ABOVE


THE FINISH FLOOR AND WHOSE OPENING IS GREATER THAN

72" ABOVE THE OUTSIDE WALKING SURFACE MUST HAVE WINDOW OPENING LIMITING DEVICES COMPLYING WITH THE

NCRC SECTION R312.2.1 AND R312.2.2.

NOTES: NCRC





PROFESSIONAL SEAL:

PROJECT TITLE:

Townhome Series Carolina Div.

FOR CONSTRUCTION

CLIENTS NAME:



PROJECT NO: GMD21007.1

SHEET TITLE:
PEARSON
EXTERIOR

ELEVATIONS 'A'

PRINT DATE: Nov. 04, 2022

HEET NO:


GRADE CONDITIONS MAY VARY FOR INDIVIDUAL SITE FROM THAT SHOWN. BUILDER SHALL VERIFY AND COORDINATE PER ACTUAL SITE CONDITIONS. - WINDOW HEAD HEIGHTS: IST FLOOR = 7'-0" U.N.O. ON ELEVATIONS. 2ND FLOOR = 7'-0" U.N.O. ON ELEVATIONS. - ROOFING: PITCHED SHINGLES PER DEVELOPER. - WINDOWS: MANUFACTURER PER DEVELOPER. DIVIDED LITES AS SHOWN ON THE EXTERIOR ELEVATIONS - ENTRY DOOR: AS SELECTED BY DEVELOPER. GARAGE DOORS: AS SELECTED BY DEVELOPER, RAISED PANEL AS SHOWN. CHIMNEY AS OCCURS: TOP OF CHIMNEYS TO BE A MINIMUM OF 24" ABOVE ANY ROOF WITHIN 10'-0" OF CHIMNEY. · ALL EXTERIOR MATERIALS TO BE INSTALLED PER MANUFACTURER'S WRITTEN INSTRUCTIONS. PROTECTION AGAINST DECAY: (ALL PORTIONS OF A PORCH, SCREEN PORCH OR DECK FROM THE BOTTOM OF THE HEADER DOWN, INCLUDING POST, RAILS, PICKETS, STEPS AND FLOOR STRUCTURE.) SHINGLED ROOF PITCHES FROM 2/12 TO 4/12 TO HAVE (2) LAYERS OF UNDERLAYMENT APPLIED AND OVERLAPPED PER TABLE R905.1.1(2) KEY NOTES: ADHERED STONE VENEER AS SELECTED BY DEVELOPER. HEIGHT AS NOTED. 2 MASONRY FULL BRICK AS SELECTED BY DEVELOPER. HEIGHT AS NOTED. 3 MASONRY FULL STONE AS SELECTED BY DEVELOPER. HEIGHT AS NOTED. 4 8" SOLDIER COURSE. 5 ROWLOCK COURSE 6 N/A TYPICALS: 7 CORROSION RESISTANT SCREEN LOUVERED VENTS, SIZE AS NOTED. 8 CODE APPROVED TERMINATION CHIMNEY CAP. GORROSION RESISTANT ROOF TO WALL FLASHING. CODE COMPLIANT FLASHING PER NCRC R905.2.8.3 O STANDING SEAM METAL ROOF, INSTALL PER MANUFACTURER'S WRITTEN INSTRUCTIONS. II DECORATIVE WROUGHT IRON. SEE DETAILS. 12 VINYL SHAKE SIDING PER DEVELOPER WITH VINYL CORNER TRIM PER DEVELOPER. (AT SPECIFIED LOCATIONS: FIBER CEMENT SHAKE SIDING PER DEVELOPER W/ IX4 CORNER TRIM BOARD.) 13 VINYL LAP SIDING PER DEVELOPER WITH VINYL CORNER TRIM PER DEVELOPER. (AT SPECIFIED LOCATIONS: FIBER CEMENT LAP SIDING PER DEVELOPER W/ IX4 CORNER TRIM BOARD.) 14 VINYL WAVY SIDING PER DEVELOPER WITH VINYL CORNER TRIM PER DEVELOPER. (AT SPECIFIED LOCATIONS: FIBER CEMENT WAVY SIDING PER DEVELOPER W/ IX4 CORNER TRIM BOARD.) 15 VINYL BOARD AND BATT SIDING PER DEVELOPER WITH VINYL CORNER TRIM PER DEVELOPER. (AT SPECIFIED LOCATIONS: FIBER CEMENT PANEL SIDING W/ IX3 BATTS AT I2" O.C. PER DEVELOPER W/ IX4 CORNER TRIM BOARD.) 16 VINYL TRIM SIZE AS NOTED '(AT SPECIFIC LOCATIONS: IX FIBER CEMENT TRIM OR EQUAL, U.N.O. SIZE AS NOTED FYPON SHUTTERS, TYPE AS SHOWN. SIZE AS NOTED. (AT SPECIFIC LOCATIONS: FALSE VINYL SHUTTERS, TYPE AS SHOWN. SIZE AS NOTED.)


ALL WINDOWS WHOSE OPENING IS LESS THAN 24" ABOVE THE FINISH FLOOR AND WHOSE OPENING IS GREATER THAN

72" ABOVE THE OUTSIDE WALKING SURFACE MUST HAVE WINDOW OPENING LIMITING DEVICES COMPLYING WITH THE

NCRC SECTION R312.2.1 AND R312.2.2.

NOTES: NCRC





PROFESSIONAL SEAL:

PROJECT TITLE:

Townhome Series Carolina Div.

FOR CONSTRUCTION

CLIENTS NAME:



PROJECT NO: GMD21007.1

PEARSON
EXTERIOR
ELEVATIONS 'A'

PRINT DATE: Nov. 04, 2022

SHEET NO:

Å1.5.1

NOTES: NCRC


- GRADE CONDITIONS MAY VARY FOR INDIVIDUAL SITE FROM THAT SHOWN.
 BUILDER SHALL VERIFY AND COORDINATE PER ACTUAL SITE CONDITIONS.
- WINDOW HEAD HEIGHTS:
- IST FLOOR = 7'-0" U.N.O. ON ELEVATIONS.
- 2ND FLOOR = 7'-0" U.N.O. ON ELEVATIONS.
- ROOFING: PITCHED SHINGLES PER DEVELOPER.
- WINDOWS: MANUFACTURER PER DEVELOPER. DIVIDED LITES AS SHOWN ON THE EXTERIOR ELEVATIONS
- ENTRY DOOR: AS SELECTED BY DEVELOPER.
- GARAGE DOORS: AS SELECTED BY DEVELOPER, RAISED PANEL AS SHOWN.
- CHIMNEY AS OCCURS: TOP OF CHIMNEYS TO BE A MINIMUM OF 24" ABOVE ANY ROOF WITHIN 10'-0" OF CHIMNEY.
- ALL EXTERIOR MATERIALS TO BE INSTALLED PER MANUFACTURER'S WRITTEN INSTRUCTIONS.
 PROTECTION AGAINST DECAY:
- (ALL PORTIONS OF A PORCH, SCREEN PORCH OR DECK FROM THE BOTTOM OF
- THE HEADER DOWN, INCLUDING POST, RAILS, PICKETS, STEPS AND FLOOR STRUCTURE.)


 SHINGLED POOF PITCHES FROM 2/12 TO 4/12 TO HAVE (2) LAYERS OF UNDERLAYMENT
- SHINGLED ROOF PITCHES FROM 2/12 TO 4/12 TO HAVE (2) LAYERS OF UNDERLAYMENT APPLIED AND OVERLAPPED PER TABLE R905.I.I(2)
- KEY NOTES:
- MASONRY
- ADHERED STONE VENEER AS SELECTED BY DEVELOPER. HEIGHT AS NOTED.
- 2 MASONRY FULL BRICK AS SELECTED BY DEVELOPER. HEIGHT AS NOTED.
- 3 MASONRY FULL STONE AS SELECTED BY DEVELOPER. HEIGHT AS NOTED.
- 4 8" SOLDIER COURSE.
- 5 ROWLOCK COURSE
- 6 N/A
- TYPICALS:
- 7 CORROSION RESISTANT SCREEN LOUVERED VENTS, SIZE AS NOTED.
- 8 CODE APPROVED TERMINATION CHIMNEY CAP.
- [9] CORROSION RESISTANT ROOF TO WALL FLASHING. CODE COMPLIANT FLASHING PER NCRC R905.2.8.3
- O STANDING SEAM METAL ROOF, INSTALL PER MANUFACTURER'S WRITTEN INSTRUCTIONS.
- II) DECORATIVE WROUGHT IRON. SEE DETAILS.
- SIDIN
- 12 VINYL SHAKE SIDING PER DEVELOPER WITH VINYL CORNER TRIM PER DEVELOPER. (AT SPECIFIED LOCATIONS:
- FIBER CEMENT SHAKE SIDING PER DEVELOPER W IX4 CORNER TRIM BOARD.)
- | 13 VINYL LAP SIDING PER DEVELOPER WITH VINYL CORNER TRIM PER DEVELOPER. (AT SPECIFIED LOCATIONS:
- FIBER CEMENT LAP SIDING PER DEVELOPER W IX4 CORNER TRIM BOARD.)
- [14] VINYL WAVY SIDING PER DEVELOPER WITH VINYL CORNER TRIM PER DEVELOPER. (AT SPECIFIED LOCATIONS:
- FIBER CEMENT WAVY SIDING PER DEVELOPER W IX4 CORNER TRIM BOARD.)

 15 VINYL BOARD AND BATT SIDING PER DEVELOPER WITH VINYL CORNER TRIM PER DEVELOPER.
- (AT SPECIFIED LOCATIONS:
 FIBER CEMENT PANEL SIDING W IX3 BATTS AT 12" O.C. PER DEVELOPER W/ IX4 CORNER TRIM BOARD.)
- 16 VINYL TRIM SIZE AS NOTED
- ' (AT SPECIFIC LOCATIONS: IX FIBER CEMENT TRIM OR EQUAL, U.N.O. SIZE AS NOTED
- FYPON SHUTTERS, TYPE AS SHOWN. SIZE AS NOTED.

 (AT SPECIFIC LOCATIONS: FALSE VINYL SHUTTERS, TYPE AS SHOWN. SIZE AS NOTED.)

ALL WINDOWS WHOSE OPENING IS LESS THAN 24" ABOVE THE FINISH FLOOR AND WHOSE OPENING IS GREATER THAN 12" ABOVE THE OUTSIDE WALKING SURFACE MUST HAVE WINDOW OPENING LIMITING DEVICES COMPLYING WITH THE NCRC SECTION R312.2.1 AND R312.2.2.





PROFESSIONAL SEAL:

PROJECT TITLE:

Townhome Series Carolina Div.

FOR CONSTRUCTION

CLIENTS NAME:



PROJECT NO: GMD21007.1

SHEET TITLE:
PEARSON
EXTERIOR
ELEVATIONS 'A'

PRINT DATE: Nov. 04, 2022

SHEET NO:

Å1.5.2



Examples from recently constructed project.





Site Images Taken 3/22/24



























