## City of Cartersville Water Department Sidney Forsyth 770-607-6234

Wheel Loader Model Year; Currently availble

Quantity: 1

Vehicle to be delivered to City of Cartersville Garage located at 500 S. Tennessee St,

Cartersville, GA 30120

Contact Bill Trott 770-387-5786 at the Garage to arrange delivery

## **Vendor Information:**

The vehicle offered shall be comparable with detailed requirements listed below (unless otherwise noted). Bidders are to indicate in the "Meets Specifications" column if bid specifications are met and can provide additional comments if necessary. If the Meets Specification column is not marked, or it is incomplete, your bid will not be considered for award. City of Cartersville reserves the right to reject any or all bids. (all bid specifications are minium specifications)

## Supporting Data:

Bidders must furnish catalog pages, specification sheets, or similar data to support statements made in Meets Specifications Column. Failure to furnish required data may be considered as a cause for rejection of bid.

Wheel Loader Regular Lift	Meets Spe	cifications	
	YES	NO	COMMENTS
ENGINE			
6cyl turbo charged diesel designed and built by the	,		
manufacture			
Tier 4/EU stage V emmisions			
engine displacement 6.0L	1		
150 HP @ 1800 RPM	V		
500 lb-ft net torque @1100 RPM	V	,	
Daily check points right side of engin from the			
ground	U		
serpentine accesery drive belt with auto tensioner	/		
under hood duel air cleaner W /restriction sensor and in cab warning light			
one- piece tilt hood	1		
under hood after treatment (DOC)			
10-micron primary fuel filter with water separator	/		
Engine compartment light	V		
Automatic glow plugs	U ,		
Engine block heater			
	V		

COOLING			
COOLING			
coolant rated to -40deg F			
oil to water engine oil cooler			
coolant recovery tank	V		
Hydraulicallyc controlled varible speed type fan	./		
with fan guard (swing out type)			
Fuel cooler	V		
transmission and hydraulic coolers (oil to air)	V		
AC Cooling Isolated from engine compartment			
POWERTRAIN			
5 speed transmission with non-lockup torque	/		
converter	V,		
Auto shift control			
Clutch cutoff with 4 settings Auto-matic, level	1		
ground, small slope or steep angle			1
Clutch calabration enguaged from monitor	U/		
transmission diagnostic ports	1		
automatic locking differential (s)		110-4	mb Control
transmission fill pipe and sight gauge	./	IVIL	CESCES OF
programable maximum high gear	~		
Axle oil temprature sensing			
wheel-spin controll	./		
Skidder Type Tires	7	11.06	Out I fay Start
HYDRAULIC SYSTEM		400	- Credit for Stock Tire
reservoir with sight guage and fill strainer			
electronic/hydralic controls adjustable with soft			
stops			
in cab hydraulic controols	./		
hydraulic diagnostic ports	1		
Filter to be spin on 4 or less micron	V		
2 function-joystic with F-N-R			
jayana amang ka			
Adjustable and continuous hydraulic-flow settings	V		
Programmable multifunction buttons (2)	V		
ELECTRICAL			
24 volt with 100 amp altenator	1		
The management of the second o			
solid - state electrical power-distrbution system			
Lockable master electrical -disconnect switch	1		
Remote jump-start access in battery box	/		
	1		
Stater with bypass start safety cover	V		
Cab pre-wired for rotating becon and radio-ready			
Premium LED Light package ( all exterior lights are			
heavey duty LED)			

Horn		
Reverse warning alarm		
Multifunction 7" LCD color monitor : Digital		
instruments-Analog display (hydraulic oil		
tempreature, engine coolant temperature,		
transmission oil temprature, and engine oil		
pressure) / Digital display (engine RPM,		
Transmission gear/direction indicator, hour meter,	,	
DEF fluid level Speedometer, odometer and		
average fuel consumption)		
opperator- warning messages		
AM/FM/WB radio with bluetooth		
24-to12 -volt conveter with cab ports (3)		
OPERATOR STATION		
Cab with air conditioning/heating		
Rear window defrost		
3" (76mm) safety belts with visual warning	V,	
Keyless start with multiple security modes	<b>V</b>	
seat with backrest extension, deep foam, fabric		
cover, and adjustiple air suspension	V	
Hydraulic controls intrgrated to seat	V.	
LED dome light		
Dual tilt steering	V	
(2) outside reavew mirrors and (1) inside	V.	
manual storage compartment	V,	
slep resistantsteps and handholds	11	
Pull down sun visors		
	1	
front and rear intermintent wipers with washers		
Rear view camera		
GENERAL SPECIFICATIONS	,	
Front and Rear tie downs		
heavey duty fuel tank guard		
Fenders Front	1	
lockable ground level storage compartment	V	
rubber floor mats		
LOADER		
3 Yard		Exchanged 2.75 years
Opperating Weight (29,000 lb.)		1 2 2 1 2
	12	
Total Hait Daise	1.00	iah

Total Unit Price

193-321, 
Anticipated number of weeks until delivery (after approval): 10 Days