

## **Transmittal Letter**

| То:   | Joshua Skluzacek – Community Development Director<br>City of Dickinson<br>38 1 <sup>st</sup> Street West<br>Dickinson, ND 58601                    |
|-------|--|
| From: | Andrew Schrank, PE<br>Highlands Engineering<br>319 24 <sup>th</sup> Street East<br>Dickinson, ND 58601<br>701.483.2444<br>schrank@highlandseng.com |
| Date: | May 16, 2024   |

Major Final Plat Application – Southfork Acres 2<sup>nd</sup> Subdivision Re:

Enclosed you will find the following Major Final Plat application documents Message: for the above referenced project being submitted for consideration:

- Pre-submittal Meeting Letter -
- Legal Description of the Property (included, below)
- Written Statement of Project Purpose (included, below)
- Written Statement of Changes Since Preliminary Plat Approval (included, below)
- Warranty Deed for the Property
- Current Preliminary Plat Drawing with Aerial Image Showing Current Site and Surrounding Land Uses and Buildings
- Final Plat Drawing
- Subdivision Plat Closure Report
- Draft Development Agreement -

web

## Legal Description of Property

A PARCEL OF LAND BEING LOT 1B AS RECORDED BY STARK COUNTY DOCUMENT NUMBER 3178771, BLOCK TWO (2) OF SOUTHFORK ACRES SUBDIVISION LOCATED IN THE SOUTHEAST QUARTER (SE1/4) OF SECTION SIXTEEN (16), TOWNSHIP ONE-HUNDRED THIRTY-NINE NORTH (T139N), RANGE NINETY-SIX WEST (R96W), OF THE FIFTH PRINCIPAL MERIDIAN (5TH P.M.), STARK COUNTY, NORTH DAKOTA BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE NORTHWEST CORNER OF SAID LOT ONE B (1B) BEING A FOUND REBAR AND CAP; THENCE N 89°55'24" E ALONG THE NORTH LINE OF SAID LOT ONE B (1B), A DISTANCE OF 1276.22 FEET TO A FOUND REBAR AND CAP LS-5466 AT THE NORTHWEST CORNER OF SAID LOT ONE B (1B); THENCE S 00°14'12" E ALONG THE EAST LINE OF SAID LOT ONE B (1B), A DISTANCE OF 1466.59 FEET TO A FOUND REBAR AND CAP LS-5466 ON THE NORTH RIGHT-OF-WAY OF DVORAK DRIVE; THENCE ALONG SAID RIGHT-OF-WAY THE FOLLOWING FIVE (5) COURSES AND DISTANCES TO FOUND REBAR AND CAPS LS-5466: S 87°50'18" W, 648.45 FEET TO THE BEGINNING OF A CURVE CONCAVE TO THE SOUTHEAST HAVING A RADIUS OF 270.00 FEET; THENCE SOUTHWESTERLY ALONG SAID CURVE THROUGH A CENTRAL ANGLE OF 52°38'30" AN ARC LENGTH OF 248.07 FEET; THENCE S 35°11'48" W, 180.27 FEET TO THE BEGINNING OF A CURVE CONCAVE TO THE EAST HAVING A RADIUS OF 390.00 FEET; THENCE SOUTHERLY ALONG SAID CURVE THROUGH A CENTRAL ANGLE OF 38°36'14" AN ARC LENGTH OF 262.77 FEET; THENCE S 03°24'26" E, 591.56 FEET TO SAID REBAR AND CAP LS-5466 ON INTERSECTION OF SAID DVORAK DRIVE RIGHT-OF-WAY AND THE NORTH RIGHT-OF-WAY OF 20TH STREET SOUTHWEST; THENCE S 89°53'37" W ALONG SAID RIGHT-OF-WAY, A DISTANCE OF 280.35 FEET TO A FOUND REBAR AND CAP LS-5466; THENCE N 00°02'16" W LEAVING SAID RIGHT-OF-WAY ALONG THE WEST LINE OF SAID LOT ONE (1), A DISTANCE OF 1470.24 FEET TO A FOUND REBAR; THENCE N 00°09'42" W CONTINUING ALONG SAID WEST LINE, A DISTANCE OF 1119.58 FEET TO THE POINT OF BEGINNING.

SAID PARCEL CONTAINS 51.11 ACRES, MORE OR LESS, AND IS SUBJECT TO ANY PREVIOUS EASEMENTS, AGREEMENTS, CONVEYANCES AND SURVEYS.

email web

## **Project Purpose**

This proposed plat of Southfork Acres 2<sup>nd</sup> Subdivision is the replat of Lot 1B of Southfork Acres Subdivision. This replat will create nine (9) Rural Residential lots within this lot that are 5-acres minimum in area. This will allow for residential and agricultural uses within these lots consistent with the proposed Rural Residential zoning of this area. The applicant plans to advertise these lots for sale.

## Changes since Preliminary Plat Approval

A water service easement was added across the south side of Lots 2, 3, 6, and 7 to allow for a proposed SWA water service line to serve these lots. A development agreement was also drafted to meet the future right-of-way dedication condition from the Preliminary Plat approval.

Your consideration of this request is greatly appreciated. Feel free to contact me for any additional information or questions regarding this submittal. Thank You!

Andrew Schrank, PE, CFM Highlands Engineering

office 701 483 2444 fax 701 483 2610 email web