

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 1

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse

FACILITY NAME AND LOCATION:

GeoChemicals, LLC - Dickinson Warehouse
Dept:
11117 30G St. SW
Dickinson, North Dakota 58601 USA
Emergency 24-Hour Phone Number: 763-276-4175
County: Stark
Fire District:
Latitude: 46.976413563306
Longitude: -102.79244358338
MAILING ADDRESS: 517 E. 30th Ave., Suite D
Hutchinson, Kansas 67502 USA

All facility information (not including chemical information) is identical to last year's submission

IDENTIFICATION NUMBERS:

Dun & Bradstreet: 847899304
NAICS: 213112 (Support Activities for Oil and Gas Operations)

Is the facility manned? Manned Unmanned
Maximum No. of Occupants: 9

REGULATORY INFORMATION:

Subject to Emergency Planning under Section 302 of EPCRA (40 CFR part 355)? Yes No
Subject to Chem. Accident Prevention under Section 112(r) of CAA (40 CFR part 68, Risk Mgmt. Pgm.)? Yes No

CONTACT INFORMATION:

Barton, Jim

Title: DOT Consultant
Contact Type(s): Fac. Emergency Coordinator
Address: 517 E. 30th Ave., Suite D, Hutchinson, KANSAS 67502 USA
Phones: Work: 620-204-7200 24-hour: 620-314-6294
Email: jim.barton@geo-chemicals.com

Bryant, Todd

Title: Director of Analytical Data
Contact Type(s): Tier II Information Contact
Address: 517 E. 30th Ave., Suite D, Hutchinson, KANSAS 67502 USA
Phones: Work: 620-204-7200
Email: todd.bryant@geo-chemicals.com

Crow, Larry

Title: Vice President of Internal Operations, General Counsel
Contact Type(s): Emergency Contact, Owner / Operator
Address: 517 E. 30th Ave., Suite D, Hutchinson, KANSAS 67502 USA
Phones: 24-hour: 763-276-4175 Work: 620-204-7200
Email: larry.crow@geo-chemicals.com

CHEMICAL INVENTORY INFORMATION:

Mixture or Product Name: Acid Hib 101

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 2

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 1,566 pounds Maximum Amount code: 04 (1,000-4,999 pounds)

Average Daily Amount: 196 pounds Average Daily Amount code: 02 (100-499 pounds)

Max amount in largest container: 1,566 pounds

Days on site: 30

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 200 gallons

MIXTURE COMPONENTS:

Name: Hydrochloric Acid CAS #: 7647-01-0 EHS

Max Amt Code: 01 (0-99 pounds) Component Percentage: 3 (by weight)

Name: Methanol CAS #: 67-56-1 EHS

Max Amt Code: 03 (500-999 pounds) Component Percentage: 40 (by weight)

Mixture or Product Name: B-1203

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
- Maximum Amount: 25,750 pounds Maximum Amount code: 07 (25,000-49,999 pounds)
- Average Daily Amount: 5,722 pounds Average Daily Amount code: 05 (5,000-9,999 pounds)
- Max amount in largest container: 2,861.1 pounds
- Days on site: 91

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 2,970 gallons

MIXTURE COMPONENTS:

Name: Glutaraldehyde CAS #: 111-30-8 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 20 (by weight)

Mixture or Product Name: Bionix GA-2512

CAS #:

- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 4

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- | | |
|--|--|
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Carcinogenicity |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Reproductive toxicity |
| <input type="checkbox"/> Organic peroxide | <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Corrosive to metal | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Gas under pressure (compressed gas) | <input type="checkbox"/> Simple asphyxiant |
| <input type="checkbox"/> In contact with water emits flammable gas | |
| <input type="checkbox"/> Combustible dust | |
- Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 23,206 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 2,835 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 2,778.6 pounds
Days on site: 61

STORAGE LOCATIONS:

- Confidential
- Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 2,756 gallons

MIXTURE COMPONENTS:

- Name: Glutaraldehyde CAS #: 111-30-8 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 25.3 (by weight)

Mixture or Product Name: Bionix GA-2512W

- CAS #:
Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 23,206 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 2,835 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 3,108.6 pounds
Days on site: 152

STORAGE LOCATIONS:

- Confidential

Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 2,756 gallons

MIXTURE COMPONENTS:

- Name: Glutaraldehyde CAS #: 111-30-8 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 25.3 (by weight)

Mixture or Product Name: CI-0001

CAS #:

- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 12,948 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 6,221 pounds Average Daily Amount code: 05 (5,000-9,999 pounds)
Max amount in largest container: 2,353 pounds
Days on site: 365

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 1,816 gallons

MIXTURE COMPONENTS:

Name: isopropanol CAS #: 67-63-0 EHS

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 70 (by weight)

Name: methanol CAS #: 67-56-1 EHS

Max Amt Code: 03 (500-999 pounds) Component Percentage: 6.8 (by weight)

Mixture or Product Name: CI-1201

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 14,612 pounds Maximum Amount code: 06 (10,000-24,999 pounds)

Average Daily Amount: 4,737 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)

Max amount in largest container: 2,435.4 pounds

Days on site: 274

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 7

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Amount: 1,980 gallons

MIXTURE COMPONENTS:

Name: Isopropyl Alcohol CAS #: 67-63-0 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 2.8 (by weight)

Name: Solvent Naptha Heavy CAS #: 64742-94-5 EHS

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 40 (by weight)

Name: Solvent Naptha Light CAS #: 64742-95-6 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 32 (by weight)

Mixture or Product Name: CI-7511

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 20,566 pounds Maximum Amount code: 06 (10,000-24,999 pounds)

Average Daily Amount: 9,964 pounds Average Daily Amount code: 05 (5,000-9,999 pounds)

Max amount in largest container: 2,571 pounds

Days on site: 274

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 2,640 gallons

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

MIXTURE COMPONENTS:

Name: Acetic Acid CAS #: 64-19-7 EHS
Max Amt Code: 03 (500-999 pounds) Component Percentage: 2.6 (by weight)

Name: isopropanol CAS #: 67-63-0 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 17 (by weight)

Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 18 (by weight)

Mixture or Product Name: CI-7511W

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 34,334 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 18,351 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container: 2,346 pounds

Days on site: 213

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 4,829 gallons

MIXTURE COMPONENTS:

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Name: Acetic Acid CAS #: 64-19-7 EHS
Max Amt Code: 03 (500-999 pounds) Component Percentage: 2.9 (by weight)

Name: isopropanol CAS #: 67-63-0 EHS
Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 54 (by weight)

Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 20 (by weight)

Mixture or Product Name: Corr Film A

CAS #:

Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds
Maximum Amount: 1,242 pounds Maximum Amount code: 04 (1,000-4,999 pounds)
Average Daily Amount: 704 pounds Average Daily Amount code: 03 (500-999 pounds)
Max amount in largest container: 1,242 pounds
Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 163 gallons

MIXTURE COMPONENTS:

Name: Xylene CAS #: 1330-20-7 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 85 (by weight)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Mixture or Product Name: Corr Film B

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 1,572 pounds Maximum Amount code: 04 (1,000-4,999 pounds)

Average Daily Amount: 1,003 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)

Max amount in largest container: 1,572 pounds

Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 215 gallons

MIXTURE COMPONENTS:

Name: Xylene CAS #: 1330-20-7 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 89.5 (by weight)

Mixture or Product Name: CS-102-SH

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- Identical to previous year
- Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
- Maximum Amount: 5,735 pounds Maximum Amount code: 05 (5,000-9,999 pounds)
- Average Daily Amount: 1,434 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
- Max amount in largest container: 2,867.7 pounds
- Days on site: 30

STORAGE LOCATIONS:

- Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 660 gallons

MIXTURE COMPONENTS:

Name: Acetic Acid CAS #: 64-19-7 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 2 (by weight)

Name: Ethylene Glycol CAS #: 107-21-1 EHS
Max Amt Code: 03 (500-999 pounds) Component Percentage: 10 (by weight)

Name: Isopropyl Alcohol CAS #: 67-63-0 EHS
Max Amt Code: 03 (500-999 pounds) Component Percentage: 10 (by weight)

Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 7.3 (by weight)

Mixture or Product Name: CS-103T

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 12

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds
Maximum Amount: 6,998 pounds Maximum Amount code: 05 (5,000-9,999 pounds)
Average Daily Amount: 1,750 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 2,851.2 pounds
Days on site: 30

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 810 gallons

MIXTURE COMPONENTS:

Name: Ethylene Glycol CAS #: 107-21-1 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 4.4 (by weight)

Name: Isopropyl Alcohol CAS #: 67-63-0 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 4.4 (by weight)

Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 3.2 (by weight)

Name: tetrakis(hydroxymethyl)phosphonium;sulfate CAS #: 555566-30-8 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 3.8 (by weight)

Mixture or Product Name: CS-103TC

CAS #:

Chemical Category: Pure Mixture

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 13

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 7,313 pounds Maximum Amount code: 05 (5,000-9,999 pounds)

Average Daily Amount: 3,874 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)

Max amount in largest container: 2,950.2 pounds

Days on site: 244

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 818 gallons

MIXTURE COMPONENTS:

Name: Acetic Acid CAS #: 64-19-7 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 1.7 (by weight)

Name: Ethylene Glycol CAS #: 107-21-1 EHS

Max Amt Code: 03 (500-999 pounds) Component Percentage: 8.5 (by weight)

Name: Isopropyl Alcohol CAS #: 67-63-0 EHS

Max Amt Code: 03 (500-999 pounds) Component Percentage: 8.5 (by weight)

Name: Methanol CAS #: 67-56-1 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 6.2 (by weight)

Name: tetrakis(hydroxymethyl)phosphonium;sulfate CAS #: 555566-30-8 EHS

Max Amt Code: 03 (500-999 pounds) Component Percentage: 7.3 (by weight)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Mixture or Product Name: EB Slug

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 6,636 pounds Maximum Amount code: 05 (5,000-9,999 pounds)

Average Daily Amount: 2,685 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)

Max amount in largest container: 2,610 pounds

Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 3,591 pounds

MIXTURE COMPONENTS:

Name: isopropanol CAS #: 67-63-0 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 5.9 (by weight)

Name: Solvent Naptha Heavy CAS #: EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 22 (by weight)

Name: Solvent Naptha Light CAS #: EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 17 (by weight)

Name: Xylene CAS #: 1330-20-7 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 6.3 (by weight)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Mixture or Product Name: EB Slug H

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 17,214 pounds Maximum Amount code: 06 (10,000-24,999 pounds)

Average Daily Amount: 6,086 pounds Average Daily Amount code: 05 (5,000-9,999 pounds)

Max amount in largest container: 2,504.7 pounds

Days on site: 183

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 2,268 gallons

MIXTURE COMPONENTS:

Name: Isopropyl Alcohol CAS #: 67-63-0 EHS

Max Amt Code: 03 (500-999 pounds) Component Percentage: 3.1 (by weight)

Name: Solvent Naptha Heavy CAS #: 64742-94-5 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 9.1 (by weight)

Name: Solvent Naptha Light CAS #: 64742-95-6 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 12 (by weight)

Name: Xylene CAS #: 1330-20-7 EHS

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 51 (by weight)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Mixture or Product Name: EB-0249

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 5,975 pounds Maximum Amount code: 05 (5,000-9,999 pounds)

Average Daily Amount: 2,194 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)

Max amount in largest container: 2,560.8 pounds

Days on site: 274

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 770 gallons

MIXTURE COMPONENTS:

Name: Solvent Naptha Heavy CAS #: 64742-94-5 EHS

Max Amt Code: 03 (500-999 pounds) Component Percentage: 8.9 (by weight)

Name: Sulphuric Acid CAS #: 7664-93-9 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 7 (by weight)

Name: Xylene CAS #: 1330-20-7 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 55 (by weight)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Mixture or Product Name: EB-3540C

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 2,666 pounds Maximum Amount code: 04 (1,000-4,999 pounds)

Average Daily Amount: 2,666 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)

Max amount in largest container: 2,666 pounds

Days on site: 91

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 330 gallons

MIXTURE COMPONENTS:

Name: isopropanol CAS #: 67-63-0 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 5 (by weight)

Name: Solvent Naptha Heavy CAS #: 64742-94-5 EHS

Max Amt Code: 03 (500-999 pounds) Component Percentage: 22 (by weight)

Name: Solvent Naptha Light CAS #: 64742-95-6 EHS

Max Amt Code: 03 (500-999 pounds) Component Percentage: 21 (by weight)

Mixture or Product Name: EB-6410

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 18

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

CAS #:

Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust

HEALTH HAZARDS:

Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds
Maximum Amount: 18,740 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 447 pounds Average Daily Amount code: 02 (100-499 pounds)
Max amount in largest container: 2,622 pounds
Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 2,502 gallons

MIXTURE COMPONENTS:

Name: isopropanol CAS #: 67-63-0 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 7 (by weight)

Name: Solvent Naptha Heavy CAS #: 64742-94-5 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 35 (by weight)

Name: Solvent Naptha Light CAS #: 64742-95-6 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 32 (by weight)

Name: Sulphuric Acid CAS #: 7664-93-9 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 30 (by weight)

Name: xylene CAS #: 1330-20-7 EHS
Max Amt Code: 03 (500-999 pounds) Component Percentage: 3.3 (by weight)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Mixture or Product Name: EB-8349

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 4,924 pounds Maximum Amount code: 04 (1,000-4,999 pounds)

Average Daily Amount: 2,462 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)

Max amount in largest container: 2,462 pounds

Days on site: 91

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 660 gallons

MIXTURE COMPONENTS:

Name: Solvent Naptha Heavy CAS #: 64742-94-5 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 48 (by weight)

Name: Solvent Naptha Light CAS #: 64742-95-6 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 32 (by weight)

Name: Xylene CAS #: 1330-20-7 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 2.5 (by weight)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Mixture or Product Name: Flozol 2252

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 821 pounds Maximum Amount code: 03 (500-999 pounds)

Average Daily Amount: 205 pounds Average Daily Amount code: 02 (100-499 pounds)

Max amount in largest container: 410 pounds

Days on site: 30

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Plastic or non-metallic drum

Pressure: Ambient pressure

Temperature: Ambient temperature

Amount: 110 gallons

MIXTURE COMPONENTS:

Name: Xylene CAS #: 1330-20-7 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 40 (by weight)

Mixture or Product Name: GC-0612

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
- Maximum Amount: 83 pounds Maximum Amount code: 01 (0-99 pounds)
- Average Daily Amount: 83 pounds Average Daily Amount code: 01 (0-99 pounds)
- Max amount in largest container: 83 pounds
- Days on site: 365

STORAGE LOCATIONS:

- Confidential

Location Description: Inside Warehouse

Container Type: Plastic or non-metallic drum Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 10 gallons

MIXTURE COMPONENTS:

Name: Sulphuric Acid CAS #: 7664-93-9 EHS
Max Amt Code: 01 (0-99 pounds) Component Percentage: 1.7 (by weight)

Mixture or Product Name: GEO PCB 1002

CAS #:

- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 22

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant
- Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
- Maximum Amount: 408 pounds Maximum Amount code: 02 (100-499 pounds)
- Average Daily Amount: 272 pounds Average Daily Amount code: 02 (100-499 pounds)
- Max amount in largest container: 408 pounds
- Days on site: 122

STORAGE LOCATIONS:

- Confidential
- Location Description: Inside Warehouse
- Container Type: Plastic or non-metallic drum Pressure: Ambient pressure Temperature: Ambient temperature
- Amount: 55 gallons

MIXTURE COMPONENTS:

- Name: Xylene CAS #: 1330-20-7 EHS
- Max Amt Code: 02 (100-499 pounds) Component Percentage: 45 (by weight)

Mixture or Product Name: GEO PCBW 1001

CAS #:

- Chemical Category: Pure Mixture
- EHS: Yes No
- Physical State: Solid Liquid Gas
- Identical to previous year
- Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 23

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 1,257 pounds Maximum Amount code: 04 (1,000-4,999 pounds)
Average Daily Amount: 439 pounds Average Daily Amount code: 02 (100-499 pounds)
Max amount in largest container: 419.1 pounds
Days on site: 274

STORAGE LOCATIONS:

- Confidential
- Location Description: Inside Warehouse
Container Type: Plastic or non-metallic drum Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 165 gallons

MIXTURE COMPONENTS:

- Name: Xylene CAS #: 1330-20-7 EHS
Max Amt Code: 03 (500-999 pounds) Component Percentage: 43 (by weight)

Mixture or Product Name: GEO PCBW 2201

CAS #:

- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 1,226 pounds Maximum Amount code: 04 (1,000-4,999 pounds)
Average Daily Amount: 222 pounds Average Daily Amount code: 02 (100-499 pounds)
Max amount in largest container: 408.65 pounds
Days on site: 122

STORAGE LOCATIONS:

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Confidential

Location Description: Inside Warehouse

Container Type: Plastic or non-metallic drum Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 165 gallons

MIXTURE COMPONENTS:

Name: Isopropyl Alcohol CAS #: 67-63-0 EHS

Max Amt Code: 01 (0-99 pounds) Component Percentage: 1.3 (by weight)

Name: Solvent Naptha Heavy CAS #: 64742-94-5 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 19 (by weight)

Name: Solvent Naptha Light CAS #: 64742-95-6 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 15 (by weight)

Name: Xylene CAS #: 1330-20-7 EHS

Max Amt Code: 01 (0-99 pounds) Component Percentage: 1.1 (by weight)

Mixture or Product Name: GeoShield 7200

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 13,207 pounds Maximum Amount code: 06 (10,000-24,999 pounds)

Average Daily Amount: 6,122 pounds Average Daily Amount code: 05 (5,000-9,999 pounds)

Max amount in largest container: 2,871 pounds

Days on site: 91

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 1,518 gallons

MIXTURE COMPONENTS:

Name: Ethylene Glycol CAS #: 107-21-1 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 18 (by weight)

Name: Methanol CAS #: 67-56-1 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 9.1 (by weight)

Mixture or Product Name: GS-7200

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 20,883 pounds Maximum Amount code: 06 (10,000-24,999 pounds)

Average Daily Amount: 14,478 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container: 3,099 pounds

Days on site: 304

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Amount: 2,224 gallons

MIXTURE COMPONENTS:

Name: Triazine CAS #: 4719-04-4 EHS
Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 72 (by weight)

Mixture or Product Name: GS-7500W

CAS #:

Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds
Maximum Amount: 14,533 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 2,295 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 3,399 pounds
Days on site: 91

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 1,411 gallons

MIXTURE COMPONENTS:

Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 3.4 (by weight)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Mixture or Product Name: HCl 15%

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 58,896 pounds Maximum Amount code: 08 (50,000-74,999 pounds)

Average Daily Amount: 23,295 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container: 2,983 pounds

Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 6,515 gallons

MIXTURE COMPONENTS:

Name: HCl Acid CAS #: 7647-01-0 EHS

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 15 (by weight)

Mixture or Product Name: HS-7030

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
- Maximum Amount: 14,859 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
- Average Daily Amount: 9,761 pounds Average Daily Amount code: 05 (5,000-9,999 pounds)
- Max amount in largest container: 2,874.3 pounds
- Days on site: 335

STORAGE LOCATIONS:

- Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 1,706 gallons

MIXTURE COMPONENTS:

Name: Triazine CAS #: 4719-04-4 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 25 (by weight)

Mixture or Product Name: HS-7030C

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant
- Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
- Maximum Amount: 3,079 pounds Maximum Amount code: 04 (1,000-4,999 pounds)
- Average Daily Amount: 770 pounds Average Daily Amount code: 03 (500-999 pounds)
- Max amount in largest container: 2,854.5 pounds
- Days on site: 30

STORAGE LOCATIONS:

- Confidential
- Location Description: Inside Warehouse
- Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
- Amount: 356 gallons

MIXTURE COMPONENTS:

- Name: Methanol CAS #: 67-56-1 EHS
- Max Amt Code: 02 (100-499 pounds) Component Percentage: 10 (by weight)

- Name: Triazine CAS #: 4719-04-4 EHS
- Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 36 (by weight)

Mixture or Product Name: HS-7030CA

CAS #:

- Chemical Category: Pure Mixture
- EHS: Yes No
- Physical State: Solid Liquid Gas
- Identical to previous year
- Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Combustible dust

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 32,396 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 21,085 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container: 2,868 pounds

Days on site: 274

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 3,728 gallons

MIXTURE COMPONENTS:

Name: Triazine CAS #: 4719-04-4 EHS

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 23 (by weight)

Mixture or Product Name: HS-7030W-CA

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

Explosive

Flammable (gases, aerosols, liquids, or solids)

Oxidizer (liquid, solid, or gas)

Self-reactive

Pyrophoric (liquid or solid)

Pyrophoric gas

Self-heating

Organic peroxide

Corrosive to metal

Gas under pressure (compressed gas)

In contact with water emits flammable gas

Combustible dust

HEALTH HAZARDS:

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Respiratory or skin sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

Aspiration hazard

Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 28,405 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 10,255 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container: 2,722.5 pounds

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Days on site: 91

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 3,443 gallons

MIXTURE COMPONENTS:

Name: Formaldehyde CAS #: 50-00-0 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 1.5 (by weight)

Name: Methanol CAS #: 67-56-1 EHS

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 27 (by weight)

Name: Triazine CAS #: 4719-04-4 EHS

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 25 (by weight)

Mixture or Product Name: HS-7030W-CAH

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 11,946 pounds Maximum Amount code: 06 (10,000-24,999 pounds)

Average Daily Amount: 996 pounds Average Daily Amount code: 03 (500-999 pounds)

Max amount in largest container: 2,692.8 pounds

Days on site: 30

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 1,464 gallons

MIXTURE COMPONENTS:

Name: Methanol CAS #: 67-56-1 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 26 (by weight)

Name: Triazine CAS #: 4719-04-4 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 13 (by weight)

Mixture or Product Name: HS-7400W

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 2,335 pounds Maximum Amount code: 04 (1,000-4,999 pounds)

Average Daily Amount: 2,335 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)

Max amount in largest container: 2,335 pounds

Days on site: 274

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Amount: 250 gallons

MIXTURE COMPONENTS:

Name: Metanol CAS #: 67-56-1 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 18.3 (by weight)

Mixture or Product Name: HS-8000

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 3,423 pounds Maximum Amount code: 04 (1,000-4,999 pounds)

Average Daily Amount: 1,216 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)

Max amount in largest container: 2,689.5 pounds

Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 420 gallons

MIXTURE COMPONENTS:

Name: Isopropyl Alcohol CAS #: 67-63-0 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 40 (by weight)

Name: Triazine CAS #: 4719-04-4 EHS

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 36 (by weight)

Chemical Name: Methanol

CAS #: 67-56-1

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 30,942 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 11,379 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container: 2,188 pounds

Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 4,667 gallons

Mixture or Product Name: MS-3

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

HEALTH HAZARDS:

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 35

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- | | |
|---|--|
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) |
| <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) | <input checked="" type="checkbox"/> Skin corrosion or irritation |
| <input type="checkbox"/> Oxidizer (liquid, solid, or gas) | <input checked="" type="checkbox"/> Serious eye damage or eye irritation |
| <input type="checkbox"/> Self-reactive | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Pyrophoric (liquid or solid) | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Carcinogenicity |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Reproductive toxicity |
| <input type="checkbox"/> Organic peroxide | <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Corrosive to metal | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Gas under pressure (compressed gas) | <input type="checkbox"/> Simple asphyxiant |
| <input type="checkbox"/> In contact with water emits flammable gas | |
| <input type="checkbox"/> Combustible dust | |
- Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 33,696 pounds Maximum Amount code: 07 (25,000-49,999 pounds)
Average Daily Amount: 19,341 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)
Max amount in largest container: 2,488 pounds
Days on site: 335

STORAGE LOCATIONS:

- Confidential
- Location Description: Inside warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 4,469 gallons

MIXTURE COMPONENTS:

- Name: 2-butoxy Ethanol CAS #: 111-76-2 EHS
Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 30 (by weight)
- Name: isopropanol CAS #: 67-63-0 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 27.3 (by weight)

Mixture or Product Name: MS-3 (-)

- CAS #:
- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- | | |
|--|--|
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Carcinogenicity |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Reproductive toxicity |
| <input type="checkbox"/> Organic peroxide | <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Corrosive to metal | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Gas under pressure (compressed gas) | <input type="checkbox"/> Simple asphyxiant |
| <input type="checkbox"/> In contact with water emits flammable gas | |
| <input type="checkbox"/> Combustible dust | |
| | <input type="checkbox"/> Hazard not otherwise classified |

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 13,597 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 3,399 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 2,352.9 pounds
Days on site: 30

STORAGE LOCATIONS:

- Confidential
- Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 1,907 gallons

MIXTURE COMPONENTS:

- Name: 2-butoxy Ethanol CAS #: 111-76-2 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 30 (by weight)
- Name: Isopropyl Alcohol CAS #: 67-63-0 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 55 (by weight)

Mixture or Product Name: OS-1

- CAS #:
- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- In contact with water emits flammable gas
 Combustible dust
 Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 3,343 pounds Maximum Amount code: 04 (1,000-4,999 pounds)
Average Daily Amount: 1,650 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 3,197.7 pounds
Days on site: 365

STORAGE LOCATIONS:

- Confidential

Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 345 gallons

MIXTURE COMPONENTS:

- Name: Ethylene Glycol CAS #: 107-21-1 EHS
Max Amt Code: 03 (500-999 pounds) Component Percentage: 18 (by weight)

Mixture or Product Name: PD-8019 Balls

CAS #:

- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 129 pounds Maximum Amount code: 02 (100-499 pounds)
Average Daily Amount: 105 pounds Average Daily Amount code: 02 (100-499 pounds)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Max amount in largest container: 129 pounds
Days on site: 304

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Plastic bottles or jugs Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 406 pounds

MIXTURE COMPONENTS:

Name: Solvent Naptha Heavy CAS #: 64742-94-5 EHS

Max Amt Code: 01 (0-99 pounds) Component Percentage: 2 (by weight)

Name: Xylene CAS #: 1330-20-7 EHS

Max Amt Code: 01 (0-99 pounds) Component Percentage: 3.5 (by weight)

Mixture or Product Name: PD-8019 Pellets

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 406 pounds Maximum Amount code: 02 (100-499 pounds)

Average Daily Amount: 207 pounds Average Daily Amount code: 02 (100-499 pounds)

Max amount in largest container: 406 pounds

Days on site: 335

STORAGE LOCATIONS:

Confidential

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Location Description: Inside Warehouse

Container Type: Plastic bottles or jugs Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 406 pounds

MIXTURE COMPONENTS:

Name: Solvent Naptha Heavy CAS #: 64742-94-5 EHS

Max Amt Code: 01 (0-99 pounds) Component Percentage: 2 (by weight)

Name: Xylene CAS #: 1330-20-7 EHS

Max Amt Code: 01 (0-99 pounds) Component Percentage: 3.5 (by weight)

Mixture or Product Name: PI-1252

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 23,675 pounds Maximum Amount code: 06 (10,000-24,999 pounds)

Average Daily Amount: 10,674 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container: 2,389 pounds

Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 3,270 gallons

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

MIXTURE COMPONENTS:

Name: isopropanol CAS #: 67-63-0 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 1 (by weight)

Name: xylene CAS #: 1330-20-7 EHS
Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 75 (by weight)

Mixture or Product Name: PIC-2352

CAS #:

Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust

HEALTH HAZARDS:

Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds
Maximum Amount: 16,247 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 8,727 pounds Average Daily Amount code: 05 (5,000-9,999 pounds)
Max amount in largest container: 1,895 pounds
Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 2,358 pounds

MIXTURE COMPONENTS:

Name: 2-bytoxy Ethanol CAS #: 111-76-2 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 1.4 (by weight)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Name: isopropanol CAS #: 67-63-0 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 2.6 (by weight)

Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 19 (by weight)

Name: Toluene CAS #: 108-88-3 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 48 (by weight)

Mixture or Product Name: PS-1052

CAS #:

Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds
Maximum Amount: 3,707 pounds Maximum Amount code: 04 (1,000-4,999 pounds)
Average Daily Amount: 1,992 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 2,242 pounds
Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 550 gallons

MIXTURE COMPONENTS:

Name: 2-butoxy Ethanol CAS #: 111-76-2 EHS
Max Amt Code: 01 (0-99 pounds) Component Percentage: 1.5 (by weight)

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 42

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Name: Isopropyl Alcohol CAS #: 67-63-0 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 2.8 (by weight)

Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 03 (500-999 pounds) Component Percentage: 20 (by weight)

Name: Toluene CAS #: 108-88-3 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 50 (by weight)

Mixture or Product Name: PS-1352

CAS #:

Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust

HEALTH HAZARDS:

Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds
Maximum Amount: 17,528 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 8,338 pounds Average Daily Amount code: 05 (5,000-9,999 pounds)
Max amount in largest container: 2,379 pounds
Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: inside warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 2,431 gallons

MIXTURE COMPONENTS:

Name: xylene CAS #: 1330-20-7 EHS

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 100 (by weight)

Mixture or Product Name: PS-8152

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 30,919 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 15,898 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container: 2,310 pounds

Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 4,417 gallons

MIXTURE COMPONENTS:

Name: Toluene CAS #: 108-88-3 EHS

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 27 (by weight)

Name: xylene CAS #: 1330-20-7 EHS

Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 48 (by weight)

Mixture or Product Name: Salt Hib

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 44

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 33,201 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 11,306 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container: 2,805 pounds

Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 3,906 gallons

MIXTURE COMPONENTS:

Name: ethylene glycol CAS #: 107-21-1 EHS

Max Amt Code: 03 (500-999 pounds) Component Percentage: 1.7 (by weight)

Mixture or Product Name: Salt Hib Winterized

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

HEALTH HAZARDS:

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 45

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- | | |
|--|---|
| <input type="checkbox"/> Explosive | <input checked="" type="checkbox"/> Acute toxicity (any route of exposure) |
| <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) | <input checked="" type="checkbox"/> Skin corrosion or irritation |
| <input type="checkbox"/> Oxidizer (liquid, solid, or gas) | <input checked="" type="checkbox"/> Serious eye damage or eye irritation |
| <input type="checkbox"/> Self-reactive | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Pyrophoric (liquid or solid) | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Carcinogenicity |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Reproductive toxicity |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Corrosive to metal | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Gas under pressure (compressed gas) | <input type="checkbox"/> Simple asphyxiant |
| <input type="checkbox"/> In contact with water emits flammable gas | |
| <input type="checkbox"/> Combustible dust | |
- Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 25,529 pounds Maximum Amount code: 07 (25,000-49,999 pounds)
Average Daily Amount: 3,191 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 2,894 pounds
Days on site: 30

STORAGE LOCATIONS:

- Confidential
- Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 2,911 gallons

MIXTURE COMPONENTS:

- Name: Ethylene Glycol CAS #: 107-21-1 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 30 (by weight)

Mixture or Product Name: SC-3711

- CAS #:
Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 46

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust
 Aspiration hazard
 Simple asphyxiant
 Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 46,340 pounds Maximum Amount code: 07 (25,000-49,999 pounds)
Average Daily Amount: 29,285 pounds Average Daily Amount code: 07 (25,000-49,999 pounds)
Max amount in largest container: 2,699 pounds
Days on site: 365

STORAGE LOCATIONS:

- Confidential
Location Description: Inside warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 5,665 gallons

MIXTURE COMPONENTS:

- Name: Acetic Acid CAS #: 64-19-7 EHS
Max Amt Code: 03 (500-999 pounds) Component Percentage: 1.8 (by weight)
Name: Ethylene glycol CAS #: 107-21-1 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 7.6 (by weight)
Name: isopropanol CAS #: 67-63-0 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 11 (by weight)
Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 13 (by weight)

Mixture or Product Name: SC-3711+

CAS #:

- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 47

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- | | |
|--|---|
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Corrosive to metal | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Gas under pressure (compressed gas) | <input type="checkbox"/> Simple asphyxiant |
| <input type="checkbox"/> In contact with water emits flammable gas | |
| <input type="checkbox"/> Combustible dust | |
| <input type="checkbox"/> Hazard not otherwise classified | |

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 69,297 pounds Maximum Amount code: 08 (50,000-74,999 pounds)
Average Daily Amount: 30,119 pounds Average Daily Amount code: 07 (25,000-49,999 pounds)
Max amount in largest container: 3,003 pounds
Days on site: 365

STORAGE LOCATIONS:

- Confidential
- Location Description: Inside warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 7,615 gallons

MIXTURE COMPONENTS:

- Name: Ethylene glycol CAS #: 107-21-1 EHS
Max Amt Code: 07 (25,000-49,999 pounds) Component Percentage: 48 (by volume)

Mixture or Product Name: SC-3775

- CAS #:
Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 48

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Below Reporting Thresholds

Maximum Amount: 38,635 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 6,135 pounds Average Daily Amount code: 05 (5,000-9,999 pounds)

Max amount in largest container: 2,798 pounds

Days on site: 91

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 4,556 gallons

MIXTURE COMPONENTS:

Name: Acetic Acid CAS #: 64-19-7 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 1.2 (by weight)

Name: Ethylene Glycol CAS #: 107-21-1 EHS

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 19 (by weight)

Name: Isopropyl Alcohol CAS #: 67-63-0 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 7.7 (by weight)

Name: Methanol CAS #: 67-56-1 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 9 (by weight)

Mixture or Product Name: SC-3775+

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 16,969 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 1,414 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 2,828 pounds
Days on site: 30

STORAGE LOCATIONS:

- Confidential

Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 1,980 gallons

MIXTURE COMPONENTS:

- Name: Acetic Acid CAS #: 64-19-7 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 1.1 (by weight)
- Name: Ethylene Glycol CAS #: 107-21-1 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 28 (by weight)
- Name: Isopropyl Alcohol CAS #: 67-63-0 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 6.8 (by weight)
- Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 8 (by weight)

Mixture or Product Name: SC-3775W

CAS #:

- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Hazard not otherwise classified

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 20,394 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 1,699 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 2,709 pounds
Days on site: 30

STORAGE LOCATIONS:

- Confidential

Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 2,484 gallons

MIXTURE COMPONENTS:

- Name: Acetic Acid CAS #: 64-19-7 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 1.3 (by weight)
- Name: Ethylene Glycol CAS #: 107-21-1 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 20 (by weight)
- Name: Isopropyl Alcohol CAS #: 67-63-0 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 24 (by weight)
- Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 9.3 (by weight)

Mixture or Product Name: SF-2209

- CAS #:
Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 36,727 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 19,642 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container: 2,468 pounds

Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 4,910 gallons

MIXTURE COMPONENTS:

Name: 2-butoxy Ethanol CAS #: 111-76-2 EHS

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 23 (by weight)

Name: Methanol CAS #: 67-56-1 EHS

Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 44 (by weight)

Mixture or Product Name: SF-4003

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

Explosive

Flammable (gases, aerosols, liquids, or solids)

Oxidizer (liquid, solid, or gas)

Self-reactive

Pyrophoric (liquid or solid)

Pyrophoric gas

Self-heating

Organic peroxide

Corrosive to metal

Gas under pressure (compressed gas)

In contact with water emits flammable gas

Combustible dust

HEALTH HAZARDS:

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Respiratory or skin sensitization

Germ cell mutagenicity

Carcinogenicity

Reproductive toxicity

Specific target organ toxicity (single or repeated exposure)

Aspiration hazard

Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 2,686 pounds Maximum Amount code: 04 (1,000-4,999 pounds)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Average Daily Amount: 672 pounds Average Daily Amount code: 03 (500-999 pounds)
Max amount in largest container: 2,686 pounds
Days on site: 30

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 330 gallons

MIXTURE COMPONENTS:

Name: Acetic Acid CAS #: 64-19-7 EHS

Max Amt Code: 03 (500-999 pounds) Component Percentage: 23 (by weight)

Name: Isopropyl Alcohol CAS #: 67-63-0 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 13 (by weight)

Name: Methanol CAS #: 67-56-1 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 9 (by weight)

Mixture or Product Name: SF-4006

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 49,535 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 18,850 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container: 2,627 pounds

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 6,223 gallons

MIXTURE COMPONENTS:

Name: Acetic Acid CAS #: 64-19-7 EHS

Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 45 (by weight)

Name: isopropanol CAS #: 67-63-0 EHS

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 18 (by weight)

Name: methanol CAS #: 67-56-1 EHS

Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 18 (by weight)

Mixture or Product Name: SF-7209

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 42,271 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 20,873 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)

Max amount in largest container: 2,727 pounds

Days on site: 365

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 5,378 gallons

MIXTURE COMPONENTS:

Name: isopropanol CAS #: 67-63-0 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 3.8 (by weight)

Name: methanol CAS #: 67-56-1 EHS

Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 28 (by weight)

Mixture or Product Name: SI-0373

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 48,089 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 29,111 pounds Average Daily Amount code: 07 (25,000-49,999 pounds)

Max amount in largest container: 2,993 pounds

Days on site: 365

STORAGE LOCATIONS:

Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Amount: 5,302 gallons

MIXTURE COMPONENTS:

Name: Ethylene Glycol CAS #: 107-21-1 EHS
Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 35 (by weight)

Mixture or Product Name: SI-0373H

CAS #:

Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds
Maximum Amount: 5,861 pounds Maximum Amount code: 05 (5,000-9,999 pounds)
Average Daily Amount: 1,066 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 2,917 pounds
Days on site: 61

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 663 gallons

MIXTURE COMPONENTS:

Name: Ethylene Glycol CAS #: 107-21-1 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 18 (by weight)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Mixture or Product Name: SI-1373

CAS #:

- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 52,972 pounds Maximum Amount code: 08 (50,000-74,999 pounds)
Average Daily Amount: 20,907 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)
Max amount in largest container: 3,252 pounds
Days on site: 365

STORAGE LOCATIONS:

- Confidential

Location Description: inside warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 5,702 gallons

MIXTURE COMPONENTS:

- Name: Ethylene Glycol CAS #: 107-21-1 EHS
Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 33 (by volume)

Mixture or Product Name: SI-7063-S

CAS #:

- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
- Maximum Amount: 1,854 pounds Maximum Amount code: 04 (1,000-4,999 pounds)
- Average Daily Amount: 1,679 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
- Max amount in largest container: 1,854 pounds
- Days on site: 304

STORAGE LOCATIONS:

- Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 200 gallons

MIXTURE COMPONENTS:

Name: Ethylene Glycol CAS #: 107-21-1 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 10 (by volume)

Name: HCl Acid CAS #: 7647-01-0 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 6 (by weight)

Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 01 (0-99 pounds) Component Percentage: 4 (by volume)

Mixture or Product Name: Stim Clean

CAS #:

- Chemical Category: Pure Mixture
- EHS: Yes No
- Physical State: Solid Liquid Gas
- Identical to previous year
- Trade secret

PHYSICAL HAZARDS:

HEALTH HAZARDS:

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- | | |
|--|---|
| <input type="checkbox"/> Explosive | <input type="checkbox"/> Acute toxicity (any route of exposure) |
| <input type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) | <input checked="" type="checkbox"/> Skin corrosion or irritation |
| <input type="checkbox"/> Oxidizer (liquid, solid, or gas) | <input checked="" type="checkbox"/> Serious eye damage or eye irritation |
| <input type="checkbox"/> Self-reactive | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Pyrophoric (liquid or solid) | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Carcinogenicity |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Reproductive toxicity |
| <input type="checkbox"/> Organic peroxide | <input type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Corrosive to metal | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Gas under pressure (compressed gas) | <input type="checkbox"/> Simple asphyxiant |
| <input type="checkbox"/> In contact with water emits flammable gas | |
| <input type="checkbox"/> Combustible dust | |
- Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 52,632 pounds Maximum Amount code: 08 (50,000-74,999 pounds)
Average Daily Amount: 20,870 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)
Max amount in largest container: 2,977 pounds
Days on site: 304

STORAGE LOCATIONS:

- Confidential
- Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 5,835 gallons

MIXTURE COMPONENTS:

- Name: HCl Acid CAS #: 7647-01-0 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 3.9 (by weight)

Mixture or Product Name: Stim Clean (Winterized)

- CAS #:
Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust
- Aspiration hazard
- Simple asphyxiant
- Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
- Maximum Amount: 53,390 pounds Maximum Amount code: 08 (50,000-74,999 pounds)
- Average Daily Amount: 20,921 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)
- Max amount in largest container: 3,020 pounds
- Days on site: 122

STORAGE LOCATIONS:

- Confidential
- Location Description: Inside Warehouse
- Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
- Amount: 5,835 gallons

MIXTURE COMPONENTS:

- Name: Ethylene Glycol CAS #: 107-21-1 EHS
- Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 31 (by weight)

- Name: HCl Acid CAS #: 7647-01-0 EHS
- Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 3.7 (by weight)

- Name: TEG CAS #: 112-27-6 EHS
- Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 5.1 (by weight)

Mixture or Product Name: T-Break 659

CAS #:

- Chemical Category: Pure Mixture
- EHS: Yes No
- Physical State: Solid Liquid Gas
- Identical to previous year
- Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- In contact with water emits flammable gas
 Combustible dust
 Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 408 pounds Maximum Amount code: 02 (100-499 pounds)
Average Daily Amount: 260 pounds Average Daily Amount code: 02 (100-499 pounds)
Max amount in largest container: 408 pounds
Days on site: 213

STORAGE LOCATIONS:

- Confidential

Location Description: Inside Warehouse
Container Type: Plastic or non-metallic drum Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 55 gallons

MIXTURE COMPONENTS:

- Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 01 (0-99 pounds) Component Percentage: 20 (by weight)

Name: Solvent Naptha Heavy CAS #: 64742-94-5 EHS
Max Amt Code: 01 (0-99 pounds) Component Percentage: 13.3 (by weight)

Name: Solvent Naptha Light CAS #: 64742-95-6 EHS
Max Amt Code: 01 (0-99 pounds) Component Percentage: 10.6 (by weight)

Name: Toluene CAS #: 108-88-3 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 40 (by weight)

Chemical Name: Triethylene Glycol

CAS #: 112-27-6

- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- Gas under pressure (compressed gas) Simple asphyxiant
 In contact with water emits flammable gas
 Combustible dust Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 19,418 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 4,044 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 3,069 pounds
Days on site: 91

STORAGE LOCATIONS:

- Confidential

Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 2,088 gallons

Mixture or Product Name: WC-1300

CAS #:

- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 26,538 pounds Maximum Amount code: 07 (25,000-49,999 pounds)
Average Daily Amount: 13,195 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)
Max amount in largest container: 3,389 pounds
Days on site: 335

STORAGE LOCATIONS:

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Confidential

Location Description: Inside warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 2,584 gallons

MIXTURE COMPONENTS:

Name: Methanol CAS #: 67-56-1 EHS

Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 8 (by weight)

Name: THPS CAS #: 55566-30-8 EHS

Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 47 (by weight)

Mixture or Product Name: WC-1600

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 34,062 pounds Maximum Amount code: 07 (25,000-49,999 pounds)

Average Daily Amount: 9,419 pounds Average Daily Amount code: 05 (5,000-9,999 pounds)

Max amount in largest container: 3,567 pounds

Days on site: 304

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 3,151 gallons

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

MIXTURE COMPONENTS:

Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 20 (by weight)

Name: THPS CAS #: 55566-30-8 EHS
Max Amt Code: 06 (10,000-24,999 pounds) Component Percentage: 60 (by weight)

Mixture or Product Name: WT-0191

CAS #:

Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust

HEALTH HAZARDS:

Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds
Maximum Amount: 2,765 pounds Maximum Amount code: 04 (1,000-4,999 pounds)
Average Daily Amount: 1,090 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 2,264 pounds
Days on site: 183

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 403 gallons

MIXTURE COMPONENTS:

Name: Isopropyl Alcohol CAS #: 67-63-0 EHS
Max Amt Code: 04 (1,000-4,999 pounds) Component Percentage: 80 (by weight)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Mixture or Product Name: WTC-0191

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Identical to previous year

Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds

Maximum Amount: 809 pounds Maximum Amount code: 03 (500-999 pounds)

Average Daily Amount: 178 pounds Average Daily Amount code: 02 (100-499 pounds)

Max amount in largest container: 404 pounds

Days on site: 61

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse

Container Type: Plastic or non-metallic drum

Pressure: Ambient pressure

Temperature: Ambient temperature

Amount: 110 gallons

MIXTURE COMPONENTS:

Name: Isopropyl Alcohol CAS #: 67-63-0 EHS

Max Amt Code: 02 (100-499 pounds) Component Percentage: 56 (by weight)

Mixture or Product Name: WTC-3100

CAS #:

Chemical Category: Pure Mixture

EHS: Yes No

Physical State: Solid Liquid Gas

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- Identical to previous year
- Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
- Maximum Amount: 2,633 pounds Maximum Amount code: 04 (1,000-4,999 pounds)
- Average Daily Amount: 658 pounds Average Daily Amount code: 03 (500-999 pounds)
- Max amount in largest container: 2,633 pounds
- Days on site: 30

STORAGE LOCATIONS:

- Confidential

Location Description: Inside Warehouse

Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature

Amount: 309 gallons

MIXTURE COMPONENTS:

Name: Glutaraldehyde CAS #: EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 18 (by weight)

Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 6.1 (by weight)

Mixture or Product Name: WTC-6075X

CAS #:

- Chemical Category: Pure Mixture
- EHS: Yes No
- Physical State: Solid Liquid Gas
- Identical to previous year
- Trade secret

PHYSICAL HAZARDS:

- Explosive

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- | | |
|---|--|
| <input checked="" type="checkbox"/> Flammable (gases, aerosols, liquids, or solids) | <input type="checkbox"/> Skin corrosion or irritation |
| <input type="checkbox"/> Oxidizer (liquid, solid, or gas) | <input checked="" type="checkbox"/> Serious eye damage or eye irritation |
| <input type="checkbox"/> Self-reactive | <input type="checkbox"/> Respiratory or skin sensitization |
| <input type="checkbox"/> Pyrophoric (liquid or solid) | <input type="checkbox"/> Germ cell mutagenicity |
| <input type="checkbox"/> Pyrophoric gas | <input type="checkbox"/> Carcinogenicity |
| <input type="checkbox"/> Self-heating | <input type="checkbox"/> Reproductive toxicity |
| <input type="checkbox"/> Organic peroxide | <input checked="" type="checkbox"/> Specific target organ toxicity (single or repeated exposure) |
| <input type="checkbox"/> Corrosive to metal | <input type="checkbox"/> Aspiration hazard |
| <input type="checkbox"/> Gas under pressure (compressed gas) | <input type="checkbox"/> Simple asphyxiant |
| <input type="checkbox"/> In contact with water emits flammable gas | |
| <input type="checkbox"/> Combustible dust | |
| | <input type="checkbox"/> Hazard not otherwise classified |

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 17,676 pounds Maximum Amount code: 06 (10,000-24,999 pounds)
Average Daily Amount: 11,114 pounds Average Daily Amount code: 06 (10,000-24,999 pounds)
Max amount in largest container: 2,633 pounds
Days on site: 365

STORAGE LOCATIONS:

- Confidential
- Location Description: Inside Warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 2,215 gallons

MIXTURE COMPONENTS:

- Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 05 (5,000-9,999 pounds) Component Percentage: 33.2 (by weight)

Mixture or Product Name: WTC-6903C

CAS #:

- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 67

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

- Gas under pressure (compressed gas) Simple asphyxiant
 In contact with water emits flammable gas
 Combustible dust Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 919 pounds Maximum Amount code: 03 (500-999 pounds)
Average Daily Amount: 919 pounds Average Daily Amount code: 03 (500-999 pounds)
Max amount in largest container: 919 pounds
Days on site: 244

STORAGE LOCATIONS:

- Confidential
Location Description: Inside warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 55 gallons

MIXTURE COMPONENTS:

- Name: Formaldehyde CAS #: 50-00-0 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 32 (by weight)
Name: Methanol CAS #: 67-56-1 EHS
Max Amt Code: 02 (100-499 pounds) Component Percentage: 27 (by weight)

Chemical Name: Xylene

CAS #: 1330-20-7

- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Hazard not otherwise classified

Tier II
Emergency and Hazardous Chemical Inventory
Specific Information by Chemical

Reporting Period: January 1 to December 31, 2021

Page 68

Printed: February 28, 2022

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 8,724 pounds Maximum Amount code: 05 (5,000-9,999 pounds)
Average Daily Amount: 1,674 pounds Average Daily Amount code: 04 (1,000-4,999 pounds)
Max amount in largest container: 995 pounds
Days on site: 61

STORAGE LOCATIONS:

- Confidential
- Location Description: Inside warehouse
Container Type: Tote bin Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 1,210 pounds

Mixture or Product Name: ZX-400

CAS #:

- Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
 Flammable (gases, aerosols, liquids, or solids)
 Oxidizer (liquid, solid, or gas)
 Self-reactive
 Pyrophoric (liquid or solid)
 Pyrophoric gas
 Self-heating
 Organic peroxide
 Corrosive to metal
 Gas under pressure (compressed gas)
 In contact with water emits flammable gas
 Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
 Skin corrosion or irritation
 Serious eye damage or eye irritation
 Respiratory or skin sensitization
 Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Specific target organ toxicity (single or repeated exposure)
 Aspiration hazard
 Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

- Below Reporting Thresholds
Maximum Amount: 223 pounds Maximum Amount code: 02 (100-499 pounds)
Average Daily Amount: 223 pounds Average Daily Amount code: 02 (100-499 pounds)
Max amount in largest container: 223 pounds
Days on site: 213

STORAGE LOCATIONS:

- Confidential
- Location Description: Inside Warehouse
Container Type: Plastic or non-metallic drum Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 30 gallons

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

MIXTURE COMPONENTS:

Name: Solvent Naptha Light CAS #: 64742-95-6 EHS
Max Amt Code: 01 (0-99 pounds) Component Percentage: 1.7 (by weight)

Name: Toluene CAS #: 108-88-3 EHS
Max Amt Code: 01 (0-99 pounds) Component Percentage: 39 (by weight)

Name: Xylene CAS #: 1330-20-7 EHS
Max Amt Code: 01 (0-99 pounds) Component Percentage: 43 (by weight)

Mixture or Product Name: ZX-400H

CAS #:

Chemical Category: Pure Mixture
EHS: Yes No
Physical State: Solid Liquid Gas
 Identical to previous year
 Trade secret

PHYSICAL HAZARDS:

- Explosive
- Flammable (gases, aerosols, liquids, or solids)
- Oxidizer (liquid, solid, or gas)
- Self-reactive
- Pyrophoric (liquid or solid)
- Pyrophoric gas
- Self-heating
- Organic peroxide
- Corrosive to metal
- Gas under pressure (compressed gas)
- In contact with water emits flammable gas
- Combustible dust

HEALTH HAZARDS:

- Acute toxicity (any route of exposure)
- Skin corrosion or irritation
- Serious eye damage or eye irritation
- Respiratory or skin sensitization
- Germ cell mutagenicity
- Carcinogenicity
- Reproductive toxicity
- Specific target organ toxicity (single or repeated exposure)
- Aspiration hazard
- Simple asphyxiant

Hazard not otherwise classified

AMOUNTS:

Below Reporting Thresholds
Maximum Amount: 221 pounds Maximum Amount code: 02 (100-499 pounds)
Average Daily Amount: 55 pounds Average Daily Amount code: 01 (0-99 pounds)
Max amount in largest container: 221 pounds
Days on site: 30

STORAGE LOCATIONS:

Confidential

Location Description: Inside Warehouse
Container Type: Plastic or non-metallic drum Pressure: Ambient pressure Temperature: Ambient temperature
Amount: 30 gallons

MIXTURE COMPONENTS:

Facility: GeoChemicals, LLC - Dickinson Warehouse (continued)

Name: Toluene CAS #: 108-88-3 EHS
Max Amt Code: 01 (0-99 pounds) Component Percentage: 43 (by weight)

Name: Xylene CAS #: 1330-20-7 EHS
Max Amt Code: 01 (0-99 pounds) Component Percentage: 43 (by weight)

State/local fees: None

- I have attached a site plan
- I have attached a list of site coordinate abbreviations
- I have attached a description of dikes and other safeguard measures

Certification (Read and sign after completing all sections)

I certify under penalty of law that I have personally examined and am familiar with the information in pages 1 through 70, and that based on my inquiry of those individuals responsible for obtaining this information, I believe that the submitted information is true, accurate, and complete.

Signature

Larry Crow

Name and official title of owner/operator OR owner/operator's authorized representative

02/24/2022

Date signed