

The Handyman

3 Shine Deadwood

Quote #: SHSNB5F

A Proposal for Window and Door Products prepared for:

Shipping Address:

KNECHT HOME CENTER - SPEARFISH
2905 4TH AVE
SPEARFISH, SD 57783-3299



KYLE WAHLFELDT
KNECHT HOME CENTER - SPEARFISH
320 WEST BOULAVARD
RAPID CITY, SD 57701
Phone: (605) 642-8839

Email:
kyle.wahlfeldt@knechthomecenter.com

This report was generated on 12/6/2022 10:34:26 AM using the Marvin Order Management System, version 0003.17.00 (Current). Price in USD. Unit availability and price are subject to change. Dealer terms and conditions may apply.

Featuring products from:

MARVIN 

UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.

Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUMBER OF LINES: 7

TOTAL UNIT QTY: 14


EXT NET PRICE: USD 16,987.76

| LINE | MARK UNIT | PRODUCT LINE | ITEM | NET PRICE | QTY | EXTENDED NET PRICE |
|------|-------------------------|---------------|---|-----------|-----|--------------------|
| 1 | Upstairs Bedrooms | Ultimate Wood | Double Hung RO 26 1/2" X 66 1/2" | 1,167.90 | 4 | 4,671.60 |
| 2 | Upstairs Bath & Laundry | Ultimate Wood | Double Hung RO 24 1/2" X 66 1/2" | 1,116.97 | 2 | 2,233.94 |
| 3 | Main Level LR & Dining | Ultimate Wood | Double Hung RO 31 1/2" X 81 1/2" | 1,528.91 | 4 | 6,115.64 |
| 4 | Kitchen Stationary | Ultimate Wood | Double Hung Picture 1 5/8 inch Sash RO 30" X 32" | 1,071.40 | 1 | 1,071.40 |
| 5 | Kitchen | Ultimate Wood | Double Hung RO 24" X 42 1/2" | 974.89 | 1 | 974.89 |
| 6 | Main Living Room | Ultimate Wood | Double Hung RO 26 1/4" X 60 1/2" | 1,061.56 | 1 | 1,061.56 |
| 7 | Basement | Ultimate Wood | Awning RO 30" X 19" | 858.73 | 1 | 858.73 |

LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

| | | | | |
|---------|------------------------------|-----------------|-----|----------|
| Line #1 | Mark Unit: Upstairs Bedrooms | Net Price: | | 1,167.90 |
| Qty: 4 | | Ext. Net Price: | USD | 4,671.60 |



As Viewed From The Exterior

FS 25 1/2" X 66"

RO 26 1/2" X 66 1/2"

Egress Information

Width: 21 15/16" Height: 27 19/64"

Net Clear Opening: 4.16 SqFt

Performance Information

U-Factor: 0.29

Solar Heat Gain Coefficient: 0.29

Visible Light Transmittance: 0.51

Condensation Resistance: 57

CPD Number: MAR-N-68-05547-00001


ENERGY STAR: NC

Primed Pine Exterior
Primed Pine Interior
Ultimate Wood Double Hung
Rough Opening w/o Subsill
26 1/2" X 66 1/2"
Top Sash
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Bottom Sash
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Satin Taupe Sash Lock
Beige Jamb Hardware
Non Finger-Jointed Blindstop
Extruded Aluminum Screen
Stone White Surround
Bright View Mesh
***Screen/Combo Ship Loose
7 1/2" Jamb
***Jamb Extension Ship Loose
Exterior Casing - None
No Subsill
Non Finger-Jointed Sill
Loose Installation Brackets
***Note: Screen/Combo/Storm OSM based on factory applied casing and subsill.
Field application may require special sizing.
***Note: Unit Availability and Price is Subject to Change

| | | | | |
|---------|------------------------------------|-----------------|-----|----------|
| Line #2 | Mark Unit: Upstairs Bath & Laundry | Net Price: | | 1,116.97 |
| Qty: 2 | | Ext. Net Price: | USD | 2,233.94 |



Primed Pine Exterior
Primed Pine Interior
Ultimate Wood Double Hung
Rough Opening w/o Subsill
24 1/2" X 66 1/2"
Top Sash
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Bottom Sash
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon



As Viewed From The Exterior

FS 23 1/2" X 66"

RO 24 1/2" X 66 1/2"

Egress Information

Width: 19 15/16" Height: 27 19/64"

Net Clear Opening: 3.78 SqFt

Performance Information

U-Factor: 0.29

Solar Heat Gain Coefficient: 0.29

Visible Light Transmittance: 0.51


Condensation Resistance: 57

CPD Number: MAR-N-68-05547-00001

ENERGY STAR: NC

Black Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Satin Taupe Sash Lock
Beige Jamb Hardware
Non Finger-Jointed Blindstop
Extruded Aluminum Screen
Stone White Surround
Bright View Mesh
***Screen/Combo Ship Loose
7 1/2" Jamb
***Jamb Extension Ship Loose
Exterior Casing - None
No Subsill
Non Finger-Jointed Sill
Loose Installation Brackets
***Note: Screen/Combo/Storm OSM based on factory applied casing and subsill.
Field application may require special sizing.
***Note: Unit Availability and Price is Subject to Change

| | | | | |
|---------|-----------------------------------|-----------------|-----|----------|
| Line #3 | Mark Unit: Main Level LR & Dining | Net Price: | | 1,528.91 |
| Qty: 4 | | Ext. Net Price: | USD | 6,115.64 |



As Viewed From The Exterior

FS 30 1/2" X 81"

RO 31 1/2" X 81 1/2"

Egress Information

Width: 26 15/16" Height: 34 51/64"

Net Clear Opening: 6.51 SqFt

Performance Information

U-Factor: 0.29

Solar Heat Gain Coefficient: 0.29

Visible Light Transmittance: 0.51


Condensation Resistance: 57

CPD Number: MAR-N-68-05547-00001

ENERGY STAR: NC

Primed Pine Exterior
Primed Pine Interior
Ultimate Wood Double Hung
Rough Opening w/o Subsill
31 1/2" X 81 1/2"
Top Sash
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Bottom Sash
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Satin Taupe Sash Lock
Beige Jamb Hardware
Non Finger-Jointed Blindstop
Extruded Aluminum Screen
Stone White Surround
Bright View Mesh
***Screen/Combo Ship Loose
7 1/2" Jamb
***Jamb Extension Ship Loose
Exterior Casing - None
No Subsill
Non Finger-Jointed Sill
Loose Installation Brackets
***Note: Screen/Combo/Storm OSM based on factory applied casing and subsill.
Field application may require special sizing.
***Note: Unit Availability and Price is Subject to Change

| | | | | |
|---------|-------------------------------|-----------------|-----|----------|
| Line #4 | Mark Unit: Kitchen Stationary | Net Price: | | 1,071.40 |
| Qty: 1 | | Ext. Net Price: | USD | 1,071.40 |



As Viewed From The Exterior

FS 29" X 31 1/2"

RO 30" X 32"

Egress Information

No Egress Information available.

Performance Information

U-Factor: 0.28

Solar Heat Gain Coefficient: 0.31

Visible Light Transmittance: 0.53


Condensation Resistance: 60

CPD Number: MAR-N-70-02279-00001

ENERGY STAR: NC

Primed Pine Exterior
Primed Pine Interior
Ultimate Wood Double Hung Picture 1 5/8 inch Sash
Rough Opening w/o Subsill
30" X 32"
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Non Finger-Jointed Blindstop
7 1/2" Jamb
*** Jamb Extension Ship Loose
Exterior Casing - None
No Subsill
Non Finger-Jointed Sill
Loose Installation Brackets
***Note: Unit Availability and Price is Subject to Change

| | | | | |
|---------|--------------------|-----------------|-----|--------|
| Line #5 | Mark Unit: Kitchen | Net Price: | | 974.89 |
| Qty: 1 | | Ext. Net Price: | USD | 974.89 |



As Viewed From The Exterior

FS 23" X 42"

RO 24" X 42 1/2"

Egress Information

Width: 19 7/16" Height: 15 19/64"

Net Clear Opening: 2.06 SqFt

Performance Information

U-Factor: 0.29

Solar Heat Gain Coefficient: 0.29


Primed Pine Exterior
Primed Pine Interior
Ultimate Wood Double Hung
Rough Opening w/o Subsill
24" X 42 1/2"
Top Sash
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Bottom Sash
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Satin Taupe Sash Lock
Beige Jamb Hardware
Non Finger-Jointed Blindstop
Extruded Aluminum Screen
Stone White Surround
Bright View Mesh
***Screen/Combo Ship Loose
7 1/2" Jamb

Visible Light Transmittance: 0.51
Condensation Resistance: 57
CPD Number: MAR-N-68-05547-00001
ENERGY STAR: NC

***Jamb Extension Ship Loose
Exterior Casing - None
No Subsill
Non Finger-Jointed Sill
Loose Installation Brackets
***Note: Screen/Combo/Storm OSM based on factory applied casing and subsill.
Field application may require special sizing.
***Note: Unit Availability and Price is Subject to Change

| | | | | |
|---------|-----------------------------|-----------------|-----|----------|
| Line #6 | Mark Unit: Main Living Room | Net Price: | | 1,061.56 |
| Qty: 1 | | Ext. Net Price: | USD | 1,061.56 |

MARVIN 



As Viewed From The Exterior

FS 25 1/4" X 60"

RO 26 1/4" X 60 1/2"

Egress Information

Width: 21 11/16" Height: 24 19/64"

Net Clear Opening: 3.66 SqFt

Performance Information

U-Factor: 0.29

Solar Heat Gain Coefficient: 0.29

Visible Light Transmittance: 0.51

Condensation Resistance: 57

CPD Number: MAR-N-68-05547-00001

ENERGY STAR: NC

Primed Pine Exterior
Primed Pine Interior
Ultimate Wood Double Hung
Rough Opening w/o Subsill
26 1/4" X 60 1/2"
Top Sash
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile
Bottom Sash
Primed Pine Sash Exterior
Primed Pine Sash Interior
IG - 1 Lite
Low E2 w/Argon
Black Perimeter Bar
Ovolo Exterior Glazing Profile
Ovolo Interior Glazing Profile

Satin Taupe Sash Lock

Beige Jamb Hardware

Non Finger-Jointed Blindstop

Extruded Aluminum Screen

Stone White Surround

Bright View Mesh

***Screen/Combo Ship Loose

7 1/2" Jamb

***Jamb Extension Ship Loose

Exterior Casing - None

No Subsill

Non Finger-Jointed Sill

Loose Installation Brackets


***Note: Screen/Combo/Storm OSM based on factory applied casing and subsill.

Field application may require special sizing.

***Note: Unit Availability and Price is Subject to Change

| | | | | |
|---------|---------------------|-----------------|-----|--------|
| Line #7 | Mark Unit: Basement | Net Price: | | 858.73 |
| Qty: 1 | | Ext. Net Price: | USD | 858.73 |

MARVIN 



As Viewed From The Exterior

FS 29" X 18 1/2"

Primed Pine Exterior
Primed Pine Interior
Ultimate Wood Awning - Roto Operating
Rough Opening w/o Subsill
30" X 19"
Frame Size w/o Subsill
29" X 18 1/2"

Primed Pine Sash Exterior

Primed Pine Sash Interior

IG - 3/4" - 1 Lite

Low E2 w/Argon

Black Perimeter Bar

Ovolo Interior Glazing Profile

Standard Bottom Rail

Beige Weather Strip

RO 30" X 19"
Egress Information
No Egress Information available.
Performance Information
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.27
Visible Light Transmittance: 0.46
Condensation Resistance: 58
CPD Number: MAR-N-354-09796-00001
ENERGY STAR: NC

Satin Taupe Folding Handle
Satin Taupe Multi - Point Lock
Aluminum Screen
Satin Taupe Surround
Bright View Mesh
***Screen/Combo Ship Loose
7 1/2" Jamb
***Jamb Extension Ship Loose
Exterior Casing - None
No Subsill
Loose Installation Brackets
***Note: Unit Availability and Price is Subject to Change

| | |
|---------------------------------|-----------|
| Project Subtotal Net Price: USD | 16,987.76 |
| 0.000% Sales Tax: USD | 0.00 |
| Project Total Net Price: USD | 16,987.76 |


PRODUCT AND PERFORMANCE INFORMATION

NFRC energy ratings and values may vary depending on the exact configuration of glass thickness used on the unit. This data may change over time due to ongoing product changes or updated test results or requirements.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform national rating system for the energy performance of fenestration products, including windows and doors. For additional information regarding this rating system, see www.nfrc.org.

NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements.

Review the map below to determine if your units meet ENERGY STAR for your location.



PURCHASE APPROVAL/SIGN OFF

Project Subtotal Net Price: USD 16,987.76
0.000% Sales Tax: USD 0.00
Project Total Net Price: USD 16,987.76

I have reviewed all line item quotes in detail and agree that the product specifications and pricing are accurate, and I approve the project for order. I acknowledge that additional charges, tax or Terms and Conditions may apply.

Seller: _____

Buyer: _____