


Estimation			
Name	Selection	Formula	Calculation
Hip Lines	1st Floor	Hip Lines	37.78
Horizontal Overhang Lines	1st Floor	Horizontal Overhang Lines	74.17
Raked Overhang Lines	1st Floor	Raked Overhang Lines	29.04
Ridge Lines1	1st Floor	Ridge Lines1	12.92
Roof Area	1st Floor	Roof Area	726.12
Valley Lines	1st Floor	Valley Lines	0



RE: 4531453  
POSLEY / DEADWOOD HOUSE  
JTM

I.R.C. 2021, 115 MPH  
66 - 10 - 10 GROUND  
24" O.C. SPACING  
12" O.H. EAVES; 0" O.H. RAKES

FULL HEIGHT GABLE ENDS  
SOFFIT ELEVATIONS MATCH WHERE  
APPLICABLE

HOUSE:  
- 8/12 PITCH, 8 1/8" HEEL  
- 5/12 VAULT

EXTERIOR STRUCTURAL WALLS ARE  
2X4 CONSTRUCTION AT A PLATE  
HEIGHT OF 8' 1 1/8"

CONTRACTOR/BUILDING DESIGNER TO  
VERIFY LOCATING DIMENSIONS AND  
HEEL TO MATCH ANY EXISTING  
REFERENCE.