Proposal

Quote: PR105955
Project 1
Date Issued: 06/05/2026

Blackburn Foundation Repair
[redacted]

www.blackburnbasementrepair.com
TF(800) 392-3389

Prepared for:
[redacted]

Job Location:
[redacted]

Prepared by:
[redacted]

Proposal Summary

Total Investment	**$29,220.00**
Taxes	$596.38
Total Contract Price	**$29,816.38**
Deposit Required	$7,454.10
Amount Due Upon Installation	**$29,816.38**

Authorized Signature

Any alteration from the above specifications and corresponding price adjustment (if necessary) will be made only at the Customer's request or approval. Completing the work in this Proposal at the time scheduled is contingent upon accidents or delays beyond our control. This Proposal is based primarily on the Customer's description of the problem. Customer shall grant contractor a 60 day right to remedy any problem after reported. Final location of product(s) may be subject or altered due to existing field conditions. This Proposal may be withdrawn if not accepted by the Customer within 30 days.

Authorized Signature _____ **Date** _____

Acceptance of Contract— I am/we are aware of and agree to the contents of this Proposal, the attached Job Detail sheet(s), and the attached Limited Warranty, (together, the "Contract"). You are authorized to do the work as specified in the Contract. I/we will make the payment set forth in this Contract at the time it is due. I/we will pay your service charge of 1-1/3% per month (16% per annum) if my/our account is 30 days or more past due, plus your attorney's fees and costs to collect and enforce this Contract. "I/We agree that this Agreement shall be interpreted by the laws of the State of South Dakota. I/We waive any claims that I/we may have or assert regarding conflict of laws principles regarding the interpretation or enforcement of this Agreement. I/We further agree that any dispute arising out of or related to this Agreement, regardless of its legal origin, shall be governed by the laws of the State of South Dakota, and that I/we waive the ability to assert any conflict of laws principles regarding the same. I/We further agree that any action arising out of or related to this Agreement shall be brought in Minnehaha County, South Dakota. I/We consent to personal jurisdiction and venue in Minnehaha County, South Dakota."

Customer Signature _____ **Date** _____

ALL DEPOSITS ARE NON-REFUNDABLE Initial _____

FINAL PAYMENT IS DUE UPON PROJECT COMPLETION. IF THERE ARE MULTIPLE PROJECTS WITH MULTIPLE INSTALL DATES BLACKBURN WILL COLLECT PAYMENT AT EACH PHASE OF COMPLETION

Initial _____

I understand that Blackburn Foundation Repair has recommended a comprehensive solution for my [Foundation/Basement/Concrete/Radon] issues. By choosing to install a partial system, I acknowledge that this may not fully resolve all identified concerns, and further work may be necessary in the future. Initial _____

[redacted] [redacted]

Included Products

My Project

Qty	Product Name
Floors: Permanently Stabilize Floors	
76	Supplemental Beam
23	SmartJack 350
60	Joist Assist Bracket
Floors: Custom	
1	Mobilization Fee Zone 1
1	Digging

Total Investment	**$29,220.00**
Taxes	$596.38
Total Contract Price	**$29,816.38**

Drawing



[redacted] [redacted] [redacted]

Customer Will

1. Move items at least 8 feet away from the work area for any interior work. If Blackburn Foundation Repair crews have to move personal items upon arrival to install the project a fee of $625 per hour will be added to the final invoice, unless otherwise agreed to in writing. Blackburn is not responsible for any damages to homeowners belongings. Please discuss details with your Design Specialist. Also Customer MUST BE PRESENT for final project walk through to sign off, approving work completed. If customer is not there for final walk through and Blackburn has to return to address any issues a fee of $625 an hour will be added to final invoice.
2. Mark any private lines that may be hidden underground, and assumes all liability if damage should occur to such lines. This includes Electrical, Propane lines, or any sewer and waterlines not marked by the utility companies.
3. Be responsible for reviewing the "Recommendations" page of the proposal and contacting contractor to schedule the recommended work, should they choose to do it, with the understanding that the pricing and recommended work is NOT included in the original proposal.

Contractor Will

1. Attempt to lift the foundation and or floors, but is not responsible for cosmetic damage that may result. (Achieving lift is not guaranteed)

Additional Notes

Blackburn will complete the following,

We will install four separate runs of beam and Jack's.

One beam will go the entire length of the main section of the house as close to the shallow end of the wall as possible.

The other beam will stretch where the existing beam is in the 6 foot tall section of the crawlspace with a jack on either end of it.

The other two beams will go into the smaller crawlspace one on either side of the existing beam support that they have today.

Limited Warranty

Limited Warranty

SmartJacks
SmartJacks – Contractor warrants that the SmartJacks will stabilize the affected area(s) against further settlement for life from the date of installation, or else Contractor will provide the labor and materials, at no cost to Customer, to make any necessary adjustments to the SmartJacks. Additionally, the manufacturer of SmartJacks warrants that SmartJacks will, under normal use and service, be free from defects in material and workmanship for life from the date of installation (see manufacturer's warranty for more details). If changes occur due to excess moisture in the area(s) where SmartJacks are installed, an encapsulation system, drainage, and dehumidification may be necessary in such area(s) at an additional cost to Customer. Contractor does not warrant to lift, to close cracks, to render doors and windows operational, or to move walls back to their original position, but will do its best to achieve positive results in this regard.

Exclusions From This Warranty
This Warranty does not cover and Contractor specifically disclaims liability for: 1) exterior waterproofing: 2) system damage caused by Customer's negligence, misuse, abuse, or alteration which includes penetrating the waterguard system in any way with fasteners or for any other reason. To finish walls after WaterGuard System is installed it is required to use construction adhesive, 3) dust incidental to installation; 4) damage to personal property of any type; 5) utility line breakage; 6) damage caused by mold; 7) failure or delay in performance or damage caused by acts of God (flood, fire, storm, methane gas, etc.), acts of civil or military authority, or any other cause outside of its control; 8) damage done during a lifting operation; 9) heave or any damages caused by it, and 10) damage caused by lateral movements and forces of hillside creep, land sliding or slumping of fill soils of deep embankments 11) If full Cleanspace wall is not installed with WaterGuard, Blackbum Foundation Repair cannot warrant against wall seepage. The only way to guarantee a leak free basement is the installation of the Cleanspace wall system with the WaterGuard system, 12) Blackburn can not guarantee Radon System will not freeze up due to weather conditions outside of our control and this would not be considered a warranty situation.

ERV
Each ERV system comes with a 5 year parts replacement warranty, and a 10 year core replacement/repair warranty.

Dehumidifiers
Contractor warrants that dehumidifiers will be free from defects for 5 years from the original date of installation for April Aire Systems or Contractor will repair or replace the defective dehumidifier(s). For purposes of this Dehumidifier Limited Warranty, "Defect" means the failure of a dehumidifier to operate under normal use and service.

Sump Pumps
Contractor warrants that sump pumps will be free from defects for 5 years from the original date of installation or Contractor will replace or repair the defective sump pump(s). For purposes of this Sump Pump Limited Warranty, "defect" means the failure of a sump pump to operate under normal use and service. Contractor makes no warranty that the number and type of sump pumps installed are sufficient to handle the volume of water on the Property, and this Limited Warranty does not cover the cost of any additional sump pumps or sump pits determined to be necessary to handle such volume.

Soil Vapor Intrusion Mitigation
Soil Vapor Intrusion Mitigation
Unless otherwise noted in this Contract, the Soil Vapor Mitigation System (the "System") is warranted to be free of defects due to workmanship or materials for ten (10) years from
the date of installation.

The above warranty language is not applicable and the Contractor does NOT warrant that after completion of the work

Limited Warranty (Continued)

the airborne soil vapor contaminants of the structure in which the System is installed will measure below any specific level. Should airborne soil vapor contaminants measure at a level that is not at a low enough level, the Contractor can, at Customer's request, attempt further mitigation measures at an additional cost to the Customer to reduce the levels. Operation, Maintenance, and Monitoring (OM&M) Procedures for post-installation of Soil Vapor Intrusion Mitigation System via Sub-Slab Depressurization and/or Sub-Membrane Depressurization. It is recommended that the Contractor will perform both a visual and performance inspection of each installed fan system, to ensure their continued and proper operation. This inspection will be performed by Contactor for a maintenance fee schedule charge in addition to this proposal.

A visual inspection will include assurance the ducting, connections, attachments and other installation related hardware remain securely fastened. A performance inspection will also be conducted, which will include a visual inspection of the extraction fan(s) and its housing but will also include confirmation of their proper operation by viewing the installed Pressure Differential Gauge (manometer) attached to the system at the time of installation.

These inspections will be performed on an annual basis within 30 days of the anniversary date of the initial installation. Soil Vapor Sampling measurements or any other air sampling measurements are not included in this proposal.

Radon Resistant New Construction Depressurization System
Radon Resistant New Construction Depressurization System
Unless otherwise noted in this Contract, the Radon Resistant New Construction (RRNC) System (the "System") is warranted to be free of defects due to workmanship or materials for ten (10) years from
the date of installation.

The Radon Resistant New Construction Radon Mitigation System (the "System") is warranted to be free of defects due to workmanship or materials for ten (10) years from the date of installation. Additionally, for an Active system (extraction fans installed) the Contractor warrants that after completion of the Work, the radon levels in the livable areas of the Structure will measure below 4 pCi/L for ten (10) years from the day the Work is installed. Should a radon test measure levels at or above 4 pCi/L after the completion of the Work and prior to the end of the ten (10) year period, Contractor will, at no further cost to Customer, take whatever actions it deems necessary to reduce the levels to below 4 pCi/L or, at contractor's discretion, may refund to Customer the price that Customer paid to Contractor for the System.

Multi-Family Radon Mitigation System
Multi-Family Radon Mitigation System
Unless otherwise noted in this Contract, the Radon Mitigation System (the "System") is warranted to be free of defects due to workmanship or materials for ten (10) years from the date of installation. Additionally, Contractor warrants that upon installation of the System, the radon levels in the livable areas of the structure in which the System is installed will measure below 4 pCi/L: 1) for five (5) years from the date of installation for a System installed WITHOUT fan moisture guard; or 2) for ten (10) years from the date of installation for a System installed WITH fan moisture guard.

Should a radon test measure levels at or above 4 pCi/L in that timeframe, Contractor will, at no further cost to Customer, take whatever actions it deems necessary to reduce the levels to below 4 pCi/L or, at Contractor's discretion, may refund to Customer the price that Customer paid to the contractor for the System.

If noted on this Contract, the above warranty language is not applicable and the Contractor does NOT warrant that after completion of the work that the radon levels in the livable areas of the structure in which the System is installed

Limited Warranty (Continued)

will measure below 4 pCi/L. Should a radon test measure levels at or above 4 pCi/L after the completion of the work, Contractor can, at Customer's request, attempt further mitigation measures at an additional cost to Customer to reduce the levels to below 4 pCi/L although such reduction may not be possible.
Multi-Family Radon Mitigation System
Unless otherwise noted in this Contract, the Radon Mitigation System (the "System") is warranted to be free of defects due to workmanship or materials for ten (10) years from the date of installation. Additionally, Contractor warrants that upon installation of the System, the radon levels in the livable areas of the structure in which the System is installed will measure below 4 pCi/L: 1) for five (5) years from the date of installation for a System installed WITHOUT fan moisture guard; or 2) for ten (10) years from the date of installation for a System installed WITH fan moisture guard.

Should a radon test measure levels at or above 4 pCi/L in that timeframe, Contractor will, at no further cost to Customer, take whatever actions it deems necessary to reduce the levels to below 4 pCi/L or, at Contractor's discretion, may refund to Customer the price that Customer paid to
The contractor for the System.

If noted on this Contract, the above warranty language is not applicable and the Contractor does NOT warrant that after completion of the work that the radon levels in the livable areas of the structure in which the System is installed will measure below 4 pCi/L. Should a radon test measure levels at or above 4 pCi/L after the completion of the work, Contractor can, at Customer's request, attempt further mitigation measures at an additional cost to Customer to reduce the levels to below 4 pCi/L although such reduction may not be possible.

Warranty Effective
Warranty is in effect when job is completed and paid in full.

Radon System
If a Radon System is installed; the Radon Mitigation System (the "System") is warranted to be free of defects due to workmanship or materials for ten (10) years from the date of installation. Additionally, Contractor warrants that after completion of the Work, the radon levels in the livable areas of the structure will measure below 4 pCi/L for ten (10) years from the day the System is installed. Should a radon test measure levels at or above 4 pCi/L after the completion of the Work and prior to the end of the ten (10) year period, Contractor will, at no further cost to the Customer, take whatever actions it deems necessary to reduce the levels to below 4 pCi/L or, at the Contractor's discretion, may refund the Customer the price that Customer paid to Contractor for the System.

Unless otherwise noted in this Contract, the Radon Mitigation System (the "System") is warranted to be free of defects due to workmanship or materials for ten (10) years from the date of installation. Additionally, Contractor warrants that upon installation of the System, the radon levels in the livable areas of the structure in which the System is installed will measure below 4 pCi/L: Contractor will, at no further cost to Customer, take whatever actions it deems necessary to reduce the levels to below 4 pCi/L or, at Contractor's discretion, may refund to Customer the price that Customer paid to Contractor for the System.

Water Control
•If water from the floor wall joint passes through the perimeter water control system and onto the basement floor contractor will provide the additional labor and materials to fix the leak at no additional charge to the homeowner. This warranty applies to WaterGuard systems, along the specific areas where the system is installed. Said warranty will be in effect for the lifetime of the structure. This warranty may be transferred to future homeowners provided the contractor is notified within 30 days of the real estate transfer. The water control system shall not rust, rot or corrode for the life of the home. If the entire perimeter of the basement was not treated, then additional work at additional charge could be necessary to extend the system or treat other areas or other problems not addressed by this work. In

Limited Warranty (Continued)

addition, a pump or power failure is possible, therefore this warranty is not a guarantee of a dry basement, as the scope of this work cannot guarantee that in all circumstances. This warranty shall not apply to: condensation, or any system that has been altered in any way, water vapor transmission, concrete discoloration from capillary action, water squirting out of the walls over the system, window well flooding, plumbing leaks, surface water flooding, leaks from chimneys or garages, or efflorescence (white powder) on concrete. Contractor cannot be responsible for peeling paint, water once pumped from the house, dust created from installation, damage to hidden fuel lines or plumbing, or frozen discharge lines. Floor cracks are NOT warranted against leakage. In the event that the basement floor is deteriorating or cracked beyond repair Blackburn Foundation Repair recommends full floor replacement by outside contractor to guarantee a leak free floor. Primary AC operated sump pumps and DC back-up pumps are covered under a separate manufacturer's warranty which is 60 months from date of installation. Failure of any pump for any reason is outside the scope of this warranty. Back-up pumps that run off a battery, if not maintained, or that are called on to run beyond the current life of the battery, can fail. These systems are very much recommended, but cannot be relied upon to work in every situation. Annual maintenance is recommended, to find potential problems, but not required for this warranty to be in effect. Electrical work is not included in the contract and problems from electrical connections or lack thereof are disclaimed. Systems that drain to daylight cannot be warranted by the contractor if such drain: does not drain enough water, does not drain water from under the floor, clogs or freezes. While drainage systems clogging or malfunctioning from iron ochre, iron gel or iron bacteria from the soil are rare, the contractor cannot be responsible for these situations, and that system will require cleaning, flushing or other service as necessary to keep it functioning for that particular situation. FOR WOOD FOUNDATIONS - Due to the organic nature of wood foundation walls, Blackburn Foundation Repair does not warrant issues related to moisture absorption, wicking, or deterioration of the wall material, including any resulting impact to finished surfaces. Wall cracks repaired with FlexiSpan are warranted against leakage for a period of 15 years. A CleanSpace, crawl space encapsulation system will isolate the home from the earth. The humidity level in the air can only be guaranteed to be lowered by installing an April Aire dehimidification system provided by Blackburn Foundation Repair, reducing moisture needed for mold growth, however the encapsulation system does not claim to be a mold mitigation system. Wet crawl spaces require a drainage system, and a Sump system to remedy the problem with water below the CleanSpace liner. CleanSpace has a transferable lifetime warranty — there will be no charge for service calls on any tears or holes in the CleanSpace liner, in the unlikely event this occurs. Sump pumps are covered under a separate manufacturer warranty. Installation of the system does not include extending discharge lines, or electrical work unless specified. Contractor is not responsible for frozen discharge lines, water once pumped from house, or condensation. Customer will need to remove the flex hoses in the winter months when temperatures are below the freezing point (32 degrees Fahrenheit). THIS WARRANTY DOES NOT COVER, AND THE CONTRACTOR SPECIFICALLY DISCLAIMS LIABILITY FOR WATER DAMAGE TO FLOOR COVERINGS, FURNITURE, STORED ITEMS, FINISHED WALLS AND OTHER OBJECTS INSIDE THE FOUNDATION. Contractor will not be responsible for any damages caused by mold, to include but not be limited to property damage, personal injury, loss of income, emotional distress, death, loss of use, loss of value, and adverse health effects, or any other effects. Homeowner agrees to keep area dry and report all other obligations on contractor's part. There are no other warranties verbal or written.

System Installed

This warranty applies only to areas where the system was installed.

Items For Which Customer Is Responsible

Items For Which Customer Is Responsible – Customer is responsible for: 1) making full payment to the crew leader upon completion of the work; 2) preparing the work area for installation; 3) any finish carpentry, trim work, painting, paneling, landscaping, etc. that may be necessary after Contractor's work is finished; 4) marking any private lines such as satellite cables, propane lines, sprinkler system lines, etc.; 5) maintaining positive drainage away from the repaired wall(s); 6) keeping gutters clean and in good working order; 7) directing downspouts a sufficient distance away from the repaired wall(s); 8) maintaining proper expansion joints in concrete slabs that are adjacent to the repaired wall(s); and 9) any items mentioned in this Contract under "Customer Will" or "Additional Notes."

Limited Warranty (Continued)

Foundation Piers

Contractor warrants that the foundation piers will stabilize the affected area(s) against further settlement for life from the date of installation, or else Contractor will provide the labor and materials, at no cost to Customer, to correct the problem with the foundation piers. Customer should be aware that damage can occur to the structure during a lift operation and that Contractor is not responsible for such damages. Foundation piers provide vertical support only and cannot be expected to provide lateral support. If lateral movement occurs, additional work may be needed at an additional cost. EXCLUSION: Contractor does not warrant to lift, to close cracks, to render doors and windows operational, or to move walls back to their original position, but will do its best to achieve positive results in this regard. Damage may occur to the structure during a lift operation and that Contractor is not responsible for such damages. Foundation Piers provide vertical support only and cannot be expected to provide lateral support. If piers cannot be advanced to proper load bearing strata or if lateral movement occurs, additional work may be needed at an additional cost.

General Terms

General Terms – For the applicable time periods indicated below, this Warranty is transferable at no charge to future owners of the structure on which the work specified in this Contract is completed. THIS WARRANTY IS IN EFFECT IF THE JOB SPECIFIED IN THIS CONTRACT IS COMPLETED AND PAID IN FULL AND, ALTERNATIVELY, IS NULL AND VOID IF FULL PAYMENT IS NOT RECEIVED. CONTRACTOR DOES NOT WARRANT PRODUCTS NOT MENTIONED BELOW, BUT SOME OF SUCH PRODUCTS MAY BE COVERED BY A MANUFACTURER'S WARRANTY. All material used is warranted to be as specified in this Contract. All work will be completed in a workmanlike manner according to the standard practices of the industry. Contractor's workers are fully covered by Workers' Compensation insurance.

Standard Exclusions Permitted By State Law

Standard Exclusions Permitted By State Law – This Foundation Limited Warranty ("Warranty") is made in lieu of and excludes all other warranties, express or implied, and all other obligations on the part of the contractor ("Contractor") to the customer ("Customer"). There are no other verbal or written warranties, no warranties which extend beyond the description on the face hereof, and NO WARRANTIES OF EXPRESS OR IMPLIED MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow the exclusion or limitation of certain warranties, so some of the above exclusions and limitations may not apply to Customer.

EverBrace Wall Stabilization

EverBrace Wall Stabilization – Contractor hereby warrants that the EverBrace wall stabilization system will stop further inward movement of the wall(s) repaired for life from the date of installation, or else Contractor will provide the labor and materials, at no cost to Customer, to correct the problem and stabilize the wall(s). Walls that do not have an EverBrace System installed entirely from corner to corner, by Contractor, are not warranted. An EverBrace system warrants only to stabilize the affected wall(s) and not straighten them. An EverBrace system does not warrant against foundation settlement or any sort of vertical movement to ground water seepage. If these problems occur additional work may be needed at an additional cost.

SealantPro™

In areas where SealantPro is applied, the contractor warrants against pitting and spalling from moisture for 1 year. If pitting or spalling does occur from a proven moisture-related event, the contractor will provide patching of the area and resealing at no expense to the customer.

Limited Warranty (Continued)

CleanSpace
Clean SpaceTM. Contractor warrants that the Clean SpaceTM liner will be free from Defects life from the original date of installation or Contactor will repair or replace the Clean SpaceTM liner. For the purposes of this Clean SpaceTM Limited Warranty, "Defect"* shall mean (a) any hole or tear in the Clean SpaceTM liner or (b) when Clean SpaceTM is installed with a Drainage System warranted by Contractor under this Limited Warranty, the presence of ground water on the top of the Clean SpaceTM liner.

Concrete Protection System (CPS)
For areas where Contractor has installed Concrete Protection Systems, Contractor warrants that, for a period of five years from the original date of installation, the concrete will not experience settlement of more than ¼ inch and the Sealant will remain intact. In the event the concrete settles more than ¼ inch and/or Sealant does not stay intact, Contractor will repair the area at no additional cost to Customer. Exclusion: Contractor does not warrant heave of any slab where the work is performed, nor any damages caused by such heave.

Joint and Crack Sealant
For areas where Contractor has installed NEXUSPRO® Joint Sealant ("Sealant"), Contractor warrants that, for a period of one year from the original date of installation, the Sealant will remain intact. In the event the Sealant does not stay intact, Contractor will re-apply the Sealant to the area at no additional cost to the Customer.

PolyLEVEL
For concrete slabs raised with PolyLEVEL, Contractor warrants that the area where the slab of concrete was lifted will not settle more than ¼ inch for a period of five (5) years from the date of installation. If it does, Contractor will provide the labor and materials to re-level the area at no additional charge to Customer. This Warranty does not include patching or caulking between slabs. This Warranty is void if Customer does not maintain grade around slabs and seal joints between slabs. Contractor will only provide a 2 year warranty against settlement of 1/4 inch or more if all adjacent joints are not sealed with NEXUS PRO Joint Sealant. PolyLEVEL system does not warrant against cracking of any slabs during the lift. In the event that lift cannot be achieved, no charges will be applied to those areas. Replacement of slab/concrete is the responsibility of the homeowner. Contractor does not represent that PolyLEVEL will lift the Customer's slab to meet any criteria of levelness, but instead that it will lift the slab as much as practical.

PowerBraces
PowerBraces – Contractor hereby warrants that the PowerBraces will stop further inward movement of the wall(s) repaired for life from the date of installation, or else Contractor will provide the labor and materials, at no cost to Customer, to correct the problem with the PowerBraces. Walls that do not have PowerBraces installed entirely from corner to corner, by Contractor, are not warranted. PowerBraces are warranted only to stabilize the affected wall(s) and not straighten them. If Customer desires further outward movement in the wall(s) repaired, Customer may tighten the installed PowerBraces as recommended by the manufacturer, but assumes all liability for damages due to over-tightening of the PowerBraces. PowerBrace system does not warrant against foundation settlement.

Geo-Lock Wall Anchors
Geo-Lock Wall Anchors – Contractor hereby warrants that the Geo-Lock wall anchors ("Anchors") will stop further inward movement of the wall(s) repaired for life from the date of installation, or else Contractor will provide the labor and materials, at no cost to Customer, to correct the problem with the Anchors. Walls that do not have Anchors installed entirely from corner to corner, by Contractor, are not warranted. Anchors are warranted only to stabilize the affected wall(s) and not straighten them. If Customer desires further outward movement in the wall(s) repaired, Customer may tighten the installed Anchors as recommended by the manufacturer, but assumes all liability for damages due to over-tightening of the Anchors. Wall anchor system does not warrant against foundation settlement.

Notice of Right to Cancel

You are entering into a contract. If that contract is a result of, or in connection with a salesman's direct contact with, or call to you at your residence without your soliciting the contract or call, then you have a legal

right to void the contract or sale by notifying us within three business days from whichever of the following events occurs last:

1. The date of the transaction, which is: _____ or

2. The date you received this notice of cancellation.

How to Cancel

If you decide to cancel this transaction, you may do so by notifying us in writing at:

[redacted]

You may use any written statement that is signed and dated by you and states your intentions to cancel, or you may use this notice by dating and signing below. Keep one copy of the notice because it contains important information about your rights.

I Wish to Cancel

Owner's Signature	**Date**
Owner's Signature	**Date**

The undersigned acknowledges receipt of the two copies of the Notice of Right to Cancel.

Owner's Signature	**Date**
Owner's Signature	**Date**

[redacted] [redacted] [redacted]