


OFFICE OF  
**PLANNING, ZONING AND  
 HISTORIC PRESERVATION**  
 108 Sherman Street  
 Telephone (605) 578-2082  
 Fax (605) 578-2084



FOR OFFICE USE ONLY	
Case No.	240141
<input checked="" type="checkbox"/> Project Approval	
<input type="checkbox"/> Certificate of Appropriateness	
Date Received	8/7/24
Date of Hearing	8/14/24

## City of Deadwood Application for Project Approval OR Certificate of Appropriateness

The Deadwood Historic Preservation Commission reviews all applications. Approval is issued for proposed work in keeping with City of Deadwood Ordinances & Guidelines, South Dakota State Administrative Rules and the Secretary of the Interior's Standards for Rehabilitation.

This application must be typed or printed in ink and submitted to:

City of Deadwood  
 Deadwood Historic Preservation Office  
 108 Sherman Street  
 Deadwood, SD 57732

FOR INFORMATION REGARDING THIS FORM, CALL 605-578-2082

PROPERTY INFORMATION
Property Address: <u>67 TERRACE ST.</u>
Historic Name of Property (if known):

APPLICANT INFORMATION
Applicant is: <input type="checkbox"/> owner <input checked="" type="checkbox"/> contractor <input type="checkbox"/> architect <input type="checkbox"/> consultant <input type="checkbox"/> other _____

Owner's Name: <u>LORI &amp; DAVE WILKINSON</u>
Address: <u>2105 S. 87<sup>TH</sup> ST.</u>
City: <u>OMAHA</u> State: <u>NE</u> Zip: <u>68124</u>
Telephone: <u>402-660-5128</u> Fax: _____
E-mail: <u>WILK12960@YAHOO.COM</u>

Architect's Name: _____
Address: _____
City: _____ State: _____ Zip: _____
Telephone: _____ Fax: _____
E-mail: _____

Contractor's Name: <u>MIKE POST</u>
Address: <u>268 OAK RIDGE RD</u>
City: <u>SPEARFISH</u> State: <u>SD</u> Zip: <u>57783</u>
Telephone: <u>605-639-1287</u> Fax: _____
E-mail: <u>MRPOST2548@GMAIL.COM</u>

Agent's Name: _____
Address: _____
City: _____ State: _____ Zip: _____
Telephone: _____ Fax: _____
E-mail: _____

TYPE OF IMPROVEMENT			
<input type="checkbox"/> Alteration (change to exterior)	<input type="checkbox"/> New Building	<input type="checkbox"/> Addition	<input type="checkbox"/> Accessory Structure
<input type="checkbox"/> New Construction	<input type="checkbox"/> Re-Roofing	<input type="checkbox"/> Wood Repair	<input type="checkbox"/> Exterior Painting
<input type="checkbox"/> General Maintenance	<input checked="" type="checkbox"/> Siding	<input checked="" type="checkbox"/> Windows	<input checked="" type="checkbox"/> Porch/Deck
<input type="checkbox"/> Other _____	<input type="checkbox"/> Awning	<input type="checkbox"/> Sign	<input type="checkbox"/> Fencing

<b>ACTIVITY: (CHECK AS APPLICABLE)</b>			
Project Start Date: <u>8/2024</u>		Project Completion Date (anticipated): <u>10/2024</u>	
<input type="checkbox"/> ALTERATION	<input type="checkbox"/> Front	<input type="checkbox"/> Side(s)	<input type="checkbox"/> Rear
<input type="checkbox"/> ADDITION	<input type="checkbox"/> Front	<input type="checkbox"/> Side(s)	<input type="checkbox"/> Rear
<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> Residential <input type="checkbox"/> Other _____		
<input type="checkbox"/> ROOF	<input type="checkbox"/> New	<input type="checkbox"/> Re-roofing	<input type="checkbox"/> Material
	<input type="checkbox"/> Front	<input type="checkbox"/> Side(s)	<input type="checkbox"/> Rear <input type="checkbox"/> Alteration to roof
<input type="checkbox"/> GARAGE	<input type="checkbox"/> New	<input type="checkbox"/> Rehabilitation	
	<input type="checkbox"/> Front	<input type="checkbox"/> Side(s)	<input type="checkbox"/> Rear
<input type="checkbox"/> FENCE/GATE	<input type="checkbox"/> New	<input type="checkbox"/> Replacement	
	<input type="checkbox"/> Front	<input type="checkbox"/> Side(s)	<input type="checkbox"/> Rear
Material _____ Style/type _____ Dimensions _____			
<input checked="" type="checkbox"/> WINDOWS	<input type="checkbox"/> STORM WINDOWS	<input type="checkbox"/> DOORS	<input type="checkbox"/> STORM DOORS
	<input type="checkbox"/> Restoration	<input checked="" type="checkbox"/> Replacement	<input type="checkbox"/> New
	<input type="checkbox"/> Front	<input type="checkbox"/> Side(s)	<input type="checkbox"/> Rear
Material _____ Style/type _____			
<input checked="" type="checkbox"/> PORCH/DECK	<input checked="" type="checkbox"/> Restoration	<input type="checkbox"/> Replacement	<input type="checkbox"/> New
	<input type="checkbox"/> Front	<input type="checkbox"/> Side(s)	<input type="checkbox"/> Rear
Note: Please provide detailed plans/drawings			
<input type="checkbox"/> SIGN/AWNING	<input type="checkbox"/> New	<input type="checkbox"/> Restoration	<input type="checkbox"/> Replacement
Material _____ Style/type _____ Dimensions _____			
<input type="checkbox"/> OTHER – Describe in detail below or use attachments			

**DESCRIPTION OF ACTIVITY**

Describe in detail, the above activity (use attachments if necessary including type of materials to be used) and submit as applicable. Descriptive materials such as photos and drawings are necessary to illustrate the work and to help the commissioners and staff evaluate the proposed changes. Information should be supplied for each element of the proposed work along with general drawings and/or photographs as appropriate.

Failure to supply adequate documentation could result in delays in processing and denial of the request. Describe in detail below (add pages as necessary).

- SIDING REPLACEMENT
- WINDOW REPLACEMENT
- SCREENED IN PORCH MAINTENANCE

**SIGNATURES**

I **HEREBY CERTIFY** I understand this application will not be accepted and processed until all the requested information has been supplied. I realize drawings and measurements must be exact and if errors result in a violation of the Commission's approval, then appropriate changes will have to be made. I also understand this application may require a site visit / additional research by staff and a PUBLIC HEARING by the DEADWOOD HISTORIC PRESERVATION COMMISSION.

I understand this application is for a Certificate of Appropriateness or Project Approval only and that a building permit is required for any uses associated with this location prior to any constructions, alterations, etc. All statements are true to the best of my knowledge and belief.

I understand approval is issued for proposed work in keeping with City of Deadwood Ordinances, South Dakota State Administrative Rules and the Secretary of the Interior's Standards for Rehabilitation and copies are available for my review.

*David Wilkinson* 8/7/24  
SIGNATURE OF OWNER(S)                      DATE

*Tori May Wilkinson* 8/7/24  
SIGNATURE OF OWNER(S)                      DATE

\_\_\_\_\_  
SIGNATURE OF AGENT(S)                      DATE

\_\_\_\_\_  
SIGNATURE OF AGENT(S)                      DATE

\_\_\_\_\_  
SIGNATURE OF OWNER(S)                      DATE

\_\_\_\_\_  
SIGNATURE OF AGENT(S)                      DATE

**APPLICATION DEADLINE**

This form and all supporting documentation **MUST** arrive by 5:00 p.m. on the 1<sup>st</sup> or 3<sup>rd</sup> Wednesday of every month to be considered at the next Historic Preservation Commission Meeting. The meeting schedule and filing deadlines are on file with the Historic Preservation Office. Any information not provided to staff in advance of the meeting will not be considered by the Commission during their deliberation. Please call if you have any questions and staff will assist you.

**Please use the attached criteria checklist as a guide to completing the application.** Incomplete applications cannot be reviewed and will be returned to you for more information. All submitted materials will be retained by the Historic Preservation Office. Do not submit your only copy of any piece of documentation.

The City of Deadwood Historic Preservation Office has numerous resources available for your assistance upon request.

# Quotation

Quote No **28531**  
 Quote Date **06/03/2024**  
 Expiration Date **06/17/2024**

Last Modified 6/19/2024 9:17:14AM  
 Customer BLAHIL  
 Contact Name  
 Contact Number  
 Job General  
 Your Ref Post Wood Windows  
 Taken By  
 Sales Rep  
 Printed Date 6/19/2024 9:17:27AM

Invoice Address

Delivery Address



Page 1 of 1

Special Instructions	Notes

Line	Product Code	Description	Qty/Footage	Price	Total
1		<b>Window Packages</b>			
2	zz_*WINDOW_0334	Sierra Pacific Window Package	1 ea		22551.43
3	zz_*MARVIN_0718	Marvin Window Package	1 ea		27587.95
4		<b>End of Window Packages</b>			
5		<b>Siding</b>			
6	BARHP9100	9'x100' Barricade Building Wrap Plus HP Roll w/ Hamlin Logo, 54/pallet	3 ea	102.22	306.66
7	zz_*SIDING_9637	LP Smartside Expert Finish 6"X16'	330 ea	19.06	6289.80
8	zz_*SIDING_9680	brushed Smooth 5/4x4x16 lp smart trim	12 ea	30.54	366.48
9	zz_*SIDING_9681	Snowscape White 5/4 x 8 Trim Brushed Smooth	20 ea	60.89	1217.80
10	zz_*SIDING_9638	LP Smartside 1X8X16 Starter Board	14 ea	53.04	742.56
11		LP Smartside-Brushed smooth corner 5/4x10	16 ea	98.50	1576.00
		Siding coil nails	2 ea	49.40	98.80
		<b>Total siding</b>			<b>10598.10</b>

By your signature below, you are agreeing to the Terms and Conditions set forth on back or attached.

Total Amount	
Sales Tax 6.20%	
<b>Quotation Total</b>	

\_\_\_\_\_  
 Buyer Date

Subject to our terms and conditions of sale. Further copies available on request.

## UNIT SUMMARY

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes.

Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

NUMBER OF LINES: 11

TOTAL UNIT QTY: 17


LINE	MARK UNIT	PRODUCT LINE	ITEM	QTY
1		Ultimate Wood	Double Hung RO 31" X 68 1/2"	4
2		Ultimate Wood	Double Hung RO 31" X 71 1/2"	1
3		Ultimate Wood	Double Hung RO 26" X 35"	2
4		Ultimate Wood	Double Hung RO 27" X 67 1/2"	1
5		Ultimate Wood	Marvin Assembly RO 52" X 70 3/32"	1
6		Ultimate Wood	Direct Glaze Rectangle RO 18" X 39 1/2"	1
7		Ultimate Wood	Double Hung RO 31" X 43 1/2"	1
8		Ultimate Wood	Double Hung RO 31" X 63 1/2"	3
9		Ultimate Wood	Casement RO 31" X 63 1/2"	1
10		Ultimate Wood	Double Hung RO 27" X 63 1/2"	1
11		Ultimate Wood	Marvin Assembly RO 51" X 64 19/32"	1

## LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

Line #1	Mark Unit:			
Qty: 4				

**MARVIN** 



As Viewed From The Exterior

RO 31" X 68 1/2"  
 Egress Information  
 Width: 26 7/16" Height: 27 3/4"  
 Net Clear Opening: 5.09 SqFt


Mixed Species/Finish  
 Mixed Exterior Colors  
 Bare Pine Exterior  
**Exterior Finish selections do not match. Review line item to ensure the correct Exterior Finishes have been selected.**  
 Bare Pine Interior  
**Feature Mismatch: Interior Finish Selections.**  
 Ultimate Wood Double Hung  
 Frame Size w/ Subsill  
 30" X 68"  
 Rough Opening w/ Subsill  
 31" X 68 1/2"  
 Top Sash  
 Primed Pine Sash Exterior  
 Painted Interior Finish - White - Pine Sash Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Black Perimeter Bar  
 Ovolo Exterior Glazing Profile  
 Ovolo Interior Glazing Profile  
 Bottom Sash  
 Primed Pine Sash Exterior  
 Painted Interior Finish - White - Pine Sash Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Black Perimeter Bar  
 Ovolo Exterior Glazing Profile  
 Ovolo Interior Glazing Profile  
 Satin Taupe Sash Lock  
 Beige Jamb Hardware  
 Extruded Aluminum Screen  
 Stone White Surround  
 Bright View Mesh  
 4 9/16" Jamb  
 Bare Pine Special Casing 18  
 Bare Pine Standard Subsill  
 No Installation Method  
**\*\*\*Note: Unit Availability and Price is Subject to Change**

Line #2	Mark Unit:			
Qty: 1				

**MARVIN** 

Primed Pine Exterior  
 Painted Interior Finish - White - Pine Interior  
 Ultimate Wood Double Hung  
 Frame Size w/ Subsill  
 30" X 71"  
 Rough Opening w/ Subsill  
 31" X 71 1/2"  
 Top Sash  
 Primed Pine Sash Exterior  
 Painted Interior Finish - White - Pine Sash Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Black Perimeter Bar  
 Ovolo Exterior Glazing Profile  
 Ovolo Interior Glazing Profile  
 Bottom Sash






As Viewed From The Exterior

RO 31" X 71 1/2"  
**Egress Information**  
 Width: 26 7/16" Height: 29 1/4"  
 Net Clear Opening: 5.37 SqFt

- Primed Pine Sash Exterior
- Painted Interior Finish - White - Pine Sash Interior
- IG - 1 Lite
- Low E2 w/Argon
- Black Perimeter Bar
- Ovolo Exterior Glazing Profile
- Ovolo Interior Glazing Profile
- Satin Taupe Sash Lock
- White Jamb Hardware
- Extruded Aluminum Screen
- Stone White Surround
- Bright View Mesh
- 4 9/16" Jambs
- Primed Pine Special Casing 18
- Primed Pine Standard Subsill
- No Installation Method
- \*\*\*Note: Unit Availability and Price is Subject to Change**

Line #3	Mark Unit:			
Qty: 2				



As Viewed From The Exterior


RO 26" X 35"  
**Egress Information**  
 Width: 21 7/16" Height: 11"  
 Net Clear Opening: 1.64 SqFt

- Primed Pine Exterior
- Painted Interior Finish - White - Pine Interior
- Ultimate Wood Double Hung
- Frame Size w/ Subsill
- 25" X 34 1/2"
- Rough Opening w/ Subsill
- 26" X 35"
- Top Sash
- Primed Pine Sash Exterior
- Painted Interior Finish - White - Pine Sash Interior
- IG - 1 Lite
- Low E2 w/Argon
- Black Perimeter Bar
- Ovolo Exterior Glazing Profile
- Ovolo Interior Glazing Profile
- Bottom Sash
- Primed Pine Sash Exterior
- Painted Interior Finish - White - Pine Sash Interior
- IG - 1 Lite
- Low E2 w/Argon
- Black Perimeter Bar
- Ovolo Exterior Glazing Profile
- Ovolo Interior Glazing Profile
- Satin Taupe Sash Lock
- White Jamb Hardware
- Aluminum Screen
- Stone White Surround
- Bright View Mesh
- 4 9/16" Jambs
- Primed Pine Special Casing 18
- Primed Pine Standard Subsill
- No Installation Method
- \*\*\*Note: Unit Availability and Price is Subject to Change**

Line #4	Mark Unit:			
Qty: 1				



- Primed Pine Exterior
- Painted Interior Finish - White - Pine Interior
- Ultimate Wood Double Hung
- Frame Size w/ Subsill




As Viewed From The Exterior

**RO 27" X 67 1/2"**  
**Egress Information**  
 Width: 22 7/16" Height: 27 1/4"  
 Net Clear Opening: 4.25 SqFt

26" X 67"  
 Rough Opening w/ Subsill  
 27" X 67 1/2"  
 Top Sash  
 Primed Pine Sash Exterior  
 Painted Interior Finish - White - Pine Sash Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Black Perimeter Bar  
 Ovolo Exterior Glazing Profile  
 Ovolo Interior Glazing Profile  
 Bottom Sash  
 Primed Pine Sash Exterior  
 Painted Interior Finish - White - Pine Sash Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Black Perimeter Bar  
 Ovolo Exterior Glazing Profile  
 Ovolo Interior Glazing Profile  
 Satin Taupe Sash Lock  
 White Jamb Hardware  
 Extruded Aluminum Screen  
 Stone White Surround  
 Bright View Mesh  
 4 9/16" Jambs  
 Primed Pine Special Casing 18  
 Primed Pine Standard Subsill  
 No Installation Method  
**\*\*\*Note: Unit Availability and Price is Subject to Change**

Line #5	Mark Unit:			
Qty: 1				



As Viewed From The Exterior

**RO 52" X 70 3/32"**  
**Egress Information A1, A2**  
 Width: 21 15/16" Height: 28 35/64"  
 Net Clear Opening: 4.35 SqFt

Primed Pine Exterior  
 Painted Interior Finish - White - Pine Interior  
 2W1H - Rectangle Assembly  
 Assembly Rough Opening w/ Subsill  
 52" X 70 3/32"

Unit: A1  
 Ultimate Wood Double Hung  
 Basic Frame 25 1/2" X 68 1/2"  
 Rough Opening w/ Subsill  
 26 1/2" X 70 3/32"  
 Top Sash  
 Primed Pine Sash Exterior  
 Painted Interior Finish - White - Pine Sash Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Black Perimeter Bar  
 Ovolo Exterior Glazing Profile  
 Ovolo Interior Glazing Profile  
 Bottom Sash  
 Primed Pine Sash Exterior  
 Painted Interior Finish - White - Pine Sash Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Black Perimeter Bar  
 Ovolo Exterior Glazing Profile  
 Ovolo Interior Glazing Profile  
 Satin Taupe Sash Lock  
 White Jamb Hardware  
 Extruded Aluminum Screen  
 Stone White Surround  
 Bright View Mesh


Unit: A2  
 Ultimate Wood Double Hung  
 Basic Frame 25 1/2" X 68 1/2"  
 Rough Opening w/ Subsill



26 1/2" X 70 3/32"  
 Top Sash  
 Primed Pine Sash Exterior  
 Painted Interior Finish - White - Pine Sash Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Black Perimeter Bar  
 Ovolo Exterior Glazing Profile  
 Ovolo Interior Glazing Profile  
 Bottom Sash  
 Primed Pine Sash Exterior  
 Painted Interior Finish - White - Pine Sash Interior  
 IG - 1 Lite  
 Low E2 w/Argon  
 Black Perimeter Bar  
 Ovolo Exterior Glazing Profile  
 Ovolo Interior Glazing Profile  
 Satin Taupe Sash Lock  
 White Jamb Hardware  
 Extruded Aluminum Screen  
 Stone White Surround  
 Bright View Mesh  
 Primed Pine Exterior Mull Cover  
 Standard Mull Charge  
 4 9/16" Jamb  
 Primed Pine Special Casing 18  
 Primed Pine Standard Subsill  
 No Installation Method  
 \*\*\*Note: Non-Certified mull: check with local code officials for project specific requirements.  
 \*\*\*Note: Unit Availability and Price is Subject to Change

Line #6 Qty: 1	Mark Unit:			
-------------------	------------	--	--	--

**MARVIN** 



As Viewed From The Exterior


Primed Pine Exterior  
 Painted Interior Finish - White - Pine Interior  
 Ultimate Wood Direct Glaze Rectangle  
 Frame Size w/ Subsill  
 17" X 39"  
 Rough Opening w/ Subsill  
 18" X 39 1/2"  
 IG - 1 Lite  
 Low E2 w/Argon  
 Black Perimeter Bar  
 4 9/16" Jamb  
 Primed Pine Special Casing 18  
 Primed Pine Standard Subsill  
 No Installation Method  
 \*\*\*Note: Unit Availability and Price is Subject to Change

RO 18" X 39 1/2"  
**Egress Information**  
 No Egress Information available.

Line #7 Qty: 1	Mark Unit:			
-------------------	------------	--	--	--

**MARVIN** 

Primed Pine Exterior  
 Painted Interior Finish - White - Pine Interior  
 Ultimate Wood Double Hung  
 Frame Size w/o Subsill  
 30" X 43"




As Viewed From The Exterior

RO 31" X 43 1/2"  
**Egress Information**  
 Width: 26 7/16" Height: 15 51/64"  
 Net Clear Opening: 2.90 SqFt

- Rough Opening w/o Subsill
- 31" X 43 1/2"
- Top Sash
- Primed Pine Sash Exterior
- Painted Interior Finish - White - Pine Sash Interior
- IG - 1 Lite
- Low E2 w/Argon
- Black Perimeter Bar
- Ovolo Exterior Glazing Profile
- Ovolo Interior Glazing Profile
- Bottom Sash
- Primed Pine Sash Exterior
- Painted Interior Finish - White - Pine Sash Interior
- IG - 1 Lite
- Low E2 w/Argon
- Black Perimeter Bar
- Ovolo Exterior Glazing Profile
- Ovolo Interior Glazing Profile
- Satin Taupe Sash Lock
- White Jamb Hardware
- Extruded Aluminum Screen
- Stone White Surround
- Bright View Mesh
- \*\*\*Screen/Combo Ship Loose
- 4 9/16" Jamb
- Exterior Casing - None
- No Subsill
- No Installation Method
- \*\*\*Note: Screen/Combo/Storm OSM based on factory applied casing and subsill.
- Field application may require special sizing.
- \*\*\*Note: Unit Availability and Price is Subject to Change

Line #8	Mark Unit:			
Qty: 3				




As Viewed From The Exterior

RO 31" X 63 1/2"  
**Egress Information**  
 Width: 26 7/16" Height: 25 1/4"  
 Net Clear Opening: 4.64 SqFt

- Primed Pine Exterior
- Painted Interior Finish - White - Pine Interior
- Ultimate Wood Double Hung
- Frame Size w/ Subsill
- 30" X 63"
- Rough Opening w/ Subsill
- 31" X 63 1/2"
- Top Sash
- Primed Pine Sash Exterior
- Painted Interior Finish - White - Pine Sash Interior
- IG - 1 Lite
- Low E2 w/Argon
- Black Perimeter Bar
- Ovolo Exterior Glazing Profile
- Ovolo Interior Glazing Profile
- Bottom Sash
- Primed Pine Sash Exterior
- Painted Interior Finish - White - Pine Sash Interior
- IG - 1 Lite
- Low E2 w/Argon
- Black Perimeter Bar
- Ovolo Exterior Glazing Profile
- Ovolo Interior Glazing Profile
- Satin Taupe Sash Lock
- White Jamb Hardware
- Extruded Aluminum Screen
- Stone White Surround
- Bright View Mesh
- 4 9/16" Jamb
- Primed Pine Special Casing 18
- Primed Pine Standard Subsill
- No Installation Method
- \*\*\*Note: Unit Availability and Price is Subject to Change

Line #9 Qty: 1	Mark Unit:			
-------------------	------------	--	--	--



As Viewed From The Exterior


RO 31" X 63 1/2"

**Egress Information**

Width: 22 57/64" Height: 56 61/64"  
 Net Clear Opening: 9.05 SqFt

- Primed Pine Exterior
- Painted Interior Finish - White - Pine Interior
- Ultimate Wood Casement - Left Hand
- Frame Size w/ Subsill  
30" X 63"
- Standard CN Width 30
- Rough Opening w/ Subsill  
31" X 63 1/2"
- Primed Pine Sash Exterior
- Painted Interior Finish - White - Pine Sash Interior
- SG - 1 Lite
- Clear
- Ovolo Interior Glazing Profile
- Standard Bottom Rail
- Beige Weather Strip
- Energy Panel
- Stone White Surround
- Clear
- Satin Taupe Folding Handle
- Satin Taupe Multi - Point Lock
- Extruded Aluminum Screen
- Satin Taupe Surround
- Bright View Mesh
- \*\*\*Screen/Combo Ship Loose
- 4 9/16" Jambs
- Primed Pine Special Casing 18
- Primed Pine Standard Subsill
- No Installation Method
- \*\*\*Note: Unit Availability and Price is Subject to Change**

Line #10 Qty: 1	Mark Unit:			
--------------------	------------	--	--	--



As Viewed From The Exterior

RO 27" X 63 1/2"


**Egress Information**

Width: 22 7/16" Height: 25 1/4"  
 Net Clear Opening: 3.93 SqFt

- Primed Pine Exterior
- Painted Interior Finish - White - Pine Interior
- Ultimate Wood Double Hung
- Frame Size w/ Subsill  
26" X 63"
- Rough Opening w/ Subsill  
27" X 63 1/2"
- Top Sash
- Primed Pine Sash Exterior
- Painted Interior Finish - White - Pine Sash Interior
- IG - 1 Lite
- Low E2 w/Argon
- Black Perimeter Bar
- Ovolo Exterior Glazing Profile
- Ovolo Interior Glazing Profile
- Bottom Sash
- Primed Pine Sash Exterior
- Painted Interior Finish - White - Pine Sash Interior
- IG - 1 Lite
- Low E2 w/Argon
- Black Perimeter Bar
- Ovolo Exterior Glazing Profile
- Ovolo Interior Glazing Profile
- Satin Taupe Sash Lock
- White Jamb Hardware
- Extruded Aluminum Screen
- Stone White Surround
- Bright View Mesh
- 4 9/16" Jambs
- Primed Pine Special Casing 18
- Primed Pine Standard Subsill

No Installation Method  
\*\*\*Note: Unit Availability and Price is Subject to Change

Line #11	Mark Unit:			
Qty: 1				



As Viewed From The Exterior

RO 51" X 64 19/32"  
Egress Information A1, A2  
Width: 21 7/16" Height: 25 51/64"  
Net Clear Opening: 3.84 SqFt

Primed Pine Exterior  
Painted Interior Finish - White - Pine Interior  
2W1H - Rectangle Assembly  
Assembly Rough Opening w/ Subsill  
51" X 64 19/32"

Unit: A1  
Ultimate Wood Double Hung  
Basic Frame 25" X 63"  
Rough Opening w/ Subsill  
26" X 64 19/32"  
Top Sash  
Primed Pine Sash Exterior  
Painted Interior Finish - White - Pine Sash Interior  
IG - 1 Lite  
Low E2 w/Argon  
Black Perimeter Bar  
Ovolo Exterior Glazing Profile  
Ovolo Interior Glazing Profile  
Bottom Sash  
Primed Pine Sash Exterior  
Painted Interior Finish - White - Pine Sash Interior  
IG - 1 Lite  
Low E2 w/Argon  
Black Perimeter Bar  
Ovolo Exterior Glazing Profile  
Ovolo Interior Glazing Profile  
Satin Taupe Sash Lock  
White Jamb Hardware  
Extruded Aluminum Screen  
Stone White Surround  
Bright View Mesh

Unit: A2  
Ultimate Wood Double Hung  
Basic Frame 25" X 63"  
Rough Opening w/ Subsill  
26" X 64 19/32"  
Top Sash  
Primed Pine Sash Exterior  
Painted Interior Finish - White - Pine Sash Interior  
IG - 1 Lite  
Low E2 w/Argon  
Black Perimeter Bar  
Ovolo Exterior Glazing Profile  
Ovolo Interior Glazing Profile  
Bottom Sash  
Primed Pine Sash Exterior  
Painted Interior Finish - White - Pine Sash Interior  
IG - 1 Lite  
Low E2 w/Argon  
Black Perimeter Bar  
Ovolo Exterior Glazing Profile  
Ovolo Interior Glazing Profile  
Satin Taupe Sash Lock  
White Jamb Hardware  
Extruded Aluminum Screen  
Stone White Surround  
Bright View Mesh  
Primed Pine Exterior Mull Cover  
Standard Mull Charge  
4 9/16" Jambs  
Primed Pine Special Casing 18





**Fargo Glass & Paint Co.**  
An Employee Owned Company

400 E. 54th St N  
Sioux Falls, SD 57104  
800-325-5740



**BILL TO:**

Hamlin Building Center - Lake Norden  
45002 Highway 28

Lake Norden SD 57248  
**Phone** 605-785-3381  
**Email**  
**Contact Info**

**SHIP TO:**

Hamlin Building Center - Lake Norden  
45002 Highway 28


Lake Norden SD 57248  
**Phone** 605-785-3381  
**Fax**  
**Contact Info**

QUOTE #	PO #	QUOTE NAME	PROJECT	JOB NAME	CUSTOMER PO #
1797713		Post Wood Job	Hamlin BC - Lake Norden		

LINE #	LINE TYPE	DESCRIPTION	QTY	U/M
100-1	WindowAndDoor	PK- 362	4	

**MARCH 2ND, 2023 PRICEBOOK**

Wood Windows Double Hung Operating 30 x 68  
 Custom: Frame Width = 30, Frame Height = 68, Sash Split = 50/50, Screen  
 Width = 28.40625, Screen Height = 66.1875  
 Complete Unit, CoreGuard Plus  
 Pine Exterior, Exterior Primed = White, Ultra Coat White, Pine Interior  
 Sash-Panel Exterior Primed Finish = White, Ultra Coat White  
 Low-E 366, Traditional Bead, Argon Gas, Black Warm Edge Spacer  
 Full Screen Applied, Standard Screen, White 001, AAMA 2604, View Clear  
 Mesh  
 Applied Hdwe, Hdwe = White, Concealed Jambliner, 1-Lock  
 Flat Casing, 3-1/2", Primed Exterior, Exterior Casing Primed Finish =  
 White, Casing Applied  
 Jamb = 4-9/16"  
 IPG = PG40, Ind. CCL = 436-H-658.23, Ind. FL = FL24481, Ind. TDI =  
 U-Factor = 0.28, SHGC = 0.2, CR = 60, VT = 0.46, AI = <0.30/<1.5, CPD  
 = SIE-N-112-01199-00001, Energy Star Region = ,SC,S, GapFill1 = ARG,  
 Can ER = 15, W m 2k = 1.59  
 Exterior Casing Width = 35.625, Exterior Casing Height = 71  
 Unit 1: Glass Width = 24.53125, Glass Height = 29.6875, Lower Glass Sash  
 Width = 26.90625, Lower Glass Sash Height = 33.60938, Upper Glass Sash  
 Width = 26.90625, Upper Glass Sash Height = 32.29688



**Rough Opening: 30.75" X 68.5"**

**Overall Unit Size: 30" X 68"**

Room Location: A



QUOTE #	PO #	QUOTE NAME	PROJECT	JOB NAME	CUSTOMER PO #
1797713		Post Wood Job	Hamlin BC - Lake Norden		

LINE #	LINE TYPE	DESCRIPTION	QTY	U/M
200-1	WindowAndDoor	PK- 362	1	

MARCH 2ND, 2023 PRICEBOOK

Wood Windows Double Hung Operating 30 x 71  
 Custom: Frame Width = 30, Frame Height = 71, Sash Split = 50/50, Screen  
 Width = 28.40625, Screen Height = 69.1875

Complete Unit, CoreGuard Plus

Pine Exterior, Exterior Primed = White, Ultra Coat White, Pine Interior

Sash-Panel Exterior Primed Finish = White, Ultra Coat White

Low-E 366, Traditional Bead, Argon Gas, Black Warm Edge Spacer

Full Screen Applied, Standard Screen, White 001, AAMA 2604, View Clear  
 Mesh

Applied Hdwe, Hdwe = White, Concealed Jambliner, 1-Lock

Flat Casing, 3-1/2", Primed Exterior, Exterior Casing Primed Finish =

White, Casing Applied

Jamb = 4-9/16"

IPG = PG40, Ind. CCL = 436-H-658.23, Ind. FL = FL24481, Ind. TDI =

U-Factor = 0.28, SHGC = 0.2, CR = 60, VT = 0.46, AI = <0.30/<1.5, CPD

= SIE-N-112-01199-00001, Energy Star Region = ,SC,S, GapFill1 = ARG,

Can ER = 15, W m 2k = 1.59

Exterior Casing Width = 35.625, Exterior Casing Height = 74


Unit 1: Glass Width = 24.53125, Glass Height = 31.1875, Lower Glass Sash

Width = 26.90625, Lower Glass Sash Height = 35.10938, Upper Glass Sash

Width = 26.90625, Upper Glass Sash Height = 33.79688

**Rough Opening: 30.75" X 71.5"**

**Overall Unit Size: 30" X 71"**



Room Location: B

LINE #	LINE TYPE	DESCRIPTION	QTY	U/M
300-1	WindowAndDoor	PK- 362	2	

MARCH 2ND, 2023 PRICEBOOK

Wood Windows Double Hung Operating 25 x 34.5

Custom: Frame Width = 25, Frame Height = 34.5, Sash Split = 50/50,

Screen Width = 23.40625, Screen Height = 32.6875

Complete Unit, CoreGuard Plus

Pine Exterior, Exterior Primed = White, Ultra Coat White, Pine Interior

Sash-Panel Exterior Primed Finish = White, Ultra Coat White

Low-E 366, Traditional Bead, Argon Gas, Black Warm Edge Spacer

Full Screen Applied, Standard Screen, White 001, AAMA 2604, View Clear  
 Mesh

Applied Hdwe, Hdwe = White, Concealed Jambliner, 1-Lock

Flat Casing, 3-1/2", Primed Exterior, Exterior Casing Primed Finish =

White, Casing Applied

Jamb = 4-9/16"

IPG = PG40, Ind. CCL = 436-H-658.23, Ind. FL = FL24481, Ind. TDI =

U-Factor = 0.28, SHGC = 0.2, CR = 60, VT = 0.46, AI = <0.30/<1.5, CPD

= SIE-N-112-01199-00001, Energy Star Region = ,SC,S, GapFill1 = ARG,

Can ER = 15, W m 2k = 1.59

Exterior Casing Width = 30.625, Exterior Casing Height = 37.5


Unit 1: Glass Width = 19.53125, Glass Height = 12.9375, Lower Glass Sash

Width = 21.90625, Lower Glass Sash Height = 16.85938, Upper Glass Sash

Width = 21.90625, Upper Glass Sash Height = 15.54688

**Rough Opening: 25.75" X 35"**

**Overall Unit Size: 25" X 34.5"**



Room Location: C

QUOTE #	PO #	QUOTE NAME	PROJECT	JOB NAME	CUSTOMER PO #
1797713		Post Wood Job	Hamlin BC - Lake Norden		

LINE #	LINE TYPE	DESCRIPTION	QTY	U/M
400-1	WindowAndDoor	PK- 362	1	

MARCH 2ND, 2023 PRICEBOOK

Wood Windows Double Hung Operating 26 x 67  
 Custom: Frame Width = 26, Frame Height = 67, Sash Split = 50/50, Screen  
 Width = 24.40625, Screen Height = 65.1875

Complete Unit, CoreGuard Plus

Pine Exterior, Exterior Primed = White, Ultra Coat White, Pine Interior  
 Sash-Panel Exterior Primed Finish = White, Ultra Coat White

Low-E 366, Traditional Bead, Argon Gas, Black Warm Edge Spacer  
 Full Screen Applied, Standard Screen, White 001, AAMA 2604, View Clear  
 Mesh


Applied Hdwe, Hdwe = White, Concealed Jambliner, 1-Lock  
 Flat Casing, 3-1/2", Primed Exterior, Exterior Casing Primed Finish =  
 White, Casing Applied  
 Jamb = 4-9/16"

IPG = PG40, Ind. CCL = 436-H-658.23, Ind. FL = FL24481, Ind. TDI =  
 U-Factor = 0.28, SHGC = 0.2, CR = 60, VT = 0.46, AI = <0.30/<1.5, CPD  
 = SIE-N-112-01199-00001, Energy Star Region = ,SC,S, GapFill1 = ARG,  
 Can ER = 15, W m 2k = 1.59

Exterior Casing Width = 31.625, Exterior Casing Height = 70  
 Unit 1: Glass Width = 20.53125, Glass Height = 29.1875, Lower Glass Sash  
 Width = 22.90625, Lower Glass Sash Height = 33.10938, Upper Glass Sash  
 Width = 22.90625, Upper Glass Sash Height = 31.79688

**Rough Opening: 26.75" X 67.5"**

**Overall Unit Size: 26" X 67"**



Room Location: D

LINE #	LINE TYPE	DESCRIPTION	QTY	U/M
500-1	WindowAndDoor	PK- 362	1	

MARCH 2ND, 2023 PRICEBOOK

Wood Windows Double Hung Operating / Operating 51 x 68.5  
 Custom: Frame Width = 25.5, Frame Height = 68.5, Sash Split = 50/50,  
 Screen Width = 23.90625, Screen Height = 66.6875

Complete Unit, CoreGuard Plus

Pine Exterior, Exterior Primed = White, Ultra Coat White, Pine Interior  
 Sash-Panel Exterior Primed Finish = White, Ultra Coat White

Low-E 366, Traditional Bead, Argon Gas, Black Warm Edge Spacer  
 Full Screen Applied, Standard Screen, White 001, AAMA 2604, View Clear  
 Mesh


Applied Hdwe, Hdwe = White, Concealed Jambliner, 1-Lock  
 Vertical Factory Tight Mull  
 Flat Casing, 3-1/2", Primed Exterior, Exterior Casing Primed Finish =  
 White, Casing Applied

Jamb = 4-9/16", Interior Mull Casing Applied  
 IPG = PG40, Ind. CCL = 436-H-658.23, Ind. FL = FL24481, Ind. TDI = 0  
 U-Factor = 0.28, SHGC = 0.2, CR = 60, VT = 0.46, AI = <0.30/<1.5, CPD  
 = SIE-N-112-01199-00001, Energy Star Region = ,SC,S, GapFill1 = ARG,  
 Can ER = 15, W m 2k = 1.59

Exterior Casing Width = 56.625, Exterior Casing Height = 71.5  
 Unit 1,2: Glass Width = 20.03125, Glass Height = 29.9375, Lower Glass  
 Sash Width = 22.40625, Lower Glass Sash Height = 33.85938, Upper Glass  
 Sash Width = 22.40625, Upper Glass Sash Height = 32.54688

**Rough Opening: 51.75" X 69"**

**Overall Unit Size: 51" X 68.5"**



Room Location: E

QUOTE #	PO #	QUOTE NAME	PROJECT	JOB NAME	CUSTOMER PO #
1797713		Post Wood Job	Hamlin BC - Lake Norden		

LINE #	LINE TYPE	DESCRIPTION	QTY	U/M
600-1	WindowAndDoor	PK- 362	1	

MARCH 2ND, 2023 PRICEBOOK

Wood Windows Double Hung Picture 17 x 39

Custom: Frame Width = 17, Frame Height = 39

Complete Unit, CoreGuard Plus

Pine Exterior, Exterior Primed = White, Ultra Coat White, Pine Interior

Sash-Panel Exterior Primed Finish = White, Ultra Coat White

Low-E 366, Traditional Bead, Argon Gas, Black Warm Edge Spacer

Flat Casing, 3-1/2", Primed Exterior, Exterior Casing Primed Finish =

White, Casing Applied

Jamb = 4-9/16"

IPG = PG50, Ind. CCL = 436-H-657.08, Ind. FL = FL22043, Ind. TDI =

U-Factor = 0.27, SHGC = 0.21, CR = 61, VT = 0.5, AI = <0.30/<1.5, CPD

= SIE-N-91-01195-00001, Energy Star Region = ,SC,S, GapFill1 = ARG,

Can ER = 18, W m 2k = 1.53


Exterior Casing Width = 22.625, Exterior Casing Height = 42

Unit 1: Glass Width = 12.125, Glass Height = 31.5, Sash Width = 15.34375,

Sash Height = 36.07812

**Rough Opening: 17.75" X 39.5"**

**Overall Unit Size: 17" X 39"**



Room Location: F

LINE #	LINE TYPE	DESCRIPTION	QTY	U/M
700-1	WindowAndDoor	PK- 362	1	

MARCH 2ND, 2023 PRICEBOOK

Wood Windows Double Hung Operating 30 x 43

Custom: Frame Width = 30, Frame Height = 43, Sash Split = 50/50, Screen

Width = 28.40625, Screen Height = 41.1875

Complete Unit, CoreGuard Plus

Pine Exterior, Exterior Primed = White, Ultra Coat White, Pine Interior

Sash-Panel Exterior Primed Finish = White, Ultra Coat White

Low-E 366, Traditional Bead, Argon Gas, Black Warm Edge Spacer

Full Screen Applied, Standard Screen, White 001, AAMA 2604, View Clear

Mesh

Applied Hdwe, Hdwe = White, Concealed Jambliner, 1-Lock

Flat Casing, 3-1/2", Primed Exterior, Exterior Casing Primed Finish =

White, Casing Applied

Jamb = 4-9/16"

IPG = PG40, Ind. CCL = 436-H-658.23, Ind. FL = FL24481, Ind. TDI =

U-Factor = 0.28, SHGC = 0.2, CR = 60, VT = 0.46, AI = <0.30/<1.5, CPD

= SIE-N-112-01199-00001, Energy Star Region = ,SC,S, GapFill1 = ARG,

Can ER = 15, W m 2k = 1.59

Exterior Casing Width = 35.625, Exterior Casing Height = 46


Unit 1: Glass Width = 24.53125, Glass Height = 17.1875, Lower Glass Sash

Width = 26.90625, Lower Glass Sash Height = 21.10938, Upper Glass Sash

Width = 26.90625, Upper Glass Sash Height = 19.79688

**Rough Opening: 30.75" X 43.5"**

**Overall Unit Size: 30" X 43"**



Room Location: G

QUOTE #	PO #	QUOTE NAME	PROJECT	JOB NAME	CUSTOMER PO #
1797713		Post Wood Job	Hamlin BC - Lake Norden		

LINE #	LINE TYPE	DESCRIPTION	QTY	U/M
800-1	WindowAndDoor	PK- 362	1	

MARCH 2ND, 2023 PRICEBOOK

Wood Windows Double Hung Operating 30 x 63  
 Custom: Frame Width = 30, Frame Height = 63, Sash Split = 50/50, Screen  
 Width = 28.40625, Screen Height = 61.1875

Complete Unit, CoreGuard Plus

Pine Exterior, Exterior Primed = White, Ultra Coat White, Pine Interior

Sash-Panel Exterior Primed Finish = White, Ultra Coat White

Low-E 366, Traditional Bead, Argon Gas, Black Warm Edge Spacer

Full Screen Applied, Standard Screen, White 001, AAMA 2604, View Clear  
 Mesh

Applied Hdwe, Hdwe = White, Concealed Jambliner, 1-Lock

Flat Casing, 3-1/2", Primed Exterior, Exterior Casing Primed Finish =

White, Casing Applied

Jamb = 4-9/16"

IPG = PG40, Ind. CCL = 436-H-658.23, Ind. FL = FL24481, Ind. TDI =

U-Factor = 0.28, SHGC = 0.2, CR = 60, VT = 0.46, AI = <0.30/<1.5, CPD

= SIE-N-112-01199-00001, Energy Star Region = ,SC,S, GapFill1 = ARG,

Can ER = 15, W m 2k = 1.59

Exterior Casing Width = 35.625, Exterior Casing Height = 66


Unit 1: Glass Width = 24.53125, Glass Height = 27.1875, Lower Glass Sash

Width = 26.90625, Lower Glass Sash Height = 31.10938, Upper Glass Sash

Width = 26.90625, Upper Glass Sash Height = 29.79688

**Rough Opening: 30.75" X 63.5"**

**Overall Unit Size: 30" X 63"**



Room Location: H

LINE #	LINE TYPE	DESCRIPTION	QTY	U/M
900-1	WindowAndDoor	PK- 362	1	

MARCH 2ND, 2023 PRICEBOOK

Wood Windows Double Hung Operating 30 x 63  
 Custom: Frame Width = 30, Frame Height = 63, Sash Split = 50/50, Screen  
 Width = 28.40625, Screen Height = 61.1875

Complete Unit, CoreGuard Plus

Pine Exterior, Exterior Primed = White, Ultra Coat White, Pine Interior

Sash-Panel Exterior Primed Finish = White, Ultra Coat White

Low-E 366, Traditional Bead, Argon Gas, Black Warm Edge Spacer

Full Screen Applied, Standard Screen, White 001, AAMA 2604, View Clear  
 Mesh

Applied Hdwe, Hdwe = White, Concealed Jambliner, 1-Lock

Flat Casing, 3-1/2", Primed Exterior, Exterior Casing Primed Finish =

White, Casing Applied

Jamb = 4-9/16"

IPG = PG40, Ind. CCL = 436-H-658.23, Ind. FL = FL24481, Ind. TDI =

U-Factor = 0.28, SHGC = 0.2, CR = 60, VT = 0.46, AI = <0.30/<1.5, CPD

= SIE-N-112-01199-00001, Energy Star Region = ,SC,S, GapFill1 = ARG,

Can ER = 15, W m 2k = 1.59

Exterior Casing Width = 35.625, Exterior Casing Height = 66


Unit 1: Glass Width = 24.53125, Glass Height = 27.1875, Lower Glass Sash

Width = 26.90625, Lower Glass Sash Height = 31.10938, Upper Glass Sash

Width = 26.90625, Upper Glass Sash Height = 29.79688

**Rough Opening: 30.75" X 63.5"**

**Overall Unit Size: 30" X 63"**



Room Location: I



QUOTE #	PO #	QUOTE NAME	PROJECT	JOB NAME	CUSTOMER PO #
1797713		Post Wood Job	Hamlin BC - Lake Norden		

LINE #	LINE TYPE	DESCRIPTION	QTY	U/M
1000-1	WindowAndDoor	PK- 362	1	

MARCH 2ND, 2023 PRICEBOOK

Wood Windows Double Hung Operating 26 x 63  
 Custom: Frame Width = 26, Frame Height = 63, Sash Split = 50/50, Screen  
 Width = 24.40625, Screen Height = 61.1875

Complete Unit, CoreGuard Plus

Pine Exterior, Exterior Primed = White, Ultra Coat White, Pine Interior

Sash-Panel Exterior Primed Finish = White, Ultra Coat White

Low-E 366, Traditional Bead, Argon Gas, Black Warm Edge Spacer

Full Screen Applied, Standard Screen, White 001, AAMA 2604, View Clear  
 Mesh

Applied Hdwe, Hdwe = White, Concealed Jambliner, 1-Lock

Flat Casing, 3-1/2", Primed Exterior, Exterior Casing Primed Finish =

White, Casing Applied

Jamb = 4-9/16"

IPG = PG40, Ind. CCL = 436-H-658.23, Ind. FL = FL24481, Ind. TDI =

U-Factor = 0.28, SHGC = 0.2, CR = 60, VT = 0.46, AI = <0.30/<1.5, CPD

= SIE-N-112-01199-00001, Energy Star Region = ,SC,S, GapFill1 = ARG,

Can ER = 15, W m 2k = 1.59

Exterior Casing Width = 31.625, Exterior Casing Height = 66


Unit 1: Glass Width = 20.53125, Glass Height = 27.1875, Lower Glass Sash

Width = 22.90625, Lower Glass Sash Height = 31.10938, Upper Glass Sash

Width = 22.90625, Upper Glass Sash Height = 29.79688

**Rough Opening: 26.75" X 63.5"**

**Overall Unit Size: 26" X 63"**



Room Location: J

LINE #	LINE TYPE	DESCRIPTION	QTY	U/M
1100-1	WindowAndDoor	PK- 362	2	

MARCH 2ND, 2023 PRICEBOOK

Wood Windows Double Hung Operating 30 x 63  
 Custom: Frame Width = 30, Frame Height = 63, Sash Split = 50/50, Screen  
 Width = 28.40625, Screen Height = 61.1875

Complete Unit, CoreGuard Plus

Pine Exterior, Exterior Primed = White, Ultra Coat White, Pine Interior

Sash-Panel Exterior Primed Finish = White, Ultra Coat White

Low-E 366, Traditional Bead, Argon Gas, Black Warm Edge Spacer

Full Screen Applied, Standard Screen, White 001, AAMA 2604, View Clear  
 Mesh

Applied Hdwe, Hdwe = White, Concealed Jambliner, 1-Lock

Flat Casing, 3-1/2", Primed Exterior, Exterior Casing Primed Finish =

White, Casing Applied

Jamb = 4-9/16"

IPG = PG40, Ind. CCL = 436-H-658.23, Ind. FL = FL24481, Ind. TDI =

U-Factor = 0.28, SHGC = 0.2, CR = 60, VT = 0.46, AI = <0.30/<1.5, CPD

= SIE-N-112-01199-00001, Energy Star Region = ,SC,S, GapFill1 = ARG,

Can ER = 15, W m 2k = 1.59

Exterior Casing Width = 35.625, Exterior Casing Height = 66


Unit 1: Glass Width = 24.53125, Glass Height = 27.1875, Lower Glass Sash

Width = 26.90625, Lower Glass Sash Height = 31.10938, Upper Glass Sash

Width = 26.90625, Upper Glass Sash Height = 29.79688

**Rough Opening: 30.75" X 63.5"**

**Overall Unit Size: 30" X 63"**



Room Location: K



QUOTE #	PO #	QUOTE NAME	PROJECT	JOB NAME	CUSTOMER PO #
1797713		Post Wood Job	Hamlin BC - Lake Norden		

LINE #	LINE TYPE	DESCRIPTION	QTY	U/M
1200-1	WindowAndDoor	PK- 362	1	

MARCH 2ND, 2023 PRICEBOOK

Wood Windows Double Hung Operating / Operating 50 x 63  
 Custom: Frame Width = 25, Frame Height = 63, Sash Split = 50/50, Screen  
 Width = 23.40625, Screen Height = 61.1875

Complete Unit, CoreGuard Plus

Pine Exterior, Exterior Primed = White, Ultra Coat White, Pine Interior

Sash-Panel Exterior Primed Finish = White, Ultra Coat White

Low-E 366, Traditional Bead, Argon Gas, Black Warm Edge Spacer

Full Screen Applied, Standard Screen, White 001, AAMA 2604, View Clear  
 Mesh

Applied Hdwe, Hdwe = White, Concealed Jambliner, 1-Lock

Vertical Factory Tight Mull

Flat Casing, 3-1/2", Primed Exterior, Exterior Casing Primed Finish =  
 White, Casing Applied

Jamb = 4-9/16", Interior Mull Casing Applied

IPG = PG40, Ind. CCL = 436-H-658.23, Ind. FL = FL24481, Ind. TDI =

U-Factor = 0.28, SHGC = 0.2, CR = 60, VT = 0.46, AI = <0.30/<1.5, CPD

= SIE-N-112-01199-00001, Energy Star Region = ,SC,S, GapFill1 = ARG,

Can ER = 15, W m 2k = 1.59

Exterior Casing Width = 55.625, Exterior Casing Height = 66


Unit 1,2: Glass Width = 19.53125, Glass Height = 27.1875, Lower Glass

Sash Width = 21.90625, Lower Glass Sash Height = 31.10938, Upper Glass

Sash Width = 21.90625, Upper Glass Sash Height = 29.79688

**Rough Opening: 50.75" X 63.5"**

**Overall Unit Size: 50" X 63"**



Room Location: K

QUOTE #	PO #	QUOTE NAME	PROJECT	JOB NAME	CUSTOMER PO #
1797713		Post Wood Job	Hamlin BC - Lake Norden		

BID BY	SALESPERSON
	225

Comments:

**COMPANY**

Unless otherwise noted on the line item, this product is covered under a Sierra Pacific Windows limited warranty. Please see your dealer, the Website WWW.SIERRAPACIFICWINDOWS.COM or our marketing literature for a copy of the applicable limited warranty for specific language, limitations and exclusions.

All prices quoted are typically valid for 30 days. The quoted pricing is not final and is subject to revised price book releases and changes until the order has been submitted. Other exceptions may apply. Shop drawing charges are not included.

**COLOR VARIATION**

Sierra Pacific offers a variety of wood species produced in combinations of solid and veneer-wrapped wood parts that have varying grain patterns. Wood characteristics also vary due to the species of the wood. The combination of these items could result in color variations of the finished stained products. Outswing Doors will have a complementary species of wood threshold.

**RATINGS**

Oversized units and certain mulled/stacked configurations have not been tested and therefore have no performance grade(PG) rating. P.E. approved job-specific comparative analysis may be available for these non-rated units. Please contact your Inside Sales group to determine available options for non-rated product. A complete list of rated products is available at WWW.SIERRAPACIFICWINDOWS.COM

Units denoted with an 'E' on the line item image meet egress based off criteria from the International Residential Code manual. Each has at least 20" clear opening width, 24" clear opening height and a total clear opening square footage of at least 5.7. The window sill height is not taken into consideration and needs to be reviewed for compliance in your local jurisdiction.

The Vinyl replacement products do not have a PG rating.

ALUMINUM CLAD UNITS ONLY: \*\*SPW recommends through frame installation for units with factory applied brickmould.\*\*

If units are being installed in an area requiring specific PG ratings the unit must be installed in the exact manner tested as shown in our certified installation details. These details can be found on the Florida Building Code website at www.floridabuilding.org or can be obtained by contacting Sierra Pacific's Architectural Services Department at 800-433-4873 ext. 1734.

Recent building code changes require the addition of limiting devices on any operating unit installed where the finished clear opening of the unit within 24" of the floor and is more than 72" above the finished grade or other surface below the window. Please check with your local building department to determine if this code is a requirement in your jurisdiction and order units accordingly.

No Warranty for panel warpage without Multipoint hardware or Double Bore with Tru-Lock.

**THERMAL PERFORMANCE**

This quote may contain glazing options that include coating 'i89'. These glazing options may have an increased risk of room side glass condensation in areas where the winter outdoor temperatures are below freezing (32°F/0°C).

**We Appreciate Your Business!**