



5000 Diamondhead Circle, Diamondhead, MS 39525

Telephone (228) 222-4626

Fax: (228) 222-4390

Specifications and Quote Proposal Form  
For ADA Portable Restroom Trailer

Vendor AMS Global Inc.

Address 107 Mitchell Lane, De Queen AR. 71832

The City of Diamondhead is seeking quotes for ADA Portable Restroom Trailer.

- Each bidder is to submit one original bid. Any additional copies provided will become property of the City of Diamondhead
- All bids must be good for thirty days from date of summation
- All bids must be returned to Andrea Galvin at City Hall in a sealed envelope or emailed to [agalvin@diamondhead.ms.gov](mailto:agalvin@diamondhead.ms.gov)

If you have any questions contact the City of Diamondhead Finance Department at 228.266.2228.

Quotes will be received by the City of Diamondhead in the office of the City Manager, 5000 Diamondhead Circle, Diamondhead, MS 39525 until March 10, 2023. Quotes must be signed and sealed with vendor's name and address on outside of the envelope or emailed to [agalvin@diamondhead.ms.gov](mailto:agalvin@diamondhead.ms.gov)

Quotes and modifications or corrections thereof received after the closing date specified will not be considered.

The City of Diamondhead reserves the right to reject any and all quotes, to waive any informality in the quotes, and unless otherwise specified by the vendor, to accept any item on the quote.

Specifications and Quote Proposal Form  
For ADA Portable Restroom Trailer

Vendor     AMS Global Inc.  
Address    107 Mitchell Lane  
              De Queen AR., 71832  
Phone #    (903)667-2514     Fax    NA

If the vendor fails to state the time within which bids must be accepted, it is understood and agreed that the City of Diamondhead shall have 60 days to accept.

A written purchase order to the successful vendor within the time of acceptance results in a binding contract without further action by either party. The contract shall not be assignable by the vendor in whole or in part without the written consent of the City of Diamondhead.

Any alteration or deviation from above specifications involving extra cost will be executed only upon written orders and will become an extra charge over and above the estimates. All agreements contingent upon strikes, accidents, or delays beyond our control.

The specifications for the ADA Restroom Trailer for Noma Drive are as follows:

1.    10' X15' (20' x 8')
2.    Two ADA Restrooms
3.    Portable Trailer on Highway rated Frame and wheels
4.    Removable hitch
5.    Per all Federal, State & Local codes
6.    Risk Category II, 160 MPH wind speed
7.    Product details to be submitted with quote

ADA Restroom Trailer

**\$92,113**

Please provide an estimated lead time for the materials. Contact Andrea Galvin at 228-266-2228 if you have any questions. Thank you for your cooperation in this matter.



City of Diamondhead  
Attn: Andrea Galvin  
5000 Diamondhead Circle  
Diamondhead, MS. 39525

May 1<sup>st</sup>, 2023  
De Queen AR.

RE: Omega 20 ADA 2ST Restroom Trailer

To: City of Diamondhead,

Thank you for considering us on your project. We have recently completed similar units for Province of Newfoundland, City of Abilene Texas, VA Medical Center of Palo Alto, U.S. Department of Energy, City of Austin, Houston Metro Transit Authority, Moore County NC, City of Bangor Maine, California Red Cross, City of Lakeville Massachusetts, Texas State Parks, Oregon State Parks, Florida State Parks and Missouri State Parks. We have a different model at The Club at Diamondhead if you would like to see one of our models in person. Current lead times are 12-14 weeks.

Our units are completely composite construction meaning there is no wood used in the process so the issue of rot will never be present. Many others in the industry use the terms "Marine Grade" or "Fiberglass Flooring" but there is still wood in their units. We also distinguish ourselves by our patented lowering suspension system and folding tongue. We recommend our Champagne Aluminum Color for the exterior. In our history it is the longest lasting color that survives fading and scratches. The appearance is similar to an Airstream Camper.

In closing AMS Global Incorporated has been in the portable restroom and shower trailer business for over 20 years and we pride ourselves on our manufacturing capability, attention to detail and longevity in this business. Over our last 20 years we have seen many manufactures come in and out of this industry and we want our customers to rest assured that we will be here when you need us.

Sincerely Yours,

A handwritten signature in blue ink that reads "Clint Nelson".

Clint Nelson  
AMS Global Inc.



## Omega 20 ADA 2ST Specifications

**Unit Length:** 238"

**Unit Width:** 86"

**Chassis Construction:** 3/8" Tubular Steel

**Flooring:** 1/8" Steel Decking with Rubber Coin Flooring Overlay



**Frame:** 1.5" & 2" Coated Tubular Steel

**Sheeting:** .40 Aluminum wall panels and seamless roof.

In addition this unit will include

- 16,000 BTU Heating & Air Unit
- Two private ADA rooms
- All metal and composite construction
- Painted interior walls to resist corrosion per our specs
- Corrosion Resistant Undercoating Tectyl 351-S
- Two ADA Compliant Stainless Steel Hand Rails & Aluminum Ramps
- LED Exterior & Interior Lighting with Motion Sensors
- Patented Folding Trailer Tongue that folds up and is hidden when not in use.
- 17" Radial Tires with 16 ply with dual 7000lb axels
- All electric Braking system
- Jets Ultima Vacuum and Charm Wall Mount Vac Toilets. Uses a pint per flush.
- 375 G Tank Capacity. Waste tank will hold up to 2000 flushes.
- Equalizer Hydraulic Jack System with 24,000 lb lift capacity
- 60" Turning Radius in ADA Stall
- ADA Rooms will contain fully compliant ADA fixtures including a Jets Vacuum porcelain toilet, sink, stainless steel soap dispenser and safety backed glass mirrors.
- Challenger Doors with obscure windows in each door and Falcon Deadbolt Assembly
- Nudo Vandal Resistant Pebble Surface PVC Interior Walls
- American Standard Sinks with Moen Metered Faucets.
- Patented Hidden Wheel Timberline Retraction System
- ADA compliant grab bars and side grab bars
- Power – 50 AMP Power Requirement

- Ⓐ 78"x24" radius LH
- Ⓑ 48"x24" radius LH
- Ⓒ 32"x49" top hinge
- Ⓓ 48"x24" radius RH
- Ⓔ 78"x36" radius RH
- Ⓕ 78"x24" radius RH
- Ⓖ 77.5"x36" radius LH




**Handrails**

Top Height 36" above Platform  
 Top of Cross Bars 14" below bottom of Top Rail. Railing 1.5" O.D. lambar and slides into 4" piece of 1.5" ID pipe welded to landing.

Compliant with ADA Act of 2010  
 Lowers to ground  
 2000 flush waste capacity  
 125 Gallon water tank  
 Container S hipable  
 Retractable tongue  
 240 vac power required  
 .040 Aluminum Exterior  
 Hydraulic Electric Disk Brakes  
 Uses a pint per flush  
 2 jets™ Marine Toilets  
 jets™ VOD™ Vacuumator™  
 Obscure windows in radius doors  
 15000 BTU A/C with 5500 btu heat strip  
 10,000 pound retractable suspension  
 17.5 x 6.75 16 ply 6000# Radial Tires  
 All metal and composite construction  
 LED lighting and trailer lighting  
 Liquefies all waste paper and hygienic products  
 Automatic Electric Leveling Jacks 16,000 lb. max  
 2 Aluminum ADA ramps with stainless steel railings  
 Self Pumping to Sewer Tap up to 100 yards  
 w/10" head 1" line

Approved by \_\_\_\_\_



For 5% slope specify 2 ramps  
 Ramps have 2" curbs

This document is the property of and contains unpublished proprietary information and trade secrets of A.M.S. Global Inc. By accepting possession of the document the recipient agrees to make no copies, transcriptions or any use of this document or the information contained herein except as authorized by A.M.S. Global Inc. and further agrees to safe keep this document and return in to A.M.S. Global Inc. upon demand.

These restrooms are designed to be compliant with all current guidelines as we are aware of. Many guidelines have gray areas and points open to interpretation. Different entities may have different interpretations or local differences. We suggest getting approvals of final plans from the authorities in the local the unit will be placed






# Omega J-10R





# “J-Series” Restroom and Shower Trailers



## Features

### Exclusive lowering suspension

Remote-controlled axle lowering system allows trailer to rest on the ground

### JETS vacuum toilet system

JETS vacuum flush toilets with super heavy duty macerating pump allows for on-board waste collection OR direct connection to sewer

### Wood free construction

All steel and composite components allow for easy cleaning and years of rot free service

### Superior logistics

Retractable tongue allows 2 units to ship in 40' high cube container

## Model: “J-33”

- 19' 10" X 7' 2" steel frame with 4' retractable tongue (can ship via high cube container)
- 3 Women's and 3 Men's "public" style restroom facilities
- 10,000 lb. retractable axle system
- Remote controlled electric leveling jacks
- Hydraulic surge disk brakes
- LED safety and trailer lighting (30,000 hour burn)
- JETS vacuum flush toilets flushing with 1 quart of water
- JETS vacuumerator pump (liquefies and pumps waste up to 300' away)
- 500 gallon waste tank (2,000 flushes)
- 250 gallons of fresh water capacity
- Roof Mounted AC/Heat with remote thermostat
- Closed cell foam insulation with radiant, reflective and vapor barrier
- 15 AMP 120V power requirement
- 24" doors with locking occupied/vacant indicator
- LED porch lighting

### "Men's Side":


- 1 private toilet stall and 2 urinals
- 2 sinks and 2 trash receptacles

### "Women's Side":

- 3 private toilet stalls with feminine product receptacles
- 2 sinks with 1 trash receptacle



### Both rooms include:

- Walls consist of FRP bonded to waterproof, rot-proof, and mold resistant durable poly substrate
- Waterproof, skid-resistant flooring
- Toilet tissue and paper towel dispensers and soap dispensers
- Metered faucets and 12 V interior lighting





# “J-Series” Restroom and Shower Trailers



## Features

### Exclusive lowering suspension

Remote-controlled axle lowering system allows trailer to rest on the ground

### JETS vacuum toilet system

JETS vacuum flush toilets with super heavy duty macerating pump allows for on-board waste collection OR direct connection to sewer

### Wood free construction

All steel and composite components allow for easy cleaning and years of rot free service

### Superior logistics

Retractable tongue allows 2 units to ship in 40' high cube container

## Model: J-R10

- 19' 10" X 7' 2" steel frame with 4' retractable tongue (can ship via high cube container)
- 10 private, unisex bathrooms
- 10,000 lb. retractable axle system
- Remote controlled electric leveling jacks
- Hydraulic surge disk brakes
- LED safety and trailer lighting (30,000 hour burn)
- JETS vacuum flush toilets flushing with 1 quart of water
- JETS vacuumerator pump (liquefies and pumps waste up to 300' away)
- 500 gallon waste tank (2,000 flushes)
- 250 gallons of fresh water capacity
- Roof Mounted AC/Heat with remote thermostat
- Closed cell foam insulation with radiant, reflective and vapor barrier

- 15 AMP 120V power requirement
- Exterior 4 sink hand washing station with soap and paper towel dispensers
- 24" doors with locking occupied/vacant indicator
- LED porch lighting

### All rooms contain:

- Waste basket and sanitary napkin receptacle
- Walls consist of FRP bonded to waterproof, rot-proof, and mold resistant durable poly substrate
- Waterproof, skid-resistant flooring

