

City of Dripping Springs - Park Memorial Sign



**5621 Central Texas Dr.
San Marcos, TX 78666**
☎ 210-492-9436
📠 210-492-9483
Toll Free: 888-492-9436

State License TSCL 18330
 Regulated by the Texas Department of Licensing and Regulation
 PO Box 12157, Austin, Tx. 78711, 1-800-803-9202, 512-463-6599
license.state.tx.us/complaints

Client: **City Of Dripping Springs**
 Address: **Park Memorial**
 Sales: **JD** Designer: **MH**
 Date: **10.13.22**
 Path: **X:\ESSM\City of Dripping Springs\Park Memorial Sign**
 File: **City of Dripping Springs_Park Memorial Sign**


Color Schedule & Notes:

Sign Company DOES NOT provide primary electrical to sign. Power to the sign must be done by a licensed electrical contractor or licensed electrician.
 Each sign must have:
 1. A minimum of one dedicated 120V 20A Circuit
 2. Junction box installed within 6 feet of sign
 3. Three wires: Line, Ground, Neutral
 All Signs will be manufactured to accommodate 120 volt current unless otherwise Instructed by customer.

This is an original drawing created by Executive Signs Inc. It is submitted for your personal use, however, it shall at all times remain the property of Executive Signs Ent. You are not authorized to show these drawings to anyone outside your organization, nor is it to be reproduced, used, copied or exhibited in any fashion.
 Design time includes up to three (3) revisions. Any revisions or changes to design after the initial three (3) will incur a charge of \$90/hr.

APPROVAL, SIGNATURE and DATE

QTY.2
MANUFACTURE & INSTALL:
 NEW WOOD PANEL PAINT TO MATCH EXISTING SIGNS WITH
 ROUTED OUT AND PAINTED WHITE TEXT/DECORATION
 MOUNTED ON 4"X4"X5' POST PAINTED TO MATCH EXISTING SIGNS



EXAMPLE

