


## • Project Identification






### Directional








- (4) MONUMENT SIGN
- (2) BELTERRA VILLAGE WALL SIGN
- (1) "BV" LOGO SIGN (ILLUMINATED)
- (2) "BV" LOGO SIGN (NON-ILLUMINATED)
- (3) "BV" PLANTER SIGN (NON-ILLUMINATED)



**SIGN LOCATION PLAN** 



LED ILLUMINATION SHOULD BE BELOW 3000 KELVINS AS PER THE BELTERRA MASTER PLAN APPROVED BY THE CITY OF DRIPPING SPRINGS





Belterra Village

555 N College
Dripping Place, 7X 78737

JOB INFORMATION
NUMBER: 5585-SPEC6-AB
SALES REP.: Denise
DESIGNER: Greg

CLIENT APPROVAL

DATE:

X - - - - - - - - - - - - - - - INSTALL DATE:



NOTE: THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENT OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES, THIS INCLUDES PROPER GROUNDING AND BONDING;



**NIGHT** 

LED ILLUMINATION SHOULD BE BELOW 3000 KELVINS AS PER THE BELTERRA MASTER PLAN APPROVED BY THE CITY OF DRIPPING SPRINGS



MAX. ALLOWED SQ. FT. =



Belterra Village

555 N College
Dripping Prices, 7X 78737

JOB INFORMATION
NUMBER: 5585-SPEC6-AB
SALES REP.: Denise
DESIGNER: Greg

DATE:

X ----INSTALL DATE:

UNDERWRITERS
LABORATORIES





FRONT VIEW BACK VIEW

BELTERRA

555 N College Dripping Springs, TX 78737

### **JOB INFORMATION**

NUMBER: 5674-SPEC1-A SALES REP.: DENISE DESIGNER: Greg

### CLIENT APPROVAL

DATE:

X - - - - - - - - - - -

Artworks in this document are considered only as a visual representation of the actual size and specified material. Real world material and size specification takes precedence over any visual representation.

Note: for proposed electrical signs, the sign is intended to be installed in accordance with the requirement of article 600 of the national electrical code and/or other applicable local codes, this includes proper grounding and booding:







FONT: ADOBE GARAMOND

FACE TYPE: .25 ALUM. PAINTED P1

BACKER: .125 ALUM. P2.

MOUNTING: PIN-MOUNT TO STONE.



QTY = 8

BELTERRA

555 N College

Dripping Springs, TX 78737

### **JOB INFORMATION**

NUMBER: 5674-SPEC1-A SALES REP.: DENISE DESIGNER: Greg

### CLIENT APPROVAL

DATE:

. - - - - - - - - - -






(INDUSTRY STANDA

Artworks in this document are considered only as a visual representation of the actual size and specified material. Real world material and size specification takes precedence over any visual representation.

Note: for proposed electrical signs, the sign is intended to be installed in accordance with the requirement of article 600 of the national electrical code and/or other applicable local codes, this includes proper grounding and bondino:









### **BELTERRA VILLAGE**

08.01.2017

# LED ILLUMINATION SHOULD BE BELOW 3000 KELVINS AS PER THE BELTERRA MASTER PLAN APPROVED BY THE CITY OF DRIPPING SPRINGS





### SPEC DETAIL

[1] "BELTERRA VILLAGE" REVERSE CHANNEL.
FACE TYPE: ALUM. PAINTED P1.
RETURNS: ALUM. PAINTED P1.
ILLUMINATION: WARM WHITE LED.
MOUNTING TYPE: PIN-MOUNT OFFSET 1.5".



ALL COLORS TO BE APPROVED/PROVIDED BY CLIENT PRIOR TO MANUFACTURING

NOTE: THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE
WITH THE REQUIREMENT OF ARTICLE 600 OF THE NATIONAL
ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES,
THIS INCLUDES PROPER GROUNDING AND BONDING:

QTY = 1 41 SQ. FT.

CHANNEL LETTERS AND TENANT CABINET
SCALE: 1/2" = 1' 0"



### Belterra

555 N College Dripping Springs, TX 78737

### **JOB INFORMATION**

NUMBER: 5603-SPEC4-A

SALES REP.: Denise

DESIGNER: Greg

### **CLIENT APPROVAL**

DATE:

INSTALL DATE:





BELTERRA

555 N College Dripping Springs, TX 78737

### JOB INFORMATION

NUMBER: 5674-SPEC1-A SALES REP.: DENISE DESIGNER: Greg

### CLIENT APPROVAL

DATE:

X - - - - - - - - - - -

Artworks in this document are considered only as a visual representation of the actual size and specified material. Real world material and size specification takes precedence over any visual representation.

Note: for proposed electrical signs, the sign is intended to be installed in accordance with the requirement of article 600 of the national electrical code and/or other applicable local codes, this includes proper grounding and bonding;





# LED ILLUMINATION SHOULD BE BELOW 3000 KELVINS AS PER THE BELTERRA MASTER PLAN APPROVED BY THE CITY OF DRIPPING SPRINGS







Belterra 555 N College Dripping Springs, TX 78737 JOB INFORMATION
NUMBER: 5603-SPEC4-A
SALES REP.: Denise


**DESIGNER:** Greg

CLIENT APPROVAL

DATE:

X ----INSTALL DATE:





FAUX CORTEN



BELTERRA

555 N College Dripping Springs, TX 78737

### **JOB INFORMATION**

NUMBER: 5674-SPEC1-A SALES REP.: DENISE DESIGNER: Greg

### CLIENT APPROVAL

DATE:

X - - - - - - - - - -

Artworks in this document are considered only as a visual representation of the actual size and specified material. Real world material and size specification takes precedence over any visual representation.

Note: for proposed electrical signs, the sign is intended to be installed in accordance with the requirement of article 600 of the national electrical code and/or other applicable local codes, this includes proper grounding and bonding;





# LED ILLUMINATION SHOULD BE BELOW 3000 KELVINS AS PER THE BELTERRA MASTER PLAN APPROVED BY THE CITY OF DRIPPING SPRINGS







Belterpa 555 N College Dripping Springs, TX 78737 JOB INFORMATION
NUMBER: 5603-SPEC4-A
SALES REP.: Denise

**DESIGNER:** Greg





**FONT: ADOBE GARAMOND** 

FACE TYPE: .25 ALUM. PAINTED P1. MOUNTING: PIN-MOUNT TO STONE.



### BELTERRA

555 N College Dripping Springs, TX 78737

### **JOB INFORMATION**

NUMBER: 5674-SPEC1-A SALES REP.: DENISE DESIGNER: Greg

### CLIENT APPROVAL

DATE:

x -----




Alum. 41342SP


Artworks in this document are considered only as a visual representation of the actual size and specified material. Real world material and size specification takes precedence over any visual representation.

Note: for proposed electrical signs, the sign is intended to be installed in accordance with the requirement of article 600 of the national electrical code and/or other applicable local codes, this includes proper grounding and bonding;









### **EXACT LOCATION T.B.D.**

QTY = 2 15 SQ. FT.

REVERSE CHANNEL LETTER (NON-LIT)



Beiterra JOB INFORMATION
555 N College NUMBER: 5603-SPEC4-A



### SPEC DETAIL


[1] "BV LOGO" DIMENSIONAL LETTERS.
FACE TYPE: ALUM. PAINTED P1.
RETURNS: ALUM. PAINTED P1.
ILLUMINATION: NONE.

MOUNTING TYPE: PIN-MOUNT OFFSET 1.5".



ALL COLORS TO BE APPROVED/PROVIDED BY CLIENT PRIOR TO MANUFACTURING

NOTE: THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENT OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES, THIS INCLUDES PROPER GROUNDING AND BONDING;



SITE PLAN

1" = 50'



Belterra

555 N College Dripping Springs, TX 78737 JOB INFORMATION

NUMBER: 5603-SPEC4-A
SALES REP.: Denise


DESIGNER: Greg

CLIENT APPROVAL

DATE:

INSTALL DATE:





ROUND-A-BOUT LIMESTONE PLANTER / SIGN

**ELEVATION** 

SCALE: 1/8" = 1' 0"



Belterra

555 N College Dripping Springs, TX 78737 JOB INFORMATION
NUMBER: 5603-SPEC4-A
SALES REP.: Denise

DESIGNER: Greg

CLIENT APPROVAL


DATE:

X ----INSTALL DATE:



### LED ILLUMINATION SHOULD BE BELOW 3000 KELVINS AS PER THE BELTERRA MASTER PLAN **APPROVED BY THE CITY OF DRIPPING SPRINGS**





**END VIEW** 

### SPEC DETAIL

[1] "BV LOGO" DIMENSIONAL LETTERS.

FACE TYPE: ALUM. PAINTED P1.

**RETURNS:** ALUM. PAINTED P1. PAINTE INTERIOR

ILLUMINATION: WARM WHITE LED.

MOUNTING TYPE: PIN-MOUNT OFFSET 1.5".



ALL COLORS TO BE APPROVED/PROVIDED BY CLIENT PRIOR TO MANUFACTURING

NOTE: THIS SIGN IS INTENDED TO BE INSTALLED IN ACCORDANCE WITH THE REQUIREMENT OF ARTICLE 600 OF THE NATIONAL ELECTRICAL CODE AND/OR OTHER APPLICABLE LOCAL CODES, THIS INCLUDES PROPER GROUNDING AND BONDING:



NIGHT

**REVERSE CHANNEL LETTER** 

QTY = 115 SQ. FT.

Belterra **JOB INFORMATION** NUMBER: 5603-SPEC4-A SALES REP.: Denise


**DESIGNER:** Greg

**CLIENT APPROVAL** DATE: INSTALL DATE:



1703 DUNGAN LANE AUSTIN, TX 78754 512-374-9300 INFO@CSCSIGN.COM WWW.CSCSIGN.COM

555 N College Dripping Springs, TX 78737







Belterpa 555 N College Dripping Springs, TX 78737 JOB INFORMATION
NUMBER: 5603-SPEC4-A
SALES REP.: Denise
DESIGNER: Greg


CLIENT APPROVAL

DATE:

X ----INSTALL DATE:



### FIELD SURVEY REQUIRED PRIOR TO FABRICATION.



SIDE VIEW

SIDE VIEW **FRONT VIEW** 

QTY = 3

ELEVATION - PLANTER SIGN PANEL ASSEMBLY
SCALE: 3/4" = 1' 0"



RENDER SAMPLE

1703 DUNGAN LANE AUSTIN, TX 78754 512-374-9300 INFO@CSCSIGN.COM WWW.CSCSIGN.COM

Belterra 555 N College Dripping Springs, TX 78737


JOB INFORMATION NUMBER: 5603-SPEC4-A

SALES REP.: Denise DESIGNER: Greg

**CLIENT APPROVAL** DATE:

INSTALL DATE:









Belterra Village
Building Signage Study
DRIPPING SPRINGS, TEXAS | #316034 | AUGUST 19, 2016

© Nelsen Partners, Inc. 2016

Elevation with sign size

Exhibit #2





Reverse-Lit Channel Letters w/ Backplate / Raceway-mounted / Front view

QUANTITY: ONE (1) PER FACADE

Max. Allowed Height: Refer to Belterra Village Sign Ordinance Overall Length: Varies per tenant (up to 75% of facade length

of tenant space)

Varies per tenant; Refer to Total Sq.Ft.: Belterra Village Sign Ordinance


Returns: White .060 Alum. Face:

Raceway: TBD Backplate: Black

Illumination: White LED's / 3000 Kelvins Max.

### NOTES:

- · Raceway Mounted
- · WHITE interiors for increased illumination
- All paint two-stage automotive polyurethane
- Maximum sign width: 75% of storefront



### Exhibit #3



Belterra Village Dripping Springs Start Date: 8/2016 Last Revision:08/18/16z Job#: 92JNA Drawing #: 92JNAV2S1

Design Rep. House Sales Rep. Bob Strobeck















260 SF








Belterra Village
Building Signage Study
DRIPPING SPRINGS, TEXAS | #316034 | JUNE 28, 2016


Nelsen Partners, Inc. 2016

Elevations with sign sizes

Exhibit #41



Attachment to the Face of the Canopy
Using 3/8" Threaded Stainless Bolts
Bolts to be Concealed Inside the Letters
Number of Bolts As Required to Secure the Sign to the Balcony



Backer Panel Must Not Protrude Above The Top Of The Balcony Face
Minimize the Portion of the Sign Below the Balcony
Backer Panel and Raceway to be Painted Matthews Black Satin Finish







