


Town of Dundee
 Planning and Zoning Board
 Staff Report
 Town – Initiated Texted Amendment to 3.06.07
 Underground Seepage Systems

To: Planning and Zoning Board
Agenda Date: May 21, 2026
Department: Planning and Zoning
Discussion Topic: Town-Initiated Text Amendment to 3.06.07-Underground Seepage Systems
Applicant: Town of Dundee
Planning & Zoning Board Recommendation: Pending
Town Commission Transmittal Hearing: Pending Hearing
Town Commission Adoption Hearing: Pending Hearing
DEO Comments: Pending
Prepared By: Lorraine Peterson, Development Director


REQUESTED ACTION

The proposed amendment to section 3.06.07 of the Land Development Code regarding the allowance of Underground Seepage Systems.

The Town is proposing a text amendment to the Town of Dundee Land Development Code (LDC) specifically regarding Section 3.06.07. Currently, the code contains a blanket prohibition on underground seepage systems. The proposed amendment seeks to allow these systems under strict engineering and environmental criteria to provide developers and the Town with modern, space-efficient stormwater management options.

BACKGROUND

Existing language in Section 3.06.07 states: *"Underground seepage systems are not allowed."* This restriction was historically implemented to protect the local water table and ensure ease of maintenance for surface-level retention ponds.

Town of Dundee
Planning and Zoning Board
Staff Report
Town – Initiated Texted Amendment to 3.06.07
Underground Seepage Systems

However, as land availability for traditional open-air ponds decreases and stormwater technology improves, many municipalities have transitioned to allowing underground systems. These systems allow for "hidden" drainage under parking lots or green spaces, facilitating higher-density development while maintaining recharge rates for the Floridan Aquifer.

PROPOSED LANGUAGE- LAND DEVELOPMENT CODE

~~**3.06.07. Underground seepage systems.**~~

3.06.07 Underground Stormwater Tank Systems

~~Underground seepage systems are not allowed.~~

- A. Permitted Use: underground stormwater tank systems, including but not limited to exfiltration pipes, chambers, and vaults, may be permitted for the management of stormwater runoff, provided they meet the design and performance standards set forth in this Code and the Town's engineering manual.
- B. Design Requirements: All underground stormwater tank systems must be designed by a Florida Licensed Professional Engineer. The design must account for:
1. Soil Suitability: A geotechnical report must be submitted proving that the soil conditions and seasonal high-water table (SHWT) levels are suitable for the proposed seepage rate.
 2. Pre-treatment: To prevent clogging and system failure, all systems must include a pre-treatment mechanism (such as a baffle box or sediment trap) to remove debris and oils before the water enters the seepage chamber.
 3. Vertical Clearance: A minimum of two (2) feet of separation is required between the bottom of the storm water tank system and the seasonal high-water table.
- C. Maintenance: The property owner shall be responsible for the perpetual maintenance of the underground stormwater tank system. An Operation and Maintenance (O&M) plan must be adhered to and every five years a civil

Town of Dundee
Planning and Zoning Board
Staff Report
Town – Initiated Texted Amendment to 3.06.07
Underground Seepage Systems

engineer must inspect the system to ensure that it is working as it was designed to do, the inspection report must be sent to the Public Works Director.

CONSISTENCY WITH THE COMPREHENSIVE PLAN

The proposed amendment is consistent with the following goals of the Town of Dundee Comprehensive Plan:

1. **Infrastructure Element:** Encourages the use of innovative drainage techniques to manage stormwater runoff efficiently.
2. **Conservation Element:** Protects groundwater quality through required pre-treatment and vertical clearance from the water table.
3. **Future Land Use Element:** Supports the efficient use of land within the Town's limits.

FISCAL IMPACT

There is no direct fiscal impact on the Town. All costs associated with the design, installation, and maintenance of these systems will be the responsibility of the private developer or property owner.

STAFF RECOMMENDATION

Staff recommends **APPROVAL** of Ordinance 26-07 to go to Town Commission.

Town of Dundee
Planning and Zoning Board
Staff Report
Town – Initiated Texted Amendment to 3.06.07
Underground Seepage Systems

MOTION OPTIONS:

1. I move the Planning and Zoning Board recommend **adoption** to the Town of Dundee, Town Commission for the proposed Town – Initiated request for a Land Development Code Text Amendment to section 3.06.07- Underground Seepage Systems.

2. I move the Planning and Zoning Board recommend **adoption with changes** to the Town of Dundee, Town Commission for the proposed Town - Initiated request for a Land Development Code Text Amendment to section 3.06.07- Underground Seepage Systems.

3. I move the Planning and Zoning Board **does not recommend adoption** to the Town of Dundee, Town Commission for the proposed Town- Initiated request for a Land Development Code Text Amendment to section 3.06.07-Underground Seepage Systems.

ATTACHMENTS:

Ordinance 26-07

BIE Report