Staff Report

Subject:	Water Sewer Masterplan Design – GA EPD Tide Study assistance for
	WLA study of the Ogeechee Run – Amendment 1
Author:	Eric Larson, Asst. County Manager
Department:	Public Works
Meeting Date:	May 17, 2022
Item Description:	Approve an amendment to the task order to provide consultant services
	to collect data on tide cycles along the Ogeechee Run and Little
	Ogeechee River to assist GA-EPD with the Waste Load Allocation (WLA)
	determine of the Ogeechee Run.

Summary Recommendation:

This proposal is for Alliance Consulting Engineers with a tide study for the Little Ogeechee River. This study is a prerequisite to a model study to evaluate a potential new wastewater discharge to Ogeechee Run in Effingham County, GA. <u>After review of the tide study report, GA-EPD requested</u> <u>collection of water salinity data to supplement the tide gauge information.</u>

Executive Summary/Background:

- Alliance Consulting Engineers was selected for Indefinite Delivery Contract (IDC) in February 2021.
- In May 2021, Alliance was selected to perform the water and sewer masterplan project to study our systems and prepare for future growth of the County.
- Masterplan contract is \$195,000
- The tide study task order is additional work associated with, but not included within, the masterplan project.
- Task Order is \$20,000 and include the tide study and coordination with GA-EPD on the WLA determination and the surface discharge permit request.
- This amendment adds \$9,500 to redeploy the water gauges and collect salinity data.

Alternatives for Commission to Consider

1 - Approve the amendment to the task order in the amount of \$9,500 for Alliance Consulting Engineers to provide tide study services to assist GA-EPD with the Waste Load Allocation of Ogeechee Run.

2 – Take no action – Request more information.

3 - Deny

Recommended Alternative: Alternative 1 Other Alternatives: Alternative 2 Department Review: County Engineer; County Attorney Funding Source: SPLOST.

Attachments:

- 1. Task Order
- 2. Email chain including request for amendment and GA-EPD directives