

PlaySouth Playground Creators

PO Box 492467 | Atlanta, GA 30349 | 770-719-9005

Proposal 132-183971-2 | 6/26/2024

June 26, 2024

Seth Zeigler  
Effingham County Parks and Recreation  
808 Ga-119  
Springfield, GA 31329  
Phone: 912-666-0550

Dear Seth Zeigler:

PlaySouth Playground Creators is delighted to provide Effingham County Parks and Recreation with this playground equipment proposal.

This design was developed with your specific needs in mind, and we look forward to discussing this project further with you to ensure your complete satisfaction. PlaySouth Playground Creators is confident that this proposal will satisfy Effingham County Parks and Recreation's functional, environmental, and safety requirements -- and most importantly -- bring joy and excitement to the children and families directly benefiting from your new playground.

You have our personal commitment to support this project and your organization in every manner possible, and we look forward to developing a long-standing relationship with Effingham County Parks and Recreation. We appreciate your consideration and value this opportunity to earn your business.

Sincerely,

**Todd Wambold**  
*Sales Representative*

PlaySouth Playground Creators  
PO Box 492467  
Atlanta, GA 30349

[www.bciburke.com](http://www.bciburke.com)

Phone: 770-719-9005  
Fax: 770-719-9005  
[todd@playsouth.net](mailto:todd@playsouth.net)

# COOPERATIVE PURCHASING OPTIONS

## PLAYGROUNDS WITHOUT ALL THE PAPERWORK

Purchasing with contracts may sound intimidating, but getting your community playspace doesn't need to be a painful process of writing specifications, issuing RFP's and jumping through hoops – it can be simplified – we promise! As you continue planning for your new playground, review the Purchasing Contracts offered through our partners.

### EQUALIS GROUP

Equalis is an innovative cooperative purchasing organization that believes in the power of partnership and that when you work together you achieve more. The basic premise of the Equalis cooperative purchasing organization is to leverage the combined buying power of all members for better pricing and favorable contract terms. Equalis Group uses the lead agency model for competitively bid contracts, provides our participants the savings they expect and offers efficiencies and peace of mind within the procurement process. It is our mission to continuously improve the measurable and meaningful impact of cooperative services for everyone throughout the supply chain.

### GOVMVMT

GOVMVMT is a non-profit group purchasing organization that meets the highest industry standards while putting the public's interest at the forefront of everything they do. Each one of GOVMVMT's first-class suppliers has consciously joined their mission to create the most credible, ethical, and public agency-focused non-profit cooperative purchasing program in the country.

### GSA

Federal parks, child development programs, military bases and other agencies are a major priority for BCI Burke, and agencies can purchase Burke playgrounds through Burke's GSA contract for installation virtually anywhere in the world.

### OMNIA PARTNERS

OMNIA Partners, Public Sector (Subsidiary National IPA) is the largest and most experienced organization in purchasing and supply chain management. Comprised of participants and suppliers in the public sector, we bring together industry-leading buying power and world-class suppliers to offer an extensive portfolio of competitively solicited and publicly awarded contracts and partnerships. OMNIA Partners is proud to offer more value and resources to state and local government, higher education, K-12 education and non-profits.

### SOURCEWELL

As a leader in cooperative purchasing, Sourcewell is passionate about helping members fulfill their public service missions. Sourcewell builds strong relationships with members and vendors to develop practical solutions together.

The easiest way to Join Our Movement is to call your local Representative at 800.266.1250 or visit [bciburke.com/rep](http://bciburke.com/rep). Our passion is bringing play to communities like yours and we can't wait to help you get started!



## DESIGN SUMMARY

PlaySouth Playground Creators is very pleased to present this Proposal for consideration for the Sand Hill Ball Park located in Springfield. BCI Burke Company, LLC has been providing recreational playground equipment for over 100 years and has developed the right mix of world-class capabilities to meet the initial and continuing needs of Effingham County Parks and Recreation. We believe our proposal will meet or exceed your project's requirements and will deliver the greatest value to you.


The following is a summary of some of the key elements of our Proposal:

- Project Name: Sand Hill Ball Park
- Project Number: 132-183971-2
- User Capacity: 144
- Age Groups: 5 to 12, 2 to 5, 2 to 12
- Dimensions: 154' 9"x49' 7"
- Designer Name: Lee Olig

PlaySouth Playground Creators has developed a custom playground configuration based on the requirements as they have been presented for the Sand Hill Ball Park playground project. Our custom design will provide a safe and affordable playground environment that is aesthetically pleasing, full of fun for all users and uniquely satisfies your specific requirements. In addition, proposal # 132-183971-2 has been designed with a focus on safety, and is fully compliant with ASTM F1487 and CPSC playground safety standards.

We invite you to review this proposal for the Sand Hill Ball Park playground project and to contact us with any questions that you may have.

Thank you in advance for giving us the opportunity to make this project a success.



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

| PLAYGROUND ACCESSIBILITY (Provided/Required) |                            |                        |                        |
|--|----------------------------|------------------------|------------------------|
| TOTAL ELEVATED EVENTS                        | TRANSFER ACCESSIBLE EVENTS | RAMP ACCESSIBLE EVENTS | TYPES OF GROUND EVENTS |
| 36   | 13 / 0                     | 0 / 0                  | 13 / 5 / 7 / 3         |

**OVERALL BOUNDING OF USE ZONES** \*\*\*The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

Area: 9246.6 Sq.ft.  
 Perimeter: 431 ft.  
**STRUCTURE SIZE:** 2"x156' 5"  
**POST SIZE(S):** 3.5"

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

**SERIES** Nucleus | Synergy | Burke Basics | ShadePlay Max

**SITE PLAN VIEW**

**GROUP:**  
 NU-3437|SY-3431|ShadePlayMax|Freestanding

**Sand Hill Ball Park**  
 Guyton, GA 31312


06/26/2024

**DESIGNED FOR AGES:**  
 5 to 12, 2 to 5, 2 to 12



**PlaySouth Playground Creators**  
**132-183971-2**

Designer: Lee Olig



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.


| PLAYGROUND ACCESSIBILITY (Provided/Required) |                            |                        |                        |
|--|----------------------------|------------------------|------------------------|
| TOTAL ELEVATED EVENTS                        | TRANSFER ACCESSIBLE EVENTS | RAMP ACCESSIBLE EVENTS | TYPES OF GROUND EVENTS |
| 36   | 14 / 7                     | 0 / 0                  | 13 / 5                 |
|  |                            |                        | 7 / 3                  |

**OVERALL BOUNDING OF USE ZONES** \*\*The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

Area: 9246.6 Sq.ft.  
 Perimeter: 431 ft.  
**STRUCTURE SIZE:** 2"x156' 5"  
**POST SIZE(S):** 3.5"

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

|  |  |  |
|--|--|--|
| <b>SERIES</b> Nucleus  | <b>Sand Hill Ball Park</b><br>Guyton, GA 31312 | <b>SITE PLAN VIEW</b><br>06/26/2024                  |
| <b>GROUP:</b><br>NU-3437   |  | <b>PlaySouth Playground Creators</b><br>132-183971-2 |
| <b>DESIGNED FOR AGES:</b><br>5 to 12   |  | Designer: Lee Olig                                   |
| BCI BURKE COMPANY, LLC   PO BOX 549 FOND DU LAC, WI 54936-0549   920.921.9220   BCIBURKE.COM |  |  |



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.


| PLAYGROUND ACCESSIBILITY (Provided/Required) |                            |                        |               |                        |
|--|----------------------------|------------------------|---------------|------------------------|
| TOTAL ELEVATED EVENTS                        | TRANSFER ACCESSIBLE EVENTS | RAMP ACCESSIBLE EVENTS | GROUND EVENTS | TYPES OF GROUND EVENTS |
| 36   | 14 / 7                     | 13 / 0                 | 13 / 5        | 7 / 3                  |

**OVERALL BOUNDING OF USE ZONES** \*\*\*The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

Area: 9246.6 Sq.ft.  
 Perimeter: 431 ft.  
**STRUCTURE SIZE:** 2"x156' 5"  
**POST SIZE(S):** 3.5"

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

|  |  |  |
|--|--|--|
| <b>SERIES</b> Synergy   Burke Basics   | <b>SITE PLAN VIEW</b>                          |  |
| <b>GROUP:</b><br>SY-3431   | <b>Sand Hill Ball Park</b><br>Guyton, GA 31312 | 06/26/2024   |
| <b>DESIGNED FOR AGES:</b><br>2 to 5  | <b>Burke</b><br>PLAY THAT MOVES YOU.           | <b>PlaySouth Playground Creators</b><br>132-183971-2<br>Designer: Lee Olig |
| BCI BURKE COMPANY, LLC   PO BOX 549 FOND DU LAC, WI 54936-0549   920.921.9220   BCIBURKE.COM |  |  |



The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.


| PLAYGROUND ACCESSIBILITY (Provided/Required) |                            |                        |               |                        |
|--|----------------------------|------------------------|---------------|------------------------|
| TOTAL ELEVATED EVENTS                        | TRANSFER ACCESSIBLE EVENTS | RAMP ACCESSIBLE EVENTS | GROUND EVENTS | TYPES OF GROUND EVENTS |
| 36   | 14 / 7                     | 0 / 0                  | 13 / 5        | 7 / 3                  |

**OVERALL BOUNDING OF USE ZONES**  
 \*\*The space requirements shown here are to ASTM standards. Requirements for other standards may be different.  
 Area: 9246.6 sq.ft.  
 Perimeter: 431 ft.  
**STRUCTURE SIZE:** 2"x156' 5"  
**POST SIZE(S):** 3.5"

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

|                                      |  |  |
|--------------------------------------|--|--|
| <b>SERIES</b> ShadePlay Max          | <b>Sand Hill Ball Park</b><br>Guyton, GA 31312 | <b>SITE PLAN VIEW</b><br>06/26/2024                  |
| <b>GROUP:</b><br>ShadePlayMax        |  | <b>PlaySouth Playground Creators</b><br>132-183971-2 |
| <b>DESIGNED FOR AGES:</b><br>2 to 12 |  | Designer: Lee Olig                                   |





The use and layout of play components identified in this plan conform to the CPSC guidelines. U.S. CPSC recommends the separation of age groups in playground layouts.

| PLAYGROUND ACCESSIBILITY (Provided/Required) |                            |                        |                        |
|--|----------------------------|------------------------|------------------------|
| TOTAL ELEVATED EVENTS                        | TRANSFER ACCESSIBLE EVENTS | RAMP ACCESSIBLE EVENTS | TYPES OF GROUND EVENTS |
| 36   | 14 / 7                     | 0 / 0                  | 13 / 5                 |
|  |                            |                        | 7 / 3                  |


**OVERALL BOUNDING OF USE ZONES** \*\*The space requirements shown here are to ASTM standards. Requirements for other standards may be different.

Area: 9246.6 Sq.ft.  
 Perimeter: 431 ft.  
**STRUCTURE SIZE:** 2"x156' 5"  
**POST SIZE(S):** 3.5"

Warning: Accessible safety surfacing material is required beneath and around this equipment that is compliant with ASTM, CPSC, and ADAAG requirements.

|  |  |
|--|--|
| <b>SERIES</b> Burke Basics   ShadePlay Max | <b>SITE PLAN VIEW</b>  |
| <b>GROUP:</b><br>Freestanding              | <b>Sand Hill Ball Park</b><br>Guyton, GA 31312   |
| <b>DESIGNED FOR AGES:</b><br>2 to 12       | <b>Burke</b><br>PLAY THAT MOVES YOU.   |
|  | 06/26/2024<br><b>PlaySouth Playground Creators</b><br>132-183971-2<br>Designer: Lee Olig |

| ITEM | COMP.    | DESCRIPTION                                |
|------|----------|--|
| 1    | 270-0129 | TRIANGLE PLATFORM                          |
| 2    | 470-0001 | EVOLUTION TRIANGLE APEX ROOF               |
| 3    | 470-0006 | EVOLUTION BOTTOM ROOF SUPPORT, SINGLE      |
| 4    | 470-0011 | EVOLUTION TRIANGLE APEX ROOF SUPPORT       |
| 5    | 470-0760 | SOLIS HUE POST TOPPER                      |
| 6    | 570-2707 | RAIN CRESCENT PANEL                        |
| 7    | 270-0009 | 8" CLOSURE PLATE, ELLIPSE                  |
| 8    | 270-0290 | HALF PLATFORM                              |
| 9    | 570-0072 | EVOLUTION HALF BARRIER                     |
| 10   | 370-0041 | EVOLUTION 40" TRANSITION STAIR W/ BARRIERS |
| 11   | 570-2732 | PLAYSEMBLE BABEL DRUM                      |
| 12   | 370-0224 | VICTORY CLIMBER                            |
| 13   | 570-2714 | EVOLUTION 2.5' OPENING BARRIER             |
| 14   | 470-0811 | EVOLUTION ROOF END PLATE                   |
| 15   | 370-0068 | ASPIRE ROPE TUNNEL                         |
| 16   | 570-1544 | EVOLUTION SHORT CURVED TOP BARRIER         |
| 17   | 670-0007 | ASPIRE BIPOD CONNECTOR                     |
| 18   | 470-0130 | ASPIRE COBRA 168"                          |
| 19   | 570-1545 | EVOLUTION 6' OPENING BARRIER               |
| 20   | 670-0006 | ASPIRE TRIPOD CONNECTOR                    |
| 21   | 570-0003 | ASPIRE LARGE WING                          |
| 22   | 570-0001 | ASPIRE SMALL WING                          |
| 23   | 470-0353 | COBRA SLIDE FUSION LEFT 120"               |
| 24   | 370-1721 | ION CLIMBER 64"-80"                        |
| 25   | 270-0122 | EVOLUTION OFFSET ENCLOSURE                 |
| 26   | 370-1729 | 360 LOOP CLIMBER                           |
| 27   | 270-0120 | EVOLUTION UNITARY ENCLOSURE                |
| 28   | 470-0850 | CSA VIPER S 64-72 W/O HOOD                 |
| 29   | 470-0805 | SLIDE HOOD, HIGH SIDE WALL                 |



**SERIES** Nucleus

**COMPONENT VIEW**

**GROUP:**  
NU-3437

**Sand Hill Ball Park**  
Guyton, GA 31312

06/26/2024


**DESIGNED FOR AGES:**  
5 to 12

**PlaySouth Playground Creators**  
132-183971-2

**Burke**  
PLAY THAT MOVES YOU

Designer: Lee Olig

| ITEM | COMP.    | DESCRIPTION                             |
|------|----------|---|
| 1    | 290-0102 | SQUARE PLATFORM                         |
| 2    | 490-0189 | HAMMOCK SEAT                            |
| 3    | 590-0400 | SYNERGY COUNTER                         |
| 4    | 590-0436 | TOOL BENCH ACTIVITY                     |
| 5    | 590-0127 | RAIN WHEEL PANEL, 2-5 ABOVE PLATFORM    |
| 6    | 290-0119 | 24" PLATFORM BARRIER                    |
| 7    | 490-0132 | ROCK N ROLL SLIDE 40"-48"               |
| 8    | 490-0134 | IMAGINATION SLIDE SIT DOWN PANEL        |
| 9    | 290-0101 | 8" CLOSURE PLATE                        |
| 10   | 590-0189 | IMAGINATION PLAYFORT                    |
| 11   | 590-0134 | CHIMES PANEL, 2-5 ABOVE PLATFORM        |
| 12   | 390-0257 | MANITOU CLIMBER 40"                     |
| 13   | 290-0111 | CLIMBER ENCLOSURE 2-5                   |
| 14   | 590-0156 | ACORN PANEL, 2-SIDED 2-5 ABOVE PLATFORM |
| 15   | 390-0154 | TREE BRANCH CLIMBER 32"                 |
| 16   | 290-0099 | CRESCENT TRANSFER PLATFORM              |
| 17   | 390-0129 | CRUX CLIMBER 24"                        |
| 18   | 580-1364 | LIL NOVO BEAN STEP                      |



**SERIES** Synergy | Burke Basics

**COMPONENT VIEW**

**GROUP:**  
SY-3431

**Sand Hill Ball Park**  
Guyton, GA 31312

06/26/2024


**DESIGNED FOR AGES:**  
2 to 5

**PlaySouth Playground Creators**  
132-183971-2

**Burke**  
PLAY THAT MOVES YOU


Designer: Lee Olig

| ITEM | COMP.    | DESCRIPTION                                      |
|------|----------|--|
| 1    | 560-2750 | 12' X 12' X 8' SHADEPLAY MAX SINGLE POST PYRAMID |
| 2    | 560-2666 | 28' X 30' X 12' SHADEPLAY MAX HIP SHADE SM       |




|  |  |  |
|--|--|--|
| <b>SERIES</b> ShadePlay Max  |  | <b>COMPONENT VIEW</b>  |
| <b>GROUP:</b><br>ShadePlayMax  | <b>Sand Hill Ball Park</b><br>Guyton, GA 31312 | 06/26/2024   |
| <b>DESIGNED FOR AGES:</b><br>2 to 12   | <b>Burke</b><br>PLAY THAT MOVES YOU            | <b>PlaySouth Playground Creators</b><br>132-183971-2<br>Designer: Lee Olig |
| BCI BURKE COMPANY, LLC   PO BOX 549 FOND DU LAC, WI 54936-0549   920.921.9220   BCIBURKE.COM |  |  |

| ITEM | COMP.    | DESCRIPTION                                     |
|------|----------|---|
| 1    | 580-1411 | GAMES PLAYFUL BENCH                             |
| 2    | 580-1365 | MARKET DISCOVERY STATION                        |
| 3    | 580-0176 | 6' PVC TRADITIONAL PICNIC TABLE, PORTABLE       |
| 4    | 580-0188 | PVC LC PORT PLASTIC DOME                        |
| 5    | 550-0210 | SHADEPLAY MAX DOUBLE BAY SWING CANOPY 15' X 33' |
| 6    | 550-0099 | TOT SEAT, 7' 8" SINGLE, STD CHAIN               |
| 7    | 550-0111 | BELT SEAT, 8' SINGLE, STD CHAIN                 |
| 8    | 580-1317 | FS SIGN, AGES 2-5                               |
| 9    | 580-1315 | FS SIGN, AGES 5-12                              |
| 10   | 560-2735 | ARO SPINNING CHAIR                              |
| 11   | 560-2612 | LEVEL X ALLY                                    |



|  |  |  |  |
|--|--|--|--|
| <b>SERIES</b> Burke Basics   ShadePlay Max   |  | <b>COMPONENT VIEW</b>                                |  |
| <b>GROUP:</b><br>Freestanding  |  | 06/26/2024   |  |
| <b>DESIGNED FOR AGES:</b><br>2 to 12   |  | <b>PlaySouth Playground Creators</b><br>132-183971-2 |  |
| Sand Hill Ball Park<br>Guyton, GA 31312  |  | Designer: Lee Olig                                   |  |
|  |  |  |  |
| BCI BURKE COMPANY, LLC   PO BOX 549 FOND DU LAC, WI 54936-0549   920.921.9220   BCIBURKE.COM |  |  |  |



**SERIES** Nucleus | Synergy | Burke Basics | ShadePlay Max

**ELEVATION VIEW**

**GROUP:**  
 NU-3437|SY-3431|ShadePlayMax|Freestanding

**Sand Hill Ball Park**  
 Guyton, GA 31312


06/26/2024

**DESIGNED FOR AGES:**  
 5 to 12, 2 to 5, 2 to 12

**Burke**  
 PLAY THAT MOVES YOU

**PlaySouth Playground Creators**  
 132-183971-2

Designer: Lee Olig



**SERIES** Nucleus

**ELEVATION VIEW**

**GROUP:**  
NU-3437

**Sand Hill Ball Park**  
Guyton, GA 31312


06/26/2024

**DESIGNED FOR AGES:**  
5 to 12

**Burke**  
PLAY THAT MOVES YOU

**PlaySouth Playground Creators**  
**132-183971-2**

Designer: Lee Olig



**SERIES** Synergy | Burke Basics

**ELEVATION VIEW**

**GROUP:**  
SY-3431

**Sand Hill Ball Park**  
Guyton, GA 31312

06/26/2024


**DESIGNED FOR AGES:**  
2 to 5

**Burke**  
PLAY THAT MOVES YOU


**PlaySouth Playground Creators**  
132-183971-2

Designer: Lee Olig






|  |   |  |
|--|---|--|
| <b>SERIES</b> ShadePlay Max  | <b>Sand Hill Ball Park</b><br>Guyton, GA 31312<br> | <b>ELEVATION VIEW</b>                              |
| <b>GROUP:</b><br>ShadePlayMax  |   | 06/26/2024<br><b>PlaySouth Playground Creators</b> |
| <b>DESIGNED FOR AGES:</b><br>2 to 12   |   | <b>132-183971-2</b><br>Designer: Lee Olig          |
| BCI BURKE COMPANY, LLC   PO BOX 549 FOND DU LAC, WI 54936-0549   920.921.9220   BCIBURKE.COM |   |  |



|  |   |
|--|---|
| <b>SERIES</b> Burke Basics   ShadePlay Max   | <b>ELEVATION VIEW</b>   |
| <b>GROUP:</b><br>Freestanding  | <b>Sand Hill Ball Park</b><br>Guyton, GA 31312  |
| <b>DESIGNED FOR AGES:</b><br>2 to 12   | 06/26/2024<br><br><b>PlaySouth Playground Creators</b><br><b>132-183971-2</b><br>Designer: Lee Olig |
|           |   |
| BCI BURKE COMPANY, LLC   PO BOX 549 FOND DU LAC, WI 54936-0549   920.921.9220   BCIBURKE.COM |   |



**SERIES** Nucleus | Synergy | Burke Basics | ShadePlay Max

**ISOMETRIC VIEW**

**GROUP:**  
NU-3437|SY-3431|ShadePlayMax|Freestanding

**Sand Hill Ball Park**  
Guyton, GA 31312


06/26/2024

**DESIGNED FOR AGES:**  
5 to 12, 2 to 5, 2 to 12

**PlaySouth Playground Creators**  
**132-183971-2**

Designer: Lee Olig

**Burke**  
PLAY THAT MOVES YOU



**SERIES** Nucleus

**ISOMETRIC VIEW**

**GROUP:**  
NU-3437

**Sand Hill Ball Park**  
Guyton, GA 31312

06/26/2024


**DESIGNED FOR AGES:**  
5 to 12

**PlaySouth Playground Creators**  
**132-183971-2**

Designer: Lee Olig

**Burke**  
PLAY THAT MOVES YOU

BCI BURKE COMPANY, LLC | PO BOX 549 FOND DU LAC, WI 54936-0549 | 920.921.9220 | BCIBURKE.COM



**SERIES** Synergy | Burke Basics

**ISOMETRIC VIEW**

**GROUP:**  
SY-3431

**Sand Hill Ball Park**  
Guyton, GA 31312

06/26/2024

**DESIGNED FOR AGES:**  
2 to 5

**PlaySouth Playground Creators**  
132-183971-2

Designer: Lee Olig

**Burke**  
PLAY THAT MOVES YOU



**SERIES** ShadePlay Max

**ISOMETRIC VIEW**

**GROUP:**  
ShadePlayMax

**Sand Hill Ball Park**  
Guyton, GA 31312

06/26/2024

**DESIGNED FOR AGES:**  
2 to 12

**PlaySouth Playground Creators**  
132-183971-2

Designer: Lee Olig

**Burke**  
PLAY THAT MOVES YOU



The play components identified in this proposal are IPEMA certified. The use and layout of these components conform to the requirements of ASTM F1487. To verify product certification, visit [www.ipema.org](http://www.ipema.org).



The space requirements shown in this proposal are to ASTM standards. Requirements for other standards may be different.

| Component No.  | Description                       | Qty | User Cap | Ext. User Cap | Weight | Ext. Weight |
|----------------|-----------------------------------|-----|----------|---------------|--------|-------------|
| <b>NU-3437</b> |                                   |     |          |               |        |             |
| <b>Nucleus</b> |                                   |     |          |               |        |             |
| 072-0500-172C  | 5" OD X 172" CAPPED POST          | 2   | 0        | 0             | 90     | 180         |
| 072-0500-204C  | 5" OD X 204" CAPPED POST          | 2   | 0        | 0             | 107    | 214         |
| 072-0500-216C  | 5" OD X 216" CAPPED POST          | 1   | 0        | 0             | 113    | 113         |
| 072-0502-160S  | 5" OD X 160" SWAGED POST          | 2   | 0        | 0             | 84     | 168         |
| 072-0502-176S  | 5" OD X 176" SWAGED POST          | 1   | 0        | 0             | 92     | 92          |
| 072-0502-180S  | 5" OD X 180" SWAGED POST          | 1   | 0        | 0             | 94     | 94          |
| 072-0502-208S  | 5" OD X 208" SWAGED POST          | 3   | 0        | 0             | 109    | 327         |
| 072-0502-220S  | 5" OD X 220" SWAGED POST          | 1   | 0        | 0             | 115    | 115         |
| 072-5503-100T  | 5" OD X 100" TOP ALUMINUM CAPP... | 2   | 0        | 0             | 20     | 40          |
| 072-5503-64T   | 5" OD X 64" TOP ALUMINUM CAPP...  | 1   | 0        | 0             | 13     | 13          |
| 072-5503-88T   | 5" OD X 88" TOP ALUMINUM CAPP...  | 3   | 0        | 0             | 18     | 54          |
| 270-0009       | 8" CLOSURE PLATE, ELLIPSE         | 1   | 0        | 0             | 8      | 8           |
| 270-0120       | EVOLUTION UNITARY ENCLOSURE       | 1   | 0        | 0             | 34     | 34          |
| 270-0122       | EVOLUTION OFFSET ENCLOSURE        | 1   | 0        | 0             | 34     | 34          |
| 270-0129       | TRIANGLE PLATFORM                 | 5   | 2        | 10            | 48     | 240         |
| 270-0290       | HALF PLATFORM                     | 1   | 3        | 3             | 57     | 57          |
| 370-0041       | EVOLUTION 40" TRANSITION STAI...  | 1   | 8        | 8             | 301    | 301         |
| 370-0068       | ASPIRE ROPE TUNNEL                | 1   | 7        | 7             | 480    | 480         |
| 370-0224       | VICTORY CLIMBER                   | 1   | 1        | 1             | 328    | 328         |
| 370-1721       | ION CLIMBER 64"-80"               | 1   | 2        | 2             | 50     | 50          |
| 370-1729       | 360 LOOP CLIMBER                  | 1   | 4        | 4             | 347    | 347         |
| 470-0001       | EVOLUTION TRIANGLE APEX ROOF      | 3   | 0        | 0             | 18     | 54          |
| 470-0006       | EVOLUTION BOTTOM ROOF SUPPORT...  | 3   | 0        | 0             | 13     | 39          |
| 470-0011       | EVOLUTION TRIANGLE APEX ROOF ...  | 3   | 0        | 0             | 34     | 102         |
| 470-0130       | ASPIRE COBRA 168"                 | 1   | 3        | 3             | 529    | 529         |
| 470-0353       | COBRA SLIDE FUSION LEFT 120"      | 1   | 3        | 3             | 338    | 338         |
| 470-0760       | SOLIS HUE POST TOPPER             | 2   | 0        | 0             | 99     | 198         |
| 470-0805       | SLIDE HOOD, HIGH SIDE WALL        | 1   | 0        | 0             | 32     | 32          |
| 470-0811       | EVOLUTION ROOF END PLATE          | 2   | 0        | 0             | 12     | 24          |
| 470-0850       | CSA VIPER S 64-72 W/O HOOD        | 1   | 2        | 2             | 139    | 139         |
| 570-0001       | ASPIRE SMALL WING                 | 3   | 0        | 0             | 33     | 99          |
| 570-0003       | ASPIRE LARGE WING                 | 2   | 0        | 0             | 66     | 132         |
| 570-0072       | EVOLUTION HALF BARRIER            | 2   | 0        | 0             | 26.6   | 53.2        |
| 570-1544       | EVOLUTION SHORT CURVED TOP BA...  | 3   | 0        | 0             | 50     | 150         |
| 570-1545       | EVOLUTION 6' OPENING BARRIER      | 1   | 0        | 0             | 78     | 78          |
| 570-2707       | RAIN CRESCENT PANEL               | 1   | 1        | 1             | 16     | 16          |
| 570-2714       | EVOLUTION 2.5' OPENING BARRIER    | 1   | 0        | 0             | 36.9   | 36.9        |
| 570-2732       | PLAYENSEMBLE BABEL DRUM           | 1   | 1        | 1             | 14     | 14          |
| 600-0104       | NPPS SUPERVISION SAFETY KIT       | 1   | 0        | 0             | 3      | 3           |
| 660-0103       | MAINTENANCE KIT, STRUCTURE        | 1   | 0        | 0             | 7      | 7           |



|          |                              |   |   |   |    |    |
|----------|------------------------------|---|---|---|----|----|
| 660-0104 | INSTALLATION KIT, STRUCTURE  | 1 | 0 | 0 | 5  | 5  |
| 670-0006 | ASPIRE TRIPOD CONNECTOR      | 1 | 0 | 0 | 39 | 39 |
| 670-0007 | ASPIRE BIPOD CONNECTOR       | 1 | 0 | 0 | 20 | 20 |
| 670-0427 | 5" OD X 11 GA POST EXTENSION | 1 | 0 | 0 | 10 | 10 |

Total User Capacity: 45  
Total Weight: 5408 lbs.  
Total Price: \$105,564

### SY-3431

#### Synergy

|               |                                  |   |   |    |     |     |
|---------------|----------------------------------|---|---|----|-----|-----|
| 072-0300-107C | 3 1/2" OD X 107" CAPPED POST     | 2 | 0 | 0  | 40  | 80  |
| 072-0300-91C  | 3 1/2" OD X 91" CAPPED POST      | 1 | 0 | 0  | 34  | 34  |
| 072-0300-99C  | 3 1/2" OD X 99" CAPPED POST      | 3 | 0 | 0  | 37  | 111 |
| 072-0302-141S | 3 1/2" OD X 141" SWAGED POST     | 2 | 0 | 0  | 51  | 102 |
| 072-0302-145S | 3 1/2" OD X 145" SWAGED POST     | 2 | 0 | 0  | 53  | 106 |
| 290-0099      | CRESCENT TRANSFER PLATFORM       | 1 | 2 | 2  | 43  | 43  |
| 290-0101      | 8" CLOSURE PLATE                 | 4 | 0 | 0  | 5   | 20  |
| 290-0102      | SQUARE PLATFORM                  | 4 | 4 | 16 | 59  | 236 |
| 290-0111      | CLIMBER ENCLOSURE 2-5            | 3 | 0 | 0  | 17  | 51  |
| 290-0119      | 24" PLATFORM BARRIER             | 1 | 0 | 0  | 20  | 20  |
| 390-0129      | CRUX CLIMBER 24"                 | 1 | 3 | 3  | 24  | 24  |
| 390-0154      | TREE BRANCH CLIMBER 32"          | 1 | 2 | 2  | 15  | 15  |
| 390-0257      | MANITOU CLIMBER 40"              | 1 | 4 | 4  | 87  | 87  |
| 490-0132      | ROCK N ROLL SLIDE 40"-48"        | 1 | 1 | 1  | 76  | 76  |
| 490-0134      | IMAGINATION SLIDE SIT DOWN PANEL | 1 | 0 | 0  | 11  | 11  |
| 490-0189      | HAMMOCK SEAT                     | 1 | 1 | 1  | 18  | 18  |
| 590-0127      | RAIN WHEEL PANEL, 2-5 ABOVE P... | 1 | 1 | 1  | 25  | 25  |
| 590-0134      | CHIMES PANEL, 2-5 ABOVE PLATFORM | 1 | 2 | 2  | 37  | 37  |
| 590-0156      | ACORN PANEL, 2-SIDED 2-5 ABOV... | 1 | 2 | 2  | 26  | 26  |
| 590-0189      | IMAGINATION PLAYFORT             | 1 | 1 | 1  | 161 | 161 |
| 590-0400      | SYNERGY COUNTER                  | 1 | 2 | 2  | 52  | 52  |
| 590-0436      | TOOL BENCH ACTIVITY              | 1 | 1 | 1  | 25  | 25  |

### SY-3431

#### Burke Basics

|          |                    |   |   |   |    |    |
|----------|--------------------|---|---|---|----|----|
| 580-1364 | LIL NOVO BEAN STEP | 1 | 1 | 1 | 28 | 28 |
|----------|--------------------|---|---|---|----|----|

Total User Capacity: 39  
Total Weight: 1388 lbs.  
Total Price: \$22,958

### ShadePlayMax

#### ShadePlay Max

|          |                                  |   |   |   |      |      |
|----------|----------------------------------|---|---|---|------|------|
| 560-2666 | 28' X 30' X 12' SHADEPLAY MAX... | 1 | 0 | 0 | 1210 | 1210 |
| 560-2750 | 12' X 12' X 8' SHADEPLAY MAX ... | 3 | 0 | 0 | 339  | 1017 |

Total User Capacity: 0  
Total Weight: 2227 lbs.  
Total Price: \$24,809

### Freestanding

#### Burke Basics

|          |                                  |   |    |    |      |      |
|----------|----------------------------------|---|----|----|------|------|
| 550-0099 | TOT SEAT, 7' & 8' SINGLE, STD... | 2 | 1  | 2  | 12   | 24   |
| 550-0111 | BELT SEAT, 8' SINGLE, STD CHAIN  | 2 | 1  | 2  | 10   | 20   |
| 560-2612 | LEVEL X ALLY                     | 1 | 43 | 43 | 1140 | 1140 |
| 560-2735 | ARO SPINNING CHAIR               | 1 | 1  | 1  | 42   | 42   |
| 580-0176 | 6' PVC TRADITIONAL PICNIC TA...  | 6 | 0  | 0  | 261  | 1566 |
| 580-0188 | PVC LC PORT PLASTIC DOME         | 1 | 0  | 0  | 71   | 71   |
| 580-1315 | FS SIGN, AGES 5-12               | 1 | 0  | 0  | 23   | 23   |
| 580-1317 | FS SIGN, AGES 2-5                | 1 | 0  | 0  | 23   | 23   |
| 580-1365 | MARKET DISCOVERY STATION         | 1 | 10 | 10 | 210  | 210  |
| 580-1411 | GAMES PLAYFUL BENCH              | 1 | 2  | 2  | 115  | 115  |

### Freestanding

#### ShadePlay Max

|          |                                  |   |   |   |      |      |
|----------|----------------------------------|---|---|---|------|------|
| 550-0210 | SHADEPLAY MAX DOUBLE BAY SWIN... | 1 | 0 | 0 | 1571 | 1571 |
|----------|----------------------------------|---|---|---|------|------|

Total User Capacity: 60  
 Total Weight: 4805 lbs.  
 Total Price: \$54,619

#### Special Notes:

Prices do not include freight, unloading, material storage, site excavation/preparation, removal of existing equipment, removal of excess soil from footing holes, site security, safety surfacing, installation, or sales tax (if applicable). Prices are based on standard colors per CURRENT YEAR BCI Burke Catalog. Custom colors, where available, would be an extra charge. **Pricing is valid for 30 days from the date of this proposal.**

**COLOR SELECTION LIST | Default Color Option**

---

**GROUP 1 (NU-3437)**

Deck: Gray  
Post: Redwood  
Acc: Aqua  
Acrylic: Orange  
Panel: Gray-Black-Gray  
Flat: Orange  
Plastic: Olive

---

**GROUP 2 (SY-3431)**

Deck: Gray  
Flat: Orange  
Post: Redwood  
Acc: Aqua  
Panel: Gray-Black-Gray  
Plastic: Olive

---

**GROUP 3 (ShadePlayMax)**

Post: Redwood  
Canopy: Aqua

---

**GROUP 4 (Freestanding)**


Acc: Aqua  
Panel: Gray-Black-Gray  
Flat: Orange  
PSteel: Gray  
Post: Redwood  
Canopy: Aqua

# COLORS THAT MOVE YOU

## POWDER COAT PAINT



## PLATFORMS



## SOLIS HUE TOPPERS




## TRADITIONAL SERIES SITE AMENITIES




## ROCKIT CLIMBERS




## HDPE PLASTIC PANELS



## SHADE CANOPIES



## ROTOMOLD PLASTIC



VISIT [BCIBURKE.COM/COLOR](http://BCIBURKE.COM/COLOR) TO CUSTOMIZE YOUR PLAYGROUND COLORS!

# BURKE GENERATIONS WARRANTY®

BCI Burke Company, LLC ("Burke") warrants that all standard products are warranted to be free from defects in materials and workmanship, under normal use and service, for a period of one (1) year from the date of shipment.

## We stand behind our products.

In addition, the following products are warranted, under normal use and service from the date of shipment as follows:

- One Hundred (100) Year Limited Warranty on aluminum and steel upright posts (including Nucleus®, Nucleus Evolution®, Nucleus Aspire™, Intensity®, Level X®, Synergy®, Synergy Imagination® & 4Me® against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on KoreKonnnect® clamps against structural failure due to corrosion, deterioration or workmanship.
- One Hundred (100) Year Limited Warranty on Hardware (nuts, bolts, washers)
- One Hundred (100) Year Limited Warranty on bolt-through fastening and clamp systems (Synergy®, Intensity®, Nucleus®).
- Twenty-Five (25) Year Limited Warranty on spring assemblies and aluminum cast animals.
- Fifteen (15) Year Limited Warranty on structure platforms and decks, metal roofs, table tops, bench tops, railings and barriers against structural failure due to materials or workmanship.
- Fifteen (15) Year Limited Warranty on all plastic components including StoneBorders against structural failure due to materials or workmanship.
- Ten (10) Year Limited Warranty on ShadePlay® Canopies fabric, threads, and cables against degradation, cracking or material breakdown resulting from ultra-violet exposure, natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications. natural deterioration or manufacturing defects. This warranty is limited to the design loads as stated in the specifications.
- Ten (10) Year Limited Warranty on NaturePlay® Boulders and GFRC products against structural failure due to natural deterioration or workmanship. Natural wear, which may occur with any concrete product with age, is excluded from this warranty.
- Ten (10) Year Limited Warranty on Full Color Custom Signage against manufacturing defects that cause delamination or degradation of the sign. Full Color Custom Signs also carry a two (2) year warranty against premature fading of the print and graphics on the signs.
- Five (5) Year Limited Warranty on Nucleus®, Intensity®, and RopeVenture® cables against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on rubber belt material against premature wear due to natural deterioration or manufacturing defects. Determination of premature wear will be at the manufacturer's discretion.
- Five (5) Year Limited Warranty on moving parts, including swing components, against structural failure due to materials or workmanship.
- Five (5) Year Limited Warranty on PlayEnsemble® cables and mallets against defects in materials and workmanship.
- Three (3) Year Limited Warranty on electronic panel speakers, sound chips and circuit boards against electronic failure caused by manufacturing defects.

The warranty stated above is valid only if the equipment is erected in conformity with the layout plan and/or installation instructions furnished by BCI Burke Company, LLC using approved parts; have been maintained and inspected in accordance with BCI Burke Company, LLC instructions. Burke's liability and your exclusive remedy hereunder will be limited to repair or replacement of those parts found in Burke's reasonable judgment to be defective. Any claim made within the above stated warranty periods must be made promptly after discovery of the defect. A part is covered only for the original warranty period of the applicable part. Replacement parts carry the applicable warranty from the date of shipment of the replacement from Burke. After the expiration of the warranty period, you must pay for all parts, transportation and service charges.

Burke reserves the right to accept or reject any claim in whole or in part. Burke will not accept the return of any product without its prior written approval. Burke will assume transportation charges for shipment of the returned product if it is returned in strict compliance with Burke's written instructions.

**THE FOREGOING WARRANTIES ARE EXCLUSIVE AND IN LIEU OF ANY OTHER WARRANTY, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY IMPLIED WARRANTY OR MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. IF THE FOREGOING DISCLAIMER OF ADDITIONAL WARRANTIES IS NOT GIVEN FULL FORCE AND EFFECT, ANY RESULTING ADDITIONAL WARRANTY SHALL BE LIMITED IN DURATION TO THE EXPRESS WARRANTIES AND BE OTHERWISE SUBJECT TO AND LIMITED BY THE TERMS OF BURKE'S PRODUCT WARRANTY. SOME STATES DO NOT ALLOW THE EXCLUSION OF CERTAIN IMPLIED WARRANTIES, SO THE ABOVE LIMITATION MAY NOT APPLY TO YOU.**

**Warranty Exclusions:** The above stated warranties do not cover: "cosmetic" defects, such as scratches, dents, marring, or fading; damage due to incorrect installation, vandalism, misuse, accident, wear and tear from normal use, exposure to extreme weather; immersion in salt or chlorine water, unauthorized repair or modification, abnormal use, lack of maintenance, or other cause not within Burke's control; and

**Limitation of Remedies:** Burke is not liable for consequential or incidental damages, including but not limited to labor costs or lost profits resulting from the use of or inability to use the products or from the products being incorporated in or becoming a component of any other product. If, after a reasonable number of repeated efforts, Burke is unable to repair or replace a defective or nonconforming product, Burke shall have the option to accept return of the product, or part thereof, if such does not substantially impair its value, and return the purchase price as the buyer's entire and exclusive remedy. Without limiting the generality of the foregoing, Burke will not be responsible for labor costs involved in the removal of products or the installation of replacement products. Some states do not allow the exclusion of incidental damages, so the above exclusion may not apply to you.

The environment near a saltwater coast can be extremely corrosive. Some corrosion and/or deterioration is considered "normal wear" in this environment. Product installed within 500 yards of a saltwater shoreline will only be covered for half the period of the standard product warranty, up to a maximum of five years, for defects caused by corrosion. Products installed in direct contact with saltwater or that are subjected to salt spray are not covered by the standard warranty for any defects caused by corrosion.

Contact your local Burke Representative for warranty information regarding Burke Turf® and Burke Tile products.

## Terms of Sale

**Pricing:** Prices published in this catalog are in USD, are approximate and do not include shipping & handling, surfacing, installation nor applicable taxes. All prices are subject to change without notice. Contact your Burke representative for current pricing. Payments are to be made in USD.

**Weights:** Weights are approximate and may vary with actual orders.

**Installation:** All equipment is shipped unassembled. For a list of factory-certified installers in your area, please contact your Burke representative.

**Specifications:** Product specifications in this catalog were correct at the time of publication. However, product improvements are ongoing at Burke, and we reserve the right to change or discontinue specifications without notice.

**Loss or Damage in Transit:** A signed bill of lading is our receipt from a carrier that our shipment to you was complete and in good condition upon arrival. Before you sign, please check the Bill of Lading carefully when the shipment arrives to make sure nothing is missing and there are no damages. Once the shipment leaves our plant, we are no longer responsible for any damage, loss or shortage.

For more information regarding the warranty, call Customer Service at 920-921-9220 or 1-800-356-2070.

01/2024