## **Staff Report**

Subject: Approval of PO with Custom Truck and Body Works, Inc. for the purchase of a Type III

Ambulance

Author: Alison Bruton, Purchasing Agent

**Department:** EMS

Meeting Date: June 20, 2023

Item Description: PO with Custom Truck and Body Works, Inc. for the purchase of a Type III

Ambulance

**Summary Recommendation:** Staff recommends approval of PO Q-00445-1 with Custom Truck and Body Works, Inc. for the purchase of a Type III Ambulance in the amount of \$199,582.00.

## **Executive Summary/Background:**

- There is still uncertainty regarding the receipt times for the five (5) ambulances that we currently have on order. There is a possibility that we will still be limited in what we receive. This caused staff to look at other available options.
- Custom Truck and Body Works has supplied a quote for one Type III 14' Ambulance, a
  Chevy G4500. They currently have these available on their lot. The Board approved the
  purchase of this same ambulance in March, and staff is requesting a second one as it
  has become available. Receipt of the ambulance is estimated by the second quarter of
  2024.
- Here are some differences between our current units and this unit:
  - o The type III chassis is 169" modules vs our current 149" modules
  - o The type III units are gas engines, 6.6L V8 engine
  - There is no GPS or backup camera, although an aftermarket backup camera has been added
  - o A Go Industries brush guard has been included instead of a Ranch hand guard.
  - This unit does not have liquid springs.
- EMS Director, Wanda McDuffie, has reviewed the specs and information and is requesting approval for this unit.

## **Alternatives for Commission to Consider**

- 1. Approval of PO Q-00445-1 with Custom Truck and Body Works, Inc. for the purchase of a Type III Ambulance in the amount of \$199,582.00.
- 2. Take no action.

**Recommended Alternative: 1** 

Other Alternatives: 2

**Department Review:** EMS, Finance, Purchasing, County Manager **Funding Source:** SPLOST, budget amendment may be necessary

Attachments: PO Q-00445-1