RESOLUTION NUMBER 22-58

A RESOLUTION BY THE CITY COMMISSION OF THE CITY OF EUSTIS, LAKE COUNTY, FLORIDA, AUTHORIZING A PURCHASE IN EXCESS OF \$50,000 FOR THE FIRE DEPARTMENT TO PURCHASE TWO (2) LIFEPAK 15 MONITORS UTILIZING FUNDS ALLOCATED IN THE FIRE DEPARTMENT'S APPROVED FISCAL YEAR 2022/ 2023 BUDGET.

WHEREAS, the City of Eustis Fire Department's approved Fiscal Year (FY) 2022/ 2023 Budget includes \$67,892.32 to purchase Two Lifepak 15 Monitors; and

WHEREAS, the Fire Department has determined the need to purchase two (2) Lifepak 15 monitors from Stryker Medical Company; and

WHEREAS, the City Purchasing Policies require that the City Commission approve any purchase in excess of \$50,000;

NOW, THEREFORE, BE IT RESOLVED by the City Commission of the City of Eustis, Florida that the City of Eustis Fire Department is hereby authorized to purchase two (2) Lifepak 15 monitors from Stryker Medical Company for the bid price of \$67,892.32.

DONE AND RESOLVED, this 5th day of January, 2023 in regular session of the City Commission of the City of Eustis, Lake County, Florida.

CITY COMMISSION OF THE CITY OF EUSTIS, FLORIDA

Mayor/Commissioner

ATTEST:

Christine Halloran City Clerk

CITY OF EUSTIS CERTIFICATION

STATE OF FLORIDA COUNTY OF LAKE

The foregoing instrument was acknowledged before me this ____ day of _____, 2023, by Michael Holland, Mayor and Christine Halloran, City Clerk, who are personally known to me.

Notary Public - State of Florida

CITY ATTORNEY'S OFFICE

This document is approved as to form and legal content for use and reliance of the City Commission of the City of Eustis, Florida.

City Attorney

Date

CERTIFICATE OF POSTING

The foregoing Resolution Number 22-58 is hereby approved, and I certify that I published the same by posting one (1) copy hereof at City Hall, one (1) copy hereof at the Eustis Memorial Library, and one (1) copy hereof at the Parks and Recreation office, all within the corporate limits of the City of Eustis, Lake County, Florida.

Christine Halloran, City Clerk

Date