

Highway 100 Commercial, LLC

Highway 100 Commercial, LLC

Signature of Owner three (3)

Subscribed and Sworn to (or affirmed) before me by
Mary L. Demetree as Trustee of the Mary L. Demetree Revocable Trust,
as Manager of Highway 100 Commercial, LLC

This ____ day of August, 20 24,
Who is personally known to me or has produced
_____ as identification.

Commission Number & Expiration

Notary Public


Signature of Owner four (4)

Subscribed and Sworn to (or affirmed) before me by
Michelle Chira, as Trustee of the Michelle Chira Revocable Trust, as
Manager of Highway 100 Commercial, LLC

This 13th day of August, 2024,
Who is personally known to me or has produced
_____ as identification.

HH489042 EXP. 02.05.28
Commission Number & Expiration

Notary Public



Highway 100 Commercial, LLC

Highway 100 Commercial, LLC

Signature of Owner three (3)

Subscribed and Sworn to (or affirmed) before me by
Mary L. Demetree as Trustee of the Mary L. Demetree Revocable Trust,
as Manager of Highway 100 Commercial, LLC

This 20th day of August, 2024,
Who is personally known to me or has produced
_____ as identification.

#HH 567098 07/01/2028
Commission Number & Expiration

Jessica Santoli
Notary Public

Signature of Owner four (4)


Subscribed and Sworn to (or affirmed) before me by
Michelle Chira, as Trustee of the Michelle Chira Revocable Trust, as
Manager of Highway 100 Commercial, LLC

This _____ day of August, 2024.
Who is personally known to me or has produced
_____ as identification.

Commission Number & Expiration

Notary Public





- Veranda Bay
- PC Intracoastal
- HC100
- Annex Lands

Date: 6-27-24

0 700 1,400 Feet



Exhibit "A"
Lands To Be Annexed
Veranda Bay
Flagler County, Florida



EXHIBIT "A-1"

PROPERTIES OWNED BY PALM COAST INTRACOASTAL, LLC

LEGAL DESCRIPTION ANNEXATION

TRACTS 1A-A, 1A-1, 1A-2, 1A-3, 1A-4, 1A-5, 1A-6, 1A-7, 1A-8, 1A-9, 1A-10, 1A-11, 1A-12, AND 1A-13, ALL LOCATED WITHIN THE SUBDIVISION PLAT OF VERANDA BAY PHASE 1A, AS RECORDED IN PLAT BOOK 40, PAGES 59 THROUGH 64, OF THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA.

TOGETHER WITH:

LOTS 144, 147, 148, 149, 150, 154, 157, 158, 159, 164, 165, 175, 176, 178, 180, 181, 182, 183, 186, 189, 190 AND 191, *TOGETHER WITH* TRACTS 1B-1 AND 1B-2, ALL LOCATED WITHIN THE SUBDIVISION PLAT OF VERANDA BAY PHASE 1B, AS RECORDED IN PLAT BOOK 41, PAGES 11 THROUGH 15, PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA.

ALSO, TOGETHER WITH:

LOTS 123 THROUGH 143 AND LOTS 198 THROUGH 211, *TOGETHER WITH* TRACTS 1C-1, 1C-3, 1C-4, AND 1C-6, ALL LOCATED WITHIN THE SUBDIVISION PLAT OF VERANDA BAY PHASE 1C, AS RECORDED IN PLAT BOOK 41, PAGES 16 THROUGH 20, PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA.

ALSO, TOGETHER WITH: TRACTS 2A-1 THROUGH 2A-22 AND TRACT 2A-B, ALL LOCATED WITHIN THE SUBDIVISION PLAT OF VERANDA BAY PHASE 2A, AS RECORDED IN PLAT BOOK 40, PAGES 65 THROUGH 70, OF THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA.

ALSO, TOGETHER WITH: PHASE 2B – PRELIMINARY PLAT OF VERANDA BAY, DESCRIBED AS FOLLOWS: A PORTION OF SECTIONS 13 AND 38, TOWNSHIP 12 SOUTH, RANGE 31 EAST, FLAGLER COUNTY, FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: COMMENCE AT THE INTERSECTION OF THE EAST RIGHT OF WAY LINE OF JOHN ANDERSON HIGHWAY (STATE ROAD 201 AND A 100 FOOT RIGHT OF WAY) AND THE NORTH LINE OF SAID SECTION 38; THENCE SOUTH 18°10'14" EAST ALONG SAID EAST RIGHT OF WAY LINE, A DISTANCE OF 331.23 FEET; THENCE NORTH 71°49'46" EAST, DEPARTING FROM SAID RIGHT OF WAY LINE, A DISTANCE OF 400.00 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE NORTH 71°49'46" EAST, A DISTANCE OF 370.00 FEET; THENCE NORTH 18°10'14" WEST, A DISTANCE OF 325.00 FEET; THENCE NORTH 71°49'46" EAST, A DISTANCE OF 50.00 FEET; THENCE NORTH 18°10'14" WEST, A DISTANCE OF 20.01 FEET TO THE POINT OF CURVE OF A CURVE CONCAVE TO THE EAST AND HAVING A RADIUS OF 25.00 FEET AND A CENTRAL ANGLE OF 11°32'14"; THENCE NORTHERLY ALONG SAID CURVE AN ARC DISTANCE OF 5.03 FEET AND SUBTENDED BY A CHORD BEARING OF NORTH 12°24'08" WEST AND A CHORD DISTANCE OF 5.03 FEET TO A POINT ON SAID CURVE; THENCE NORTH 71°49'46" EAST, A DISTANCE OF 119.51 FEET; THENCE SOUTH 18°10'14" EAST, A DISTANCE OF 809.38 FEET; THENCE SOUTH 01°32'26" EAST, A DISTANCE OF 49.29 FEET; THENCE SOUTH 88°27'34" WEST, A DISTANCE OF 140.00 FEET; THENCE SOUTH 01°32'26" EAST, A DISTANCE OF 20.00 FEET; THENCE NORTH 88°27'34"

EAST, A DISTANCE 140.00 FEET; THENCE SOUTH 01°32'26" EAST, A DISTANCE OF 384.95 FEET; SOUTH 18°10'14" EAST, A DISTANCE OF 935.73 FEET; THENCE SOUTH 71°49'46" WEST, A DISTANCE OF 140.00 FEET; THENCE SOUTH 18°10'14" EAST, A DISTANCE OF 20.00 FEET; THENCE NORTH 71°49'46" EAST, A DISTANCE OF 140.00 FEET; THENCE SOUTH 18°10'14" EAST, A DISTANCE OF 24.44 FEET TO THE POINT OF CURVE OF A CURVE CONCAVE TO THE WEST AND HAVING A RADIUS OF 365.00 FEET AND A CENTRAL ANGLE OF 34°46'50"; THENCE SOUTHERLY ALONG SAID CURVE AN ARC DISTANCE OF 221.57 FEET AND SUBTENDED BY CHORD BEARING OF SOUTH 00°46'49" EAST AND A CHORD DISTANCE OF 218.18 FEET TO A POINT ON SAID CURVE; THENCE S 16°36'36" W, A DISTANCE OF 18.72 FEET; THENCE NORTH 73°23'24" WEST, A DISTANCE OF 139.49 FEET TO A POINT ON A CURVE OF A CURVE CONCAVE TO THE EAST AND HAVING A RADIUS OF 25.00 FEET AND A CENTRAL ANGLE OF 11°32'13"; THENCE NORTHERLY ALONG SAID CURVE AN ARC DISTANCE OF 5.03 FEET AND SUBTENDED BY A CHORD BEARING OF NORTH 10°50'29" EAST AND A CHORD DISTANCE OF 5.03 FEET TO A POINT ON SAID CURVE; THENCE NORTH 73°28'41" WEST, A DISTANCE OF 50.00 FEET TO A POINT ON A CURVE OF A CURVE CONCAVE TO THE NORTHWEST AND HAVING A RADIUS OF 25.00 FEET AND A CENTRAL ANGLE OF 12°16'44"; THENCE SOUTHWESTERLY ALONG SAID CURVE AN ARC DISTANCE OF 5.36 FEET AND SUBTENDED BY A CHORD BEARING OF SOUTH 22°44'58" WEST AND A CHORD DISTANCE OF 5.35 FEET TO A POINT ON A CURVE OF A CURVE CONCAVE TO THE SOUTH AND HAVING A RADIUS OF 495.00 AND A CENTRAL ANGLE OF 16°23'29"; THENCE WESTERLY ALONG SAID CURVE AN ARC DISTANCE OF 141.61 FEET AND SUBTENDED BY A CHORD BEARING OF NORTH 79°46'17" WEST AND A CHORD DISTANCE OF 141.13 FEET TO A POINT ON SAID CURVE; THENCE NORTH 02°02'07" EAST, A DISTANCE OF 77.22 FEET; THENCE NORTH 18°10'14" WEST, A DISTANCE OF 50.30 FEET; THENCE SOUTH 71°49'46" WEST, A DISTANCE OF 80.00 FEET; THENCE NORTH 18°10'14" WEST, A DISTANCE OF 1800.00 FEET TO THE POINT OF BEGINNING. CONTAINING 21.82 ACRES, MORE OR LESS.

ALSO, TOGETHER WITH: PHASE 2C – PRELIMINARY PLAT OF VERANDA BAY, DESCRIBED AS FOLLOWS:
A PORTION OF SECTION 38, TOWNSHIP 12 SOUTH, RANGE 31 EAST, FLAGLER COUNTY, FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: COMMENCE AT THE INTERSECTION OF THE EAST RIGHT OF WAY LINE OF JOHN ANDERSON HIGHWAY (STATE ROAD 201 AND A 100 FOOT RIGHT OF WAY) AND THE NORTH LINE OF SAID SECTION 38; THENCE SOUTH 18°10'14" EAST ALONG SAID EAST RIGHT OF WAY LINE, A DISTANCE OF 331.23 FEET TO THE POINT OF BEGINNING; THENCE NORTH 71°49'46" EAST, DEPARTING FROM SAID RIGHT OF WAY LINE, A DISTANCE OF 400.00 FEET; THENCE SOUTH 18°10'14" EAST, A DISTANCE OF 1906.48 FEET TO A POINT ON A CURVE OF A CURVE CONCAVE TO THE SOUTH AND HAVING A RADIUS OF 495.00 FEET AND A CENTRAL ANGLE OF 14°32'52"; THENCE WESTERLY ALONG SAID CURVE AN ARC DISTANCE OF 125.68 FEET AND SUBTENDED BY A CHORD BEARING OF SOUTH 78°18'07" WEST AND A CHORD DISTANCE OF 125.35 FEET TO A POINT OF A CURVE OF A CURVE CONCAVE TO THE NORTHEAST AND HAVING A RADIUS OF 25.00 FEET AND A CENTRAL ANGLE OF 10°55'26"; THENCE NORTHWESTERLY ALONG SAID CURVE AN ARC DISTANCE OF 4.77 FEET AND SUBTENDED BY A CHORD BEARING OF NORTH 23°37'58" WEST AND A CHORD DISTANCE OF 4.76 FEET; THENCE; THENCE SOUTH 72°11'12" WEST, A DISTANCE OF 50.00 FEET; THENCE NORTH 18°10'14' WEST, A DISTANCE OF 87.31 FEET; THENCE SOUTH 71°49'46" WEST, A DISTANCE OF 225.00 FEET TO THE INTERSECTION WITH THE AFOREMENTIONED EAST RIGHT OF WAY LINE OF JOHN ANDERSON HIGHWAY; THENCE NORTH 18°10'14" WEST, ALONG SAID RIGHT OF WAY LINE, A DISTANCE OF 1800.00 FEET TO THE POINT OF BEGINNING. CONTAINING 16.91 ACRES, MORE OR LESS

EXHIBIT "A-2"

PROPERTIES OWNED BY VERANDA BAY INVESTMENTS, LLC

LEGAL DESCRIPTION ANNEXATION

WEST SIDE OF JOHN ANDERSON HIGHWAY

A PORTION OF LOTS 1, 3, 7, 8 AND 9, AND ALL OF LOTS 4, 10, 11 AND 12, BLOCK C, BUNNELL DEVELOPMENT COMPANY'S LAND AS RECORDED IN PLAT BOOK 1, PAGE 1, IN THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA, TOGETHER WITH A PORTION OF GOVERNMENT SECTION 14, 38, AND 39, TOWNSHIP 12 SOUTH, RANGE 31 EAST, FLAGLER COUNTY, FLORIDA, SITUATED IN GOVERNMENT SECTIONS 11, 14, 38 AND 39, TOWNSHIP 12 SOUTH, RANGE 31 EAST, FLAGLER COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCE AT THE INTERSECTION OF THE EAST RIGHT OF WAY LINE OF JOHN ANDERSON HIGHWAY (STATE ROAD 201) AND THE NORTH LINE OF SAID SECTION 38-12-31; THENCE SOUTH 71°47'17" WEST, A DISTANCE OF 100.00 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF JOHN ANDERSON HIGHWAY (STATE ROAD 201), ALSO BEING THE POINT OF BEGINNING; THENCE ALONG SAID WEST RIGHT OF WAY LINE THE FOLLOWING THREE COURSES: SOUTH 18°10'26" EAST, A DISTANCE OF 3,184.36 FEET TO A POINT OF CURVATURE OF A NON-TANGENT CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 1,196.28 FEET, A CENTRAL ANGLE OF 22°09'26" AND A CHORD DISTANCE OF 459.74 FEET WHICH BEARS SOUTH 29°14'21" EAST; THENCE SOUTHEASTERLY ALONG THE ARC OF SAID CURVE A DISTANCE OF 462.62 FEET; THENCE SOUTH 40°21'41" EAST, A DISTANCE OF 776.28 FEET; THENCE DEPARTING SAID WEST RIGHT OF WAY LINE SOUTH 69°18'47" WEST, A DISTANCE OF 1,433.82 FEET, THENCE NORTH 20°41'22" WEST, A DISTANCE OF 995.98 FEET, THENCE NORTH 24°04'44" WEST, A DISTANCE OF 1,618.01 FEET; THENCE NORTH 86°17'06" WEST, A DISTANCE OF 2,604.28 FEET; THENCE NORTH 60°37'10" WEST, A DISTANCE OF 341.50 FEET; THENCE NORTH 43°23'02" WEST, A DISTANCE OF 2,172.87 FEET, THENCE NORTH 30°47'31" EAST, A DISTANCE OF 1,526.35 FEET; THENCE NORTH 45°31'15" EAST, A DISTANCE OF 902.38 FEET; THENCE NORTH 40°14'18" WEST, A DISTANCE OF 1,732.75 FEET; THENCE NORTH 06°10'40" WEST, A DISTANCE OF 189.68 FEET; THENCE NORTH 00°15'33" WEST, A DISTANCE OF 614.90 FEET; THENCE NORTH 88°32'16" EAST, A DISTANCE OF 257.93 FEET; THENCE NORTH 01°27'08" WEST, A DISTANCE OF 1,087.72 FEET TO A POINT ON THE SOUTH LINE OF STATE ROAD NO. 100; THENCE ALONG SAID SOUTH RIGHT OF WAY LINE SOUTH 89°29'03" EAST A DISTANCE OF 959.81 FEET; THENCE DEPARTING SAID SOUTH RIGHT OF WAY LINE SOUTH 00°30'57" WEST, A DISTANCE OF 210.00 FEET; THENCE SOUTH 89°29'03" EAST, A DISTANCE OF 210.00 FEET; THENCE SOUTH 00°30'57" WEST, A DISTANCE OF 389.92 FEET; THENCE SOUTH 89°28'38" EAST, A DISTANCE OF 822.42 FEET; THENCE SOUTH 00°06'48" EAST, A DISTANCE OF 1,704.61 FEET; THENCE NORTH 88°51'12" EAST, A DISTANCE OF 1,350.55 FEET; THENCE SOUTH 01°10'32" EAST, A DISTANCE OF 660.84 FEET; THENCE NORTH 88°37'17" EAST, A DISTANCE OF 158.75 FEET; THENCE SOUTH 18°14'40" EAST, A DISTANCE OF 330.09 FEET; THENCE NORTH 88°50'11" EAST, A DISTANCE OF 330.04 FEET TO A POINT ON THE WEST RIGHT OF WAY LINE OF JOHN ANDERSON HIGHWAY (STATE ROAD 201); THENCE ALONG SAID RIGHT OF WAY LINE SOUTH 18°15'00" EAST, A DISTANCE OF 1,788.60 FEET TO THE POINT OF BEGINNING.

TOGETHER WITH:
EAST SIDE OF JOHN ANDERSON HIGHWAY

A PORTION OF SECTIONS 13, 14 AND 38, TOWNSHIP 12 SOUTH, RANGE 31 EAST, FLAGLER COUNTY, FLORIDA, BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT THE INTERSECTION OF THE EAST RIGHT OF WAY LINE OF JOHN ANDERSON HIGHWAY (STATE ROAD 201) AND THE NORTH LINE OF SAID SECTION 38-12-31; THENCE ALONG SAID EAST RIGHT-OF-WAY LINE NORTH 18°15'00" WEST, A DISTANCE OF 2,087.53 FEET; THENCE DEPARTING SAID EAST RIGHT OF WAY LINE NORTH 88°47'52" EAST, A DISTANCE OF 710.35 FEET TO A POINT ON THE WEST LINE OF SECTION 13-12-31; THENCE ALONG SAID WEST SECTION LINE NORTH 01°13'40" WEST, A DISTANCE OF 661.23 FEET TO A POINT ON THE NORTH LINE OF SECTION 13-21-31; THENCE ALONG SAID NORTH SECTION LINE NORTH 88°36'18" EAST, A DISTANCE OF 1,890.40 FEET TO THE POINT ON THE WEST RIGHT OF WAY LINE OF FLORIDA INTRACOASTAL WATERWAY; THENCE ALONG SAID WEST RIGHT OF WAY LINE THE FOLLOWING TWO COURSES: SOUTH 13°59'25" EAST, A DISTANCE OF 2,750.14 FEET; THENCE SOUTH 21°17'55" EAST, A DISTANCE OF 1,265.83 FEET; THENCE DEPARTING SAID WEST RIGHT OF WAY LINE AND ALONG A WESTERLY LINE OF THE HISTORIC CHANNEL OF HAW LOVER CREEK, SOUTH 03°54'35" WEST, A DISTANCE OF 148.38 FEET; THENCE SOUTH 19°27'08" EAST, A DISTANCE OF 643.95 FEET; THENCE SOUTH 68°38'53" EAST, A DISTANCE OF 113.53 FEET TO A POINT ON THE AFORESAID INTRACOASTAL RIGHT OF WAY, THENCE SOUTH 21°17'55" EAST, A DISTANCE OF 647.80 FEET; THENCE DEPARTING SAID RIGHT OF WAY SOUTH 69°10'09" WEST, A DISTANCE OF 2,520.12 FEET TO A POINT ON THE EAST RIGHT OF WAY LINE OF JOHN ANDERSON HIGHWAY (STATE ROAD 201); THENCE ALONG SAID EAST RIGHT OF WAY LINE THE FOLLOWING THREE COURSES: NORTH 40°21'41" WEST, A DISTANCE OF 74.31 FEET TO A POINT OF CURVATURE OF A NON-TANGENT CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 1,095.28 FEET, A CENTRAL ANGLE OF 22°09'21" AND A CHORD DISTANCE OF 421.29 FEET WHICH BEARS NORTH 29°14'17" WEST; THENCE NORTHWESTERLY ALONG THE ARC OF SAID CURVE A DISTANCE OF 423.92 FEET; THENCE NORTH 18°10'26" WEST, A DISTANCE OF 3,184.44 FEET TO THE POINT OF BEGINNING. FORMERLY KNOWN AS GARDENS AT HAMMOCK BEACH, ACCORDING TO THE PLAT THEREOF, AS RECORDED IN PLAT BOOK 35, PAGES 80 THROUGH 100, PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA.

ALSO, TOGETHER WITH:
TRACTS 1C-2 AND 1C-5, BOTH LOCATED WITHIN THE SUBDIVISION PLAT OF VERANDA BAY PHASE 1C, AS RECORDED IN PLAT BOOK 41, PAGES 16 THROUGH 20, PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA. CONTAINING 3.23 ACRES, MORE OR LESS.

ALSO, TOGETHER WITH:
TRACT 2A-A (FUTURE DEVELOPMENT TRACT) OF THE SUBDIVISION PLAT OF VERANDA BAY PHASE 2A, AS RECORDED IN PLAT BOOK 40, PAGES 65 THROUGH 70, OF THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA. CONTAINING 22.64 ACRES, MORE OR LESS.

ALSO, TOGETHER WITH:
TRACT 2B-5 (IDENTIFIED AS FUTURE DEVELOPMENT TRACT) OF PHASE 2B – PRELIMINARY PLAT OF VERANDA BAY, DESCRIBED AS FOLLOWS:

A PORTION OF SECTION 38, TOWNSHIP 12 SOUTH, RANGE 31 EAST, FLAGLER COUNTY, FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: COMMENCE AT THE INTERSECTION OF THE EAST RIGHT OF WAY LINE OF JOHN ANDERSON HIGHWAY (STATE ROAD 201 AND 100 FOOT RIGHT OF WAY) AND THE NORTH LINE OF SAID SECTION 38; THENCE SOUTH 18°10'14" EAST ALONG SAID EAST RIGHT OF WAY LINE, A DISTANCE OF 633.41 FEET; THENCE NORTH 71°49'46" EAST, DEPARTING FROM SAID RIGHT

OF WAY LINE, A DISTANCE OF 440.39 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE NORTH 71°49'46" EAST, A DISTANCE OF 199.61 FEET; THENCE SOUTH 18°10'14" EAST, A DISTANCE OF 137.81 FEET; THENCE SOUTH 71°49'46" WEST, A DISTANCE OF 199.71 FEET; THENCE NORTH 18°07'48" WEST, A DISTANCE OF 137.82 FEET TO THE POINT OF BEGINNING. CONTAINING 0.63 ACRES, MORE OR LESS.

LESS AND EXCEPT: THE LAND CONTAINED IN THE QUIT CLAIM DEED TO EAST FLAGLER MOSQUITO CONTROL DISTRICT RECORDED IN OFFICIAL RECORDS BOOK 1620, PAGE 434, PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA. CONTAINING 0.89 ACRES, MORE OR LESS.

LESS AND EXCEPT: THE LAND CONTAINED IN THE SPECIAL WARRANTY DEED TO FLAGLER COUNTY RECORDED IN OFFICIAL RECORDS BOOK 1636, PAGE 1694, PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA. CONTAINING 81.32 ACRES, MORE OR LESS.

LESS AND EXCEPT: THE LAND CONTAINED IN THE SPECIAL WARRANTY DEED TO HIGHWAY 100 COMMERCIAL LLC RECORDED IN OFFICIAL RECORDS BOOK 1789, PAGE 750, PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA. CONTAINING 18.94 ACRES, MORE OR LESS.

LESS AND EXCEPT: TRACTS PL-2 AND PL-3, OF THE VACATED PLAT OF GARDENS AT HAMMOCK BEACH, ACCORDING TO THE PLAT THEREOF AS RECORDED IN PLAT BOOK 35, PAGES 80 THROUGH 100, PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA. CONTAINING A TOTAL OF 13.17 ACRES, MORE OR LESS.

LESS AND EXCEPT: THOSE LANDS DESCRIBED IN THE SUBDIVISION PLAT OF VERANDA BAY PHASE 1A, AS RECORDED IN PLAT BOOK 40, PAGES 59 THROUGH 64, OF THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA. CONTAINING 82.08 ACRES, MORE OR LESS.

LESS AND EXCEPT: THE BALANCE OF THOSE LANDS DESCRIBED IN THE SUBDIVISION PLAT OF VERANDA BAY PHASE 2A, AS RECORDED IN PLAT BOOK 40, PAGES 65 THROUGH 70, OF THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA. CONTAINING 65.85 ACRES, MORE OR LESS.

LESS AND EXCEPT: THOSE LANDS DESCRIBED IN THE SUBDIVISION PLAT OF VERANDA BAY PHASE 1B, AS RECORDED IN PLAT BOOK 41, PAGES 11 THROUGH 15, PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA. CONTAINING 18.02 ACRES, MORE OR LESS.

LESS AND EXCEPT: THE BALANCE OF THOSE LANDS DESCRIBED IN THE SUBDIVISION PLAT OF VERANDA BAY PHASE 1C, AS RECORDED IN PLAT BOOK 41, PAGES 16 THROUGH 20, PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA. CONTAINING 23.50 ACRES, MORE OR LESS.

LESS AND EXCEPT: PHASE 2B – PRELIMINARY PLAT OF VERANDA BAY, DESCRIBED AS FOLLOWS:
A PORTION OF SECTIONS 13 AND 38, TOWNSHIP 12 SOUTH, RANGE 31 EAST, FLAGLER COUNTY, FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: COMMENCE AT THE INTERSECTION OF THE EAST RIGHT OF WAY LINE OF JOHN ANDERSON HIGHWAY (STATE ROAD 201 AND A 100 FOOT RIGHT OF WAY) AND THE NORTH LINE OF SAID SECTION 38; THENCE SOUTH 18°10'14" EAST ALONG SAID EAST RIGHT OF WAY LINE, A DISTANCE OF 331.23 FEET; THENCE NORTH 71°49'46" EAST, DEPARTING FROM SAID RIGHT OF WAY LINE, A DISTANCE OF 400.00 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE NORTH 71°49'46" EAST, A DISTANCE OF 370.00 FEET; THENCE NORTH 18°10'14" WEST, A DISTANCE OF 325.00 FEET; THENCE NORTH 71°49'46" EAST, A DISTANCE OF 50.00 FEET; THENCE NORTH 18°10'14" WEST, A DISTANCE OF 20.01 FEET TO THE POINT OF CURVE OF A CURVE CONCAVE TO THE EAST AND HAVING A RADIUS OF 25.00 FEET AND A CENTRAL ANGLE OF 11°32'14"; THENCE NORTHERLY ALONG SAID

CURVE AN ARC DISTANCE OF 5.03 FEET AND SUBTENDED BY A CHORD BEARING OF NORTH 12°24'08" WEST AND A CHORD DISTANCE OF 5.03 FEET TO A POINT ON SAID CURVE; THENCE NORTH 71°49'46" EAST, A DISTANCE OF 119.51 FEET; THENCE SOUTH 18°10'14" EAST, A DISTANCE OF 809.38 FEET; THENCE SOUTH 01°32'26" EAST, A DISTANCE OF 49.29 FEET; THENCE SOUTH 88°27'34" WEST, A DISTANCE OF 140.00 FEET; THENCE SOUTH 01°32'26" EAST, A DISTANCE OF 20.00 FEET; THENCE NORTH 88°27'34" EAST, A DISTANCE 140.00 FEET; THENCE SOUTH 01°32'26" EAST, A DISTANCE OF 384.95 FEET; SOUTH 18°10'14" EAST, A DISTANCE OF 935.73 FEET; THENCE SOUTH 71°49'46" WEST, A DISTANCE OF 140.00 FEET; THENCE SOUTH 18°10'14" EAST, A DISTANCE OF 20.00 FEET; THENCE NORTH 71°49'46" EAST, A DISTANCE OF 140.00 FEET; THENCE SOUTH 18°10'14" EAST, A DISTANCE OF 24.44 FEET TO THE POINT OF CURVE OF A CURVE CONCAVE TO THE WEST AND HAVING A RADIUS OF 365.00 FEET AND A CENTRAL ANGLE OF 34°46'50"; THENCE SOUTHERLY ALONG SAID CURVE AN ARC DISTANCE OF 221.57 FEET AND SUBTENDED BY CHORD BEARING OF SOUTH 00°46'49" EAST AND A CHORD DISTANCE OF 218.18 FEET TO A POINT ON SAID CURVE; THENCE S 16°36'36" W, A DISTANCE OF 18.72 FEET; THENCE NORTH 73°23'24" WEST, A DISTANCE OF 139.49 FEET TO A POINT ON A CURVE OF A CURVE CONCAVE TO THE EAST AND HAVING A RADIUS OF 25.00 FEET AND A CENTRAL ANGLE OF 11°32'13"; THENCE NORTHERLY ALONG SAID CURVE AN ARC DISTANCE OF 5.03 FEET AND SUBTENDED BY A CHORD BEARING OF NORTH 10°50'29" EAST AND A CHORD DISTANCE OF 5.03 FEET TO A POINT ON SAID CURVE; THENCE NORTH 73°28'41" WEST, A DISTANCE OF 50.00 FEET TO A POINT ON A CURVE OF A CURVE CONCAVE TO THE NORTHWEST AND HAVING A RADIUS OF 25.00 FEET AND A CENTRAL ANGLE OF 12°16'44"; THENCE SOUTHWESTERLY ALONG SAID CURVE AN ARC DISTANCE OF 5.36 FEET AND SUBTENDED BY A CHORD BEARING OF SOUTH 22°44'58" WEST AND A CHORD DISTANCE OF 5.35 FEET TO A POINT ON A CURVE OF A CURVE CONCAVE TO THE SOUTH AND HAVING A RADIUS OF 495.00 AND A CENTRAL ANGLE OF 16°23'29"; THENCE WESTERLY ALONG SAID CURVE AN ARC DISTANCE OF 141.61 FEET AND SUBTENDED BY A CHORD BEARING OF NORTH 79°46'17" WEST AND A CHORD DISTANCE OF 141.13 FEET TO A POINT ON SAID CURVE; THENCE NORTH 02°02'07" EAST, A DISTANCE OF 77.22 FEET; THENCE NORTH 18°10'14" WEST, A DISTANCE OF 50.30 FEET; THENCE SOUTH 71°49'46" WEST, A DISTANCE OF 80.00 FEET; THENCE NORTH 18°10'14" WEST, A DISTANCE OF 1800.00 FEET TO THE POINT OF BEGINNING. CONTAINING 21.82 ACRES, MORE OR LESS.

LESS AND EXCEPT: PHASE 2C – PRELIMINARY PLAT OF VERANDA BAY, DESCRIBED AS FOLLOWS:

A PORTION OF SECTION 38, TOWNSHIP 12 SOUTH, RANGE 31 EAST, FLAGLER COUNTY, FLORIDA, AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: COMMENCE AT THE INTERSECTION OF THE EAST RIGHT OF WAY LINE OF JOHN ANDERSON HIGHWAY (STATE ROAD 201 AND A 100 FOOT RIGHT OF WAY) AND THE NORTH LINE OF SAID SECTION 38; THENCE SOUTH 18°10'14" EAST ALONG SAID EAST RIGHT OF WAY LINE, A DISTANCE OF 331.23 FEET TO THE POINT OF BEGINNING; THENCE NORTH 71°49'46" EAST, DEPARTING FROM SAID RIGHT OF WAY LINE, A DISTANCE OF 400.00 FEET; THENCE SOUTH 18°10'14" EAST, A DISTANCE OF 1906.48 FEET TO A POINT ON A CURVE OF A CURVE CONCAVE TO THE SOUTH AND HAVING A RADIUS OF 495.00 FEET AND A CENTRAL ANGLE OF 14°32'52"; THENCE WESTERLY ALONG SAID CURVE AN ARC DISTANCE OF 125.68 FEET AND SUBTENDED BY A CHORD BEARING OF SOUTH 78°18'07" WEST AND A CHORD DISTANCE OF 125.35 FEET TO A POINT OF A CURVE OF A CURVE CONCAVE TO THE NORTHEAST AND HAVING A RADIUS OF 25.00 FEET AND A CENTRAL ANGLE OF 10°55'26"; THENCE NORTHWESTERLY ALONG SAID CURVE AN ARC DISTANCE OF 4.77 FEET AND SUBTENDED BY A CHORD BEARING OF NORTH 23°37'58" WEST AND A CHORD DISTANCE OF 4.76 FEET; THENCE; THENCE SOUTH 72°11'12" WEST, A DISTANCE OF 50.00 FEET; THENCE NORTH 18°10'14" WEST, A DISTANCE OF 87.31 FEET; THENCE SOUTH 71°49'46" WEST, A DISTANCE OF 225.00 FEET TO THE INTERSECTION WITH THE AFOREMENTIONED EAST RIGHT OF WAY LINE OF JOHN ANDERSON HIGHWAY; THENCE NORTH 18°10'14" WEST, ALONG SAID RIGHT OF WAY LINE, A DISTANCE OF 1800.00 FEET TO THE POINT OF BEGINNING. CONTAINING 16.91 ACRES, MORE OR LESS.

EXHIBIT "A-3"

HIGHWAY 100 COMMERCIAL, LLC

LEGAL DESCRIPTION

A PORTION OF TRACT "FD2", GARDENS AT HAMMOCK BEACH, AS RECORDED IN MAP BOOK 35, PAGES 80 THROUGH 100 OF THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA AND BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

FOR A POINT OF BEGINNING COMMENCE AT THE NORTHWESTERLY CORNER OF SAID TRACT "FD2", SAID POINT ALSO BEING ON THE SOUTHERLY RIGHT OF WAY LINE OF STATE ROAD 100 (A 200 FOOT RIGHT OF WAY AS ESTABLISHED); THENCE SOUTH 89 DEGREES 29 MINUTES 03 SECONDS EAST, ALONG SAID SOUTHERLY RIGHT OF WAY LINE, A DISTANCE OF 382.15 FEET TO THE INTERSECTION WITH SOUTHWESTERLY RIGHT OF WAY LINE OF VILLA DRIVE WEST (A VARIABLE WIDTH PRIVATE RIGHT OF WAY AS ESTABLISHED), SAID POINT BEING THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 35.00 FEET; THENCE ALONG SAID CURVE AND SAID SOUTHWESTERLY RIGHT OF WAY LINE AN ARC DISTANCE OF 51.49 FEET TO THE POINT OF TANGENCY OF SAID CURVE, SAID CURVE BEING SUBTENDE BY A CHORD BEARING OF SOUTH 41 DEGREES 37 MINUTES 50 SECONDS EAST, AND A CHORD DISTANCE OF 46.97 FEET; THENCE SOUTH 00 DEGREES 30 MINUTES 47 SECONDS WEST, A DISTANCE OF 29.81 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE NORTHEASTERLY AND HAVING A RADIUS OF 470.00 FEET; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 578.46 FEET TO THE POINT OF TANGENCY OF SAID CURVE, SAID CURVE BEING SUBTENDE BY A CHORD BEARING OF SOUTH 34 DEGREES 44 MINUTES 45 SECONDS EAST, AND A CHORD DISTANCE OF 542.64 FEET; THENCE SOUTH 70 DEGREES 00 MINUTES 17 SECONDS EAST, A DISTANCE OF 190.75 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 360.00 FEET; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 364.42 FEET TO THE POINT OF TANGENCY OF SAID CURVE, SAID CURVE BEING SUBTENDE BY A CHORD BEARING OF SOUTH 41 DEGREES 00 MINUTES 17 SECONDS EAST, AND A CHORD DISTANCE OF 349.06 FEET; THENCE SOUTH 12 DEGREES 00 MINUTES 17 SECONDS EAST, A DISTANCE OF 170.79 FEET TO THE POINT OF CURVATURE OF A CURVE CONCAVE WESTERLY AND HAVING A RADIUS OF 260.00 FEET; THENCE ALONG SAID CURVE AN ARC DISTANCE OF 48.62 FEET, SAID CURVE BEING SUBTENDE BY A CHORD BEARING OF SOUTH 06 DEGREES 38 MINUTES 50 SECONDS EAST AND A CHORD DISTANCE OF 48.55 FEET; THENCE SOUTH 88 DEGREES 37 MINUTES 36 SECONDS WEST DEPARTING THE AFOREMENTIONED SOUTHWESTERLY RIGHT OF LINE OF VILLA DRIVE WEST, A DISTANCE OF 471.38 FEET; THENCE SOUTH 88 DEGREES 28 MINUTES 30 SECONDS WEST, A DISTANCE OF 589.08 FEET; THENCE NORTH 33 DEGREES 37 MINUTES 07 SECONDS WEST, A DISTANCE OF 50.65 FEET; THENCE NORTH 38 DEGREES 07 MINUTES 37 SECONDS WEST, A DISTANCE OF 95.67 FEET TO A POINT ON A WESTERLY LINE OF THE AFOREMENTIONED TRACT "FD2, GARDENS AT HAMMOCK BEACH"; THENCE NORTH 01 DEGREES 27 MINUTES 08 SECONDS WEST, A DISTANCE OF 968.01 FEET TO THE POINT OF BEGINNING.

EXHIBIT "B"

SOLD PLATTED LOTS

PHASE 1A

Lots 43 through 98 of the subdivision plat of Veranda Bay Phase 1A, as recorded in Plat Book 40, Pages 59 through 64, of the Public Records of Flagler County, Florida.

PHASE 1B

Lots 145, 146, 151 152, 153, 155, 156, 160, 161, 162, 163, 166, 167, 168, 169, 170, 171, 172, 173, 174, 177, 179, 184, 185, 187, 188, 192, 193, 194, 195, 196 and 197 of the subdivision plat of Veranda Bay Phase 1B, as recorded in Plat Book 41, Pages 11 through 15, of the Public Records of Flagler County, Florida.

PHASE 2A

Lots 1 through 42 and Lots 99 through 122, of the subdivision plat of Veranda Bay Phase 2A, as recorded in Plat Book 40, Pages 65 through 70, of the Public Records of Flagler County, Florida.