## LEGAL DESCRIPTION: (PARCEL 29-12-32-0000-01010-0000)

A PORTION OF SECTIONS 29 AND 30, TOWNSHIP 12 SOUTH, RANGE 32 EAST, FLAGLER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS; FROM THE SOUTHEAST CORNER OF LOT 31, OCEAN PALM SUBDIVISION, RECORDED IN MAP BOOK 5, PAGE 70, OF THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA, AS THE POINT OF BEGINNING, RUN ALONG THE BOUNDARY OF SAID OCEAN PALM SUBDIVISION, SOUTH 88 DEGREES 22 MINUTES 14 SECONDS WEST A DISTANCE OF 676.36 FEET; THENCE SOUTH 20 DEGREES 17 MINUTES 35 SECONDS EAST A DISTANCE OR 1032.06 FEET; THENCE SOUTH 23 DEGREES 41 MINUTES 30 SECONDS EAST A DISTANCE OF 720.11 FEET; THENCE DEPARTING SAID BOUNDARY, RUN SOUTH 16 DEGREES 35 MINUTES 48 SECONDS EAST A DISTANCE OF 163.31 FEET; THENCE SOUTH 23 DEGREES 40 MINUTES 41 SECONDS EAST A DISTANCE OF 190.01 FEET; THENCE SOUTH 66 DEGREES 20 MINUTES 13 SECONDS WEST A DISTANCE OF 79.93 FEET; THENCE SOUTH 23 DEGREES 43 MINUTES 08 SECONDS EAST ALONG THE EASTERLY RIGHT-OF-WAY LINE OF OCEAN PALM DRIVE, A 50 FOOT RIGHT-OF-WAY, A DISTANCE OR 254.37 FEET; THENCE DEPARTING SAID RIGHT-OF-WAY LINE, RUN ALONG THE BOUNDARY OF OCEAN PALM VILLA II, RECORDED IN MAP BOOK 11, PAGE 27, OR THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA, NORTH 88 DEGREES 26 MINUTES 53 SECONDS EAST A DISTANCE OF 464.85 FEET; THENCE SOUTH 21 DEGREES 50 MINUTES 13 SECONDS EAST A DISTANCE OF 29.89 FEET THENCE ALONG THE BOUNDARY OF OCEAN PALM VILLA III, RECORDED IN MAP BOOK 16, PAGE 1, OF THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA AND THE EXTENSION THEREOF, NORTH 88 DEGREES 26 MINUTES 53 SECONDS EAST A DISTANCE OF 164.59 FEET: THENCE NORTH 75 DEGREES 47 MINUTES 32 SECONDS EAST A DISTANCE OF 128.87 FEET: THENCE DEPARTING SAID BOUNDARY, RUN ALONG THE BOUNDARY OF PALM HAVEN SUBDIVISION, RECORDED IN MAP BOOK 27, PAGE 27, OF THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA, NORTH 21 DEGREES 48 MINUTES 08 SECONDS WEST A DISTANCE OF 1059.90 FEET; THENCE RUN NORTH 68 DEGREES 11 MINUTES 52 SECONDS EAST A DISTANCE OF 100.00 FEET TO THE WESTERLY R/W LINE OF SOUTH CENTRAL AVENUE, A 50' R/W; THENCE NORTH 21 DEGREES 48 MINUTES 08 SECONDS WEST ALONG SAID R/W LINE A DISTANCE OF 300.00 FEET; THENCE DEPARTING SAID R/W LINE, RUN SOUTH 68 DEGREES 11 MINUTES 52 SECONDS WEST A DISTANCE OF 100.00 FEET; THENCE NORTH 21 DEGREES 48 MINUTES 08 SECONDS WEST A DISTANCE OF 1032.43 FEET TO THE POINT OF BEGINNING.

## LESS AND EXCEPT THE FOLLOWING:

A PORTION OF SECTION 29 AND 30, TOWNSHIP 12 SOUTH, RANGE 32 EAST, FLAGLER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS: FROM THE NORTHEAST CORNER OF PALM HAVEN SUBDIVISION, AS RECORDED IN PLAT BOOK 27, PAGE 27, OF THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA, BEING ON THE WESTERLY RIGHT-OF-WAY LINE OF SOUTH CENTRAL AVENUE; A 50 FOOT RIGHT-OF-WAY, RUN NORTH 21 DEGREES 48 MINUTES 08 SECONDS WEST ALONG SAID WESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 130.00 FEET TO THE POINT OF BEGINNING; THENCE DEPARTING SAID RIGHT-OF-WAY LINE, RIGHT SOUTH 68 DEGREES 11 MINUTES 52 SECONDS WEST, A DISTANCE OF 86.00 FEET; THENCE SOUTH 59 DEGREES 08 MINUTES 59 SECONDS WEST, A DISTANCE OF 109.23 FEET; THENCE SOUTH 02 DEGREES 29 MINUTES 39 SECONDS EAST, A DISTANCE OF 400.00 FEET; THENCE SOUTH 87 DEGREES 30 MINUTES 21 SECONDS WEST, A DISTANCE OF 220.00 FEET; THENCE NORTH 02 DEGREES 29 MINUTES 39 SECONDS WEST, A DISTANCE OF 495.00 FEET; THENCE NORTH 68 DEGREES 11 MINUTES 52 SECONDS EAST, A DISTANCE OF 240.09 FEET; THENCE SOUTH 21 DEGREES 48 MINUTES 08 SECONDS EAST, A DISTANCE OF 105.22 FEET; THENCE NORTH 68 DEGREES 11 MINUTES 52 SECONDS EAST, A DISTANCE OF 130.00 FEET TO THE WESTERLY RIGHT-OF-WAY LINE OF SAID SOUTH CENTRAL AVENUE; THENCE SOUTH 21 DEGREES 48 MINUTES 08 SECONDS EAST, A DISTANCE OF 105.22 FEET; THENCE NORTH 68 DEGREES 11 MINUTES 52 SECONDS EAST, A DISTANCE OF 130.00 FEET TO THE WESTERLY RIGHT-OF-WAY LINE OF SAID SOUTH CENTRAL AVENUE; THENCE SOUTH 21 DEGREES 48 MINUTES 08 SECONDS EAST ALONG SAID WESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 40.00 FEET TO THE POINT OF BEGINNING.

> S66° 20' 13"W 79.93' (D) FOUND 1" IRON PIPE S66°20'28"W (NO ID) FOUND 3/4" IRON PIPE (NO ID) CORNER FALLS IN WATE FOUND 3/4" IRON PIPE (NO ID) FOUND 4"X4" CM WITH 1/2" IRON ROD "NO ID" FOUND 5/8" IRON ROD "PLS NO. 3254 PLS NO. 3794" BOUNDARY OF OCEAN PALM VILLA III & IT'S EXTENSION THEREOF FOUND 5/8" IRON ROD 'NO IE FOUND 4"X4" CM WITH IAIL "NO ID

## LEGAL DESCRIPTION: (PARCEL 29-12-32-0000-01010-0010)

A PORTION OF SECTION 29 AND 30, TOWNSHIP 12 SOUTH, RANGE 32 EAST, FLAGLER COUNTY, FLORIDA, DESCRIBED AS FOLLOWS: FROM THE NORTHEAST CORNER OF PALM HAVEN SUBDIVISION, AS RECORDED IN PLAT BOOK 27, PAGE 27, OF THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA, BEING ON THE WESTERLY RIGHT-OF-WAY LINE OF SOUTH CENTRAL AVENUE; A 50 FOOT RIGHT-OF-WAY, RUN NORTH 21 DEGREES 48 MINUTES 08 SECONDS WEST ALONG SAID WESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 130.00 FEET TO THE POINT OF BEGINNING; THENCE DEPARTING SAID RIGHT-OF-WAY LINE, RIGHT SOUTH 68 DEGREES 11 MINUTES 52 SECONDS WEST, A DISTANCE OF 86.00 FEET; THENCE SOUTH 59 DEGREES 08 MINUTES 59 SECONDS WEST, A DISTANCE OF 109.23 FEET; THENCE SOUTH 02 DEGREES 29 MINUTES 39 SECONDS EAST, A DISTANCE OF 400.00 FEET; THENCE SOUTH 87 DEGREES 30 MINUTES 21 SECONDS WEST, A DISTANCE OF 220.00 FEET; THENCE NORTH 02 DEGREES 29 MINUTES 39 SECONDS WEST, A DISTANCE OF 495.00 FEET; THENCE NORTH 68 DEGREES 11 MINUTES 52 SECONDS EAST, A DISTANCE OF 240.09 FEET; THENCE SOUTH 21 DEGREES 48 MINUTES 08 SECONDS EAST, A DISTANCE OF 105.22 FEET; THENCE NORTH 68 DEGREES 11 MINUTES 52 SECONDS EAST, A DISTANCE OF 130.00 FEET TO THE WESTERLY RIGHT-OF-WAY LINE OF SAID SOUTH CENTRAL AVENUE; THENCE SOUTH 21 DEGREES 48 MINUTES 08 SECONDS EAST, A DISTANCE OF 105.22 FEET; THENCE NORTH 68 DEGREES 11 MINUTES 52 SECONDS EAST, A DISTANCE OF 130.00 FEET TO THE WESTERLY RIGHT-OF-WAY LINE OF SAID SOUTH CENTRAL AVENUE; THENCE SOUTH 21 DEGREES 48 MINUTES 08 SECONDS EAST ALONG SAID WESTERLY RIGHT-OF-WAY LINE, A DISTANCE OF 40.00 FEET TO THE POINT OF BEGINNING.

**OCEAN PALM GOLF CLUB** FOUND 5/8" IRON ROD PARCEL 29-12-32-0000-01010-0000 (NO ID) & PARCEL 29-12-32-0000-01010-0010 (36.905 ACRES +/-) N02° 29' 39"W 495.00' (D) LESS & EXCEPT PARCEL 29-12-32-0000-01010-0000 SAME AS PARCEL 29-12-32-0000-01010-0010 02° 29' 39"E 400.00' **POINT OF BEGINNING** (LESS & EXCEPT) OUND 3/4" IRON PIPE FOUND 4"X4" CM WITH 1/2" IRON ROD "NO ID" POINT OF COMMENCEMENT (LESS & EXCEPT) NORTHEAST CORNER OF PALM HAVEN SUBDIVISION FOUND 1/2" IRON ROD (NO ID) SCALE: 1"=100' (Horiz.) Line Table

SET 5/8" IRON ROD & CAP

"I R7917"

SURVEYOR'S CERTIFICATION I HEREBY CERTIFY THAT TO THE BEST OF MY KNOWLEDGE AND BELIEF, THIS BOUNDARY AND TOPOGRAPHIC SURVEY IS A TRUE, ACCURATE AND COMPLETE DEPICTION OF A FIELD SURVEY PERFORMED UNDER MY DIRECTION AND COMPLETED ON MAY 14, 2024.		BOUNDARY & TOPOGRAPHIC SURVEY OF OCEAN PALMS GOLF COURSE FOR OCEAN PALMS GOLF CLUB LLC			
JAMES LEVINER, PSM FLORIDA CERTIFICATE No. 6915 McKIM & CREED, INC.	DATE	SEAL	DATE: MAY 14, 2024 PORTIONS OF SECTIONS 29 & 30, TOWNSHI	SCALE: AS NOTED	

LEGEND

CHAIN LINK FENCE

CONCRETE MONUMENT

POLYVINYL CHLORIDE

WOOD BOARD FENCE

CORRUGATED METAL PIPE

CORRUGATED PLASTIC PIPE

DEED

CLF


СМ

CMP

CPP

PVC WBF





- 1. THIS IS A BOUNDARY & TOPOGRAPHIC SURVEY OF FLAGLER COUNTY PARCEL NUMBER 29-12-32-0000-01010-0000 & 29-12-32-0000-01010-0010, KNOWN AS OCEAN PALMS GOLF CLUB, LOCATED AT 3600 SOUTH CENTRAL AVENUE, FLAGLER BEACH, FLORIDA. THIS SURVEY IS INTENDED TO SHOW EXISTING TOPOGRAPHIC FEATURES TO AID IN ENGINEERING DESIGN. INTENDED TOPOGRAPHIC FEATURES INCLUDE, BUT ARE NOT LIMITED TO, ROADS, STORM AND SANITARY STRUCTURES, ABOVE GROUND UTILITIES, AND MAJOR GRADE BREAKS.
- 2. ALL DISTANCES SHOWN ARE HORIZONTAL GROUND DISTANCES IN U.S. FEET (UNLESS OTHERWISE STATED).
- 3. BEARINGS SHOWN HEREON ARE BASED ON THE FLORIDA STATE PLANE COORDINATE SYSTEM, EAST ZONE, NORTH AMERICAN DATUM (NAD) OF 1983 WITH 2011 ADJUSTMENT AS DERIVED FROM THE FLORIDA DEPARTMENT OF TRANSPORTATION PERMANENT REFERENCE NETWORK (FPRN). AS A REFERENCE FOR THIS SURVEY, THE SOUTH BOUNDARY OF OCEAN PALM SUBDIVISION AS RECORDED IN MAP BOOK 5, PAGE 70 OF THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA HAVING A BEARING OF SOUTH 89°31'02" WEST.
- 4. ELEVATIONS SHOWN HEREON ARE BASED ON NATIONAL GEODETIC SURVEY BENCHMARK SMITH (AQ0988), SAID POINT BEING A CONCRETE MONUMENT WITH BRASS DISK STAMPED "SMITH 1934" . SAID POINT HAVING AN ELEVATION OF 19.16 FEET, PURSUANT TO THE NORTH AMERICAN VERTICAL DATUM OF 1988.
- ACCORDING TO FEDERAL EMERGENCY MANAGEMENT AGENCY'S FLOOD INSURANCE RATE MAP (FIRM) MAP NUMBER 12035C0261E, FLAGLER COUNTY, FLORIDA, EFFECTIVE DATE OF JUNE 6, 2018, THE PROPERTY DESCRIBED HEREON LIES WITHIN ZONES "AE", "X" (AREAS OUTSIDE OF THE 0.2% ANNUAL CHANCE FLOODPLAIN) AND "SHADED X" (0.2% ANNUAL CHANCE FLOODPLAIN).
- 6. UNDERGROUND IMPROVEMENTS, ENCROACHMENTS, FOUNDATIONS AND/OR UTILITIES WERE NOT LOCATED AS PART OF THIS SURVEY UNLESS OTHERWISE SHOW.
- 7. THIS SURVEY WAS PREPARED WITHOUT THE BENEFIT OF A TITLE COMMITMENT, SURVEYOR HAS MADE NO INVESTIGATION OR INDEPENDENT SEARCH FOR EASEMENTS OF RECORD, ENCUMBRANCES, RESTRICTIVE COVENANTS, OWNERSHIP, TITLE EVIDENCE, OR ANY OTHER FACTS THAT AN ACCURATE AND CURRENT TITLE SEARCH MAY DISCLOSE
- 8. NORTH-SOUTH AND EAST-WEST TIES TO FOUND MONUMENTATION AND IMPROVEMENTS ARE BASED ON CARDINAL DIRECTION.
- 9. WETLAND AREAS, IF EXISTING, WERE NOT ADDRESSED AS A PART OF THIS SURVEY.
- 10. THIS SURVEY IS NOT VALID WITHOUT THE ORIGINAL SIGNATURE AND SEAL OF A FLORIDA LICENSED SURVEYOR AND MAPPER.
- 11. THIS SURVEY MEETS THE STANDARDS OF PRACTICE AS SET FORTH IN CHAPTER 5J-17 OF THE FLORIDA ADMINISTRATIVE CODE.
- 12. ALL OFFICIAL RECORDS SHOWN HEREON ARE REFERENCED TO THE PUBLIC RECORDS OF FLAGLER COUNTY, FLORIDA.
- 13. TOTAL AREA = 36.905 ACRES

PROJECT #: 09907-0001
PROJ. SVYR : JDL
DRAWN BY : JDL
FIELD BK. : Book
COMP. FILE : 099070001
SHEET #: 1 OF 5

FL (EAST)

NAD 83/2011



DATE	REVISION	BY

DWG. #: 01

BEARING | DISTANCE

30.08′

29.89′

S21°46′29″E

L1(D) | S21°50′13″E |

Line #

\_\_\_\_1




ROJECT # :	09907-0001		DATE	REVISION	BY
ROJ. SVYR :	JDL				
RAWN BY :		MCKIM&CREED			
FIELD BK. :		123 North Industrial Drive, Suite D			
OMP. FILE : SHEET # :		Orange City, Florida 32792			
SHEET #.	2 OF 3	Ph.: (386) 873-4517, Fax: (386) 873-4518			
		LB 7917			
<b>D</b> 140 #		Internet Site: http://www.mckimcreed.com			
DWG. # :	01	internet Site. http://www.inckinicreed.com	$\square$		$\bot$



PORTIONS OF SECTIONS 29 & 30, TOWNSHIP 12 SOUTH, RANGE 32 EAST, FLAGLER CO.

PROJECT # : 0990	07-0001		$\mathcal{M}$	DATE	REVISION	BY
PROJ. SVYR : JDL	.		П			
DRAWN BY: JDL		MCKIM&CREED	IF			
FIELD BK. : Boo	k					- 1
COMP. FILE: 0990	070001	123 North Industrial Drive, Suite D				
SHEET # : 3	OF 5	Orange City, Florida 32792	ш			
-		Ph.: (386) 873-4517, Fax: (386) 873-4518 LB 7917	IF			
		Internet Site: http://www.mckimcreed.com				
DWG. #: 01	八	internet Site. http://www.htckinicleed.com	八			レノ





PORTIONS OF SECTIONS 29 & 30, TOWNSHIP 12 SOUTH, RANGE 32 EAST, FLAGLER CO.

- CONCRETE SLAB

6.0 ×



PROJECT #: 09907-0001		DATE	REVISION	BY
ROJ. SVYR : JDL				
DRAWN BY : JDL	I SMCKIM&CREED			
FIELD BK. : Book COMP. FILE : 099070001	123 North Industrial Drive, Suite D			
SHEET #: 4 OF 5	Orange City, Florida 32792			
	Ph.: (386) 873-4517, Fax: (386) 873-4518 LB 7917			
DWG. #: 01	Internet Site: http://www.mckimcreed.com			+

