

Fire Catt, LLC

3250 W. Big Beaver Rd., Suite 544
Troy, MI 48084
248-643-7200
mguthrie@firecatt.com
www.firecatt.com



Service Invoice

BILL TO
David Flagg
Forest Park Fire Department
Battalion Chief David Flagg
2336 Anvil Block Road
Forest Park, GA 30297

SERVICE INVOICE 15211
DATE 10/19/2024
TERMS Due on receipt

P.O. NUMBER
Verbal

QTY	DESCRIPTION	RATE	AMOUNT
30,280	Fire hose testing utilizing Fire Catt's Labor	0.38	11,506.40
40	Nozzle testing using FireCATT labor	10.00	400.00

Please Remit Payment to:
Fire Catt, LLC
3250 W. Big Beaver Rd., Suite 544
Troy, MI 48084

BALANCE DUE \$11,906.40

Price reflects COLA increase.

FEID #: 20-8014947

If payment is not made within 45 days, a 1% service charge will be added per month for all outstanding balances.



www.firecatt.com

3250 West Big Beaver Ste., 544 Troy, MI 48084

248-643-7200

Fax 248-643-4540

Service Test Agreement

Fire Department: Forest Park Fire Department 4539 Jonesboro Road Forest Park, GA 30297	P.O. Number:	Annual Testing for Years: 2022, 2023, 2024
Fire Department Contact: Battalion Chief David Flagg	Mobile/Emergency Contact Phone: 404-608-2373	Email: dflagg@forestparkga.gov

Test Season Requested: (circle) Jan.-Mar. April - June July - Sept. Oct. - Dec.

Estimated Hose Footage:	FireCatt Option:	Price Per Foot:	Total Cost:
25,000'	Option 1 All FireCatt Labor	\$0.35	\$8,750.00
Estimated Ground Ladder Footage:			
N/A	Ladders tested simultaneously with hose	\$2.50	N/A
Nozzle/Appliance 150		\$10.00	\$1,500.00
Grand Total			\$10,250.00

Terms: Due upon receipt, in the event payment is not made within 45 days, a service charge of 1% per month for all outstanding balances will be due FireCatt. Due to the unpredictability of energy, travel, & labor expense post COVID-19, pricing is subject to annual cost of living adjustments or an appropriate surcharge. Pricing is based on Fire Departments estimate of footage, invoicing is based on actual feet tested. Hose report is documented on a per department basis. Documentation on a per apparatus or station basis must be pre-arranged and subject to additional cost. **Minimum Charge-** Fire Departments with under 5,600' of hose to test will be subject to a minimum charge of \$1,957.00.

Fire Hose Testing Service Includes:

- Service pressure test per NFPA 1962 Standard latest edition, patented technology designed for safety, accuracy, and speed
- Identification number assigned to each length of hose using a FireCatt bar code label on each coupling and redundant marking on the hose jacket at each end
- Inspect-outer jacket, inner liner, coupling, and threads
- Inspect gaskets, replace as required
- Lubricate all couplings using fire hose manufacturer approved 100% silicone lubricant
- Lubricate all apparatus connection points using marine grade "Never Seize"
- Tag all defective hose, mark defect location on hose, remove from service

- Record all data accurately, provide testing report in hard copy, electronically that can dovetail into your existing software, and via internet access on our secure servers
- Unload and reload all hose to meet your specifications when FireCatt labor is provided

Ground Ladder Testing Service Includes:

- Service Test per NFPA 1932 Standard latest edition, using digital load cell technology
- Identification number assigned to each ladder using a FireCatt bar code label
- Heat sensor label applied to each ladder if current label is out of date
- Report data as outlined above

Customer Responsibilities:

At FireCatt our number one goal is 100% Customer Satisfaction while providing the Fastest, Safest, MOST Accurate fire hose and ground ladder testing in the Nation!

Experience has shown us that annual service testing REQUIRES a Collaborative Approach to ensure a successful testing program!

Therefore, the Customer Responsibilities are as follows:

1. **Test Site:** Provide a paved test site (asphalt or concrete – **grass or gravel are NOT acceptable**) with minimum dimensions of 300' x 60'. The larger the test site the more efficient the test process. Note: if the test site requires third party approval, the Fire Department must obtain this approval prior to FireCatt's arrival.
2. **Water Source:** Water for testing to be provided via fire hydrant. In those communities where fire hydrants are not available a standpipe or tender may be used. FireCatt requires a minimum of 35 psi from any water source. The Fire Department is required to operate their tender.
3. **Rack/Spare fire hose:** The FireCatt test process begins with testing spare fire hose. The Fire Department must have all spare hose at the test site by 8:00am the first day of testing. Apparatus hose test to follow spare hose test.
4. **Onsite Contact:** The Fire Department must provide an on-site single point of contact with authority for directing the days testing and who will be responsible for the following:
 - a. Driving apparatus including driving out Large Diameter Hose. **NOTE: FireCatt WILL NOT drive fire department apparatus!**
 - b. Reviewing FireCatt's Pre-Test Survey with the FireCatt Team Leader so that all parties are on the same page for the test day expectations.
 - c. Insure the timely presentation of apparatus/hose for testing. The FireCatt/Fire Department cadence must match up to avoid down time. FireCatt would prefer to have the next apparatus for testing on-site 30 minutes prior to testing of that apparatus. This will ensure the most efficient test process.
 - d. Reviewing and signing off on each individual FireCatt Apparatus Doc Sheet indicating that FireCatt has re-loaded your apparatus correctly.
5. **Out of Service Apparatus:** It is the responsibility of the Fire Department to ensure all fire hose/Ground ladders are presented for testing. FireCatt's schedule does not allow for returning to test out of service apparatus hose.
6. **Fire Department Labor:** FireCatt Option 2 requires the Fire Department to re-load their apparatus. If Option 2 applies to your department, you must have the appropriate number of fire fighters engaged in the process to match the cadence of the FireCatt test process.
7. **Special Requests:** Any special requests or "change orders" outside of the FireCatt quotation/agreement MUST be negotiated prior to the first day of testing.
8. **Cancellation Policy:** Any last-minute cancellations will be subject to a cancellation fee to cover any costs of travel incurred to service your department.