



**FOREST PARK
DOWNTOWN STREETScape
Phase 2A – MAIN STREET
PROJECT NO.: 05192022P.I.#0007949**

**CHANGE ORDER
NO. 1**

Date of Issuance: AUGUST 16, 2023

Effective Date: August 16, 2023

Owner: CITY OF FOREST PARK, GEORGIA

Owner's Contract No.: 05192022P.I.#0007949

Project: 2023 LMIG PROGRAM

Notice to Proceed: SEPTEMBER 12, 2022

Contractor: BRTU CONSTRUCTION, INC

Engineer's Project No.: N/A

The Contract Documents are modified as follows upon execution of this Change Order:

Description: ADDITIONAL ITEMS REQUIRED BY THE PROJECT DUE TO UNFORESEEN EXISTING CONDITIONS, TIME DELAYS CAUSED BY THE UTILITY RELOCATIONS AND ADDITIONAL WORK REQUESTED BY THE CITY

Attachments (list documents supporting change):

COPIES OF REQUESTED CHANGE ORDERS FROM "BRTU CONSTRUCTION".

CHANGE IN CONTRACT PRICE:

CHANGE IN CONTRACT TIMES:

Original Contract Price:

Original Contract Times: 240 Calendar days

\$ 2,054,93.23

Substantial completion days: 210 Calendar days

Ready for final payment days: 240 Calendar days

Change from previously approved Change Orders No.: N/A

Change from previously approved Change Orders No. : N/A

\$ 0.00

Substantial completion (days): N/A

Ready for final payment (days): N/A

Contract Price prior to this Change Order:

Contract Times prior to this Change Order:

\$ 2,054,93.23

Substantial completion days: 210Calendar days

Ready for final payment days: 240 Calendar days

INCREASE of this Change Order:

Additional Contract Time Change for this Change Order:

\$ 142,673.88

Substantial completion (days or date): **SEPT. 15, 2023**

Ready for final payment (days or date): **SEPT. 30, 2023**

Contract Price incorporating this Change Order:

Contract Times with all approved Change Orders:

\$ 2,197,167.10

Substantial completion (days or date): **SEPT. 15, 2023**

Ready for final payment (days or date): **SEPT. 30, 2023**

RECOMMENDED:

ACCEPTED:

ACCEPTED:

By:  _____

By: _____

By: _____

Falcon Design Consultants, LLC

City Of Forest Park, Ga

BRTU Construction, Inc

Date: AUGUST 16, 2023

Date: _____

Date: _____

Change Order

Instructions

A. GENERAL INFORMATION

This document was developed to provide a uniform format for handling contract changes that affect Contract Price or Contract Times. Changes that have been initiated by a Work Change Directive must be incorporated into a subsequent Change Order if they affect Price or Times.

Changes that affect Contract Price or Contract Times should be promptly covered by a Change Order. The practice of accumulating Change Orders to reduce the administrative burden may lead to unnecessary disputes.

If Milestones have been listed in the Agreement, any effect of a Change Order thereon should be addressed.

For supplemental instructions and minor changes not involving a change in the Contract Price or Contract Times, a Field Order should be used.

B. COMPLETING THE CHANGE ORDER FORM

Engineer normally initiates the form, including a description of the changes involved and attachments based upon documents and proposals submitted by Contractor, or requests from Owner, or both.

Once Engineer has completed and signed the form, all copies should be sent to Owner or Contractor for approval, depending on whether the Change Order is a true order to the Contractor or the formalization of a negotiated agreement for a previously performed change. After approval by one contracting party, all copies should be sent to the other party for approval. Engineer should make distribution of executed copies after approval by both parties.

If a change only applies to price or to times, cross out the part of the tabulation that does not apply.



BRTU CONSTRUCTION, INC.

October 3, 2022

Skip Layton
Falcon Design Consultants, LLC
235 Corporate Center Dr, Ste 200
Stockbridge, GA 30281

Re: Forest Park Downtown Streetscape Project

Subject. Change Proposal #1: Concrete Curb & Gutter 6x24 Type 2

Dear Skip,

BRTU Construction is hereby proposing cost for installation of Concrete Curb and Gutter per your instruction in response to RFI#1.

Our cost proposal below includes Material, Labor, Equipment and all necessary supervision to complete the curb and gutter per plan and specification.

Item #	Description	Qty	Unit	Unit Price	TOTAL
1	Installation of Concrete Curb & Gutter, GDOT 6x24, Type 2	3700	LF	\$36.5	\$135,050.00
Total					\$135,050.00

Sincerely Yours,

A handwritten signature in black ink, appearing to read "Sintayehu Arede".

Sintayehu Arede
President



BRTU CONSTRUCTION, INC.

Novemebr 8, 2022

Skip Layton
Falcon Design Consultants, LLC
235 Corporate Center Dr, Ste 200
Stockbridge, GA 30281

Re: Forest Park Downtown Streetscape Project

Subject. Change Proposal #2: Unsuitable subgrade replacement from Sta 21+45 L

Dear Skip,

BRTU Construction is hereby proposing cost for removal of unsuitable subgrade soil from under Curb & Gutter and sidewalk starting from approximate station 21+45 based upon geotechnical investigation and recommendation of the testing company (Please see attached report).

Our cost proposal below includes Material, Labor, Equipment, and all necessary supervision to complete the activities listed.

Item #	Description	Qty	Unit	Unit Price	TOTAL
1	Cut and remove all excess unsuitable subgrade soil.	48	CY	\$25.00	\$1,200.00
2	Surge-stone between stations 21+40 & 22+40 L	90	Ton	\$48.00	\$4,320.00
3	No. 57 stone	18	ton	\$46.00	\$828.00
3	Extra GAB	4	ton	\$42.00	\$168.00
Subtotal					\$6,516.00
O&P (15%)					\$977.400
TOTAL					\$7,493.40

I appreciate your prompt approval

Sincerely Yours,

Sintayehu Areda
President

Encl.: Geotechnical report and recommendation (1 page)



CONSTRUCTION MATERIALS SERVICES, INC.
105 Park 42 Drive Suite A; Locust Grove, GA 30248-2545
Phone: (770) 914-1744 Fax: (770) 914-0412
Email: info@cmsnatl.com

Geotechnical Engineering - Materials Testing - Asphalt Mix Design - Soil Surveys – Environmental

November 8, 2022

BRTU Construction
6105 Lees Mill Rd
Forest Park, GA 30297

Attention: Sintayehu Areda

Subject: Forest Park Streetscapes Soils Issues – Curb & Gutter and Sidewalk

Dear Mr. Areda,

On November 8, 2022, Jerrell Welch, Field Technician Manager with CMS, arrived on site to address the unstable soils under the curb & gutter and a portion of the sidewalk on the north side of Main Street starting at Sta 21+45 and continuing to Sta 22+40. Remove and replace the unsuitable soils “excessive organics” under the curb & gutter and the sidewalk area approximately 3.5’ in depth. For this deep repair area compact soil, place a layer of heavy geotextile woven fabric, eighteen (18) inches of baby surge stone, choke off with a layer of #57 stone, and complete to grade with the typical section. The surge stone layer shall be placed in 6 inch lifts and consolidated “keyed in” with a jumping jack tamper.

Beginning at Sta 22+40 and continuing up Phillips Drive to the first utility pole on the north side, remove an additional six (6) inches of soil under the curb and gutter, compact bottom, and replace with six (6) inches of compacted GAB over a heavy duty woven geotextile fabric.

If you have any questions, please telephone us at: (770) 914-1744 or via email.

Respectfully submitted,


Andrew Johnson, P.E.





BRTU CONSTRUCTION, INC.

December 21, 2022

Skip Layton
Falcon Design Consultants, LLC
235 Corporate Center Dr, Ste 200
Stockbridge, GA 30281

Re: Forest Park Downtown Streetscape Project
Subject: Change Proposal #3: Overall site modification per drawings provided on 12/08/2022

Dear Skip,

As you know, the subject project was modified with a revised drawing dated 12/08/22 and the changes affected some completed work as well as remaining items under construction. The changes include but not limited to: changing pedestrian pavers to Aprons, extending sidewalks beyond previous project limits, etc.

Accordingly, BRTU Construction is hereby submitting cost proposal for these sitewide modifications. Below is a summary of breakdown of costs associated to the change

Item #	Description	Qty	Unit	Unit Price	TOTAL
1	Remove, haul off and discard curb and gutter	550	LF	\$18.00	\$9,900.00
2	Install New Curb & Gutter with Apron	550	LF	\$36.50	\$20,075.00
3	Expense associated to paver material supply changes, stocking fee etc.	1	LS	\$21,595	\$21,595.00
4	Other Miscellaneous changes such as Catch basins	1	LS	\$7,800.00	7,800.00
5	Extended Performance Cost for 60 extra days (see attached breakdown of costs for extended performance)	1	LS	\$94,940.00	\$94,940.00
Subtotal					\$154,310.00
O&P (15%)					\$23,146.5
Change Proposal#3 TOTAL					\$177,456.5

We hereby request additional **time extension of 60 days** for these scope modifications.

We appreciate your prompt approval

Sincerely Yours,

Sintayehu Areda

Encl: Breakdown of Extended performance costs (1 page), and Revised Schedule of Values (2 Pages)

COST BREAKDOWN OF EXTENDED PERFORMANCE COSTS (Attachment to CP#3)

Traffic ctrl & Erosion Ctrl

Line No	DESCRIPTION	UNIT	QTY.	UNIT COST	TOTAL AMOUNT
1	Traffic control devices (drums, vertical pannels, etc)	Mo	2.00	3,500.00	7,000.00
2	Two men traffic control crew for Setting up traffic ctrl devices and maintaining - 8 hrs/day - 5 days a week	Man-Hrs	720.00	35.00	25,200.00
3	Water Quality Inspection	MO	2.00	495.00	990.00
				subtotal	33,190.00

Project Management & Other time related expenses

Line No	DESCRIPTION	UNIT	QTY.	UNIT COST	TOTAL AMOUNT
3	Project Manager - 33% input	MO	1.00	\$ 12,000.00	\$ 12,000.00
4	Superintendent	MO	2.00	\$ 8,350.00	\$ 16,700.00
5	Project/Office Engineer - 50% input	MO	1.00	\$ 8,350.00	\$ 8,350.00
6	Safety and traffic control manager - 25% input	MO	0.50	\$ 10,000.00	\$ 5,000.00
7	Transportation - Management	VEH-MO	5.50	\$ 3,000.00	\$ 16,500.00
10	Additional Land Surveying services	LS	1.00	\$ 3,200.00	\$ 3,200.00
				Subtotal	\$ 61,750.00
				Total	\$ 94,940.00

REVISED SCHEDULE OF VALUE DEC-2022

ITEM NO.	DESCRIPTION OF WORK	QUANTITY	UNIT	UNIT PRICE	SCHEDULED VALUE
1	BONDS, INSURANCE	1.00	LS	\$ 52,149.00	\$ 52,149.00
2	TRAFFIC CONTROL	1.00	LS	\$ 88,000.00	\$ 88,000.00
3	MOBILIZATION	1.00	LS	\$ 383,605.00	\$ 383,605.00
4	SITE GRADING COMPLETE; INCLUDING BUT NOT LIMITED TO GRADING, DEMOLITION AND MATCHING EXISTING UTILITIES	1.00	LS	\$ 127,868.00	\$ 127,868.00
5	TEMPORARY GRASSING	1	AC	\$ 1,000.00	\$ 1,000.00
6	MULCH – WHEAT STRAW	1	TON	\$ 1,000.00	\$ 1,000.00
7	CONSTRUCTION EXIT	2	EA	\$ 3,000.00	\$ 6,000.00
8	INLET SEDIMENT TRAP: INSTALLATION, MAINTENANCE AND REMOVAL	6	EA	\$ 350.00	\$ 2,100.00
9	TEMPORARY TYPE "C" SILT FENCE: INSTALLATION, MAINTENANCE AND	4100	LF	\$ 3.30	\$ 13,530.00
10	WATER QUALITY MONITORING AND SAMPLING	4	EA	\$ 220.00	\$ 880.00
11	WATER QUALITY INSPECTION	8	MO	\$ 495.00	\$ 3,960.00
12	GRADED AGGREGATE BASE	1190	TON	\$ 37.18	\$ 44,244.20
13	MATERIAL AND "H LIME	150	TON	\$ 325.96	\$ 48,894.00
14	RECYCLED CONCRETE LEVELING, INCLUDING BITUMINOUS MATERIAL AND	5000	SY	\$ 5.64	\$ 28,200.00
15	1.5" RECYCLED ASPHALT CONCRETE 12.5 MM SUPERPAVE, GP 2 ONLY, INCLUDING BITUMINOUS MATERIAL AND "H" LIME	5000	SY	\$ 19.18	\$ 95,900.00
16	2" RECYCLED ASPHALT CONCRETE 19.0 MM SUPERPAVE, GP 1 OR 2, INCLUDING BITUMINOUS MATERIAL AND "H" LIME	0	SY	\$ 22.43	\$ -
17	BITUMINOUS TACK COAT	500	GL	\$ 4.70	\$ 2,350.00
18	MILL ASPHALT CONCRETE PAVEMENT, VARYING DEPTH	5000	SY	\$ 6.73	\$ 33,650.00
19	CLASS "A" CONCRETE, BASE OF PAVEMENT WIDENING	225	CY	\$ 302.50	\$ 68,062.50
20	ADJUST DROP INLET TO GRADE	4	EA	\$ 2,000.00	\$ 8,000.00
21	RECONSTRUCT JUNCTION BOX	4	EA	\$ 6,000.00	\$ 24,000.00
22	GRADED AGGREGATE BASE COURSE, 6" INCLUDING MATL.	396.75	TN	\$ 37.18	\$ 14,751.17
23	GRADED AGGREGATE BASE COURSE, 8" INCLUDING MATL.	0	TN	\$ 37.18	\$ -
24	6" THICK 3000 PSI CLASS "A" CONCRETE DRIVEWAY; INCLUDING BUT NOT LIMITED TO COMPACTION OF SUBGRADE, FORMING AND FINISHING (LIGHT BROOM)	1040	SY	\$ 80.00	\$ 83,200.00
25	LIMITED TO COMPACTION OF SUBGRADE, FORMING AND FINISHING (LIGHT BROOM)	40	SY	\$ 75.00	\$ 3,000.00
26	GDOT GAB BASE UNDER CURB & GUTTER; MIN. 8" THICK x 30" WIDE; COMPLETE INCLUDING COMPACTION AND GRADING	4100	LF	\$ 5.51	\$ 22,591.00
27	LIMITED TO COMPACTION OF GDOT GAB AND SUBGRADE, SAND SETTING BED AND EDGE RESTRAINT	375	SF	\$ 38.50	\$ 14,437.50
28	IMPERVIOUS BRICK PEDESTRIAN RATED PAVER; INCLUDING BUT NOT LIMITED TO COMPACTION OF GDOT GAB AND SUBGRADE, SAND SETTING BED AND EDGE RESTRAINT	8200	SF	\$ 22.00	\$ 180,400.00
29	IMPERVIOUS VEHICULAR RATED BRICK PAVER; INCLUDING BUT NOT LIMITED TO COMPACTION OF GDOT GAB AND SUBGRADE, SAND SETTING BED AND EDGE RESTRAINT	5800	SF	\$ 23.65	\$ 137,170.00
30	6" 3000 PSI CONCRETE HEADER CURB 2"-24" DEPTH; INCLUDING BUT NOT LIMITED TO COMPACTION OF GDOT GAB AND SUBGRADE	4100	LF	\$ 27.50	\$ 112,750.00
31	SAW JOINTS IN EXISTING PAVEMENT	300	LF	\$ 10.00	\$ 3,000.00
32	STAMPED ASPHALT	1000	SF	\$ 15.00	\$ 15,000.00
33	¼" STEEL WELDED HANDRAIL; INSTALLED INCLUDING BUT NOT LIMITED TO ANCHORING, AND PREPARATION OF BEARING AREAS	0	LF	\$ 77.00	\$ -
34	CONCRETE SEGMENTAL RETAINING WALL INSTALLED COMPLETE (INCLUDING BUT NOT LIMITED TO: EXCAVATION, GEOTEXTILES, DRAINAGE SYSTEMS AND THEIR CONNECTIONS TO STORM SEWERS, AGGREGATE MATERIALS, BACKFILL, ADHESIVES, AND RELATED APPURTENANCES)	0	CY	\$ 1,000.00	\$ -
35	CONCRETE REINFORCEMENT STEEL; BAR	0	LF	\$ 5.00	\$ -
36	WATERPROOFING	8	SY	\$ 50.00	\$ 400.00
37	DEMO EXISTING RETAINING WALL	1	LS	\$ 1,000.00	\$ 1,000.00
38	DIRECTIONAL BORING FOR ELECTRICAL CONDUIT	450	LF	\$ 1.00	\$ 450.00
39	ELECTRICAL PULL BOX; PB-6	13	EA	\$ 50.00	\$ 650.00
40	LIGHTING STD, SPCL. DESIGN	25	EA	\$ 100.00	\$ 2,500.00
41	CABLE, TP XHHW, AWG NO 12	1600	LF	\$ 0.20	\$ 320.00
42	CABLE, TP XHHW, AWG NO8	8800	LF	\$ 0.10	\$ 880.00
43	CABLE, TP XHHW, AWG NO6	400	LF	\$ 0.10	\$ 40.00
44	CABLE, TP HXXW, AWG NO1/0	1200	LF	\$ 0.10	\$ 120.00
45	CONDUIT, NON-METALLIC, TP 2, 2"	2600	LF	\$ 0.30	\$ 780.00
46	ELECTRICAL POWER SERVICE ASSEMBLY (UNDERGROUND SERVICE	1	EA	\$ 200.00	\$ 200.00

REVISED SCHEDULE OF VALUE DEC-2022

ITEM NO.	DESCRIPTION OF WORK	QUANTITY	UNIT	UNIT PRICE	SCHEDULED VALUE
47	VEHICULAR DIRECTIONAL SIGNAGE	4	EA	\$ 330.00	\$ 1,320.00
48	PEDESTRIAN SIGNAGE	2	EA	\$ 330.00	\$ 660.00
49	PEDESTRIAN DIRECTIONAL SIGNAGE	2	EA	\$ 330.00	\$ 660.00
50	THERMOPLASTIC TRAFFIC DIRECTIONAL ARROW TYPE 1; PER GDOT	1	EA	\$ 200.00	\$ 200.00
51	THERMOPLASTIC TRAFFIC DIRECTIONAL ARROW TYPE 1; PER GDOT	1	EA	\$ 200.00	\$ 200.00
52	THERMOPLASTIC TRAFFIC DIRECTIONAL ARROW TYPE 2; PER GDOT	2	EA	\$ 100.00	\$ 200.00
53	THERMOPLASTIC TRAFFIC DIRECTIONAL ARROW TYPE 3; PER GDOT	4	EA	\$ 200.00	\$ 800.00
54	5" WIDE WHITE THERMOPLASTIC SOLID TRAFFIC STRIPING PER GDOT	2200	LF	\$ 1.10	\$ 2,420.00
55	5" WIDE YELLOW THERMOPLASTIC SOLID TRAFFIC STRIPING PER GDOT	3640	LF	\$ 1.10	\$ 4,004.00
56	TRAFFIC STRIPING PER GDOT	100	LF	\$ 13.20	\$ 1,320.00
57	8" WIDE WHITE THERMOPLASTIC SOLID TRAFFIC STRIPING PER GDOT	350	LF	\$ 3.85	\$ 1,347.50
58	GDOT HIGHWAY SIGN; TYPE "1" MATERIAL; REFELCTIVE SHEETING TYPE "3"	100	SF	\$ 24.20	\$ 2,420.00
59	ORNAMENTAL SIGN POST	9	EA	\$ 1,848.00	\$ 16,632.00
60	PERMANENT GRASSING	0	SY	\$ 2.73	\$ -
61	AGRICULTURAL LIME	1	TN	\$ 1,056.00	\$ 1,056.00
62	FERTILIZER; NITROGEN RICH	1	TN	\$ 1,056.00	\$ 1,056.00
63	FERTILIZER; MIXED GRADE LIQUID	50	GL	\$ 9.63	\$ 481.50
64	ACER GINNALA "RED NOVEMBER"	19	EA	\$ 784.30	\$ 14,901.70
65	PRUNUS X INCAMP OKAME	4	EA	\$ 621.84	\$ 2,487.36
65A	QUERCUS X INCAMP OKAME	2	EA	\$ 800.00	\$ 1,600.00
66	LIRIOPE SPICATA	5693	EA	\$ 3.86	\$ 21,974.98
67	RHAPHIOLEPIS X DELACOURIA "GEORGIA WHITE"	19	EA	\$ 38.09	\$ 723.71
67A	BERMUDA SOD	7325	EA	\$ 2.00	\$ 14,650.00
68	TREE PROTECTION BARRIER; TYPE "2"	100	LF	\$ 7.70	\$ 770.00
69	PERMANENT MULCH – PINE STRAW	1000	SY	\$ 6.09	\$ 6,090.00
70	PLANT TOPSOIL	15	CY	\$ 71.50	\$ 1,072.50
71	8' HEAVY-DUTY POWDER COATED STEEL PARK BENCH FURNISHED AND INSTALLED INCLUDING ANCHORS AND RELATED APPURTENANCES	2	EA	\$ 1,991.00	\$ 3,982.00
72	POWDER COATED TRASH RECEPTACLES FURNISHED AND INSTALLED INCLUDING ANCHORS AND APPURTENANCES	1	EA	\$ 2,002.00	\$ 2,002.00
73	OWNER'S CONTINGENCY ALLOWANCE	1	LS	\$ 322,429.60	
CO1	CHANGE ORDER #1 : Concrete Curb & Gutter, GDOT 6x24, Type 2	3700	LF	\$ 36.50	\$ 135,050.00
CO2	CHANGE ORDER #2 : Unsuitable subgrade replacement	1	LS	\$ 7,493.40	\$ 7,493.40
CO3	CHANGE ORDER #3 : Overall Site Modification per drawing dated 12/8/22	1	LS	\$ 177,456.50	\$ 177,456.50
BALANCE REMAINING OF CONTINGENCY ALLOWANCE					\$ 2,429.70
TOTAL ORIGINAL					2,054,493.22

LEGEND	
	Eliminated/ omitted Items
	New Items
	Items with revised quantity



BRTU CONSTRUCTION, INC.

January 26, 2023

Skip Layton
Falcon Design Consultants, LLC
235 Corporate Center Dr, Ste 200
Stockbridge, GA 30281

Re: Forest Park Downtown Streetscape Project
Subject: Change Proposal #5: Rectangular Rapid Flashing Beacons

Dear Skip,

Per your request to provide proposal to provide and install two flashing beacons for the mid-block crossing at approximate station 16+90 on Main st.

Below is cost proposal for providing labor, material and equipment to .

Item #	Description	Qty	Unit	Unit Price	TOTAL
1	ECO RECTANGULAR FLASHING BEACON SYSTEM W 20 WATT SOLAR PANEL BATTERY CROSSTALK CONTROL- PUSH BUTTON AND RADIO SYSTEM - MEETS MUTCD SPECS Includes: Complete 15-foot Pole assembly and crossing sign	2	EA	8,680.00	\$17,360.00
				Subtotal	\$17,360.00
				O&P (15%)	\$2,604.00
				TOTAL	\$19,964.00

We appreciate your prompt approval of this Change proposal

Sincerely Yours,

Sintayehu Areda

Encl: Submittal Spec sheet

SLI-Eco-RRFB (Rectangular Rapid Flash Beacon)

Solar Lighting International's Rectangular Rapid Flash Beacon (RRFB) is a device using LED flashing beacons in combination with pedestrian warning signs, to provide a high-visibility strobe-like warning to drivers when pedestrians use a crosswalk. In general, RRFBs are a visual cue that pedestrians may begin crossing the roadway at any time. They are always accompanied by crosswalk markings and signs. Crosswalk RRFBs operate by wireless push button activation. When a pedestrian pushes the button to cross the street, the sign is activated and begins to flash to warn drivers of the crossing pedestrians. The flashing pattern can be activated with pushbuttons or automated (e.g., video or infrared) pedestrian detection.

Push Button Assembly:

- ▶ 2" Button with momentary switch rated at 36VDC
- ▶ 5" x 7" button fixture with crossing sign inserted

Potential Benefits:*

- ▶ RRFBs are a lower cost alternative to traffic signals
- ▶ An official FHWA-sponsored experimental implementation and evaluation conducted in St. Petersburg, Florida found that RRFBs at pedestrian crosswalks are dramatically more effective at increasing driver yielding rates to pedestrians than traditional overhead beacons.
- ▶ RRFBs stutter flash may elicit a greater response from drivers than traditional methods.

* https://safety.fhwa.dot.gov/intersection/conventional/unsignalized/tech_sum/fhwasa09009/




CrossTalk

Solar Lighting International's CrossTalk device is a compact, all-in-one solar controller, flasher, auto-dimmer and scheduler that is programmed using CrossLink or cellular service. The CrossTalk is located inside the control cabinet. CrossTalk can be used from a central office to control a single sign or multiple signs at multiple locations by programming through the web interface.

CrossTalk Activation

CrossTalk for pedestrian street crossings where people need to cross safely. Pedestrians simply press the button to activate the CrossTalk device located inside the control cabinet. The CrossTalk wirelessly activates the sign alert LEDs on both sides for the programmed amount of time.



Model SLI-Eco-RRFB Specifications

Rectangular Rapid Flashing Beacon Push Button/Crosswalk

(Meets MUTCD & ITE Standards)

Solar Panel	Maximum Power	(P max)	20W
	Voltage at Pmax	(V mp)	17.3 V
	Current at Pmax	(IMP)	1.16 A
	Short-Circuit Current	(Isc)	1.29 A
	Open-Circuit Voltage	(Voc)	21.6 V
Control Cabinet	7.5" x 11.25" x 4"	aluminum	located below solar panel
Battery	(1)	18 amp	included
Push Button	2" Button with momentary switches rated at 36VDC		
	5" x 7" Button fixture with crossing sign inserted		
Optional	Additional RRFB with mounting hardware		
	Pole with mounting hardware		
	Pedestrian Sign		
	Left Down Arrow Sign		
	Right Down Arrow Sign		
RRFB	Lighting Meets J595 for Class 1		



BRTU CONSTRUCTION, INC.

March 8, 2023

Skip Layton
Falcon Design Consultants, LLC
235 Corporate Center Dr, Ste 200
Stockbridge, GA 30281

Re: Forest Park Downtown Streetscape Project
Subject: Change Proposal #6: Concrete Steps at 917 Main Street

Dear Skip,


Because of the elevation difference between the proposed sidewalk and the walkway in the building at 917 Main Street, it is necessary to build steps. Below is a proposal to install concrete steps. Please see attached picture for information.

The cost below includes Material, labor and equipment necessary to build the item specified.

Item #	Description	Qty	Unit	Unit Price	TOTAL
1	Minimum of 2 concrete steps and landing, to connect proposed sidewalk with walkway at 917 Main St <i>(See attached detail breakdown)</i>	1	LS	\$2,850.00	\$2,850.00
Subtotal					\$2,850.00
O&P (15%)					\$427.50
TOTAL					\$3,277.50

We appreciate your prompt approval of this Change proposal.

Sincerely Yours,


Sintayehu Arede

*Encl: Detail breakdown
Pictures*

DETAIL BREAKDOWN - CONCRETE STEPS

ITEM	DESCRIPTION	UNIT	QUANTITY	LABOR		MATERIAL		EQUIPMENT		SUBCONTRACTOR		TOTAL
				UNIT PRICE (per HR)	SUB- TOTAL	UNIT PRICE	SUB- TOTAL	UNIT PRICE	SUB- TOTAL	UNIT PRICE	SUB- TOTAL	
1	CONCRETE STEPS AT 917 MAIN ST											
1	Ready Mix Concrete - 3000 PSI	CY	3.00		\$0.00	\$190.00	\$570.00		\$0.00		\$0.00	\$570.00
2	Subcontractor LABOR price (Handy Brothers) for form and pour	LS	1.00		\$0.00		\$0.00		\$0.00	\$1,200.00	\$1,200.00	\$1,200.00
3	Traffic control- flaggers (DAY RATE)	EA	2.00		\$0.00		\$0.00		\$0.00	\$200.00	\$400.00	\$400.00
4	Remove, grade and prepare area	LS	1.00	\$300.00	\$300.00		\$0.00	\$380.00	\$380.00		\$0.00	\$680.00
5					\$0.00		\$0.00		\$0.00		\$0.00	\$0.00
6					\$0.00		\$0.00		\$0.00		\$0.00	\$0.00
7					\$0.00		\$0.00		\$0.00		\$0.00	\$0.00
					\$0.00		\$0.00		\$0.00		\$0.00	\$0.00
					\$0.00		\$0.00		\$0.00		\$0.00	\$0.00
					\$0.00		\$0.00		\$0.00		\$0.00	\$0.00
SUBTOTALS					\$300.00	\$570.00	\$380.00	\$1,600.00	\$2,850.00			
											TOTAL	\$2,850.00



BRTU CONSTRUCTION, INC.

March 8, 2023

Skip Layton
Falcon Design Consultants, LLC
235 Corporate Center Dr, Ste 200
Stockbridge, GA 30281

Re: Forest Park Downtown Streetscape Project
Subject: Change Proposal #7 rev: Installation and removal of temporary work around existing poles

Dear Skip,

As we have previously discussed on site, we are requested to install temporary work around existing poles which are to be removed but are still on our way. To give continuity of pedestrian access we are installing temporary work around the poles.

The cost below includes Material, labor and equipment necessary to construct and remove the temporary work.

Item #	Description	Qty	Unit	Unit Price	TOTAL
1	Install and remove temporary work around poles to give access to pedestrians <i>(see attached breakdown)</i>	9	EA	\$1,750.00	\$15,750.00
Subtotal					\$15,750.00
O&P (15%)					\$2,362.50
TOTAL					\$18,112.50

We appreciate your prompt approval of this Change proposal.

Sincerely Yours,

Sintayehu Arede

Encl: Breakdown of costs

DETAIL BREAKDOWN - TEMPORARY WORK PER POLE LOCATION

ITEM	DESCRIPTION	UNIT	QUANTITY	LABOR		MATERIAL		EQUIPMENT		SUBCONTRACTOR		TOTAL
				UNIT PRICE (per HR)	SUB- TOTAL	UNIT PRICE	SUB- TOTAL	UNIT PRICE	SUB- TOTAL	UNIT PRICE	SUB- TOTAL	
1	Temporary construction and removal around poles - PER POLE - Average area = 10'x6'											
1	Temporary work	LS	1.00	\$240.00	\$240.00	\$350.00	\$350.00	\$200.00	\$200.00		\$0.00	\$790.00
2	Remove temporary construction	LS	1.00	\$240.00	\$240.00		\$0.00	\$300.00	\$300.00		\$0.00	\$540.00
3	Haul of and dispose removed material	LS	1.00		\$0.00		\$0.00		\$0.00	\$420.00	\$420.00	\$420.00
4					\$0.00		\$0.00		\$0.00		\$0.00	\$0.00
5					\$0.00		\$0.00		\$0.00		\$0.00	\$0.00
6					\$0.00		\$0.00		\$0.00		\$0.00	\$0.00
7					\$0.00		\$0.00		\$0.00		\$0.00	\$0.00
					\$0.00		\$0.00		\$0.00		\$0.00	\$0.00
					\$0.00		\$0.00		\$0.00		\$0.00	\$0.00
					\$0.00		\$0.00		\$0.00		\$0.00	\$0.00
SUBTOTALS					\$480.00		\$350.00		\$500.00		\$420.00	\$1,750.00
TOTAL											\$1,750.00	



BRTU CONSTRUCTION, INC.

April 15, 2023

Skip Layton
Falcon Design Consultants, LLC
235 Corporate Center Dr, Ste 200
Stockbridge, GA 30281

Re: Forest Park Downtown Streetscape Project
Subject: Change Proposal #9 New fence and other miscellaneous changed per rev 3-31-23

Dear Skip,

As per your request, we hereby submit cost proposal for the proposed new fence, additional drainage line and structure as well as other miscellaneous changes per drawing revision dated 3-31-23.

The cost below includes Material, labor, and equipment necessary to complete the proposed task.

Item #	Description	Qty	Unit	Unit Price	TOTAL
1	Remove Existing fence	800	LF	\$5.00	\$4,000.00
2	Install New Ornamental Fence, including end panels	800	LF	\$45.00	\$36,000.00
3	Install new 1019 Inlet	1	EA	\$4,600.00	\$4,600.00
4	Supply and Install 12" HDPE Pipe	1	LS	\$6,600.00	\$6,600.00
5	Core and connect storm line to existing structure	1	LS	\$850.00	\$850.00
6	Remove tree and items required for Ga power pole at NW corner of intersection	1	LS	\$1,100.00	\$1,100.00
Subtotal					\$53,150.00
O&P (15%)					\$7,972.50
TOTAL of OPTION 3					\$61,122.50

We appreciate your prompt approval of this Change proposal.

We would like to request 30 days of time extension as a result of the various changes in this proposal.

Sincerely Yours,

Sintayehu Areda



BRTU CONSTRUCTION, INC.

May 4, 2023

Skip Layton
Falcon Design Consultants, LLC
235 Corporate Center Dr, Ste 200
Stockbridge, GA 30281

Re: Forest Park Downtown Streetscape Project
Subject: Change Proposal #9: Installation of Loop Detectors at Main St & Philips Dr

Dear Skip,

As per your request, we hereby submit cost proposal for the installation of 4 each 4x4 loop detectors at the intersection of Main St and Philips Dr and 1 Each 6x6 approach loop on Main St.

The cost below includes Material, labor, and equipment necessary to complete the proposed task.

Item #	Description	Qty	Unit	Unit Price	TOTAL
1	Install 6x40' detection loops	4	EA	\$2,600	\$10,400.00
2	Install 6x0' detection loops	1	EA	\$1,750	\$1,750.00
Subtotal					\$12,150.00
O&P (15%)					\$1,822.50
TOTAL of OPTION 3					\$13,972.50

We appreciate your prompt approval of this Change proposal.

Sintayehu Areda

Encl: Material Data sheet submittal (13 pages)



Durant's STAT-A-FLEX® Signal Wire Sealants are specifically formulated to provide maximum protection to all embedded roadway and runway electrical devices and signal wire.

DURANT
PERFORMANCE COATINGS

©HNTB


▲ STAT-A-FLEX® sealants are easily applied, cure quickly and produce a tough weather and chemical resistant seal.

▲ STAT-A-FLEX® is approved for use by Federal and most State Departments of Transportation for public roadway applications across the country and in U.S. territories.

▲ STAT-A-FLEX® is approved for use by the Federal Aviation Administration (FAA) to encapsulate and protect signal wire and electrical lighting devices on airport runways.

▲ Contact Durant Performance Coatings today to find the right STAT-A-FLEX® solution for you.

STAT-A-FLEX® Signal Wire Sealants



DURANT PERFORMANCE COATINGS
112 Railroad Street • Revere, MA 02151
Phone 800.420.0021 • Fax 781.289.1405
www.durantcorp.com



The Choice of Contractors and Municipalities for

IMSA and Transportation Wire & Cable



Wire & Cable Products

- 19-1, 20-1 Solid or Stranded
- 19-3, 20-3, 40-2, 20-6, 19-2
- 50-1, 50-2, 50-3 Loop Lead-In Cable
- 51-3, 51-5, 51-7 Loop Detector Cable
- Airport Lighting Cable (600V/5kV)
- Camera Cable
- Direct Bury and Overhead Rated Distribution (Copper and Aluminum)
- Fiber Optic Cable / OSP Cable
- Figure Eight Constructions
- Galvanized Steel Strand (Guy or Span Wire)
- Innerduct / Cable-In-Duct
- Loop Sealant
- Medium Voltage Power Cable – Copper and Aluminum (2.5kV-69kV)
- MetroPlex® - Twisted Conductors Pulled as a Single Cable
- Paper Insulated Lead Cable (PILC)
- Self-Supporting Aerial Cable – Copper and Aluminum (600V-15kV)
- THHN, XHHW, XLP/USE, EPR/CPE-USE (600V-2kV)

Specialized Services

- 24/7/365 Service
- Blanket Ordering and Project Pricing
- Cable Audits
- Certified Test Reports / Certificates of Compliance
- Custom Manufactured Cable – Short Minimum Runs and Lead Times
- Custom Packaging and Product Enhancements (Striping, Printing, and Dying)
- Cut-To-Length Service
- Engineering Support (Applications, Design, Certifications, Cut Sheets)
- Inventory Management Programs (VMI)
- Long-Length Reels
- MetroSpin® – Single Compartment Reels
- Paralleling, Triplexing, and Twisting
- Personalized Sales Service
- Reel Tagging for Projects

**metro
wire**
— & CABLE CORP.
ATLANTA DETROIT IOWA CITY

(800) 633.1432

www.metrowire.net
metro@metrowire.net



Safety Data Sheet

SDS Revision Date: 05/20/2015-Q

1. Identification

1.1. Product identifier

Product Identity Stat-A-Flex Signal Wire Sealant
Alternate Names Stat-A-Flex

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use See Technical Data Sheet.
Application Method See Technical Data Sheet.

1.3. Details of the supplier of the safety data sheet

Company Name Durant Performance Coatings, Inc.
112 Railroad St.,
Revere, MA 02151

Emergency

CHEMTREC (USA) (800) 424-9300
Customer Service: Durant Performance Coatings, Inc. (800) 420-0021

2. Hazard(s) identification

2.1. Classification of the substance or mixture

Flam. Liq. 3;H226	Flammable liquid and vapor.
Acute Tox. 4;H332	Harmful if inhaled.
Skin Irrit. 2;H315	Causes skin irritation.
Eye Irrit. 2;H319	Causes serious eye irritation.
Skin Sens. 1;H317	May cause an allergic skin reaction.

2.2. Label elements

Using the Toxicity Data listed in section 11 and 12 the product is labeled as follows.



Warning



Safety Data Sheet

SDS Revision Date: 05/20/2015-Q

H226 Flammable liquid and vapor.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.

[Prevention]:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P210 Keep away from heat / sparks / open flames / hot surfaces - No smoking.
P235 Keep cool.
P240 Ground / bond container and receiving equipment.
P241 Use explosion-proof electrical / ventilating / light / equipment.
P242 Use only non-sparking tools.
P243 Take precautionary measures against static discharge.
P261 Avoid breathing dust / fume / gas / mist / vapors / spray.
P264 Wash thoroughly after handling.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves / eye protection / face protection.

[Response]:

P302+352 IF ON SKIN: Wash with plenty of soap and water.
P303+361+353 IF ON SKIN (or hair): Remove / Take off immediately all contaminated clothing. Rinse skin with water / shower.
P304+312 IF INHALED: Call a POISON CENTER or doctor / physician if you feel unwell.
P305+351+338 IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do - continue rinsing.
P308+313 IF exposed or concerned: Get medical advice / attention.
P321 Specific treatment (see information on this label).
P333+313 If skin irritation or a rash occurs: Get medical advice / attention.
P337+313 If eye irritation persists: Get medical advice / attention.
P340 Remove victim to fresh air and keep at rest in a position comfortable for breathing.
P362 Take off contaminated clothing and wash before reuse.
P363 Wash contaminated clothing before reuse.
P370+378 In case of fire: Use extinguishing media listed in section 5 of SDS for extinction.

[Storage]:

P403+233 Store in a well-ventilated place. Keep container tightly closed.
P405 Store locked up.



Safety Data Sheet

SDS Revision Date: 05/20/2015-Q

[Disposal]:

P501 Dispose of contents / container in accordance with local / national regulations.

3. Composition/information on ingredients

This product contains the following substances that present a hazard within the meaning of the relevant State and Federal Hazardous Substances regulations.

Ingredient/Chemical Designations	Weight %	GHS Classification	Notes
Styrene CAS Number: 0000100-42-5	10 - 25	Flam. Liq. 3;H226 Acute Tox. 4;H332 Skin Irrit. 2;H315 Eye Irrit. 2;H319	[1][2]
Calcium carbonate CAS Number: 0001317-65-3	10 - 25	Not Classified	[1][2]
Talc (Mg ₃ H ₂ (SiO ₃) ₄) CAS Number: 0014807-96-6	10 - 25	Not Classified	[1][2]
Glass oxide, glass CAS Number: 0065997-17-3	1.0 - 10	Eye Irrit. 2;H319	[1]
Mullite CAS Number: 0001302-93-8	1.0 - 10	not classified	[1]
Pentanedioic acid, dimethyl ester CAS Number: 0001119-40-0	1.0 - 10	Not Classified	[1]
Cobalt 2-Ethyl Hexanoate CAS Number: 0000136-52-7	0.10 - 1.0	Acute Tox. 4;H302 Skin Irrit. 2;H315 Skin Sens. 1;H317 Aquatic Chronic 2;H411	[1]

[1] Substance classified with a health or environmental hazard.

[2] Substance with a workplace exposure limit.

*The full texts of the phrases are shown in Section 16.

4. First aid measures

4.1. Description of first aid measures

General	In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person.
Inhalation	Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, give artificial respiration. If unconscious place in the recovery position and obtain immediate medical attention. Give nothing by mouth.
Eyes	Irrigate copiously with clean water for at least 15 minutes, holding the eyelids apart and seek medical attention.
Skin	Remove contaminated clothing. Wash skin thoroughly with soap and water or use a recognized skin cleanser.
Ingestion	If swallowed obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.



Safety Data Sheet

SDS Revision Date: 05/20/2015-Q

4.2. Most important symptoms and effects, both acute and delayed

Overview	No specific symptom data available. Possible cancer hazard. Contains an ingredient which may cause cancer based on animal data (See Section 3 and Section 15 for each ingredient). Risk of cancer depends on duration and level of exposure. See section 2 for further details.
Inhalation	Harmful if inhaled.
Eyes	Causes serious eye irritation.
Skin	May cause an allergic skin reaction. Causes skin irritation.

5. Fire-fighting measures

5.1. Extinguishing media

Recommended extinguishing media; alcohol resistant foam, CO₂, powder, water spray.
Do not use: water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition: No hazardous decomposition data available.
Keep away from heat / sparks / open flames / hot surfaces - No smoking.
Keep cool.
Ground / bond container and receiving equipment.
Use explosion-proof electrical / ventilating / light / equipment.
Use only non-sparking tools.
Take precautionary measures against static discharge.
Avoid breathing dust / fume / gas / mist / vapors / spray.

5.3. Advice for fire-fighters

None

ERG Guide No. 127

6. Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Put on appropriate personal protective equipment (see section 8).

6.2. Environmental precautions

Do not allow spills to enter drains or waterways.
Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

6.3. Methods and material for containment and cleaning up



Safety Data Sheet

SDS Revision Date: 05/20/2015-Q

Ventilate the area and avoid breathing vapors. Take the personal protective measures listed in section 8.

Contain and absorb spillage with non-combustible materials e.g. sand, earth, vermiculite. Place in closed containers outside buildings and dispose of according to the Waste Regulations. (See section 13).

Clean, preferably with a detergent. Do not use solvents.

Do not allow spills to enter drains or watercourses.

If drains, sewers, streams or lakes are contaminated, inform the local water company immediately. In the case of contamination of rivers, streams or lakes the Environmental Protection Agency should also be informed.

7. Handling and storage

7.1. Precautions for safe handling

The requirements of the Highly Flammable Liquids and Liquefied Petroleum Gases Regulations apply if the flashpoint is between 21°C and 32°C.

See section 2 for further details. - [Prevention]:

7.2. Conditions for safe storage, including any incompatibilities

Handle containers carefully to prevent damage and spillage.

Naked flames and smoking should not be permitted in storage areas. It is recommended that fork lift trucks and electrical equipment are protected to the appropriate standard.

Incompatible materials: No data available.

See section 2 for further details. - [Storage]:

7.3. Specific end use(s)

No data available.

8. Exposure controls and personal protection

8.1. Control parameters

CAS No.	Ingredient	Source	Exposure
			Value
0000100-42-5	Styrene	OSHA	TWA 100 ppm C 200 ppm 600 ppm (5-minute maximum peak in any 3 hours)
		ACGIH	TWA: 50 ppm STEL: 75 ppm 2B
		NIOSH	TWA 50 ppm (215 mg/m ³) ST 100 ppm (425 mg/m ³)
0000136-52-7	Cobalt 2-Ethyl Hexanoate	OSHA	PEL 0.1 mg/m ³
		ACGIH	TLV 0.02 mg/m ³
0001317-65-3	Calcium carbonate	OSHA	TWA 15 mg/m ³ (total) TWA 5 mg/m ³ (resp)
		ACGIH	TWA: 10 mg/m ³ Ceiling: 20 mg/m ³
		NIOSH	TWA 10 mg/m ³ (total) TWA 5 mg/m ³ (resp)
0014807-96-6	Talc (Mg ₃ H ₂ (SiO ₃) ₄)	OSHA	TWA 20 mppcf
		ACGIH	Containing asbestos fibres TWA: 0.1 f/cc (K) A1, 1 Containing no asbestos fibres TWA: 2 mg/m ³ (E) (respirable)



Safety Data Sheet

SDS Revision Date: 05/20/2015-Q

		NIOSH	TWA 2 mg/m3 (resp)
0065997-17-3	Glass oxide, glass	OSHA	15 mg/m3 (as nuisance dust)5 mg/m3 (respirable fraction)
		ACGIH	10 mg/m3 (as nuisance dust)5 mg/m3 (respirable fraction)

Carcinogen Data

CAS No.	Ingredient	Source	Value
0000100-42-5	Styrene	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: Yes
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No;
0014807-96-6	TALC (Mg3H2(SiO3)4)	OSHA	Select Carcinogen: No
		NTP	Known: No; Suspected: No
		IARC	Group 1: No; Group 2a: No; Group 2b: Yes; Group 3: No; Group 4: No;

8.2. Exposure controls

Respiratory

If workers are exposed to concentrations above the exposure limit they must use the appropriate, certified respirators.

Eyes

Protective safety glasses recommended

Skin

Wear overalls to keep skin contact to a minimum.

Engineering Controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and any vapor below occupational exposure limits suitable respiratory protection must be worn.

Other Work Practices

Use good personal hygiene practices. Wash hands before eating, drinking, smoking or using toilet. Promptly remove soiled clothing and wash thoroughly before reuse.

See section 2 for further details. - [Prevention]:

9. Physical and chemical properties

Appearance

Dark Gray Liquid

Odor

Pungent Styrene

Odor threshold

Not Measured

pH

Not Measured

Melting point / freezing point

Not Measured

Initial boiling point and boiling range

293°F

Flash Point

88°F

Evaporation rate (Ether = 1)

Slower than Ether

Flammability (solid, gas)

Not Applicable

Upper/lower flammability or explosive limits

Lower Explosive Limit: Not Measured

Upper Explosive Limit: Not Measured



Safety Data Sheet

SDS Revision Date: 05/20/2015-Q

Vapor pressure (Pa)	Not Measured
Vapor Density	Heavier than Air
Specific Gravity	1.2
Solubility in Water	Negligible
Partition coefficient n-octanol/water (Log Kow)	Not Measured
Auto-ignition temperature	Not Measured
Decomposition temperature	Not Measured
Viscosity (cSt)	See Data Sheet
VOC Content	250 g/L

9.2. Other information

No other relevant information.

10. Stability and reactivity

10.1. Reactivity

Hazardous Polymerization will not occur.

10.2. Chemical stability

Stable under normal circumstances.

10.3. Possibility of hazardous reactions

No data available.

10.4. Conditions to avoid

No data available.

10.5. Incompatible materials

No data available.

10.6. Hazardous decomposition products

No hazardous decomposition data available.

11. Toxicological information

Acute toxicity

Ingredient	Oral LD50, mg/kg	Skin LD50, mg/kg	Inhalation Vapor LD50, mg/L/4hr	Inhalation Dust/Mist LD50, mg/L/4hr	Inhalation Gas LD50, ppm
Styrene - (100-42-5)	2,650.00, Rat - Category: 5	No data available	12.00, Rat - Category: 4	No data available	No data available
Pentanedioic acid, dimethyl ester - (1119-40-0)	8,191.00, Rat - Category: NA	3,400.00, Rabbit - Category: 5	No data available	No data available	No data available
Cobalt 2-Ethyl Hexanoate - (136-52-7)	1,220.00, Rabbit - Category: 4	5,000.00, Rat - Category: 5	No data available	No data available	No data available



Safety Data Sheet

SDS Revision Date: 05/20/2015-Q

Note: When no route specific LD50 data is available for an acute toxin, the converted acute toxicity point estimate was used in the calculation of the product's ATE (Acute Toxicity Estimate).

Classification	Category	Hazard Description
Acute toxicity (oral)	---	Not Applicable
Acute toxicity (dermal)	---	Not Applicable
Acute toxicity (inhalation)	4	Harmful if inhaled.
Skin corrosion/irritation	2	Causes skin irritation.
Serious eye damage/irritation	2	Causes serious eye irritation.
Respiratory sensitization	---	Not Applicable
Skin sensitization	1	May cause an allergic skin reaction.
Germ cell mutagenicity	---	Not Applicable
Carcinogenicity	---	Not Applicable
Reproductive toxicity	---	Not Applicable
STOT-single exposure	---	Not Applicable
STOT-repeated exposure	---	Not Applicable
Aspiration hazard	---	Not Applicable

12. Ecological information

12.1. Toxicity

Harmful to aquatic life.

Aquatic Ecotoxicity

Ingredient	96 hr LC50 fish, mg/l	48 hr EC50 crustacea, mg/l	ErC50 algae, mg/l
Styrene - (100-42-5)	4.08, Pimephales promelas	4.70, Daphnia magna	0.00 (96 hr),
Pentanedioic acid, dimethyl ester - (1119-40-0)	19.60, Pimephales promelas	122.10, Daphnia magna	Not Available

12.2. Persistence and degradability

There is no data available on the preparation itself.

12.3. Bioaccumulative potential

Not Measured

12.4. Mobility in soil



Safety Data Sheet

SDS Revision Date: 05/20/2015-Q

No data available.

12.5. Results of PBT and vPvB assessment

This product contains no PBT/vPvB chemicals.

12.6. Other adverse effects

No data available.

13. Disposal considerations

13.1. Waste treatment methods

Observe all federal, state and local regulations when disposing of this substance.

14. Transport information

	DOT (Domestic Surface Transportation)	IMO / IMDG (Ocean Transportation)	ICAO/IATA
14.1. UN number	UN1866	UN1866	UN1866
14.2. UN proper shipping name	UN1866, Resin solution, flammable, 3, III	Resin solution, flammable	Resin solution, flammable
14.3. Transport hazard class(es)	DOT Hazard Class: 3	IMDG: Not Applicable Sub Class: Not Applicable	Air Class: Not Applicable
14.4. Packing group	III	III	III
14.5. Environmental hazards			
IMDG	Marine Pollutant: No		
14.6. Special precautions for user	No further information		

15. Regulatory Information

Regulatory Overview	The regulatory data in Section 15 is not intended to be all-inclusive, only selected regulations are represented.
Toxic Substance Control Act (TSCA)	All components of this material are either listed or exempt from listing on the TSCA Inventory.
WHMIS Classification	B2 D2A
US EPA Tier II Hazards	Fire: Yes Sudden Release of Pressure: No Reactive: No Immediate (Acute): Yes Delayed (Chronic): Yes



Safety Data Sheet

SDS Revision Date: 05/20/2015-Q

EPCRA 311/312 Chemicals and RQs (lbs):

Styrene (1,000.00)

EPCRA 302 Extremely Hazardous:

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

EPCRA 313 Toxic Chemicals:

Cobalt 2-Ethyl Hexanoate

Styrene

Proposition 65 - Carcinogens (>0.0%):

Benzene

Talc (Mg₃H₂(SiO₃)₄)

Proposition 65 - Developmental Toxins (>0.0%):

Benzene

Toluene

Proposition 65 - Female Repro Toxins (>0.0%):

To the best of our knowledge, there are no chemicals at levels which require reporting under this statute.

Proposition 65 - Male Repro Toxins (>0.0%):

Benzene

New Jersey RTK Substances (>1%):

Calcium carbonate

Styrene

Talc (Mg₃H₂(SiO₃)₄)

Pennsylvania RTK Substances (>1%):

Calcium carbonate

Styrene

Talc (Mg₃H₂(SiO₃)₄)

HMIS RATING: Health: 2 Flammability: 3 Reactivity: 0 Protective Equip: G

16. Other information

The information and recommendations contained herein are based upon data believed to be correct. However, no guarantee or warranty of any kind, expressed or implied, is made with respect to the information contained herein. We accept no responsibility and disclaim all liability for any harmful effects which may be caused by exposure to our products. Customers/users of this product must comply with all applicable health and safety laws, regulations, and orders.

The full text of the phrases appearing in section 3 are:

H301 Toxic if swallowed.

H302 Harmful if swallowed.

H311 Toxic in contact with skin.



Safety Data Sheet

SDS Revision Date: 05/20/2015-Q

H331 Toxic if inhaled.

H411 Toxic to aquatic life with long lasting effects.

This is the first version in the GHS SDS format. Listings of changes from previous versions in other formats are not applicable.

This Safety Data Sheet was prepared using information provided by/obtained from the Durant Performance Coatings, Inc. The information in the Safety Data Sheet is offered for your consideration and guidance when exposed to the product. Durant Performance Coatings, Inc. expressly disclaims all expressed or implied warranty and assumes no responsibilities for the accuracy or completeness of the data contained herein. The data in this SDS does not apply to use with any other product or in any other processes as to the accuracy of and/or sufficiency of such information. This Safety Data Sheet may not be changed or altered in any way without the expressed knowledge and permission of Durant Performance Coatings, Inc.

End of Document



BRTU CONSTRUCTION, INC.

June 05, 2023

Skip Layton
Falcon Design Consultants, LLC
235 Corporate Center Dr, Ste 200
Stockbridge, GA 30281

Re: Forest Park Downtown Streetscape Project
Subject: Change Proposal #10: Ground Cover on Philips Dr. and Pruning Trees

Dear Skip,

During our site visit and email communication dated May 19, 2023, you requested us to cover the slope adjacent to the cemetery with "Green Mound Juniper" or "Blue Rug Juniper". Accordingly, BRTU Construction is hereby proposing cost for covering the ground and pruning the trees.

Our cost proposal below includes Material, Labor, Equipment, and all necessary supervision to complete the activities listed.

Item #	Description	Qty	Unit	Unit Price	TOTAL
1	Green Mound Juniper	95	EA	\$ 96.00	\$ 9,120.00
2	Tree Pruning	18	EA	\$ 222.25	\$ 4,000.50
Subtotal					\$ 13,120.50
O&P (15%)					\$ 1,968.08
TOTAL					\$ 15,088.58

The Extra work may add up-to 5 additional days which we may be entitled to request time extension for if necessary.

I appreciate your prompt approval.

Sincerely Yours,

Sintayehu Areda
President



Change Order No.: 002

RM Concrete Specialist LLC,

5151 Brook Hollow Parkway, Suite 140, Norcross, GA 30071
Ph: 678-777-7263 - Fx: 770-559-5224
email: info@rmconcretespecialist.com

Date: 5/31/2023

Project: Forest Park Downtown Ph 2A

Location: 963 Main St, Forest Park, GA 30297

To: BRTU Construction, Inc.

Attention: Sintayehu Areda

GENERAL CONDITIONS

Qty	Description	Units	Unit Price	Amount
95	GREEN MOUND JUNIPER	EA	\$ 96.00	\$ 9,120.00
18	TREE PRUNING	EA	\$ 222.25	\$ 4,000.50

TOTAL	\$ 13,120.50
--------------	---------------------

Terms and Conditions:

1. Scope of Work. Contractor agrees to furnish all labor, services, installation, insurance, equipment, tools and other facilities required for the prompt and efficient execution of the work described here in a professional and workmanlike manner.

Exclusions:

- * Permits
- * Utility adjustments if required
- * Surveying
- * Testing
- * Erosion Control
- * Mulch
- * Mass Grading
- * Graded Aggregate Base
- * Traffic Control

2. Change Order Amount. Owner agrees to pay Contractor for the strict performance of his work, the sum as indicated above subject to additions and deductions for changes in the scope of work as may be subsequently agreed upon.

3. Payment Schedule. Owner agrees to pay every 15 days work Completed.

4. Change order is for labor work and material.

The parties here to have executed this Agreement for themselves, their heirs, executors, successors, administrators, and assignees on the day and year written below.

Raul Mejia
RM Concrete Specialist

Date: 05/31/2023

Owner: _____

Date: _____