

Rental Housing Minimum Requirements

Required Items in ALL Rental Housing

Exterior General

1. Building, sidewalks, outbuildings and fences generally must be in good repair and free from hazards like damaged and loose building components.
2. Yards must not have rodent, vermin or insect infestation and free from hazards such as open holes or broken sidewalks.
3. Stairways must not have loose or broken steps and have handrails solidly attached.
4. Decks and porches 30 inches above the ground must have guardrails that are solidly attached.
5. Window wells within 3 feet of driveways or sidewalks must be protected with guard rails or grate covers.

Interior General

1. Windows and doors must be capable of keeping wind and elements out.
2. Insect screens are required on windows and doors used for ventilation May to November.
3. Entry doors are required to have locks for security; locks shall operate from inside without a key or special knowledge.
4. Windows located within 6 feet of ground are required to have locks for security.
5. All floors, walls, stairs, doors and windows to be maintained in good repair and free from decay or defective surfaces.
6. All stairs must have handrails and guardrails installed and solidly attached.
7. All interior doors must be securely attached and open and close properly.
8. All interior spaces must be free from rodent, vermin or insect infestation.
9. All walking surfaces must be in generally good repair.

Light

1. Every habitable space must have a window for natural light with a glazed area sized not less than 8% of the floor area of the room.
2. In buildings containing 3 or more dwelling units, the common hallways and stairways must be provided with one 60 watt bulb per every 200 square feet.

Ventilation

1. Every habitable space must have at least one openable window for natural ventilation sized not less than 4% of the floor area of the room.
2. Every bathroom and toilet room must have an openable window to the exterior or have an exhaust fan, ducted to the exterior.
3. Every clothes dryer must be exhausted to the exterior through independent ducts.

Occupancy General

1. Dwelling units must be arranged to provide privacy from adjoining spaces.
2. Every bedroom must have access to at least one water closet and lavatory without passing through another bedroom.
3. Spaces used for food preparation must contain suitable space and equipment to store, prepare and serve foods in a sanitary manner.
4. Adequate facilities for temporary storage and sanitary disposal of food waste and refuse are required.

Plumbing Facilities

1. Every dwelling unit must contain its own bathtub or shower, lavatory, water closet and kitchen sink, maintained in safe and sanitary condition.
2. A kitchen sink must not be used as a substitute for the required lavatory.
3. Toilet rooms and bathrooms must provide privacy
4. All plumbing fixtures must be maintained in a safe, sanitary and functional condition, free from obstructions, leaks and defects.
5. All kitchen sinks, lavatories, laundry facilities, bathtubs and showers must have hot and cold running water.
6. The water supply system must have sufficient volume and pressure for proper function of plumbing fixtures.
7. Water heated to a temperature of not less than 110 degrees must be provided.
8. All plumbing fixtures must be connected to an approved sewer system without obstructions, leaks and defects.

Mechanical Facilities

1. Habitable spaces must have heat during the period from September 15 to May 15 and maintain a temperature of not less than 68 degrees F.
2. All mechanical appliances must be properly installed and maintained in a safe working condition.
3. All fuel-burning equipment and appliances except for gas-cooking appliances, must be connected to an approved chimney or vent.
4. All mechanical equipment must have an approved automatic safety fuel shutoff, an accessible manual fuel shutoff valve and a listed appliance fuel connector.
5. Gas cooking appliances must not be used for space heating of any portion of a dwelling or guestroom, and, portable fuel burning appliances are prohibited.

Electrical Facilities

1. Dwelling units must have a three-wire, 120/240 volt, electrical service having a

- rating of not less than 60 amperes.
2. All electrical equipment, wiring and appliances must be properly installed and maintained in a safe and approved manner.
 3. Every habitable space in a dwelling must contain at least (2) separate and remote receptacle outlets.
 4. Every laundry area must contain at least (1) grounded receptacle or a receptacle protected with a ground fault circuit interrupter (GFCI).
 5. Every bathroom must contain at least (1) receptacle protected with a ground fault circuit interrupter.
 6. Receptacle outlets installed in kitchens, garages, unfinished basements and exterior locations must be protected by ground fault circuit interrupters.
 7. Every public hall, interior stairway, toilet room, kitchen, bathroom, laundry room, boiler room and furnace room must contain at least (1) electric light fixture.
 8. Extension cords must not be wired directly to permanent wiring or installed inside walls, through floors, under carpets or attached to trim or walls.

Fire Safety Requirements

1. All means of egress doors must be openable from the inside without the need for keys, special knowledge or effort.
2. Every rental dwelling unit or guestroom must have access directly to the outside or to a public corridor which leads to an exterior exit.
3. Below grade sleeping rooms must be provided with emergency escape window having a maximum sill height of (48) inches above the floor and a minimum openable area of (720) square inches.
4. Smoke alarms (electric or battery operated) must be installed in each of the following areas:
 - a. On the ceiling or wall outside of each separate sleeping area in the immediate vicinity of bedrooms.
 - b. In each room used for sleeping purposes.
 - c. In each story within a dwelling unit, including basements.
5. Carbon Monoxide Detectors
Any single- family dwelling or dwelling unit in a multi-family dwelling used for rental purposes and that includes fuel-fired appliances or and attached garage, on or after July 1, 2009 shall be required to have carbon monoxide detectors installed.

The location shall be on each level that has a lawful sleeping room and shall be located within 15 ft of the entrance to each sleeping room.