

EXHIBIT A

**DESCRIPTION OF TRACTS OF LAND TO BE CONVEYED IN FEE BY
THE CITY OF FORT COLLINS TO VANDEMOER – GEO. A. HENDERSON CO. INC.**

TRACTS OF LAND LOCATED IN THE EAST HALF OF SECTION 34, TOWNSHIP 11 NORTH, RANGE 71 WEST OF THE SIXTH PRINCIPAL MERIDIAN; COUNTY OF LARIMER, STATE OF COLORADO; BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

ALL THOSE PORTIONS OF THE EAST 400 FEET OF THE SOUTH 1050 FEET OF THE SOUTHWEST QUARTER OF THE NORTHEAST QUARTER OF SAID SECTION 34, LYING AT OR ABOVE THE 110-FOOT CONTOUR LINE OF THE HALLIGAN RESERVOIR (NAVD88 6398-FOOT CONTOUR LINE).

ALSO:

BEGINNING AT THE SOUTHEAST SIXTEENTH CORNER OF SAID SECTION 34, AND CONSIDERING THE SOUTH LINE OF THE NORTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SAID SECTION 34 TO BEAR N89°59'20"W, SAID LINE BEING MONUMENTED ON BOTH ENDS BY A 3-1/4" ALUMINUM CAP STAMPED LS 30829, BASED UPON THE COLORADO STATE PLANE NORTH ZONE COORDINATE SYSTEM NAD 83(1992), WITH ALL BEARINGS CONTAINED HEREIN RELATIVE THERETO;

THENCE ALONG SAID SOUTH LINE, N89°59'20"W, A DISTANCE OF 551.32 FEET;
THENCE N41°19'36"W, A DISTANCE OF 289.94 FEET;
THENCE N56°17'49"W, A DISTANCE OF 168.53 FEET;
THENCE N05°40'37"E, A DISTANCE OF 121.21 FEET TO THE POINT OF INTERSECTION OF THE CENTER LINE OF AN EXISTING GULCH WITH THE 110-FOOT CONTOUR LINE OF THE HALLIGAN RESERVOIR (NAVD88 6398-FOOT CONTOUR LINE);
THENCE IN A NORTHEASTERLY DIRECTION ALONG SAID 110-FOOT CONTOUR LINE (NAVD88 6398-FOOT CONTOUR LINE) TO A POINT ON THE EAST LINE OF SAID NORTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 34
THENCE ALONG SAID EAST LINE, S01°00'06"E, A DISTANCE OF 1,298.26 FEET TO THE **POINT OF BEGINNING.**

SAID 110-FOOT CONTOUR HAS BEEN DETERMINED TO BE AT NAVD 88 ELEVATION 6398' THROUGH THE RECOVERY AND GPS SURVEY OF BENCHMARK MARKED "ELEVATION 76.47" ESTABLISHED IN 1910 AND SHOWN ON THE 'MAP OF RESURVEY OF THE HALLIGAN RESERVOIR' APPROVED BY THE STATE ENGINEER ON MARCH 10, 1941 UNDER FILE "DENVER 012781". SAID BENCHMARK IS A NAIL SET FLUSH IN A 1-FOOT BY 1-FOOT CONCRETE PAD POURED INTO NATURAL ROCK MARKED "HALLIGAN DAM ELEV. 76.47". COLORADO NORTH ZONE STATE PLANE COORDINATES NAD83(1992) FOR THIS POINT ARE:

N 1563477.85', E 3045283.95', NAVD 88 ELEVATION OF 6364.27'
THIS BENCHMARK WILL BE INUNDATED WITH THE PLANNED EXPANSION OF THE RESERVOIR.

SECONDARY BENCHMARK CONTROL INCLUDES:

- 1) CONTROL POINT "CP-905" SET BY SURVCON INC. AS A PART OF THEIR 2003 SURVEY OF THE HALLIGAN RESERVOIR, BEING A PUNCHMARK IN A 3-1/4" ALUMINUM DISK SET IN A ROCK OUTCROPPING LYING APPROXIMATELY 550 FEET SOUTHEAST OF THE EXISTING DAM.

COLORADO NORTH ZONE STATE PLANE COORDINATES NAD83(1992):

N 1562799.92', E 3045307.92', NAVD 88 ELEVATION OF 6446.06'

EXHIBIT A

- 2) THE CENTER QUARTER CORNER OF SECTION 34 (A NO. 6 REBAR WITH 3-1/4" ALUMINUM CAP STAMPED LS 30829) – COLORADO NORTH ZONE STATE PLANE COORDINATES NAD83(1992):
N 1563260.74', E 3045370.82', NAVD 88 ELEVATION OF 6400.73'

THE TRACTS CONTAIN A TOTAL OF 22.91 ACRES, MORE OR LESS, AND ARE SUBJECT TO ALL EASEMENTS, RIGHTS OF WAY, AND OTHER MATTERS OF RECORD OR THAT NOW EXIST.

I HEREBY STATE THAT THE ABOVE DESCRIPTION WAS PREPARED BY ME AND IS TRUE AND CORRECT TO THE BEST OF MY PROFESSIONAL KNOWLEDGE, BELIEF, AND OPINION.

JOHN STEVEN VON NIEDA, COLORADO P.L.S. 31169
FOR AND ON BEHALF OF THE CITY OF FORT COLLINS
P.O. BOX 580, FORT COLLINS, CO 80522




EXHIBIT A

DESCRIPTION OF TRACTS OF LAND TO BE RESERVED AS A FLOOD EASEMENT BY THE CITY OF FORT COLLINS

TRACTS OF LAND LOCATED IN THE EAST HALF OF SECTION 34, TOWNSHIP 11 NORTH, RANGE 71 WEST OF THE SIXTH PRINCIPAL MERIDIAN; COUNTY OF LARIMER, STATE OF COLORADO; BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

ALL THOSE PORTIONS OF THE EAST 400 FEET OF THE SOUTH 1050 FEET OF THE SOUTHWEST QUARTER OF THE NORTHEAST QUARTER OF SAID SECTION 34, LYING AT OR ABOVE THE 110-CONTOUR LINE OF THE HALLIGAN RESERVOIR (NAVD88 6398-FOOT CONTOUR LINE) AND AT OR BELOW THE NAVD88 6414-FOOT CONTOUR LINE.

ALSO:

COMMENCING AT THE SOUTHEAST SIXTEENTH CORNER OF SAID SECTION 34, AND CONSIDERING THE SOUTH LINE OF THE NORTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SAID SECTION 34 TO BEAR N89°59'20"W, SAID LINE BEING MONUMENTED ON BOTH ENDS BY A 3-1/4" ALUMINUM CAP STAMPED LS 30829, BASED UPON THE COLORADO STATE PLANE NORTH ZONE COORDINATE SYSTEM NAD 83(1992), WITH ALL BEARINGS CONTAINED HEREIN RELATIVE THERETO;

THENCE ALONG SAID SOUTH LINE, N89°59'20"W, A DISTANCE OF 551.32 FEET;
THENCE N41°19'36"W, A DISTANCE OF 289.94 FEET;
THENCE N56°17'49"W, A DISTANCE OF 168.53 FEET;
THENCE N05°40'37"E, A DISTANCE OF 91.08 FEET TO A POINT ON THE NAVD88 6414-FOOT CONTOUR LINE, SAID POINT BEING THE **POINT OF BEGINNING**;

THENCE N05°40'37"E, A DISTANCE OF 30.13 FEET TO THE POINT OF INTERSECTION OF THE CENTER LINE OF AN EXISTING GULCH WITH THE 110-FOOT CONTOUR LINE OF THE HALLIGAN RESERVOIR (NAVD88 6398-FOOT CONTOUR LINE);
THENCE IN A NORTHEASTERLY DIRECTION ALONG SAID 110-FOOT CONTOUR LINE (NAVD88 6398-FOOT CONTOUR LINE) TO A POINT ON THE EAST LINE OF SAID NORTHWEST QUARTER OF THE SOUTHEAST QUARTER OF SECTION 34;
THENCE SOUTHERLY ALONG SAID EAST LINE TO THE SAID NAVD88 6414-FOOT CONTOUR LINE;
THENCE IN A SOUTHWESTERLY DIRECTION ALONG SAID NAVD88 6414-FOOT CONTOUR LINE TO THE **POINT OF BEGINNING**.

SAID 110-FOOT CONTOUR HAS BEEN DETERMINED TO BE AT NAVD 88 ELEVATION 6398' THROUGH THE RECOVERY AND GPS SURVEY OF BENCHMARK MARKED "ELEVATION 76.47" ESTABLISHED IN 1910 AND SHOWN ON THE 'MAP OF RESURVEY OF THE HALLIGAN RESERVOIR' APPROVED BY THE STATE ENGINEER ON MARCH 10, 1941 UNDER FILE "DENVER 012781". SAID BENCHMARK IS A NAIL SET FLUSH IN A 1-FOOT BY 1-FOOT CONCRETE PAD POURED INTO NATURAL ROCK MARKED "HALLIGAN DAM ELEV. 76.47". COLORADO NORTH ZONE STATE PLANE COORDINATES NAD83(1992) FOR THIS POINT ARE:

N 1563477.85', E 3045283.95', NAVD 88 ELEVATION OF 6364.27'
THIS BENCHMARK WILL BE INUNDATED WITH THE PLANNED EXPANSION OF THE RESERVOIR.
SECONDARY BENCHMARK CONTROL INCLUDES:

EXHIBIT A

- 1) CONTROL POINT "CP-905" SET BY SURVCON INC. AS A PART OF THEIR 2003 SURVEY OF THE HALLIGAN RESERVOIR, BEING A PUNCHMARK IN A 3-1/4" ALUMINUM DISK SET IN A ROCK OUTCROPPING LYING APPROXIMATELY 550 FEET SOUTHEAST OF THE EXISTING DAM.

COLORADO NORTH ZONE STATE PLANE COORDINATES NAD83(1992):

N 1562799.92', E 3045307.92', NAVD 88 ELEVATION OF 6446.06'

- 2) THE CENTER QUARTER CORNER OF SECTION 34 (A NO. 6 REBAR WITH 3-1/4" ALUMINUM CAP STAMPED LS 30829) – COLORADO NORTH ZONE STATE PLANE COORDINATES NAD83(1992):

N 1563260.74', E 3045370.82', NAVD 88 ELEVATION OF 6400.73'

THE TRACTS CONTAIN A TOTAL OF 3.50 ACRES, MORE OR LESS, AND ARE SUBJECT TO ALL EASEMENTS, RIGHTS OF WAY, AND OTHER MATTERS OF RECORD OR THAT NOW EXIST.

I HEREBY STATE THAT THE ABOVE DESCRIPTION WAS PREPARED BY ME AND IS TRUE AND CORRECT TO THE BEST OF MY PROFESSIONAL KNOWLEDGE, BELIEF, AND OPINION.

JOHN STEVEN VON NIEDA, COLORADO P.L.S. 31169
FOR AND ON BEHALF OF THE CITY OF FORT COLLINS
P.O. BOX 580, FORT COLLINS, CO 80522





EXHIBIT A

EXHIBIT OF
 FEE CONVEYANCE FROM THE CITY OF FORT COLLINS TO VANDEMOER –
 GEO A. HENDERSON CO. INC., AND RESERVATION OF FLOOD EASEMENT
 BY THE CITY OF FORT COLLINS
 (SHEET 1)



MAY 2, 2022
 1"=300'



NE 1/16 COR.
 SEC 34-11-71
 NO. 6 REBAR WITH
 3-1/4" ALUM. CAP
 STAMPED PLS 30829



N. LINE OF THE SOUTH
 1050' OF THE SW 1/4 OF
 NE 1/4 SEC. 34-11-71

SW 1/4 OF NE 1/4
 SEC. 34-11-71

W. LINE OF THE EAST 400'
 OF THE SW 1/4 OF NE 1/4
 SEC. 34-11-71

C 1/4 COR.
 SEC 34-11-71
 NO. 6 REBAR WITH
 3-1/4" ALUM. CAP
 STAMPED PLS 30829

C-E 1/16 COR.
 SEC 34-11-71
 NO. 6 REBAR WITH
 3-1/4" ALUM. CAP
 STAMPED PLS 30829




SEE SHEET 2

NOTE: 110-FOOT CONTOUR HAS BEEN DETERMINED TO BE AT NAVD 88 ELEVATION 6398' THROUGH 1) THE RECOVERY AND GPS SURVEY OF THE BENCHMARK MARKED "ELEVATION 76.47" ESTABLISHED IN 1910 AND SHOWN ON THE 'MAP OF RESURVEY OF THE HALLIGAN RESERVOIR', AND 2) THE SURVEY OF THE SPILLWAY WHOSE ELEVATION IS 70' AS INDICATED ON SAID MAP.

THIS EXHIBIT'S SOLE INTENT IS TO GRAPHICALLY REPRESENT AND AUGMENT THE ATTACHED PROPERTY DESCRIPTION. IT DOES NOT REPRESENT A MONUMENTED LAND SURVEY AS DEFINED IN C.R.S. 38-51-102. IN THE EVENT OF DISCREPANCIES BETWEEN THIS EXHIBIT AND THE ATTACHED PROPERTY DESCRIPTION, THE INFORMATION CONTAINED WITHIN THE ATTACHED PROPERTY DESCRIPTION SHOULD BE RELIED UPON.

- (A) 110-FT CONTOUR LINE OF THE HALLIGAN RES. (ELEV. 6398' - NAVD88) (SEE NOTE)
- (B) CONTOUR LINE AT NAVD88 ELEV. 6384' (PERMANENT WATER SURFACE ELEV.)
- (C) CONTOUR LINE AT NAVD88 ELEV. 6414' (30' ABOVE PERMANENT WATER SURFACE ELEV.)

 AREA TO BE CONVEYED IN FEE TO VANDEMOER – GEO. A. HENDERSON CO. INC. (22.91 TOTAL ACRES) [2.83 AC. SHEET 1 & 20.08 AC. SHEET 2]



 AREA TO BE RESERVED BY THE CITY OF FORT COLLINS AS A FLOOD EASEMENT. (3.50 TOTAL ACRES) [1.46 AC. SHEET 1 & 2.04 AC. SHEET 2]

EXHIBIT A

EXHIBIT OF
 FEE CONVEYANCE FROM THE CITY OF FORT COLLINS TO VANDEMOER –
 GEO A. HENDERSON CO. INC., AND RESERVATION OF FLOOD EASEMENT
 BY THE CITY OF FORT COLLINS
 (SHEET 2)



NOTE: 110-FOOT CONTOUR HAS BEEN DETERMINED TO BE AT NAVD 88 ELEVATION 6398' THROUGH 1) THE RECOVERY AND GPS SURVEY OF THE BENCHMARK MARKED "ELEVATION 76.47" ESTABLISHED IN 1910 AND SHOWN ON THE 'MAP OF RESURVEY OF THE HALLIGAN RESERVOIR', AND 2) THE SURVEY OF THE SPILLWAY WHOSE ELEVATION IS 70' AS INDICATED ON SAID MAP.

THIS EXHIBIT'S SOLE INTENT IS TO GRAPHICALLY REPRESENT AND AUGMENT THE ATTACHED PROPERTY DESCRIPTION. IT DOES NOT REPRESENT A MONUMENTED LAND SURVEY AS DEFINED IN C.R.S. 38-51-102. IN THE EVENT OF DISCREPANCIES BETWEEN THIS EXHIBIT AND THE ATTACHED PROPERTY DESCRIPTION, THE INFORMATION CONTAINED WITHIN THE ATTACHED PROPERTY DESCRIPTION SHOULD BE RELIED UPON.

- (A) 110-FT CONTOUR LINE OF THE HALLIGAN RES. (ELEV. 6398' - NAVD88) (SEE NOTE)
- (B) CONTOUR LINE AT NAVD88 ELEV. 6384' (PERMANENT WATER SURFACE ELEV.)
- (C) CONTOUR LINE AT NAVD88 ELEV. 6414' (30' ABOVE PERMANENT WATER SURFACE ELEV.)



AREA TO BE CONVEYED IN FEE TO VANDEMOER – GEO. A. HENDERSON CO. INC. (22.91 TOTAL ACRES) [2.83 AC. SHEET 1 & 20.08 AC. SHEET 2]



AREA TO BE RESERVED BY THE CITY OF FORT COLLINS AS A FLOOD EASEMENT. (3.50 TOTAL ACRES) [1.46 AC. SHEET 1 & 2.04 AC. SHEET 2]