


THE
KLEINGERS
GROUP

CIVIL ENGINEERING
SURVEYING
LANDSCAPE
ARCHITECTURE

Www.kleingers.com
6219 Centre Park Dr.
West Chester, OH 45069
513.779.7851



O. DATE DESCRIPTION

2025-08-01 ZONING SUBMITTAL

2025-08-20 ZONING RESUBMITTAL

2025-09-03 REDUCED BUILDING

2025-09-18 FOR PERMIT

2025-09-19 STORMWATER REVIEW

INTERSTATE TRUCKING

3601 COMMERCE CENTER DR FRANKLIN, OHIO 45005


PROJECT NO: 220187.004

DATE: 2025-09-17

20 40 80

OVERALL LOCATION PLAN

C300



PROPOSED LEGEND

STANDARD DUTY ASPHALT PAVEMENT. SEE

DETAIL 5/C100

CONCRETE WALK. REFER TO DETAIL 10/C100 HEAVY DUTY CONCRETE PAVEMENT. REFER TO

DETAIL 6/C100 HEAVY DUTY ASPHALT PAVEMENT. REFER TO

DETAIL 7/C100

CONCRETE DRIVEWAY APRON PER CITY OF FRANKLIN STANDARD CONSTRUCTION DRAWINGS

AND SPECIFICATIONS, DRAWING No. 100-4A, ON SHEET C102

8) PIPE BOLLARD. SEE DETAIL 8/C100

CODED NOTES 1) BARRIER CURB. SEE DETAIL 1/C100

2 INTEGRAL CURB AND WALK. SEE DETAIL 2/C100

3 FLUSH CURB AND WALK. SEE DETAIL 3/C100

DOLLY PAD FINAL PLACEMENT TO BE DECIDED PER TRAILER SPECS

DOCK WALLS. REFER TO STRUCTURAL DRAWINGS FOR DETAILS

6 DOCK STAIRS

7) WHEEL STOP. SEE DETAIL 4/C100

(9) 8' TALL, BLACK VINYL COATED CHAIN-LINK FENCE

RETAINING WALL. REFER TO GRADING PLAN FOR WALL ELEVATIONS. RETAINING WALL IS INTENDED TO BE A DESIGN BUILD SYSTEM. THE INFORMATION PROVIDED ON THESE DRAWINGS IS

PROVIDED FOR CONSTRUCTION BIDDING PURPOSES ONLY. A SEPARATE PLAN WILL BE SUBMITTED FOR THE RETAINING WALL, AND SEPARATE ZONING AND BUILDING PERMITS WILL BE OBTAINED. THE DESIGN OF THE WALL SHALL COMPLY WITH ALL REGULATIONS. THE CONTRACTOR IS TO SUBMIT THE FOLLOWING ITEMS TO THE OWNER & OWNER'S REPRESENTATIVES PRIOR TO THE CONTRACTOR'S ORDERING OF MATERIALS: DESCRIPTIVE LITERATURE, SHOP DRAWINGS, TECHNICAL DATA, LIST OF MATERIALS, AND MAINTENANCE

BUILDING PERMIT SPECIFIC FOR THE RETAINING MONUMENT SIGN. REFER TO ARCHITECTURAL PLANS FOR DETAILS.

CONTRACTOR IS RESPONSIBLE FOR OBTAINING A

RECOMMENDATIONS FOR THE SYSTEM. THE

POLE SIGN. REFER TO ARCHITECURAL PLANS FOR DETAILS.

DUMPSTER PAD WITH FENCED ENCLOSURE. FENCE TO BE 8' TALL BLACK, VINYL COATED CHAIN LINK WITH

VINYL INSERTS R/W DEPRESSED CURB AND GUTTER TO MATCH EXISTING CURB AND GUTTER WIDTH

TRANSITION FROM BARRIER CURB TO DEPRESSED CURB AND GUTTER

CONNECT TO EXISTING CURB AND GUTTER. MATCH EXISTING SECTION

POWERED SLIDING FENCE GATE WITH KNOX BOX AND MANUAL OVERRIDE

(19) PROPOSED REVISED TREELINE

(18) SWING GATE FOR DUMPSTER ENCLOSURE

3'X3' CONCRETE PAD FOR BLOCK HEATER WITH (2) BOLLARDS

WOODEN RAILROAD TIE TYPE WHEEL STOP.
PLACEMENT TO BE COORDINATED WITH TRAILER

22) 10' WIDE CONCRETE PAD FOR PROPANE CAGE

23) POND SHORE PROTECTION, SEE DETAIL 8/C101

24) EMERGENCY SPILLWAY, SEE DETAILS 1 AND 2 ON C101

25) VEHICULAR GUARDRAIL

PROPOSED PARKING COUNT TOTAL PARKING: 61 (INCLUDING 3 ADA SPACES)

TRAILER PARKING: 189


ONSITE. MAIN LOCATIONS SHALL BE FIELD VERIFIED. AT ALL LOCATIONS ACROSS THE SITE WHERE EXCAVATION IS PROPOSED, EXISTING WATER MAINS ARE TO MAINTAIN 48" MINIMUM COVER IN FINAL PROPOSED CONDITION.

PORTIONS OF THE WATER MAIN MAY NEED LOWERED AND SHALL BE COORDINATED WITH THE CITY OF FRANKLIN ENGINEERING AND PUBLIC WORKS DEPARTMENTS.



<u>NOTE</u> : UNDERGROUND UTILITIES ARE PLOTTED FROM A COMPILATION OF AVAILABLE RECORD INFORMATION AND SURFACE INDICATIONS OF UNDERGROUND STRUCTURES AND MAY NOT BE INCLUSIVE. PRECISE LOCATIONS AND THE EXISTENCE OR NON EXISTENCE OF UNDERGROUND UTILITIES CANNOT BE VERIFIED. PLEASE NOTIFY THE OHIO UTILITY PROTECTION SERVICE AT 811 OR 1-800-362-2764 BEFORE ANY PERIOD OF EXCAVATION OR CONSTRUCTION ACTIVITY.





2025-08-01 ZONING SUBMITTAL 2025-08-20 ZONING RESUBMITTAL 2025-09-03 REDUCED BUILDING 2025-09-18 FOR PERMIT 2025-09-19 STORMWATER REVIEW

> **INTERSTATE TRUCKING**


3601 COMMERCE CENTER DR FRANKLIN, OHIO 45005

220187.004

2025-09-17 0 15 30

LOCATION PLAN

NORTH



PROPOSED LEGEND

SHEET C102

STANDARD DUTY ASPHALT PAVEMENT. SEE DETAIL 5/C100 CONCRETE WALK. REFER TO DETAIL 10/C100 HEAVY DUTY CONCRETE PAVEMENT. REFER TO DETAIL 6/C100 DETAIL 7/C100

HEAVY DUTY ASPHALT PAVEMENT. REFER TO CONCRETE DRIVEWAY APRON PER CITY OF FRANKLIN STANDARD CONSTRUCTION DRAWINGS AND SPECIFICATIONS, DRAWING No. 100-4A, ON

CODED NOTES

1) BARRIER CURB. SEE DETAIL 1/C100

2 INTEGRAL CURB AND WALK. SEE DETAIL 2/C100

3 FLUSH CURB AND WALK. SEE DETAIL 3/C100

DOLLY PAD FINAL PLACEMENT TO BE DECIDED PER TRAILER SPECS DOCK WALLS. REFER TO STRUCTURAL DRAWINGS FOR DETAILS

6 DOCK STAIRS

7) WHEEL STOP. SEE DETAIL 4/C100

8 PIPE BOLLARD. SEE DETAIL 8/C100

9) 8' TALL, BLACK VINYL COATED CHAIN-LINK FENCE

RETAINING WALL. REFER TO GRADING PLAN FOR WALL ELEVATIONS. RETAINING WALL IS INTENDED TO BE A DESIGN BUILD SYSTEM. THE INFORMATION PROVIDED ON THESE DRAWINGS IS PROVIDED FOR CONSTRUCTION BIDDING PURPOSES ONLY. A SEPARATE PLAN WILL BE SUBMITTED FOR THE RETAINING WALL, AND SEPARATE ZONING AND BUILDING PERMITS WILL BE OBTAINED. THE DESIGN OF THE WALL SHALL COMPLY WITH ALL REGULATIONS. THE CONTRACTOR IS TO SUBMIT THE FOLLOWING ITEMS TO THE OWNER & OWNER'S REPRESENTATIVES PRIOR TO THE CONTRACTOR'S ORDERING OF MATERIALS: DESCRIPTIVE LITERATURE, SHOP DRAWINGS, TECHNICAL DATA,

CONTRACTOR IS RESPONSIBLE FOR OBTAINING A BUILDING PERMIT SPECIFIC FOR THE RETAINING MONUMENT SIGN. REFER TO ARCHITECTURAL PLANS FOR DETAILS.

LIST OF MATERIALS, AND MAINTENANCE

RECOMMENDATIONS FOR THE SYSTEM. THE

POLE SIGN. REFER TO ARCHITECURAL PLANS FOR DETAILS.

DUMPSTER PAD WITH FENCED ENCLOSURE. FENCE TO BE 8' TALL BLACK, VINYL COATED CHAIN LINK WITH VINYL INSERTS

R/W DEPRESSED CURB AND GUTTER TO MATCH EXISTING CURB AND GUTTER WIDTH

TRANSITION FROM BARRIER CURB TO DEPRESSED CURB AND GUTTER CONNECT TO EXISTING CURB AND GUTTER. MATCH EXISTING SECTION

POWERED SLIDING FENCE GATE WITH KNOX BOX AND MANUAL OVERRIDE

(18) SWING GATE FOR DUMPSTER ENCLOSURE (19) PROPOSED REVISED TREELINE

3'X3' CONCRETE PAD FOR BLOCK HEATER WITH (2) BOLLARDS

WOODEN RAILROAD TIE TYPE WHEEL STOP.
PLACEMENT TO BE COORDINATED WITH TRAILER

PROPOSED PARKING COUNT:

(INCLUDING 3 ADA SPACES)

TOTAL PARKING: 61

TRAILER PARKING: 189

22) 10' WIDE CONCRETE PAD FOR PROPANE CAGE

23) POND SHORE PROTECTION, SEE DETAIL 8/C101 24) EMERGENCY SPILLWAY, SEE DETAILS 1 AND 2 ON C101

25) VEHICULAR GUARDRAIL


1. EXISTING LINEWORK IS BASED FIELD SURVEY AND AVAILABLE GIS INFORMATION GENERALLY SPLIT ALONG THE TREELINE 2. CITY WATER TRANSMISSION MAINS EXIST ONSITE. MAIN LOCATIONS SHALL BE FIELD VERIFIED. AT ALL LOCATIONS ACROSS THE SITE WHERE EXCAVATION IS PROPOSED, EXISTING WATER MAINS ARE TO MAINTAIN 48" MINIMUM COVER IN FINAL PROPOSED CONDITION. PORTIONS OF THE WATER MAIN MAY NEED LOWERED AND SHALL BE COORDINATED WITH

THE CITY OF FRANKLIN ENGINEERING AND



PUBLIC WORKS DEPARTMENTS.

<u>NOTE</u> : UNDERGROUND UTILITIES ARE PLOTTED FROM A COMPILATION OF AVAILABLE RECORD INFORMATION AND SURFACE INDICATIONS OF UNDERGROUND STRUCTURES AND MAY NOT BE INCLUSIVE. PRECISE LOCATIONS AND THE EXISTENCE OR NON EXISTENCE OF UNDERGROUND UTILITIES CANNOT BE VERIFIED. PLEASE NOTIFY THE OHIO UTILITY PROTECTION SERVICE AT 811 OR 1-800-362-2764 BEFORE ANY PERIOD OF EXCAVATION OR CONSTRUCTION ACTIVITY.



2025-08-20 ZONING RESUBMITTAL 2025-09-03 REDUCED BUILDING 2025-09-18 FOR PERMIT 2025-09-19 STORMWATER REVIEW

KLEINGERS

CIVIL ENGINEERING www.kleingers.com

ARCHITECTURE 513.779.7851

6219 Centre Park Dr.

INTERSTATE TRUCKING

3601 COMMERCE CENTER DR

FRANKLIN, OHIO 45005

220187.004 2025-09-17

0 15 30

LOCATION PLAN

C302

SOUTH