

## Public Works Director

August 2026

*Demand- average daily demand was 690,000 Gallons per Day (G.P.D.)*

*Total Monthly Production – 20,723,000 gallons*

- **Well Site No.2 Pump Station Improvements**

A pre-construction conference was completed on April 9, 2026. TTE, LLC have begun mobilization and materials are being delivered to the job-site. The dirt work has started along with some of the electrical work. The concrete slab for the new pump room has been poured, and the concrete block walls have been constructed, along with the roof. The electricians will begin installing the new electrical components in the existing well room. The new pumps and piping have been installed in the new pump room, and the electrical panels and wiring have been installed. Most of the piping on the exterior of the building has been installed. The electricians will begin installing improvements for the SCADA system soon.

- **TWDB EDAP Grant @ GR Wastewater Treatment Facility**

The TWDB has reviewed and approved the last phase of improvements to be completed at the wastewater treatment plant. The project is currently being advertised for bid acceptance, scheduled for opening on January 16<sup>th</sup>. Bids were opened and read aloud at City Hall on Thursday January 30<sup>th</sup>. The lowest apparent bidder was A&V Water at \$664,181.93. Once eHT have completed their review of the references provided by the contractor, a recommendation of award letter will be provided to the city, along with the bid tabulation. Currently, we are waiting for the bonds from the contractor. The contract documents have been executed. A preconstruction meeting was completed on April 30<sup>th</sup>. A Notice to Proceed letter has been issued to A&V Water. A & V Water began construction the week of July 7-11. There were problems with the Payment Application process at the Texas Water Development Board. This caused significant delays with construction but the project is back on track. A walk-through inspection was completed on April 22<sup>nd</sup>. A punch-list has been created for items that were identified to be in need of completion or correction. Most of the punch-list items have been addressed. A final walk-through inspection will be scheduled once the punch-list items have been completed.

- **Lane Building**

The landscaping, and irrigation system have been installed. The general contractor is scheduled to return for a few minor punch-list items. The punch-list items have been completed. I am currently waiting to hear back from two separate contractors that are providing price quotes for the Lane Memorial Building monument sign.

- **Texas Drive Paving Project**

A bid opening was completed at 10am on Wednesday August 5, 2026 at City Hall. There were two qualified bidders. The lowest apparent bidder was Jay Mills Contracting, Inc. from Stephenville, Texas with a total Alternate Bid amount of \$349,741.05 for the Texas Drive Paving Improvements Project. City staff completed some temporary patch work to improve the existing pavement until the contractor can mobilize and begin re-paving. The contracts have been executed and a Notice to Proceed has been provided to the contractor. A work schedule has been provided to the city. Mobilization will begin on 10/12/2026, and construction is scheduled to begin the following week.

- **TxDOT Pedestrian Crosswalks along N.E. Barnard Street**

I have received notification that TxDOT will be re-striping, and installing additional signage complete with LED lights at three existing pedestrian crosswalks along N.E. Barnard Street. The upgrades will be included at the following crosswalks:

- a. Walnut Street/N.E. Barnard Street
- b. Shepard Street/N.E. Barnard Street
- c. Gaither Street/N.E. Barnard Street

The striping, and additional signage has been installed, however the led lights will be retrofitted once TxDOT receives the needed parts that have been ordered.

- **TxDOT Traffic Study for Proposed School Zones along Barnard Street**

The signed Ordinance No.2026-O-10, requesting that TxDOT complete a traffic study along Barnard Street has been submitted to TxDOT. The completed study will reveal if Barnard Street warrants a school zone. I received notification on September 28<sup>th</sup> that the traffic study has been ordered.

**FYI...**

- 9-3 met with local contractor to discuss monument sign for the Lane Memorial Building
- 9-3 met with GRISD Board Member to discuss SETH Program for GRISD
- 9-7 flagged and reported 25 street lights needing repair and maintenance
- 9-8 attended virtual TxDOT meeting for data center traffic impacts
- 9-11 attended a pre-construction meeting for the Texas Drive Paving Project
- 9-15 met with a local contractor to discuss construction of a monument sign
- 10-5 completed and submitted the Monthly Water Use Report to the Prairielands Groundwater Conservation District
- 10-5 completed and submitted the Quarterly Chlorine Residual Report to the TCEQ
- 10-8 Attended a Construction Status Meeting for the Well Site No.2 Water Improvements project.

# MONTHLY OPERATING REPORT

FOR PUBLIC WATER SYSTEMS THAT ARE USING GROUNDWATER SOURCES  
OR ARE PURCHASING TREATED WATER FROM ANOTHER PUBLIC WATER SYSTEM

PUBLIC WATER  
SYSTEM NAME:

City of Glen Rose

PWS ID No.:

21300001

Report for  
the Month of:

September 2026

Number of Active Service

Connections this Month:

1505

| WATER PRODUCTION                                |                               |                             |                                    |                              |                          |                        |
|-------------------------------------------------|-------------------------------|-----------------------------|------------------------------------|------------------------------|--------------------------|------------------------|
| Pumpage to storage and distribution X 1000 Gals |                               |                             |                                    |                              |                          |                        |
| Date                                            | From Wells Directly to Distr. | From Wells to Storage Tanks | Purchased Water Directly to Distr. | Purchased Water into Storage | From SWTP or GWUDI Plant | Total Daily Production |
| 1                                               |                               | 668                         |                                    | 99                           |                          | 767                    |
| 2                                               |                               | 567                         |                                    | 95                           |                          | 662                    |
| 3                                               |                               | 659                         |                                    | 101                          |                          | 760                    |
| 4                                               |                               | 513                         |                                    | 84                           |                          | 597                    |
| 5                                               |                               | 400                         |                                    | 257                          |                          | 657                    |
| 6                                               |                               | 457                         |                                    | 258                          |                          | 710                    |
| 7                                               |                               | 647                         |                                    | 152                          |                          | 799                    |
| 8                                               |                               | 495                         |                                    | 270                          |                          | 755                    |
| 9                                               |                               | 384                         |                                    | 288                          |                          | 672                    |
| 10                                              |                               | 486                         |                                    | 251                          |                          | 737                    |
| 11                                              |                               | 467                         |                                    | 194                          |                          | 661                    |
| 12                                              |                               | 605                         |                                    | 132                          |                          | 737                    |
| 13                                              |                               | 696                         |                                    | 136                          |                          | 832                    |
| 14                                              |                               | 504                         |                                    | 139                          |                          | 643                    |
| 15                                              |                               | 674                         |                                    | 128                          |                          | 802                    |
| 16                                              |                               | 566                         |                                    | 133                          |                          | 699                    |
| 17                                              |                               | 606                         |                                    | 153                          |                          | 759                    |
| 18                                              |                               | 492                         |                                    | 123                          |                          | 615                    |
| 19                                              |                               | 564                         |                                    | 133                          |                          | 697                    |
| 20                                              |                               | 482                         |                                    | 125                          |                          | 607                    |
| 21                                              |                               | 487                         |                                    | 124                          |                          | 611                    |
| 22                                              |                               | 525                         |                                    | 131                          |                          | 656                    |
| 23                                              |                               | 542                         |                                    | 132                          |                          | 674                    |
| 24                                              |                               | 604                         |                                    | 142                          |                          | 746                    |
| 25                                              |                               | 446                         |                                    | 172                          |                          | 618                    |
| 26                                              |                               | 499                         |                                    | 173                          |                          | 672                    |
| 27                                              |                               | 504                         |                                    | 173                          |                          | 682                    |
| 28                                              |                               | 477                         |                                    | 163                          |                          | 640                    |
| 29                                              |                               | 531                         |                                    | 165                          |                          | 696                    |
| 30                                              |                               | 404                         |                                    | 156                          |                          | 560                    |
| 31                                              |                               |                             |                                    |                              |                          |                        |
| Total                                           |                               | 15941                       |                                    | 4792                         |                          | 20723                  |
| Avg                                             |                               | 531                         |                                    | 159                          |                          | 690                    |
| Max                                             |                               | 696                         |                                    | 288                          |                          | 832                    |
| Min                                             |                               | 384                         |                                    | 95                           |                          | 560                    |

Any additional information you wish to provide:

I certify that I am familiar with the information contained in this report and that, to the best of my knowledge, the information is true, complete, and accurate.

Operator's

Signature:

Sam Dav

Date:

9-30-26

Certificate No. and Class:

WG0015747

WWTP Name:

09/2026

City of Glen Rose

| Day | Time    | Final Effluent<br>Flowmeter<br>(X100) | Final<br>Effluent<br>(MGD) | Golf Course<br>Flowmeter<br>(X100) | Golf<br>Course<br>Effluent<br>(MGD) | Total<br>Effluent<br>(MGD) | Inst.<br>(GPM) | Staff<br>Gauge<br>(Inches) |
|-----|---------|---------------------------------------|----------------------------|------------------------------------|-------------------------------------|----------------------------|----------------|----------------------------|
|     | EOM #   |                                       |                            | 568415                             |                                     |                            |                |                            |
| 1   | 6:00 AM |                                       | 0.000                      | 571141                             | 0.273                               | 0.273                      | 0              | 0                          |
| 2   | 6:00 AM |                                       | 0.000                      | 573760                             | 0.262                               | 0.262                      | 0              | 0                          |
| 3   | 6:00 AM |                                       | 0.000                      | 576419                             | 0.266                               | 0.266                      | 0              | 0                          |
| 4   | 6:00 AM |                                       | 0.000                      | 578923                             | 0.250                               | 0.250                      | 0              | 0                          |
| 5   | 8:30 AM |                                       | 0.000                      | 581700                             | 0.278                               | 0.278                      | 0              | 0                          |
| 6   | 8:30 AM |                                       | 0.000                      | 584306                             | 0.261                               | 0.261                      | 0              | 0                          |
| 7   | 7:30 AM |                                       | 0.000                      | 586612                             | 0.231                               | 0.231                      | 0              | 0                          |
| 8   | 6:00 AM |                                       | 0.000                      | 588835                             | 0.222                               | 0.222                      | 0              | 0                          |
| 9   | 6:00 AM |                                       | 0.000                      | 591362                             | 0.253                               | 0.253                      | 0              | 0                          |
| 10  | 6:00 AM |                                       | 0.000                      | 593852                             | 0.249                               | 0.249                      | 0              | 0                          |
| 11  | 6:00 AM |                                       | 0.000                      | 595969                             | 0.212                               | 0.212                      | 0              | 0                          |
| 12  | 8:00 AM |                                       | 0.000                      | 598043                             | 0.207                               | 0.207                      | 0              | 0                          |
| 13  | 9:00 AM |                                       | 0.000                      | 600520                             | 0.248                               | 0.248                      | 0              | 0                          |
| 14  | 6:00 AM |                                       | 0.000                      | 602852                             | 0.233                               | 0.233                      | 0              | 0                          |
| 15  | 6:00 AM |                                       | 0.000                      | 605476                             | 0.262                               | 0.262                      | 0              | 0                          |
| 16  | 6:00 AM |                                       | 0.000                      | 607860                             | 0.238                               | 0.238                      | 0              | 0                          |
| 17  | 6:00 AM |                                       | 0.000                      | 610257                             | 0.240                               | 0.240                      | 0              | 0                          |
| 18  | 6:00 AM |                                       | 0.000                      | 612689                             | 0.243                               | 0.243                      | 0              | 0                          |
| 19  | 8:00 AM |                                       | 0.000                      | 615370                             | 0.268                               | 0.268                      | 0              | 0                          |
| 20  | 9:00 AM |                                       | 0.000                      | 617941                             | 0.257                               | 0.257                      | 0              | 0                          |
| 21  | 6:00 AM |                                       | 0.000                      | 620325                             | 0.238                               | 0.238                      | 0              | 0                          |
| 22  | 6:00 AM |                                       | 0.000                      | 622740                             | 0.242                               | 0.242                      | 0              | 0                          |
| 23  | 6:00 AM |                                       | 0.000                      | 625060                             | 0.232                               | 0.232                      | 0              | 0                          |
| 24  | 6:00 AM |                                       | 0.000                      | 627391                             | 0.233                               | 0.233                      | 0              | 0                          |
| 25  | 6:00 AM |                                       | 0.000                      | 629883                             | 0.249                               | 0.249                      | 0              | 0                          |
| 26  | 6:45 AM |                                       | 0.000                      | 632283                             | 0.240                               | 0.240                      | 0              | 0                          |
| 27  | 9:00 AM |                                       | 0.000                      | 634740                             | 0.246                               | 0.246                      | 0              | 0.00                       |
| 28  | 6:00 AM |                                       | 0.000                      | 637159                             | 0.242                               | 0.242                      | 0              | 0.00                       |
| 29  | 6:00 AM |                                       | 0.000                      | 639598                             | 0.244                               | 0.244                      | 0              | 0                          |
| 30  | 6:00 AM |                                       | 0.000                      | 642140                             | 0.254                               | 0.254                      | 0              | 0                          |
| 31  |         |                                       | 0.000                      | 7.371                              | -64.214                             | -64.214                    |                |                            |

Total Flow:  
Average Flow:

-56,841,500  
-1,833,597

Golf Course Min  
Golf Course Max  
Creek Min  
Creek Max

-64.214  
0.278  
0.000  
0.000