

- **Tree Preservation and Mitigation.**

- (a) *Purpose and Intent.* The purpose of this section is to conserve, protect and enhance existing healthy trees and natural landscape to meet the definition of the City Mission statement regarding "preserve natural beauty and small town charm." It is recognized that the preservation of existing trees contributes to the overall quality and environment of the City. Trees can and do contribute to the processes of purification, oxygenation, regeneration, groundwater recharge, reduction of pollution and contaminants in aquifers, erosion and dust control, abatement of noise, provision of wildlife habitat and enhancement property values. Indiscriminate clearing or stripping of natural vegetation on any parcel is prohibited.
- (b) It is hereby declared the intent of the City to encourage the preservation of all trees within the City limits. While the layout of a property with respect to the placement of buildings, parking facilities and other site requirements is at the discretion of the developer of the property, it is the policy of the City to promote site layout and design in a manner which preserves the maximum amount of Protected Class and Heritage Class trees possible.
- (c) *Applicability and Exemptions.*
- (d) The provisions of this section are applicable to the following:
 - a. all new residential and nonresidential development within the City;
 - b. redevelopment of any residential or nonresidential property within the City that results in an increase in the building footprint or the total destruction and reconstruction;
 - c. any grading, filling or clearing of land in the City limits; and
 - d. any selective or individual removal of any Protected Class or Heritage Class Tree in the City limits.
- (e) The following definitions shall be applicable to the provisions of this section:
 - a. *Protected Class Trees.* Trees having a DBH (diameter at breast height measured four and one half feet above existing ground level) between eight inches (8") and less than twenty-four inches (24") are designated as "Protected Class Trees".
 - b. *Heritage Class Trees.* Trees having a DBH greater than or equal to twenty-four inches (24") are designated as "Heritage Class Trees".
 - c. *Damage.* Damage shall be considered any injury to a tree including, but not limited to:
 - i. Uprooting.
 - ii. Severance of the root system or main trunk;
 - iii. Storage of topsoil, construction materials, debris or chemicals within the drip line area;
 - iv. Compaction of soil within the drip line area;
 - v. A substantial change (more than 1") in the natural grade above a root system or within the drip line area;
 - vi. pruning or removal of more than twenty-five percent (25%) of the living tissue; or

- vii. Paving with concrete, asphalt or other impervious material within the drip line area. Tree grates or tree wells may be provided to preserve pervious surface within the drip line area.
- d. The following are exempt from the preservation, mitigation and permitting requirements of this section:
 - i. Protected Class Trees located within the area of a proposed on-site sewage facility (OSSF) (A waiver to mitigation for Heritage Class trees may be requested) ;
 - ii. Protected Class and Heritage Class Trees located within a right-of-way to be dedicated to and maintained by the City and shown on the City's Master Thoroughfare Plan;
 - iii. Protected Class Trees located within any utility easement, Heritage Class Trees located within any utility easement are exempt from preservation requirements only (A waiver to mitigation for Heritage Class trees may be requested);
 - iv. Protected Class and Heritage Class trees damaged or destroyed by floods, fire, wind or other natural causes;
 - v. Dangerous, diseased, damaged, dead or dying Protected Class or Heritage Class trees as determined by a tree survey and a letter from a certified Texas Arborist; provided, notwithstanding the title of this section; and
 - vi. Protected Class trees from the Undesirable Trees list in _____ (A waiver to mitigation for Heritage Class trees may be requested)
- e. Protected Class and Heritage Class trees of the following exempted tree species:

Table of Exempted Tree Species	
Common Name	Scientific Name
Hackberry	Celtis Occidentalis
Eastern Red Cedar	Juniperus virginiana
Comman Ashe Juniper	Juinperis ashei
Chinaberry	Melia azedarach
Mesquite	Propsis spp.
Ligustrum	Ligustrum spp.
Chinese Pistach	Pistacia Chinensis
Bradford Pear	Pyrus Calleryana

- (f) *Tree Preservation.* The existing natural landscape character, especially native oaks, elms, and pecan trees, shall be preserved to the maximum extent reasonable and feasible. Except as otherwise exempted in section _____ above, a tree removal permit is required for the removal of any tree with a DBH greater than eight inches.
- (g) *Protected Trees.* Any Protected Trees not exempt from preservation in section _____ above may be removed upon approval of a Tree Removal Permit by the Building Official Office. Any decision of the Building Official Office regarding a tree removal permit may be appealed to the Planning and Zoning Commission in accordance with _____.
- (h) *Heritage Trees.* Any Heritage Trees to be removed may be removed upon approval of a Tree Removal Permit by the Building Official Office. Any decision of the Building Official Office regarding a tree removal permit may be appealed to the Planning and Zoning Commission in accordance with _____. All Heritage Trees shall be required to meet the mitigation requirements of this section.
- (i) *Minimum Preservation.* Any tree not preserved must have a mitigation plan that is to be reviewed and accepted by both the City and property owner.
- (j) *Tree Mitigation.* Any trees that are removed or damaged as a result of the approval of a Tree Removal Permit shall be mitigated for on the same site as the proposed development. The species of trees planted for mitigation purposes must be like trees removed and may not include those listed as exempt in subsection _____ above nor any of the undesirable trees identified in table _____.
- (k) All trees planted for mitigation purposes must be a species of shade tree identified in _____. In the event that mitigation is not feasible on the same site as the proposed development, an applicant may request to donate trees, meeting the mitigation requirements of this section, to be planted at public parks, schools, or other approved public facilities throughout the City or provide a fee-in-lieu of payment. The fee will be two times the trees to be used for replacement cost, which will be used to place trees at public parks, schools, or other approved public facilities throughout the City.
- (l) Tree mitigation funds may also be utilized to install irrigation, to repair or remove damaged or destroyed trees, to preserve and protect existing Protected Class and Heritage Class trees and to purchase equipment for the preservation or protection of existing trees.
- (m) Mitigation requirements are:
- a. *Protected Class Trees.* Protected trees shall be mitigated at a one-to-one (1:1) DBH inch ratio for every tree removed. Replacement trees shall have a minimum DBH of two and one half inches (2.5").
 - b. *Heritage Class Trees.* Heritage Class trees shall be mitigated at a three-to-one (3:1) DBH inch ratio for every tree removed. Replacement trees shall have a minimum DBH of two and one half inches (2.5").
 - c. *Damaged Trees.* Any trees that are designated for preservation and are damaged during the construction process or that die within two (2) years of issuance of a certificate of occupancy shall be mitigated for in accordance with subsection _____ and _____ above.
 - d. *Mitigated Trees.* Trees planted and counted towards the necessary mitigation requirements that are damaged after planting or that die within two (2) years

of issuance of a certificate of occupancy shall be mitigated for at a one-to-one (1:1) DBH inch ratio for every tree damaged or that dies.

- e. The amount of tree mitigation per acre is capped at 100 inches per acre. For properties where the trees are generally clustered, staff has the discretion to define the acreage of the property as an area extending 20' beyond the tree canopy of the cluster in determining the acreage.

(n) *Tree Protection Standards.*

- a. All trees to be preserved on site shall be protected from damage caused by site excavation or construction in accordance with the following:
 - i. All trees shall be protected by a fence, frame or box constructed around the drip line of the preserved tree. Protection measures may not be removed until construction is complete.
 - ii. A minimum of one inch (1") of mulch or compost shall be spread beneath the drip line of the preserved tree.
 - iii. No person shall excavate any ditches, tunnels, or trenches, place any paving material or place any drive or parking area within the drip line of any Protected Class or Heritage Class Tree without prior written approval of the Building Official Office at the time of Site Plan approval.
 - iv. No person shall attach any rope, wire, nails, advertising posters or other contrivance to any Protected Class or Heritage Class Tree.
- b. It is the intent of the City to control and prevent the spread of Oak Wilt.
 - i. If any oak tree is wounded by intentional damage or pruning or as a result of natural causes, the damaged area shall be immediately treated with tree wound dressing.
 - ii. All necessary and reasonable efforts shall be given during the permitted removal of any trees to utilize best known practices to prevent the spread of Oak Wilt disease to any other surrounding trees.
- c. *Tree Preservation Credits—Nonresidential and Multifamily Developments.* To encourage the preservation of existing Protected Class or Heritage Class Trees contained within a proposed development, tree preservation credits may be requested to reduce the amount of new trees required on nonresidential and multifamily sites. Tree preservation credits can be issued for landscape buffer requirements when the tree being preserved is located within the buffer. Tree preservation credits can be issued to satisfy total trees per acre requirements of _____
- d. The following minimum tree preservation credits may be requested:
 - i. Protected Class Trees shall receive a credit against the minimum required landscaping or mitigation standards at a one-to-one (1:1) caliper inch ratio;
 - ii. Heritage Class Trees shall receive a credit against the minimum required landscaping or mitigation standards at a three-to-one (3:1) caliper inch ratio;
- e. *Tree Survey Required.* Every application for a final plat for residential development or Site Plan for nonresidential and multifamily development shall be accompanied by a tree survey that includes the following information:

- i. total number of DBH caliper inches of Protected Class and Heritage Class on the site;
 - ii. total number of DBH caliper inches of Protected Class and Heritage Class to be removed; and
 - iii. total number of DBH caliper inches of Protected Class and Heritage Class to be preserved.
- f. *Tree Removal Permit.* A tree removal permit is required for the removal of any Protected Class or Heritage Class trees not exempt in section _____ above. The permit must be accompanied by an appropriate application and shall contain a tree preservation plan showing the following:
 - i. existing/proposed topography;
 - ii. location of property lines, easement, rights-of-ways, setbacks, parking areas and sidewalks;
 - iii. location, species and size (in DBH) of each Protected Class and Heritage Class Tree, except those trees exempted by section _____ above;
 - iv. a tree inventory that summarizes the following.
 - 1. total number of DBH caliper inches on the site.
 - 2. total number of DBH caliper inches to be removed.
 - 3. total number of DBH caliper inches to be preserved.
 - 4. location of any proposed tree mitigation.
 - 5. any proposed tree preservation credits.
 - 6. a summary of the tree protection methods to be utilized.
- g. *Waiver.*
 - i. *General.* The City Council may authorize waivers from the provisions of this Article when, in their opinion, undue hardship will result from requiring strict compliance. Waivers may be granted only to items specifically stated in this section. Waivers must meet one of the following eligibility requirements:
 - 1. The tree is proposed for removal in order for the property to achieve compliance with other applicable City requirements and standards (i.e. site design or storm water management);
 - 2. The tree is proposed for removal because it is within a future public utility location.
 - ii. *Criteria for approval.* Waivers shall be evaluated using the following criteria:
 - 1. Removal of the tree will not have a significant negative impact on erosion, soil stability, flow of surface waters, protection of adjacent trees or windbreaks;
 - 2. The requested waiver does not violate the intent of this section _____ or UDC.
 - 3. Strict interpretation of the provisions of the section would deprive the applicant of rights commonly enjoyed by other nearby properties in the same zoning district or with the same land use that would comply with the same provisions;

4. A reasonable effort to preserve the tree has been made and reasonable alternatives have been evaluated and determined to not be feasible.

3.

Any decision of the Building Official or his/her designee regarding waivers to the provisions of this section may be appealed to the Planning and Zoning Commission. When considering an appeal, the Planning and Zoning Commission shall consider the same standards as the Building Official or his/her designee as outlined above.