

QUOTE: QT-332720

01/04/2024

PREPARED FOR:

Yanmar Arena
1401 Northwest 3rd Avenue
Grand Rapids, Minnesota 55744, United States

Dale Anderson

SEND PURCHASE ORDER TO:

Arbon Equipment Corporation - Northcentral
1253 Connelly Avenue
Arden Hills, Minnesota 55112, United States
414-214-8776
Brad Foster
bfooster@ritehite.com
(651) 396-1093 (mobile)

LINE	PRODUCT DESCRIPTION	QTY	UNIT PRICE	EXTENDED PRICE
1	Raptor Pro Door by Rite-Hite	1	Included	Included
2	Removal/Installation	1	Included	Included

<i>Freight and Handling</i>	Included
<i>Installation</i>	Included
<i>Tax</i>	Included
TOTAL	\$ 26,999.08

Quote Summary:

Rite Hite Raptor Pro Door

DOOR SIZE: 14" Wide X 13'9" High

APPLICATION: Right Side Motor Mount

ELECTRICAL: 480V - Verify*

ACTIVATION: Graphic User Interface 7" LCD Screen NEMA4X, Remote Control for Zamboni, Push button on each side of door

CURTAIN: 1/4" SBR Rubber Curtain

LEAD TIME: 10 Weeks + Installation Scheduling

- Delivery to Yanmar Arena with Offloading by Yanmar Arena
- Removal of existing door and operator by Arbon
- Disposal of existing door by Arbon
- Installation of new door by Arbon
- Man Lift and Fork Lift provided by Yanmar Arena
- All electrical to be completed by Yanmar Arena

OPTIONS:

- Return trip for startup if electrical is not completed by the time of installation (ADD \$1086)
- Disposal of old steel door by Yanmar Arena (SUBTRACT \$1000)

Raptor Pro Series Door

Rite-Hite's high performance Raptor Rubber Series Doors are designed to withstand the toughest, harshest environments. Building on Rite-Hite's reputation as the safest doors in the industry, they are now also the smartest.

Designed for a wide variety of openings

A single operational platform can be used for interior, exterior and high wind applications.

Durable, high-density material

A thick 1/4" SBR Rubber curtain incorporating Soft Breakaway Technology minimizes damage and eliminates downtime from impacts.

Simplicity made easy

With fewer moving parts, no hinges, cables or counterbalance springs to adjust.

One of the industry's highest operating speeds for a rubber door

Operating speeds up to 48" (1.2192 m/sec) per second depending on door size.

Smart, Connected Capabilities


Rite-Hite provides smart, connected capabilities as part of the Rite-Hite Extended Warranty. Facilities gain visibility into their doors productivity and maintenance, helping to increase safety through the Rite-Hite Digital Platform.

TRUE Auto Re-feed™

After an accidental impact, the Raptor Pro rubber door re-feeds itself on the fly without human intervention, keeping your door closed and downtime to a minimum.

Inherently safer by design

Thanks to soft bottom design and Soft Breakaway Technology, springless design, light curtain and optional laser sensors.



Graphic User Interface (GUI)

Specifications

Speed

Peak speeds up to 48"/sec (1.2192 m/sec) with standard variable frequency drive. Top speed is dependent on door size.

Size

Minimum – 6'0" w x 8'0" h (1828 mm x 2438 mm)
Maximum – 16'0" w x 16'0" h (4876 mm x 4876 mm)

Curtain material

1/4" SBR Rubber, 2-ply material.

Side frames

Leg-In or Leg-Out option and able to be changed in field.

Drive system

Powered Up/Gravity Down Design with Direct Drive Variable Speed Operator (manual chain hoist included).

Electrical requirements

Three-phase: 208V, 230V, 460V,
575V (Optional)

Graphic User Interface (GUI)

Industry's only 7" (178 mm) LCD touch screen interface that provides increased safety by allowing an individual to simply access the control box settings without wearing the necessary PPE often required for accessing a live electrical panel.

Curtain retention

Standard 20 psf static windload which is equivalent up to a 115 mph windload. Windload is dependent on door size.

Safety features

Soft Bottom Design - Soft Breakaway Technology,
Light Curtain Detection and Reversing Slack Sensor.

Control box


- » i-COMM™ 3 Digital Controller, variable frequency drive.
- » Pre-wired and factory tested.
- » Standard fiberglass NEMA 4X rated enclosure.

Warranty

Five (5) Year for motor, brake and gearbox.
Two (2) Year on all mechanical and electrical parts.
One (1) Year labor.


Rite-Hite extended warranty

Seven (7) Year drive system.
Three (3) Year fabric/panel, electrical & mechanical.
Two (2) Year labor.



RAPTOR PRO DETAILS

Note: Consult order form for additional product specifications & all available options.



RITEHITE
ALWAYS LOOKING AHEAD

D23RRPSS0303G1

Milwaukee, Wisconsin, USA

www.ritehite.com

P 414-355-2600 (800-456-0600)

F 414-355-9248

Rite-Hite® Raptor Door, TRUE Auto Re-feed™, i-COMM™ are trademarks of the Rite-Hite Holding Corporation. Rite-Hite products may be covered by one or more U.S. Patents with other U.S. and foreign patents pending. Patent coverage: www.ritehite.com/patents. The information herein is provided as a general reference only regarding the use of the applicable products. The specifications stated here are subject to change. Manufactured by Rite-Hite Doors, Inc.

Rite-Hite® Doors Graphic User Interface

Rite-Hite Door's unique Graphic User Interface (GUI) offers the industry's only 7" LCD touch screen operator that provides increased safety by allowing an individual to simply access the control box settings without wearing the necessary PPE often required for accessing a live electrical panel.

Beyond safety, Rite-Hite's GUI stands alone with its ability to work with building management systems, its wireless interlock capabilities and language toggle options. The GUI also provides you with useful insights such as average time the door is spent open or closed, among others.

Simple and Convenient Controls

The GUI provides an easy to understand 7" Color LCD Touch Screen that allows for seamless adjustments and troubleshooting from a convenient location near the door opening.

Increased Safety


Low voltage connections from the larger control panel near the motor provide access to the door settings without exposing personnel to the risk of arc flash.

Designed for every application


The Plastic NEMA 4X enclosure is designed for all applications including interior, exterior, wash down, coolers and freezers.

Clean look


With its compact design the GUI creates a clean appearance by utilizing a smaller footprint and minimal control cable to provide an aesthetically pleasing finished product.



Graphic User Interface - Insights Screen



Graphic User Interface - Settings Screen



Specifications

Options available on the graphic user interface can be used on any Rite-Hite Door with an i-COMM™ 3 and an encoder.

**Older doors are upgradeable*

Control box

The i-COMM™ 3 Digital Controller, displaying real-time door status with variable frequency drive. The NEMA 4X box is prewired with external connections brought into pre-coded terminals. Available remote mount controls.


Graphic User Interface (GUI)

The graphic user interface is designed to provide a clean and simplified control interface that increases safety by reducing the need to access the high voltage control panel when maintenance and door adjustments are required.

- » 7" (178mm) Color LCD Touch Screen
- » State of the art low voltage controls designed to provide complete control
- » Simple troubleshooting screens
- » Useful insights such as cycle times and average time the door is spent open and closed
- » Supports multiple languages
- » Supports network connectivity
- » Wireless interlock capabilities
- » NEMA 4X enclosure

Limited warranty

Two (2) Year on all mechanical and electrical parts.
One (1) Year labor.
Five (5) Year for motor, brake and gearbox.



PLASTIC NEMA 4X GRAPHIC USER INTERFACE

Instructions:

- 1) Fasten plastic NEMA 4X enclosure to the wall making sure to use the mounting tabs provided.
- 2) Attach cable-glands to the bottom of the touchscreen enclosure and control-box enclosure.
- 3) Shut off power to the control box, and use proper lockout-tagout procedures.
- 4) At the control box, plug in the connector.
- 5) Route the cable from the control box, through the cable glands into the touchscreen enclosure.
- 6) Secure the wires to the terminal plug on the printed circuit board mounted to the back of the touchscreen. Refer to the provided wiring diagram.
- 7) Power up the door.
- 8) Make sure the touchscreen and membrane switch function as intended. Secure the cover to the touchscreen enclosure.

RITEHITE
ALWAYS LOOKING AHEAD

D23GUISS0103H1

Milwaukee, Wisconsin, USA

www.ritehite.com



P 414-355-2600 (800-456-0600)

F 414-355-9248

Rite-Hite®, i-COMM™ are trademarks of the Rite-Hite Holding Corporation. Rite-Hite products may be covered by one or more U.S. Patents with other U.S. and foreign patents pending. Patent coverage: www.ritehite.com/patents. The information herein is provided as a general reference only regarding the use of the applicable products. The specifications stated here are subject to change. Manufactured by Rite-Hite Doors, Inc.

NEXT ASSEMBLY	FINAL ASSEMBLY
FINAL	FINAL

REVISION HISTORY				
REV.	DATE	NOTE	ECN	BY
-	6/8/2021	INITIAL RELEASE	10280	DSL
A	6/24/2021	LEG IN DIM ADDED	10280	DSL
A	6/24/2021	LEG IN DIM ADDED	10280	DSL
A	6/24/2021	LEG IN DIM ADDED	10280	DSL
B	6/24/2021	LEG IN DIM ADDED	10280	DSL



CONSULT PRODUCT SELL/SPECIFICATION SHEET & ORDER FORM FOR ADDITIONAL PRODUCT SPECIFICATIONS & ALL AVAILABLE OPTIONS.
SEE 9811A002 FOR LEFT HAND DRIVE

FINISH		MATERIAL	
CONFIDENTIAL		DRAWN BY DSL	
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES.		DRAWN DATE 04/29/2021	
TOLERANCES:		INITIAL ECN	
.X = ±.050		DATE ISSUED 5/14/2021	
.XX = ±.010		REFERENCE	
.XXX = ±.005		ALL SHEETS ARE THE SAME REVISION STATUS	
ANGLE = ±1.0°		DO NOT SCALE DRAWING	
THIRD ANGLE PROJECTION		TITLE	
		RITE-HITE® DOORS INC. ARCHITECTURAL APPROVAL RAPTOR PRO RIGHT HAND DRIVE	
© 2010 RITE-HITE® DOORS INC.		SIZE MODEL DWG NO	
		C RAPPRO 9811A001	
		SCALE 1:24 PART# - SHEET 1 OF 1	

Clear All Fields

TERMS AND CONDITIONS

Standard Terms:

Standard Remarks

These Standard Remarks shall apply to the sale and/or provision of all products and services manufactured and sold by Rite-Hite Company, LLC, Arbon Equipment Corporation, Rite-Hite International, Inc., and DuctSox Corporation, their affiliates and representatives (collectively 'Seller'). These Standard Remarks are part of and incorporated into the Standard Terms and Conditions referenced herein and accessed at <https://ritehite.widen.net/content/eziwcztx1/pdf/Rite-Hite-Standard-Terms-and-Conditions.pdf>.

- A. Delivery will be per the project schedule, unless a specific 'order date/delivery date' has been set.
- B. If applicable, all product lead times are calculated from the time that all approved documentation is returned to us.
- C. All installation prices are based on reasonable access to the installation site. Seller reserves the right to address any additional costs incurred due to poor or obstructed access or interference by other trades or weather-related site conditions.
- D. Unless specifically stated otherwise, all installation will be performed by non-union personnel. If union labor is required additional charges will apply. This Agreement is not subject to prevailing wage requirements unless expressly stated and accompanied by required documentation and the applicable wage determination. Additional charges will apply for prevailing wage projects.
- E. By accepting this proposal, Purchaser accepts product specifications, configuration and terms and conditions.
- F. For Domestic transactions prices are F.O.B. manufacturer's point of shipment and are firm for 30 days on quantities shown. For International transactions prices are FCA Factory point of shipment and are firm for 30 days on quantities shown.
- G. Purchaser is responsible for all sales and use taxes not specified herein.
- H. ALL TERMS AND CONDITIONS ATTACHED OR HEREIN REFERENCED, INCLUDING LIMITATIONS ON LIABILITY AND DISCLAIMERS OF WARRANTY APPLY AND ARE INCORPORATED HEREIN BY REFERENCE.
- I. This proposal does not provide for additional project specific, COVID-19 specific, or other health emergency requirements including but not limited to additional PPE, health assessment, decontamination, or designated additional manpower. Any additional requirements must be identified in writing prior and presented to Seller for review. Any additional costs for additional equipment, labor, or logistics will be presented thereafter.
- J. Purchaser has read, understands and agrees to the prices, terms and conditions herein and incorporated by reference. Seller objects to any additional terms or conditions. Issuance of a purchase order and/or contract to purchase product or services shall be acceptance of these terms herein stated with or without signature. Any language, terms or conditions contained in a purchase order and/or contract that is contrary to those herein or those incorporated by reference shall be null and void as this is the complete and exclusive contract between Purchaser and Seller with respect to products and/or services. Shipment of any product or any services performed pursuant to a purchase order and/or agreement shall be unaffected by language contained in this proposal and any such shipment or performance of services shall be unaffected by language contrary in any purchase order or contract. All terms and conditions are incorporated by reference and contained also on Seller's website at <https://ritehite.widen.net/content/eziwcztx1/pdf/Rite-Hite-Standard-Terms-and-Conditions.pdf>.

Standard Terms & Conditions

(Revised 03.01.23)

1. **ORDERS; QUOTATIONS.** These terms and conditions shall apply to the sale and/or provision of all products and services manufactured and sold by Rite-Hite Company, LLC, Arbon Equipment Corporation, Rite-Hite International, Inc. and DuctSox Corporation, their affiliates and representatives (collectively 'Seller'). Purchaser has read, understands and agrees to the prices, terms and conditions herein and attached and Seller objects to any additional terms or conditions. Issuance of a purchase order and/or contract to purchase product or services shall be acceptance of these terms herein stated with or without signature. Any language, terms or conditions contained in a purchase order and/or contract that is contrary to those herein shall be null and void as this is the complete and exclusive contract between Purchaser and Seller with respect to products and/or services. Shipment of any product or any services performed pursuant to a purchase order and/or

agreement shall be unaffected by language contained in this proposal and any such shipment or performance of services shall be unaffected by language contrary in any purchase order or contract. This Agreement is not subject to prevailing wage requirements unless expressly stated and accompanied by required documentation and the applicable wage determination. Any and all modifications to this Order must be in writing and signed by the Seller.

2. **PRICING.** For Domestic transactions prices are F.O.B. manufacturer's point of shipment and are firm for 30 days on quantities shown. For International transactions prices are FCA Factory point of shipment and are firm for 30 days on quantities shown. All bonds or permits shall be Purchaser's responsibility unless specified in a quotation. All quotations are void if not accepted by Purchaser in writing within 30 days from its date. Seller reserves the right to increase a quoted fee in the event that the Purchaser requests a variation on the goods agreed. If Purchaser does not take delivery of a confirmed Order for goods within 90 days of the agreed upon delivery date, Seller shall have the right to increase the purchase price provided Seller gives Purchaser reasonable notice of the proposed price increase. In the event of a proposed price increase based on the foregoing Purchaser shall have the right to cancel this agreement within 5 days after receipt of such notice and subject to the pre-shipment Cancellation Charges below.
3. **DELIVERY.** Delivery dates specified, if any, are estimates and Seller shall in no event be held liable for delays occasioned by labor disputes, material shortages, acts of God, epidemics, pandemics, fires, floods, severe storms, delays in transportation, or any event or circumstances beyond its exclusive control. IN THE EVENT OF A DELAY OR FAILURE OF PERFORMANCE NOT EXCUSED UNDER THE FOREGOING, SELLER'S LIABILITY SHALL NOT EXCEED THAT PORTION OF THE INVOICE PRICE REPRESENTED BY THE QUANTITY OR MATERIAL DELAYED OR NOT SHIPPED. Purchaser acknowledges that title and risk of loss shall pass upon delivery of the goods to carrier.
4. **PAYMENTS.** Net invoices will be paid within 30 days from the date of invoice for equipment purchases and 15 days from the date of invoice for service transactions. A finance charge of two-percent (2%) per month, or the highest rate allowed by law may be added to the unpaid balance on all accounts not paid in full on or before the due date. Purchaser shall be liable for all costs of collection for unpaid balances including but not limited to reasonable attorney fees and court costs. Unloading of all goods is the responsibility of the Purchaser.
5. **WARRANTIES.** In all cases in which a manufacturer extends to Seller a limited warranty for finished goods covered by this document, that warranty and all associated limitations of liability shall control Purchaser's rights. Seller's standard limited warranty is as follows: Seller warrants that its products will be free from defects in design, materials and workmanship for a period of one to five years from the date of shipment depending on the product. All claims for breach of warranty must be made within 30 days after the defect is or can, with reasonable care, be detected. In order to be entitled to the benefits of this warranty, the products must have been properly installed, maintained, operated within their rated capacities, and not otherwise abused. This warranty is Seller's exclusive express warranty. SELLER EXPRESSLY DISCLAIMS ANY OTHER EXPRESS WARRANTIES INCLUDING BUT NOT LIMITED TO ALL IMPLIED WARRANTIES INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. Nonstandard Seller warranties, if any, must be specified by Seller in writing. In the event of any defects covered by this limited warranty, Seller will remedy such defects by repairing or replacing any defective equipment or parts, bearing all of the costs for parts, labor and transportation. This shall be the exclusive remedy for all claims whether based on contract negligence or strict liability.
6. **EXTENDED WARRANTY.** If Purchaser has purchased an extended warranty for select Rite-Hite manufactured products then Purchaser acknowledges and agrees to the extended warranty terms and conditions contained on <https://ritehite.widen.net/content/btuwsnpg9v/pdf/Rite-Hite-Extended-Warranty-Agreement.pdf>.
7. **LIMITATION OF LIABILITY.** RITE-HITE COMPANY, LLC, ARBON EQUIPMENT CORPORATION, RITE-HITE INTERNATIONAL, INC. AND DUCTSOX CORPORATION AND THEIR PARENT, AFFILIATES, SUBSIDIARIES, EMPLOYEES, AGENTS, AND REPRESENTATIVES SHALL IN NO EVENT BE LIABLE FOR ANY LOSS OF THE USE OF ANY EQUIPMENT OR SPECIAL, INCIDENTAL, PUNITIVE, LIQUIDATED OR CONSEQUENTIAL DAMAGE OF ANY KIND WHETHER FOR BREACH OF WARRANTY, NEGLIGENCE OR STRICT LIABILITY. SELLER'S LIABILITY AND BUYER'S EXCLUSIVE REMEDY IS EXPRESSLY LIMITED TO THE REPAIR OR REPLACEMENT OF GOODS OR REPERFORMANCE OF SERVICES, WITHOUT COST TO BUYER, OF DEFECTIVE MATERIALS, OR THE REPAYMENT OF THE PURCHASE PRICE UPON RETURN OF MATERIALS, OR THE GRANTING OF A REASONABLE ALLOWANCE ON ACCOUNT OF ANY DEFECTS, AS SELLER MAY SOLELY ELECT. Seller shall have the right, at all times hereafter, to inspect the materials and otherwise investigate Purchaser's claims.
8. **SPECIFICATIONS.** The application of a manufacturer's specifications to a particular job is the responsibility of the Purchaser.
9. **CANCELLATION CHARGES.** If Purchaser cancels an order for goods before accepting the goods for any reason other than a timely objection to a price increase, the following cancellation charges expressed in a percent of the purchase price will be paid by the Purchaser and constitute liquidated damages.
 - A. Standard equipment cancelled
 - before (pre) shipment - 20%
 - after shipment but before installation - 50% plus cost of shipment and return
 - B. Special equipment cancelled
 - before manufacturing - 20%
 - during manufacturing - 100%
 - after shipment - 100% plus cost of shipment and return

'Standard Equipment' means any equipment described on current price list as available without modifications, options, or changes whether at additional cost or not excepting rail car ramps which are considered special equipment being manufactured to the purchaser's center line dimensions. All other equipment is special equipment.

- 10. PERFORMANCE.** Seller shall perform all services in a professional and workmanlike manner. Nothing herein shall be deemed to constitute Seller as a joint venturer, partner, or anything other than an independent contractor. Purchaser acknowledges that it will comply with all U.S. laws and regulations including but not limited to U.S. laws regulating export compliance. If Purchaser (i) fails to perform any of the terms and conditions to be performed by Purchaser, including, without limitation, payment of the purchase price when due, (ii) dissolves or is liquidated, or (iii) is the subject of a proceeding in bankruptcy, insolvency, receivership or assignment or the benefit of creditors, then Seller may, in its sole discretion, without notice to Purchaser, declare Purchaser to be in default. Upon or after default, Seller may, without notice, (i) defer any shipments or stop any materials shipped while in transit until payment in full is made, or until Seller is otherwise satisfied as to Purchaser's financial responsibility and Purchaser has given adequate assurance of payment to Seller as requested by Seller, (ii) cancel in whole, or in part, any and all orders then outstanding between Seller and Purchaser, (iii) declare all sums owing hereunder and under any other agreement, documents or instruments between Seller and Purchaser, whether now or hereafter existing to be immediately due and payable, and (iv) exercise any and all other rights and remedies available under applicable law, including, without limitation, the Uniform Commercial Code of Wisconsin. All attorneys' fees and legal expenses incurred by Seller in enforcing the same shall be borne by Purchaser.
- 11. INDEMNIFICATION.** Purchaser shall defend, indemnify and hold Seller, its agents and employees harmless against any and all liability including strict liability, any allegations, demands, claims, charges, causes of action, suits, proceedings, judgments, awards, orders, decrees, losses, fines, penalties, costs and expenses including but not limited to attorneys' fees arising out of Purchaser's use of the goods and/or services. Purchaser agrees that upon acceptance of the goods or services or payment hereunder, that any action shall be commenced within one (1) year.
- 12. CONFIDENTIAL INFORMATION.** Purchaser and Seller may have access to, acquire, or become acquainted with confidential and proprietary information relating to the other party's business, including without limitation, financial information, market information, business projections, business methods, algorithms, trade secrets, technology, contacts, etc. that is not generally known to the public (the 'confidential or proprietary information'). Each party shall hold in strictest confidence and shall not (other than as required in the performance of the party's duties or specifically allowed in writing) disclose or use, either directly or indirectly, any confidential or proprietary information, either during the term of the Agreement, or any time thereafter. Notwithstanding anything to the contrary, 'confidential or proprietary information' shall not include any information: (a) which is, at the time of disclosure, known to the recipient without violation of this Agreement or is generally available to the public; (b) which becomes at a later date, known to the recipient or generally available to the public through no act or omission of the recipient, and then only after such later date; or (c) to the extent which may be required by process of law to be disclosed by the recipient, but only upon prior written notice to the disclosing party of no less than ten (10) days, if notice is permitted, so that the disclosing party may obtain a protective order or other equitable relief. Seller shall continue to own all of its intellectual property rights related to its products and services made under this Agreement.
- 13. FIRMWARE.** Purchaser shall not, and shall not permit others to alter, adapt, translate, decompile, disassemble, copy, modify, create a derivative work of, reverse engineer, reverse assemble, or otherwise attempt to work around or discover any part of the software or firmware within the Rite-Hite Equipment.
- 14. VENUE/JURISDICTION/SEVERABILITY.** This transaction shall be governed by the laws of the State of Wisconsin. Purchaser hereby agrees that any all disputes arising under this Order shall be subject to adjudication only in the state courts of Milwaukee County, Wisconsin or the Eastern United States District Court in Milwaukee, Wisconsin and Purchaser hereby consents to the exclusive jurisdiction of those courts. Seller shall be entitled to attorneys' fees in the event it is the prevailing party in any dispute related to these terms and conditions. The rights and obligations of the parties hereunder shall not be governed by the provisions of the 1980 U.N. Convention on Contracts for the International Sale of Goods. If any provision is declared invalid by a court of competent jurisdiction all other provisions shall remain in full force and effect.
- 15. ARBON CONTRACTOR LICENSE INFORMATION.** AZ # ROC208759 | CA # 997264 | LA # 69155 | NM # 91599 | NV # 0079601 & 0086469 | OR # 149586 | WA # ARBONEC023BG | WV # WV030549



Brad Foster
New Equipment Sales Rep

✉ bfooster@ritehite.com
☎ (651) 396-1093

🌐 arbon.ritehite.com
1253 Connelly Avenue
Arden Hills, Minnesota 55112
United States

Proposal Acceptance

I have read and agree to the terms and conditions

Name: _____

Title: _____

Date Signed: _____

PO#: _____

Signature: _____