Grand Rapids Public Utilities

April 19, 2023 Commission Meeting

Department Head Presentation

Chad Troumbly – Electric Department Manager



Using Data to Make Decisions


- Monthly Statistics
- Circuit Rating
- Cause Pie Chart





Monthly Statistics Feb 2021

IEEE 1366 Statistics		
Metric	Feb 2021	Feb 2020
SAIDI	1.011	3.332
SAIFI	0.0147	0.0475
CAIDI	68.972	70.114
ASAI	99.9973%	99.9917%
Momentary Interruptions	0	0
Sustained Interruptions	3	4



SAIDI = Number of interruptions

SAIFI = Average number interruptions per customer

CAIDI = Customer Average Interruption Duration

ASAI = The Average Service Availability


Circuit Rating

Top 10 Circuits Ranked by Guzage Count			
Circuit Name	Substition Name	Number of Outsige	
Feeder 320	Main Substation		
Feeder 320	Main Substation	4	
Feeder 327	Main Substation	4	
FEEDER 109	TIOGA-SURSTATION	3	
0.24	Crystal Lake Substation	2	
ES67	East Substation	1	
Feeder 326	Main Substation	1	
ES06	East Substation	1	
E985	East Substation	1	
Top 10 Circulta Ranka	d by Customer interruptions.		
Circuit Name	Substation Name	Customer Interruptions	
Feeder 327	Main Substation	1,007	
Feeder 320	Main Substation	534	
Feeder 320	Main Substation	190	
FEEDER 109	TIOGA SUBSTATION	51	
ES05	East Substation	12	
ES07	East Substation	2	
0.24	Crystal Lake Substation	2	
Feeder 320	Main Substation	1	
E906	East Substation	1	
Top 10 Circuits Ranks	d by Customer Minutes of Duration		
Circuit Name	Substation Name	Customer Minutes of Duration	
Feeder 327	Main Substation	150,091	
Feeder 320	Main Substation	64,060	
Feeder 320	Main Substation	13,452	
FEEDER 109	TIOGA SUBSTATION	3,128	
ES05	East Substation	300	
Feeder 326	Main Substation	100	
0.24	Crystal Lake Substation	175	
E506	East Substation	120	
ES07	East Substation	70	

- Number of Outages
- Number of Customers
- Number of Minutes



Cause Pie Chart





Questions / Comments

April 19, 2023 Commission Meeting

Department Head Presentation

Chad Troumbly – Electric Department Manager

