GRAND RAPIDS PD

Prepared For: JEREMY NELSON

Vehicle: [Fleet] 2024 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Work Truck



Quote Worksheet

		MSRP
Base Price		\$45,800.00
Dest Charge		\$1,995.00
Total Options		\$10,261.00
	Subtotal	\$58,056.00
BID ASSIST		(\$3,200.00)
SPOTLIGHT		\$897.60
TONNEAU COVER ROLLUP		\$650.00
MUD FLAPS		\$220.00
WEATHER TECH MATS F&R		\$275.00
BLACK ASSIST STEPS		\$699.00
	Subtotal Pre-Tax Adjustments	(\$458.40)
Less Customer Discount		(\$4,011.00)
	Subtotal Discount	(\$4,011.00)
Trade-In		\$0.00
	Subtotal Trade-In	\$0.00
	Taxable Price	\$53,586.60
Sales Tax		\$0.00
	Subtotal Taxes	\$0.00
	Subtotal Post-Tax Adjustments	\$0.00
	Total Sales Price	\$53,586.60

Dealer Signature / Date Customer Signature / Date

Selected	woaei	and	Option
MODEL			

CODE	MODEL	MSRP
CK10543	2024 Chevrolet Silverado 1500 4WD Crew Cab 147" Work Truck	\$45,800.00

COLORS

-		
	CODE	DESCRIPTION
	GBA	Black

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.

. 4		
(<	Complete)

EMISSIONS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
FE9	Emissions, Federal requirements	0.00 lbs	0.00 lbs	\$0.00
ENGINE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
L84	Engine, 5.3L EcoTec3 V8 (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm); featuring available Dynamic Fuel Management that enables the engine to operate in 17 different patterns between 2 and 8 cylinders, depending on demand, to optimize power delivery and efficiency (Requires (G80) autolocking differential on CC10543 Crew Cab models. Not available with C*10703 Regular Cab model.)	111.00 lbs	0.00 lbs	\$1,595.00
TRANSMISSION				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
MI2	Transmission, 10-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (Included and only available with (9C1) Police Pursuit Package, (5W4) Special Services Package or (FHS) E85 FlexFuel capability.)	17.00 lbs	3.00 lbs	Inc.
GVWR				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
C5Y	GVWR, 7100 lbs. (3221 kg) (Requires Crew Cab 4WD model with	0.00 lbs	0.00 lbs	Inc.

AXLE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GU5	Rear axle, 3.23 ratio (Included and only available with (L84) 5.3L EcoTec3 V8 engine.)	0.00 lbs	3.00 lbs	Inc.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.

(L84) 5.3L EcoTec3 V8 engine.)

PREFERRED EQ	UIPMENT GROUP			
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
1WT	Work Truck Preferred Equipment Group includes standard equipment	0.00 lbs	0.00 lbs	\$0.00
WHEELS				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
PXT	Wheels, 20" x 9" (50.8 cm x 22.9 cm) Black painted steel (Included and only available with (9C1) Police Pursuit Package.)	29.00 lbs	29.00 lbs	Inc.
TIRES				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
QAE	Tires, 275/60R20SL all-terrain, blackwall (Included and only available with (9C1) Police Pursuit Package.)	12.00 lbs	12.00 lbs	Inc.
SPARE TIRE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
RMW	Tire, spare 275/60R20 all-terrain, blackwall (Included and only available with (9C1) Police Pursuit Package.)	-1.00 lbs	10.00 lbs	Inc.
PAINT				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
GBA	Black	0.00 lbs	0.00 lbs	\$0.00
SEAT TYPE				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
AZ3	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.



SEAT TRIM				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
HOU	Jet Black, Cloth seat trim (On 1WT models requires (ZLQ) WT Fleet Convenience Package and (A2X) 10-way power driver seat adjuster. Not available with (ZW9) pickup bed delete.)	0.00 lbs	0.00 lbs	\$0.00
RADIO				
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
IOR	Audio system, Chevrolet Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)	0.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.



CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
9C1	Police Pursuit Package includes (K47) high-capacity air filter, (KW5) 220-amp alternator, (KI4) 120-volt power outlet, (KC9) 120-volt bed-mounted power outlet, (J55) Heavy Duty Brakes, (PXT) 20" Black painted steel wheels, (RNQ) 20" Black painted steel spare wheel, (QAE) 275/60R20SL all-terrain, blackwall tires, (RMW) 275/60R20 all-terrain, blackwall spare tire, (VZ2) speedometer calibration, (JHD) Hill Descent Control, (5J1) Calibration, keyless remote panic button exterior lights/horn disable, (NZZ) skid plates, (G80) auto-locking differential, (K34) cruise control, (NQH) 2-speed transfer case, (5J3) calibration and surveillance mode interior & exterior lighting, (6J7) headlamp and taillamp flasher system, (5LO) red/red taillamp flasher calibration and (5J9) red/white taillamp flasher calibration (Requires (Z71) Z71 Off-Road Package or (Z7X) Suspension Package. Requires CK10543 4WD Crew Cab Short Bed, (L84) 5.3L EcoTec3 V8 engine and either (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package. Not available with (5W4) Special Service Package or (9B9) Governor, electronic speed sensor set to 70 MPH.	0.00 lbs	0.00 lbs	\$4,495.00
Z71	Z71 Off-Road Package includes (Z71) Off-Road suspension, (JHD) Hill Descent Control, (NZZ) skid plates and (K47) heavy-duty air filter (Requires Crew Cab or Double Cab 4WD model, (L84) 5.3L EcoTec3 V8 engine, (Z82) Trailering Package and AT or MT tires. Includes Z71 hard badge, (G80) locking differential and (NQH) 2-speed transfer case. Not available with (L3B) TurboMax engine.)	0.00 lbs	0.00 lbs	\$0.00
Z82	Trailering Package includes trailer hitch, 7-pin and 4-pin connectors and (CTT) Hitch Guidance (With (L84) 5.3L EcoTec3 V8 engine requires (G80) locking differential. Included with (PEB) WT Value Package.)	-4.00 lbs	19.00 lbs	\$425.00
ZLQ	WT Fleet Convenience Package includes (K34) cruise control and (DLF) power mirrors (Upgradeable to (DPO) trailer mirrors and includes (DD8) auto dimming rearview mirror. Not available with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs	\$370.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.

	4		
(\	Complete)

ADDITIONAL EQUIPMENT - MECHANICAL					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	
G80	Auto-locking rear differential (Required with (L84) 5.3L EcoTec3 V8 engine when (Z82) Trailering Package is ordered. Included with (Z71) Z71 Off-Road Package or (9C1) Police Pursuit Package.)	0.00 lbs	2.00 lbs	Inc.	
J55	Brakes, Heavy-Duty 4-wheel antilock, 4-wheel disc (Included and only available with (9C1) Police Pursuit Package.)	3.00 lbs	0.00 lbs	Inc.	
JHD	Hill Descent Control (Included and only available with (Z71) Z71 Off-Road Package or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.	
JL1	Trailer brake controller, integrated (Requires (Z82) Trailering Package.)	3.00 lbs	1.00 lbs	\$275.00	
K05	Engine block heater	2.00 lbs	0.00 lbs	\$100.00	
K47	Air filter, heavy-duty (Included and only available with (BAQ) Work Truck Package, (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package, (5W4) Special Service Package or (9C1) Police Pursuit Package. Available free flow as a SEO.)	0.00 lbs	0.00 lbs	Inc.	
KC4	Cooling, external engine oil cooler (Included and only available with V8 engines.)	0.00 lbs	0.00 lbs	Inc.	
KNP	Cooling, auxiliary external transmission oil cooler (Included and only available with V8 engines.)	0.00 lbs	0.00 lbs	Inc.	
NQH	Transfer case, two-speed electronic Autotrac with push button control (4WD models only) (Included and only available with (Z71) Z71 Off-Road Package or (9C1) Police Pursuit Package. Free flow requires Regular Cab model.)	8.00 lbs	3.00 lbs	Inc.	
NZZ	Skid Plates (Included with (BAQ) Work Truck Package, (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (9C1) Police Pursuit Package.)	6.00 lbs	1.00 lbs	Inc.	

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.

Page 7 Mar 21, 2024

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

4		
\checkmark	Com	plete

CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
5J9	Calibration, Taillamp Flasher, Red/White Calibration flashes back-up (white) and brake (red) lamps alternatingly when activated. (Requires C*10*43 model. Included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.
5LO	Calibration, Taillamp Flasher, Red/Red Calibration flashes back-up (red) and brake (red) lamps alternatingly when activated. (Requires C*10*43 model. Included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.
6J3	Wiring, Provisions for grille lamps and siren speakers (Requires (5W4) Special Services Package or (9C1) Police Pursuit Package, Silao Production and (GEZ) Kerr Industries ship thru.)	0.00 lbs	0.00 lbs	\$207.00
6J4	Wiring, Horn and siren circuit (Requires (5W4) Special Services Package or (9C1) Police Pursuit Package, Silao Production and (GEZ) Kerr Industries ship thru.)	0.00 lbs	0.00 lbs	\$105.00
6J7	Flasher System Headlamp and taillamp, DRL compatible with control wire (Requires C*10*43 model. Included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.
7X3	Spotlamp, Left-hand pillar mounted, LED (Requires (5W4) Special Services Package or (9C1) Police Pursuit Package, Silao Production and (GEZ) Kerr Industries ship thru. Not available with any other SEO spotlamps.)	5.00 lbs	1.00 lbs	\$1,020.0
AKO	Glass, deep-tinted (Included with (PCV) WT Convenience Package.)	0.00 lbs	0.00 lbs	\$200.00
B1J	Wheelhouse liners, rear (Not available on Regular Cab models, 2WD Crew Cab or Double Cab models, or with (ZW9) pickup bed delete.)	0.00 lbs	6.00 lbs	\$140.00
CGN	Chevytec spray-on bedliner, Black (does not include spray-on liner on tailgate due to Black composite inner panel) (Not available with (ZW9) pickup bed delete. Double Cab and Crew Cab models are available with Ship Thru codes (VCO), (VDT), (VYC) or (VYS). Crew Cab and Regular Cab models are available with Ship Thru codes (A6T), (TW3), (VI1), (VDJ), (VKZ) or (WEZ).)	2.00 lbs	30.00 lbs	\$545.00
DLF	Mirrors, outside heated power-adjustable (Standard on Regular Cab models. Included and only available with (ZLQ) WT Fleet Convenience Package or (PCV) WT Convenience Package on Crew Cab and Double Cab models. When (PQA) WT Safety Package is ordered, includes (DP6) high gloss Black mirror caps.)	1.00 lbs	0.00 lbs	Inc.
QT5	Tailgate, gate function manual with EZ Lift includes power lock and release	0.00 lbs	4.00 lbs	\$150.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.

Vehicle: [Flee	et] 2024 Chevrolet Silverado 1500 (CK10543) 4WD Crew	/ Cab 147"	Work Truck	(Complete)
RNQ	Wheel, full-size spare, matching 20" (50.8 cm) steel wheel without center cap (Included and only available with (9C1) Police Pursuit Package.)	-2.00 lbs	16.00 lbs	Inc.
UF2	LED Cargo Area Lighting located in pickup bed, activated with switch on center switch bank or key fob	0.00 lbs	1.00 lbs	\$125.00
VK3	License plate kit, front (will be shipped to orders with ship-to states that require front license plate)	1.00 lbs	0.00 lbs	\$0.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.

	4		
(V	Complete	

ADDITIONAL EQUIPMENT - INTERIOR					
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP	
5J1	Calibration, keyless remote panic button exterior lights/horn disable (Requires C*10*43 model and included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.	
5J3	Calibration, Surveillance Mode Interior & Exterior Lighting Calibration to disable interior & exterior automatic lighting. Feature is activated by adding wire connection to the BCM by customer/upfitter. (Requires C*10*43 model and included and only available with (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	Inc.	
5T5	Seats, Front cloth and second row vinyl (Requires C*10*43 model and (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	\$0.00	
6E2	Key, common All keys are coded alike. Not compatible with Tahoe or prior years Silverados equipped with SEO 6E2 (Requires C*10*43 model, (5W4) Special Service Vehicle or (9C1) Police Pursuit Package, (SAF) spare tire lock, (UTQ) Alarm, Horn Content Theft Deterrent, Disabled and Government type order.)	0.00 lbs	0.00 lbs	\$25.00	
6N5	Inoperative rear windows (Requires C*10*43 model and (5W4) Special Service Vehicle or (9C1) Police Pursuit Package.)	0.00 lbs	0.00 lbs	\$50.00	
6N6	Door locks and handles Inside rear doors inoperative (doors can only be opened from outside) (Requires (5W4) Special Services Package or (9C1) Police Pursuit Package, Silao Production and (GEZ) Kerr Industries ship thru.)	0.00 lbs	0.00 lbs	\$69.00	
A2X	Seat adjuster, driver 10-way power including lumbar (Requires (ZLQ) WT Fleet Convenience Package, (H0U) Jet Black interior and (Kl4) 120-volt power outlet.)	6.00 lbs	4.00 lbs	\$290.00	
K34	Cruise control, electronic with set and resume speed, steering wheel-mounted (Included with (ZLQ) WT Fleet Convenience Package, (PCV) WT Convenience Package or (9C1) Police Pursuit Package. Upgradeable to (KSG) Adaptive Cruise Control.)	0.00 lbs	0.00 lbs	Inc.	
KC9	Power outlet, bed mounted, 120-volt (400 watts shared with (KI4) interior power outlet) (Included and only available with (KI4) Power outlet. Not available with (ZW9) pickup bed delete.)	0.00 lbs	1.00 lbs	Inc.	
KI4	Power outlet, interior power outlet, 120-volt (400 watts shared with (KC9) bed mounted power outlet) (Requires (QT5) EZ Lift power lock and release tailgate. Included with (5W4) Special Service Package and (9C1) Police Pursuit Package. Includes (UBI) USB ports on Crew and Double Cab models only.)	3.00 lbs	2.00 lbs	Inc.	
N06	Steering column lock, electrical	0.00 lbs	0.00 lbs	\$0.00	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.

Vehicle: [Fleet] 2024 Chevrolet Silverado 1500 (CK10543) 4WD Crew Cab 147" Work Truck (✓ Comple			(Complete	
UBI	USB ports, rear, dual, charge-only (Included and only available with (KI4) 120-volt power outlet on Crew and Double Cab models only.)	0.00 lbs	0.00 lbs	Inc.
UTQ	Alarm, Horn Content Theft Deterrent, Disabled Calibration disables the horn for the theft deterrent alarm (Requires C*10*43 model and (5W4) Special Service Vehicle or (9C1) Police Pursuit Package)	0.00 lbs	0.00 lbs	\$75.00

	Options Total	202.00 lbs	148.00 lbs	\$10,261.00
СТТ	Hitch Guidance dynamic single line to aid in trailer alignment for hitching (Included and only available with (Z82) Trailering Package.)	0.00 lbs	0.00 lbs	Inc.
CODE	DESCRIPTION	FRONT WEIGHT	REAR WEIGHT	MSRP
ADDITIONAL EC	DITIONAL EQUIPMENT - SAFETY-INTERIOR			

Price Summary

PRICE SUMMARY	
	MSRP
Base Price	\$45,800.00
Total Options	\$10,261.00
Vehicle Subtotal	\$56,061.00
Destination Charge	\$1,995.00
Grand Total	\$58,056.00

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.

Standard Equipment

Package	
	Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam
Mechanical	
	Durabed, pickup bed
	Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (ZW9) pickup bed delete.)
	Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) TurboMax engine. Requires (AZ3) front 40/20/40 split-bench seats.)
	Rear axle, 3.42 ratio
	GVWR, 7000 lbs. (3175 kg) (STD) (Requires Crew Cab or Double Cab 4WD model and (L3B) TurboMax engine.)
	Push Button Start
	Automatic Stop/Start (Not available with (5W4) Special Services Package, (9C1) Police Pursuit Package or (FHS) E85 FlexFuel capability.)
	Transfer case, single speed electronic Autotrac with push button control (4WD models only)
	Four wheel drive
	Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
	Alternator, 220 amps (Included with (L3B) TurboMax engine, (VYU) Snow Plow Prep Package, (5W4) Special Service Package or (9C1) Police Pursuit Package.)
	Recovery hooks, front, frame-mounted, Black
	Frame, fully-boxed, hydroformed front section
	Suspension Package, Standard
	Steering, Electric Power Steering (EPS) assist, rack-and-pinion
	Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
	Brake lining wear indicator
	Capless Fuel Fill
	Exhaust, single outlet
Exterior	

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.

(Complete	١
(~	Complete	,

Exterior	
	Tires, 255/70R17 all-season, blackwall (STD)
	Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)
	Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
	Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
	Bumpers, front, Black (semi-gloss)
	Bumpers, rear, Black (semi-gloss)
	CornerStep, rear bumper
	Cargo tie downs (12), fixed rated at 500 lbs per corner
	Headlamps, halogen reflector with halogen Daytime Running Lamps
	IntelliBeam, automatic high beam on/off
	Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side o steering wheel (incandescent on Regular Cab models, LED on Crew Cab and Double Cab models)
	Taillamps with incandescent tail, stop and reverse lights
	Mirrors, outside manual, Black (Standard on Crew Cab and Double Cab models only. Not available on Regular Cab models.)
	Glass, solar absorbing, tinted
	Door handles, Black
	Tailgate and bed rail protection cap, top
	Tailgate, standard
	Tailgate, locking utilizes same key as ignition and door (Removed when (QT5) EZ Lift power lock and release tailgate is ordered.)
	Tailgate, gate function manual, no EZ Lift
Entertainment	
	Audio system, Chevrolet Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)
	Sirius XM, delete (Can be upgraded to (U2K) SiriusXM.)
	Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
	Wireless phone projection for Apple CarPlay and Android Auto
	Bluetooth for phone, connectivity to vehicle infotainment system
	Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.

(Complete)	
(~	Complete)	

Interior	
	Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
	Seat trim, Vinyl
	Seat adjuster, driver 4-way manual
	Seat adjuster, passenger 4-way manual
	Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)
	Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
	Steering wheel, urethane
	Steering column, Tilt-Wheel, manual with wheel locking security feature
	Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
	Driver Information Center, 3.5" diagonal monochromatic display
	Exterior Temperature Display located in radio display
	Compass located in instrument cluster
	Window, power front, drivers express up/down
	Window, power front, passenger express down
	Windows, power rear, express down (Not available with Regular Cab models.)
	Door locks, power
	Remote Keyless Entry, with 2 transmitters
	Power outlet, front auxiliary, 12-volt
	USB Ports, 2, Charge/Data ports located on instrument panel
	Air conditioning, single-zone manual
	Air vents, rear, heating/cooling (Not available on Regular Cab models.)
	Mirror, inside rearview, manual tilt
	Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted
	Chevrolet Connected Access capable (Subject to terms. See onstar.com or dealer for details.)
Safety-Mechanical	
	Automatic Emergency Braking
	Front Pedestrian Braking
	StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.



Safety-Exterior	
	Daytime Running Lamps with automatic exterior lamp control
Safety-Interior	
	Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
	OnStar and Chevrolet connected services capable (Terms and limitations apply. See onstar.com or dealer for details.)
	HD Rear Vision Camera
	Lane Keep Assist with Lane Departure Warning
	Following Distance Indicator
	Forward Collision Alert
	Rear Seat Reminder (Requires Crew Cab or Double Cab model.)
	Rear Seat Belt Indicator (Requires Crew Cab or Double Cab model.)
	Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver
	Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu
	Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)
	3 Years of Remote Access. The Remote Access Plan gives you simplified remote control of your properly equipped vehicle and unlocks a variety of great features in your myChevrolet mobile app. See dealer for details. (Remote Access Plan does not include emergency or security services. See onstar.com for details and limitations. Available on select Apple and Android devices. Service availability, features and functionality vary by vehicle, device, and the plan you are enrolled in. Terms apply. Device data connection required.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.

Page 15 Mar 21, 2024



WARRANTY

Basic Years: 3

Basic Miles/km: 36,000 Drivetrain Years: 5

Drivetrain Miles/km: 60,000

Drivetrain Note: Silverado TurboMaxTM engines, 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain

commercial, government, and qualified fleet vehicles: 5 years/100,000 miles

Corrosion Years (Rust-Through): 6

Corrosion Years: 3

Corrosion Miles/km (Rust-Through): 100,000

Corrosion Miles/km: 36.000 Roadside Assistance Years: 5

Roadside Assistance Miles/km: 60,000

Roadside Assistance Note: Silverado TurboMaxTM engines, 3.0L & 6.0L Duramax® Turbo-Diesel engines, and

certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles

Maintenance Note: First Visit: 12 Months/12,000 Miles

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.



Technical Specifications

ΙE	rechnical Specifications					
Po	Powertrain					
Tr	Transmission					
	Drivetrain	Four Wheel Drive	Trans Order Code	MI2		
	Trans Type	10	Trans Description Cont.	Automatic		
	Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.69		
	Second Gear Ratio (:1)	2.98	Third Gear Ratio (:1)	2.15		
	Fourth Gear Ratio (:1)	1.8	Fifth Gear Ratio (:1)	1.52		
	Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.86		
	Clutch Size	N/A	Trans Power Take Off	N/A		
	Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	Magna MP3023/4		
	Transfer Case Gear Ratio (:1), High	1.00	Transfer Case Gear Ratio (:1), Low	2.69		
	Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00		
	Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69		
	Tenth Gear Ratio (:1)	0.63				
Mileage						
	EPA Fuel Economy Est - Hwy	19 MPG	Cruising Range - City	360.00 mi		
	EPA Fuel Economy Est - City	15 MPG	Fuel Economy Est-Combined	16 MPG		
	Cruising Range - Hwy	456.00 mi	Estimated Battery Range	N/A		
Engine						
	Engine Order Code	L84	Engine Type	Gas V8		
	Displacement	5.3L/325	Fuel System	Direct Injection		
	SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100		
	Engine Oil Cooler	N/A				
Electrical						
	Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A		
	Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	220		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.



Powertrain				
Cooling System				
Total Cooling System Capacity	N/A			
Vehicle				
Emissions				
Tons/yr of CO2 Emissions @ 15K mi/year	11.0	EPA Greenhouse Gas Score	3	
Chassis				
Weight Information				
Standard Weight - Front	1.00 lbs	Standard Weight - Rear	0.00 lbs	
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3800 lbs	
Gross Axle Wt Rating - Rear	3800 lbs	Curb Weight - Front	2845 lbs	
Curb Weight - Rear	1981 lbs	Option Weight - Front	202.00 lbs	
Option Weight - Rear	148.00 lbs	Reserve Axle Capacity - Front	752.00 lbs	
Reserve Axle Capacity - Rear	1671.00 lbs	As Spec'd Curb Weight	5177.00 lbs	
As Spec'd Payload	1923.00 lbs	Maximum Payload Capacity	2274.00 lbs	
Gross Combined Wt Rating	15000 lbs	Gross Axle Weight Rating	7600.00 lbs	
Curb Weight	4826.00 lbs	Reserve Axle Capacity	2423.00 lbs	
Total Option Weight	350.00 lbs	Payload Weight Front	0 lbs	
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	7100.00 lbs	
Trailering				
Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs	
Wt Distributing Hitch - Max Trailer Wt.	9400 lbs	Wt Distributing Hitch - Max Tongue Wt.	940 lbs	
Fifth Wheel Hitch - Max Trailer Wt.	9600 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2400 lbs	
Maximum Trailering Capacity	9400 lbs			
Frame				
Frame Type	Box Ladder	Sect Modulus Rails Only	N/A	
Frame RBM	N/A	Frame Strength	N/A	
Frame Thickness	N/A			

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.



assis			
uspension			
Suspension Type - Front	Independent	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	3800 lbs	Spring Capacity - Rear	3850 lbs
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	3800 lbs	Axle Capacity - Rear	3800 lbs
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A
ires			
Front Tire Order Code	QAE	Rear Tire Order Code	QAE
Spare Tire Order Code	RMW	Front Tire Size	275/60R20SI
Rear Tire Size	275/60R20SL	Spare Tire Size	275/60R20
Front Tire Capacity	3800 lbs	Rear Tire Capacity	3800 lbs
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A
/heels			
Front Wheel Size	20 x 9 in	Rear Wheel Size	20 x 9 in
Spare Wheel Size	20 x 9 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel
teering			
Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.9 ft	Turning Diameter - Wall to Wall	N/A
rakes			
Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes
Ding Poor (Voc.or.)	Voc	Front Proko Potor Diam v Thickness	NI/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Front Brake Rotor Diam x Thickness

N/A

Yes

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.

Disc - Rear (Yes or)

omplete)
ompiete	,

Chassis			
Brakes			
Rear Brake Rotor Diam x Thickness	N/A	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A
Dimensions			
Interior Dimensions			
Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	40.12 in
Second Leg Room	43.4 in	Second Shoulder Room	65.16 in
Second Hip Room	60.24 in		
Exterior Dimensions			
Wheelbase	147.4 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	231.88 in
Width, Max w/o mirrors	81.24 in	Height, Overall	75.51 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	8.08 in	Ground Clearance, Rear	8.08 in
Body Length	0.00 ft	Cab to Body	N/A
Cargo Area Dimensions			
Cargo Box Length @ Floor	69.92 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.63 in
Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.

Dimensions						
Car	Cargo Area Dimensions					
	Cargo Volume	62.9 ft ³	Ext'd Cab Cargo Volume	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.

Data Version: 22002. Data Updated: Mar 20, 2024 6:43:00 PM PDT.