Quote

Petersen Industries, Inc. 4000 SR 60 W. Lake Wales, FL. 33859 P: (863) 676-1493 F: (863) 676-6844



Quote No Quote Date Page 20230083 1/11/2023 1

Sourcewell No. #040621-PII

Ship to

GREEN COVE SPRINGS, ATTN: ACCOUNTS 321 WALNUT STREET GREEN COVE SPRINGS, FL US

Bill To

GREEN COVE SPRINGS, CITY ATTN: ACCOUNTS PAYABLE 321 WALNUT STREET GREEN COVE SPRINGS, FL

END USER:

Green Cove Spring, (FL)

Customer No

Sispsn

Payment terms

578

Qty Ordered

Bryce Otwell Ship via

Net 30

Ship Date

PPD/COL Loc LW

Best Way

A.S.A.P.

Delivery Date:

60-90 days after chassis

65.489.00

UOM Item No

Unit price Disc

1.00

Extended price

1.00 EA LOADER

AS CONFIGURED BELOW

67,404.00

2.00

66,055.92

reactive/ Kit Compone	inus- L	UADER	,
	1.00	EA	0.TL3

		MODEL TL3 BASE LOADER	1.00	05,469.00
1.00	EA	03.11SAI HEAVY DUTY SWING MOTOR	1.00	0.00
1.00	EA	03.12 STD HT PED STANDARD HEIGHT PEDESTAL	1.00	0.00
1.00	EA	01.24 GRATING HEAT SHIELD (FOR DUAL CONTROLS ONLY)	1.00	479.00
1.00	EA	07.10SB60 STANDARD BUCKET 60"	1.00	0.00
1.00	EA	10.04 BUWL BOOM-UP WARNING LIGHT/AUDIBLE ALARM	1.00	0.00
1.00	EA	12.36 HD HD CONTROL BOX THROTTLE ENGINE KILL & HORN	1.00	0.00
1.00	EA	12.02 TP TANDEM PUMP IN LIEU OF SINGLE 18 GMP	1.00	0.00
1.00	EA	8.41 TB TFM TOOL BOX, TRUCK FRAME MOUNTED UNDER BODY (ADD-ON)	1.00	885.00
1.00	EA	12.24 KHS KEVLAR HOSE SLEEVING	1.00	551.00
1.00	EA	11.02 LBPIO LOADER SINGLE COLOR PI ORANGE	1.00	0.00

1.00 EA 8.0 DUMP BODY

AS CONFIGURED BELOW

42,207.00

2.00

41,362.86

Feature/Kit Components- 8.0 DUMP BODY	
---------------------------------------	--

ents- 8	.0 DUM	IP BODY		
1.00	EA	8.28 1828-HDX MODEL HDX-1828 HARDOX BODY 1/8" SIDES, 3/16" FLOOR	1.00	36,901.00
1.00	EA	8.36 PISWLCD PI SELF-WINDING LOAD COVERING DEVICE (ADD-ON)	1.00	1,353.00
1.00	EA	8.40 S-BD STANDARD BARN DOORS FOR BODY	1.00	0.00
1.00	EA	8.47 WL-BW WIRE LOOM FOR BODY WIRING	1.00	0.00
1.00	EA	10.09 LED LED TYPE BODY LIGHTS, 15 EA.	1.00	347.00

Quote

Petersen Industries, Inc. 4000 SR 60 W. Lake Wales, FL. 33859 P: (863) 676-1493 F: (863) 676-6844



Quote No Quote Date Page 20230083 1/11/2023 2

Sourcewell No. #040621-PII

Ship to

GREEN COVE SPRINGS, ATTN: ACCOUNTS 321 WALNUT STREET GREEN COVE SPRINGS, FL US

Bill To

GREEN COVE SPRINGS, CITY ATTN: ACCOUNTS PAYABLE 321 WALNUT STREET GREEN COVE SPRINGS, FL US

END USER:

Green Cove Spring, (FL)

Customer No 578 Sispsn Bryce Otwell **Payment terms**

Net 30

PPD/COL Loc

Ship via

Ship Date

LW

A.S.A.P.

60-90 days after chassis

Qty Ordered

Best Way **UOM Item No**

Delivery Date: Unit price Disc **Extended** price

1.00	EA	10.10 LED FLASH AMBER LED FLASHERS IN REAR CORNER POST	1.00	430.00
1.00	EA	8.77ANSI ANSI Z245 PACKAGE	1.00	0.00
1.00	ST	10.98 WLCB WORK LIGHTS - (SET OF 2) (CURBSIDE UNDER BODY)	1.00	375.00
1.00	ST	10.98 WLSB WORK LIGHTS - (SET OF 2) (STREETSIDE UNDER BODY)	1.00	375.00
1.00	EA	8.76 RCMTL REAR CAMERA MOUNTED IN REAR MARKER LIGHT-TV-550	1.00	1,808.00
1.00	EA	10.06 SS SINGLE STROBE MOUNTED ON REAR OF BODY	1.00	405.00
1.00	EA	10.07 BG BRUSH GUARD FOR SINGLE REAR STROBE	1.00	213.00
1.00	EA	11.02B BODY COLOR: BLACK	1.00	0.00
S-OTHE	R		97,275.30 2.00	95,329.79

1.00 EA CHASSIS-OTHER

CHASSIS, FOR NEW LOADER 2024 Freightliner M2-106 Cumming b6.7 /Allison 3500rds

Steve T/ 904-297-7058

Date

SubTotal Delivery

202,748.57 690.20

203,438.77

Signature

Tax **Total Quote** 0.00

Prepared For:
Casey Hardee
PETERSEN INDUSTRIES BB
4000 State Road 60 W
Lake Wales, FL 33859

UNITED STATES
Phone: 800-930-5623

Prepared by:
Bob Scharpnick
ORLANDO FREIGHTLINER
2455 S. ORANGE BLOSSOM TRAIL
APOPKA, FL 32703
Phone :4072953846

SPECIFICATION PROPOSAL

Data Code	Description	Weight Front	Weight Rear	Retail Price
Price Level				
PRL-27M	M2 PRL-27M (EFF:MY24 ORDERS)			N/C
Data Version				
DRL-007	SPECPRO21 DATA RELEASE VER 007			N/C
Vehicle Config	uration			
001-172	M2 106 CONVENTIONAL CHASSIS	5,709	3,450	\$105,355.00
004-224	2024 MODEL YEAR SPECIFIED			N/C
002-004	SET BACK AXLE - TRUCK			STD
019-002	STRAIGHT TRUCK PROVISION			STD
003-001	LH PRIMARY STEERING LOCATION			STD
General Service	e			
AA1-002	TRUCK CONFIGURATION			STD
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)			N/C
A85-002	PICKUP AND DELIVERY/SHORT HAUL SERVICE			STD
A84-1WH	WHOLESALE AND RETAIL BUSINESS SEGMENT			N/C
AA4-001	GENERAL FREIGHT COMMODITY			STD
AA5-002	TERRAIN/DUTY: 100% (ALL) OF THE TIME, IN TRANSIT, IS SPENT ON PAVED ROADS			STD
AB1-008	MAXIMUM 8% EXPECTED GRADE			STD
AB5-001	SMOOTH CONCRETE OR ASPHALT PAVEMENT - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE			STD
995-091	MEDIUM TRUCK WARRANTY			STD
A66-99D	EXPECTED FRONT AXLE(S) LOAD : 12000.0 lbs			
A68-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 21000.0 lbs			



Prepared For:
Casey Hardee
PETERSEN INDUSTRIES BB
4000 State Road 60 W
Lake Wales, FL 33859

UNITED STATES
Phone: 800-930-5623

Data Code	Description	Weight Front	Weight Rear	Retail Price
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY: 33000.0 lbs			-
Truck Service				
AA3-005	FLATBED/PLATFORM/STAKE BODY			N/C
AF3-169	PETERSEN INDUSTRIES			N/C
AF7-99D	EXPECTED BODY/PAYLOAD CG HEIGHT ABOVE FRAME "XX" INCHES: 32.0 in			
Engine				
101-21X	CUM B6.7 300 HP @ 2600 RPM, 2600 GOV, 660 LB-FT @ 1600 RPM			\$6,471.00
Electronic Par	ameters			
79A-075	75 MPH ROAD SPEED LIMIT			STD
79B-000	CRÜISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT			N/C
79F-004	CUMMINS TRIP INFORMATION REPORTS ENABLED; LEVEL 1: 4 MPH, LEVEL 2: 7 MPH ABOVE ROAD SPEED LIMIT			N/C
79K-012	PTO MODE ENGINE RPM LIMIT - 1500 RPM			N/C
79P-002	PTO RPM WITH CRUISE SET SWITCH - 700 RPM			N/C
79Q-002	PTO RPM WITH CRUISE RESUME SWITCH - 700 RPM			N/C
79S-001	PTO MODE CANCEL VEHICLE SPEED - 5 MPH			N/C
79U-007	PTO GOVERNOR RAMP RATE - 250 RPM PER SECOND			N/C
79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY			N/C
79W-001	ONE REMOTE PTO SPEED			N/C
79X-001	PTO SPEED 1 SETTING - 700 RPM			N/C
80C-001	ENGINE BRAKE WITH CRUISE CONTROL ENABLED AT 2 MPH ABOVE SET SPEED, 2 MPH INCREMENT BETWEEN BRAKING LEVELS		Ģ.	N/C
80F-001	AUTOMATIC MAINTENANCE MONITOR WITH ALERT AT 5% OF INTERVAL REMAINING			N/C
80G-002	PTO MINIMUM RPM - 700			N/C



Data Code	Description	Weight Front	Weight Rear	Retail Price
80J-002	REGEN INHIBIT SPEED THRESHOLD - 5 MPH			N/C
Engine Equipr	ment			
99C-021	2010 EPA/CARB/GHG21 CONFIGURATION			N/C
99D-009	2008 CARB EMISSION CERTIFICATION - CLEAN IDLE (INCLUDES 6X4 INCH LABEL ON LEFT SIDE OF HOOD)			\$109.00
RNZ-001	OPTIONAL SELECTION OF CARB BASE WARRANTY/CERTIFICATION. DEALER CONFIRMS REGISTRATION IN OTHER THAN CALIFORNIA OR CARB OPT-IN STATES			N/C
13E-001	STANDARD OIL PAN			STD
105-001	ENGINE MOUNTED OIL CHECK AND FILL			STD
014-099	SIDE OF HOOD AIR INTAKE WITH FIREWALL MOUNTED DONALDSON AIR CLEANER			STD
124-1D7	DR 12V 160 AMP 28-SI QUADRAMOUNT PAD ALTERNATOR WITH REMOTE BATTERY VOLT SENSE			STD
292-205	(2) DTNA GENUINE, FLOODED STARTING, MIN 1900CCA, 350RC, THREADED STUD BATTERIES			STD
290-017	BATTERY BOX FRAME MOUNTED			STD
281-001	STANDARD BATTERY JUMPERS			STD
282-001	SINGLE BATTERY BOX FRAME MOUNTED LH SIDE UNDER CAB			STD
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN			STD
289-001	NON-POLISHED BATTERY BOX COVER			STD
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	2		\$206.00
107-032	CUMMINS TURBOCHARGED 18.7 CFM AIR COMPRESSOR WITH INTERNAL SAFETY VALVE			N/C
108-002	STANDARD MECHANICAL AIR COMPRESSOR GOVERNOR			N/C
131-013	AIR COMPRESSOR DISCHARGE LINE			N/C
152-040	ELECTRONIC ENGINE INTEGRAL WARNING AND DERATE PROTECTION SYSTEM			N/C
128-076	CUMMINS ENGINE INTEGRAL BRAKE WITH VARIABLE GEOMETRY TURBO ON/OFF	20		\$13.00



Phone: 800-930-5623

Prepared by:
Bob Scharpnick
ORLANDO FREIGHTLINER
2455 S. ORANGE BLOSSOM TRAIL
APOPKA, FL 32703
Phone :4072953846

Data Code	Description	Weight Front	Weight Rear	Retail Price
016-101	RH INBOARD FRAME MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH HORIZONTAL TAILPIPE	-50	-50	(\$1,000.00)
28F-002	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD REGENERATION AND DASH MOUNTED REGENERATION REQUEST SWITCH			STD
239-001	STANDARD EXHAUST SYSTEM LENGTH			STD
237-052	RH STANDARD HORIZONTAL TAILPIPE			STD
23U-001	6 GALLON DIESEL EXHAUST FLUID TANK			STD
30N-003	100 PERCENT DIESEL EXHAUST FLUID FILL			STD
43X-002	LH MEDIUM DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION			STD
23Y-001	STANDARD DIESEL EXHAUST FLUID PUMP MOUNTING			STD
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP			STD
273-058	AIR POWERED ON/OFF ENGINE FAN CLUTCH			STD
276-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED			N/C
110-003	CUMMINS SPIN ON FUEL FILTER			STD
118-001	FULL FLOW OIL FILTER			STD
266-100	700 SQUARE INCH ALUMINUM RADIATOR			STD
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT			STD
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT			STD
172-001	CONSTANT TENSION HOSE CLAMPS FOR COOLANT HOSES			STD
270-016	RADIATOR DRAIN VALVE			STD
168-002	LOWER RADIATOR GUARD			STD
138-010	PHILLIPS-TEMRO 750 WATT/115 VOLT BLOCK HEATER	4		\$85.00
140-053	BLACK PLASTIC ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR			N/C

Application Version 11.7 407 Data Version PRL-27M.007 Petersen Industries 2024 TL3



08/16/2022 08:38 AM Page 4 of 17

Data Code	Description	Weight Front	Weight Rear	Retail Price
134-001	ALUMINUM FLYWHEEL HOUSING			STD
132-004	ELECTRIC GRID AIR INTAKE WARMER			STD
155-057	DELCO 12V 29MT STARTER WITH INTEGRATED MAGNETIC SWITCH			STD
Transmission				
342-584	ALLISON 3500 RDS AUTOMATIC TRANSMISSION WITH PTO PROVISION	200	60	\$6,711.00
Transmission	Equipment			
343-320	ALLISON VOCATIONAL PACKAGE 168 - AVAILABLE ON 3000/4000 PRODUCT FAMILIES WITH VOCATIONAL MODEL RDS			N/C
84B-012	ALLISON VOCATIONAL RATING FOR ON/OFF HIGHWAY APPLICATIONS AVAILABLE WITH ALL PRODUCT FAMILIES			N/C
84C-023	PRIMARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84D-023	SECONDARY MODE GEARS, LOWEST GEAR 1, START GEAR 1, HIGHEST GEAR 6, AVAILABLE FOR 3000/4000 PRODUCT FAMILIES ONLY			N/C
84E-000	PRIMARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84F-000	SECONDARY SHIFT SCHEDULE RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84G-000	PRIMARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84H-000	SECONDARY SHIFT SPEED RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84J-000	ENGINE BRAKE RANGE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84K-000	ENGINE BRAKE RANGE ALTERNATE PRESELECT RECOMMENDED BY DTNA AND ALLISON, THIS DEFINED BY ENGINE AND VOCATIONAL USAGE			STD
84N-200	FUEL SENSE 2.0 DISABLED - PERFORMANCE - TABLE BASED			STD
84U-000	DRIVER SWITCH INPUT - DEFAULT - NO SWITCHES			STD



:===	Data Code	Description	Weight Front	Weight Rear	Retail Price
	353-022	VEHICLE INTERFACE WIRING CONNECTOR WITHOUT BLUNT CUTS, AT BACK OF CAB			\$49.00
	34C-001	ELECTRONIC TRANSMISSION CUSTOMER ACCESS CONNECTOR FIREWALL MOUNTED			\$23.00
	362-823	CUSTOMER INSTALLED CHELSEA 280 SERIES PTO			N/C
	363-001	PTO MOUNTING, LH SIDE OF MAIN TRANSMISSION ALLISON			N/C
	341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN			STD
	345-003	PUSH BUTTON ELECTRONIC SHIFT CONTROL, DASH MOUNTED			N/C
	97G-004	TRANSMISSION PROGNOSTICS - ENABLED 2013			N/C
	370-015	WATER TO OIL TRANSMISSION COOLER, IN RADIATOR END TANK			STD
	346-003	TRANSMISSION OIL CHECK AND FILL WITH ELECTRONIC OIL LEVEL CHECK			N/C
	35T-001	SYNTHETIC TRANSMISSION FLUID (TES-295 COMPLIANT)			STD
Fro	nt Axle and	Equipment			
	400-1A6	DETROIT DA-F-12.0-3 12,000# FF1 71.5 KPI/3.74 DROP SINGLE FRONT AXLE			N/C
	402-020	MERITOR 15X4 Q+ CAM FRONT BRAKES			N/C
	403-002	NON-ASBESTOS FRONT BRAKE LINING			STD
	419-023	CONMET CAST IRON FRONT BRAKE DRUMS			(\$12.00)
	409-006	FRONT OIL SEALS			N/C
	408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL			STD
	416-022	STANDARD SPINDLE NUTS FOR ALL AXLES			STD
	405-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS			N/C
	536-050	TRW THP-60 POWER STEERING			N/C
	539-003	POWER STEERING PUMP			STD
	534-015	2 QUART SEE THROUGH POWER STEERING RESERVOIR			STD



Prepared For:

Casey Hardee PETERSEN INDUSTRIES BB 4000 State Road 60 W Lake Wales, FL 33859

UNITED STATES Phone: 800-930-5623 **Prepared by:** Bob Scharpnick

ORLANDO FREIGHTLINER

2455 S. ORANGE BLOSSOM TRAIL APOPKA, FL 32703 Phone :4072953846

Data Code	Description	Weight Front	Weight Rear	Retail Price
40T-001	MINERAL SAE 80/90 FRONT AXLE LUBE			STD
ont Suspens	ion			
620-1F0	12,000# DUAL TAPERLEAF FRONT SUSPENSION	42		\$57.00
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION			STD
410-001	FRONT SHOCK ABSORBERS			STD
ear Axle and	Equipment			
420-1C8	DETROIT DA-RS-21.0-4 21,000# R-SERIES SINGLE REAR AXLE			N/C
421-614	6.14 REAR AXLE RATIO			N/C
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING			STD
386-011	SPL170 XL DANA SPICER MAIN DRIVELINE WITH HALF ROUND YOKES	45	45	\$1,099.00
423-020	MERITOR 16.5X7 Q+ CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, FABRICATED SHOES			N/C
433-002	NON-ASBESTOS REAR BRAKE LINING			STD
434-012	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)			N/C
451-023	CONMET CAST IRON REAR BRAKE DRUMS			\$43.00
440-006	REAR OIL SEALS			N/C
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS			STD
428-002	MERITOR AUTOMATIC REAR SLACK ADJUSTERS			N/C
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE			STD
ar Suspensi	on			
622-1MJ	23,000# 52 INCH VARIABLE RATE MULTI-LEAF SPRING REAR SUSPENSION WITH LEAF SPRING HELPER		110	(\$1,608.00)
621-001	SPRING SUSPENSION - NO AXLE SPACERS			STD
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP			STD

Application Version 11.7.407 Data Version PRL-27M 007

Brake System

Petersen Industries 2024 TL3



08/16/2022 08:38 AM

Page 7 of 17

_	Data Code	Description	Weight Front	Weight Rear	Retail Price
	018-002	AIR BRAKE PACKAGE			N/C
	490-100	WABCO 4S/4M ABS			N/C
	871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES			N/C
	904-001	FIBER BRAID PARKING BRAKE HOSE			N/C
	412-001	STANDARD BRAKE SYSTEM VALVES			N/C
	46D-002	STANDARD AIR SYSTEM PRESSURE PROTECTION SYSTEM			N/C
	413-002	STD U.S. FRONT BRAKE VALVE			N/C
	432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE			N/C
	480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER			N/C
	479-012	AIR DRYER MOUNTED UNDER HOOD			N/C
	460-058	STEEL AIR TANKS MOUNTED AFT INSIDE AND/OR BELOW FRAME JUST FORWARD OF REAR SUSPENSION			\$195,00
	477-006	BW DV-2 AUTO DRAIN VALVE WITHOUT HEATER ON ALL TANK(S)			\$82.00
Trai	iler Connec	tions			
	335-004	UPGRADED CHASSIS MULTIPLEXING UNIT			N/C
	32A-002	UPGRADED BULKHEAD MULTIPLEXING UNIT			STD
Whe	eelbase & F	rame			
	545-655	6550MM (258 INCH) WHEELBASE			N/C
	546-100	11/32X3-1/2X10-3/16 INCH STEEL FRAME (8.73MMX258.8MM/0.344X10.19 INCH) 120KSI	370	110	\$896.00
	552-045	2025MM (80 INCH) REAR FRAME OVERHANG			N/C
	55W-007	FRAME OVERHANG RANGE: 71 INCH TO 80 INCH	-20	90	N/C
	AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA): 192.3230157 in			
	AE8-99D	CALCULATED EFFECTIVE BACK OF CAB TO REAR SUSPENSION C/L (CA): 189.3230157 in			



Prepared For :

Casey Hardee PETERSEN INDUSTRIES BB 4000 State Road 60 W Lake Wales, FL 33859

UNITED STATES
Phone: 800-930-5623

Prepared by: Bob Scharpnick

ORLANDO FREIGHTLINER

2455 S. ORANGE BLOSSOM TRAIL APOPKA, FL 32703 Phone :4072953846

_	Data Code	Description	Weight Front	Weight Rear	Retail Price
	AE4-99D	CALC'D FRAME LENGTH - OVERALL : 376.5510157 in			
	FSS-0LH	CALCULATED FRAME SPACE LH SIDE :			N/C
	FSS-0RH	CALCULATED FRAME SPACE RH SIDE :			N/C
	553-001	SQUARE END OF FRAME			STD
	550-001	FRONT CLOSING CROSSMEMBER			STD
	559-001	STANDARD WEIGHT ENGINE CROSSMEMBER			STD
	561-001	STANDARD CROSSMEMBER BACK OF TRANSMISSION			STD
	562-001	STANDARD MIDSHIP #1 CROSSMEMBER(S)			STD
	572-001	STANDARD REARMOST CROSSMEMBER			STD
	565-001	STANDARD SUSPENSION CROSSMEMBER			STD
Ch	assis Equip	ment			
	556-1AP	THREE-PIECE 14 INCH PAINTED STEEL BUMPER WITH COLLAPSIBLE ENDS	30		\$65.00
	558-001	FRONT TOW HOOKS - FRAME MOUNTED	15		\$74.00
	574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE			STD
	586-024	FENDER AND FRONT OF HOOD MOUNTED FRONT MUDFLAPS			STD
	551-007	GRADE 8 THREADED HEX HEADED FRAME FASTENERS			STD
	607-001	CLEAR FRAME RAILS FROM BACK OF CAB TO FRONT REAR SUSPENSION BRACKET, BOTH RAILS OUTBOARD			\$218.00
Fu	el Tanks				
	206-192	50 GALLON/189 LITER RECTANGULAR ALUMINUM FUEL TANK - RH	80	20	\$607.00
	204-998	NO LH FUEL TANK	-60	-20	(\$444.00)
	218-005	RECTANGULAR FUEL TANK(S)			STD
	215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS			STD





Prepared For : Casey Hardee

PETERSEN INDUSTRIES BB 4000 State Road 60 W Lake Wales, FL 33859 UNITED STATES

Phone: 800-930-5623

-	Data Code	Description	Weight Front	Weight Rear	Retail Price
	212-007	FUEL TANK(S) FORWARD			STD
	664-001	PLAIN STEP FINISH			STD
	205-001	FUEL TANK CAP(S)			STD
	122-1J2	DETROIT FUEL/WATER SEPARATOR WITH WATER IN FUEL SENSOR AND HAND PRIMER	-5		STD
	216-020	EQUIFLO INBOARD FUEL SYSTEM			STD
	202-016	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE			ŞTD
Tire	S				
	093-12C	HANKOOK AL21 11R22.5 14 PLY RADIAL FRONT TIRES	12		(\$426.00)
	094-2C6	HANKOOK DL11 11R22.5 14 PLY RADIAL REAR TIRES		60	(\$852.00)
Hub	os				
	418-060	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS			N/C
	450-060	CONMET PRESET PLUS PREMIUM IRON REAR HUBS			N/C
Whe	eels				
	502-752	MAXION WHEELS 91541 22.5X8.25 10-HUB PILOT 6.20 INSET 2-HAND STEEL DISC FRONT WHEELS			STD
	505-752	MAXION WHEELS 91541 22.5X8.25 10-HUB PILOT 2-HAND STEEL DISC REAR WHEELS			STD
	496-011	FRONT WHEEL MOUNTING NUTS			STD
	497-011	REAR WHEEL MOUNTING NUTS			STD
Cab	Exterior				
	829-071	106 INCH BBC FLAT ROOF ALUMINUM CONVENTIONAL CAB			STD
1	650-008	AIR CAB MOUNTING			\$97.00
ı	648-002	NONREMOVABLE BUGSCREEN MOUNTED BEHIND GRILLE			\$36.00
(678-001	LH AND RH GRAB HANDLES			N/C
(646-045	MOLD-IN COLOR GRILLE			STD



Data Code	Description	Weight Front	Weight Rear	Retail Price
65X-011	MOLD-IN COLOR HOOD MOUNTED AIR INTAKE GRILLE			STD
644-004	FIBERGLASS HOOD			STD
727-1AH	SINGLE 14 INCH ROUND POLISHED AIR HORN ROOF MOUNTED	4		\$108.00
726-002	DUAL ELECTRIC HORNS			\$10.00
728-001	SINGLE HORN SHIELD			N/C
575-001	REAR LICENSE PLATE MOUNT END OF FRAME			STD
312-043	INTEGRAL HEADLIGHT/MARKER ASSEMBLY			STD
302-047	LED AERODYNAMIC MARKER LIGHTS		10	\$34.00
311-001	DAYTIME RUNNING LIGHTS			\$18.00
294-001	INTEGRAL STOP/TAIL/BACKUP LIGHTS			STD
300-015	STANDARD FRONT TURN SIGNAL LAMPS			STD
7 44 -1BC	DUAL WEST COAST BRIGHT FINISH HEATED MIRRORS WITH LH AND RH REMOTE			\$286.00
797-001	DOOR MOUNTED MIRRORS			STD
796-001	102 INCH EQUIPMENT WIDTH			STD
743-204	LH AND RH 8 INCH BRIGHT FINISH CONVEX MIRRORS MOUNTED UNDER PRIMARY MIRRORS			N/C
74B-079	RH 8 INCH STAINLESS STEEL FENDER MOUNTED CONVEX MIRROR WITH TRIPOD BRACKETS	4		\$64.00
729-001	STANDARD SIDE/REAR REFLECTORS			STD
677-016	DUAL LEVEL CAB ENTRY STEPS ON BOTH SIDES			N/C
275-061	PARK BRAKE REMINDER WARNING SYSTEM			\$3.00
768-043	63X14 INCH TINTED REAR WINDOW			STD
661-003	TINTED DOOR GLASS LH AND RH WITH TINTED NON- OPERATING WING WINDOWS			STD
654-011	RH AND LH ELECTRIC POWERED WINDOWS	4		\$218.00



Data Code	Description	Weight Front	Weight Rear	Retail Price
663-013	1-PIECE SOLAR GREEN GLASS WINDSHELD			STD
659-019	2 GALLON WINDSHIELD WASHER RESERVOIR WITHOUT FLUID LEVEL INDICATOR, FRAME MOUNTED			STD
ab Interior				
707-1AK	OPAL GRAY VINYL INTERIOR			STD
706-013	MOLDED PLASTIC DOOR PANEL			STD
708-013	MOLDED PLASTIC DOOR PANEL			STD
772-006	BLACK MATS WITH SINGLE INSULATION			N/C
785-001	DASH MOUNTED ASH TRAYS AND LIGHTER			\$13.00
691-008	FORWARD ROOF MOUNTED CONSOLE WITH UPPER STORAGE COMPARTMENTS WITHOUT NETTING			STD
694-010	IN DASH STORAGE BIN			STD
742-007	(2) CUP HOLDERS LH AND RH DASH			STD
680-006	GRAY/CHARCOAL FLAT DASH			STD
720-002	2-1/2 LB. FIRE EXTINGUISHER	5		\$37.00
700-002	HEATER, DEFROSTER AND AIR CONDITIONER			N/C
701-001	STANDARD HVAC DUCTING			STD
703-005	MAIN HVAC CONTROLS WITH RECIRCULATION SWITCH			N/C
170-015	STANDARD HEATER PLUMBING			STD
130-041	VALEO HEAVY DUTY A/C REFRIGERANT COMPRESSOR			STD
702-002	BINARY CONTROL, R-134A			N/C
739-033	STANDARD INSULATION			STD
285-013	SOLID-STATE CIRCUIT PROTECTION AND FUSES			STD
280-007	12V NEGATIVE GROUND ELECTRICAL SYSTEM			STD



Data C	ode Description	Weight Front	Weight Rear	Retail Price
324-014	DOME LIGHT WITH 3-WAY SWITCH ACTIVATED BY LH AND RH DOORS			STD
657-00	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME			STD
78G-00	4 KEY QUANTITY OF 4			\$18.00
655-00	LH AND RH ELECTRIC DOOR LOCKS			\$99.00
284-023	(1) 12 VOLT POWER SUPPLY IN DASH			\$21.00
722-002	TRIANGULAR REFLECTORS WITHOUT FLARES	10		\$24.00
756-338	BASIC ISRINGHAUSEN HIGH BACK AIR SUSPENSION DRIVERS SEAT WTIH MECHANICAL LUMBAR AND INTEGRATED CUSHION EXTENSION	30		\$167.00
760-235	2 MAN TOOL BOX MID BACK NON SUSPENSION PASSENGER SEAT	20		\$308.00
711-004	LH AND RH INTEGRAL DOOR PANEL ARMRESTS			STD
758-036	VINYL WITH VINYL INSERT DRIVER SEAT			STD
761-036	VINYL WITH VINYL INSERT PASSENGER SEAT			STD
763-101	BLACK SEAT BELTS			STD
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN	10		\$478.00
540-015	4-SPOKE 18 INCH (450MM) STEERING WHEEL			STD
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS			STD
Instrumen	ts & Controls			
732-004	GRAY DRIVER INSTRUMENT PANEL			STD
734-004	GRAY CENTER INSTRUMENT PANEL			STD
87L-003	ENGINE REMOTE INTERFACE WITH PARK BRAKE AND NEUTRAL INTERLOCKS			N/C
870-001	BLACK GAUGE BEZELS			STD
486-001	LOW AIR PRESSURE INDICATOR LIGHT AND AUDIBLE ALARM			N/C
840-002	2 INCH PRIMARY AND SECONDARY AIR PRESSURE GAUGES			N/C





Data Code	Description	Weight Front	Weight Rear	Retail Price
198-025	INTAKE MOUNTED AIR RESTRICTION INDICATOR WITHOUT GRADUATIONS			STD
149-013	ELECTRONIC CRUISE CONTROL WITH SWITCHES IN LH SWITCH PANEL			STD
156-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY			STD
811-042	ICU3S, 132X48 DISPLAY WITH DIAGNOSTICS, 28 LED WARNING LAMPS AND DATA LINKED			STD
160-038	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR LOCATED BELOW LH DASH			STD
844-001	2 INCH ELECTRIC FUEL GAUGE			STD
148-073	ENGINE REMOTE INTERFACE FOR REMOTE THROTTLE			\$88.00
163-004	ENGINE REMOTE INTERFACE CONNECTOR IN ENGINE COMPARTMENT			(\$16.00)
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE			STD
864-005	TRANSMISSION OIL TEMPERATURE INDICATOR LIGHT			(\$28.00)
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY			STD
33A-804	PROVISIONS FOR BODY BUILDER WIRED BOOM OUT OF STOW WARNING SYSTEM PILOT LIGHT AND INSTRUMENT CLUSTER BUZZER			\$12.00
372-035	(1) DASH MOUNTED PTO SWITCH WITH INDICATOR LAMP	10		\$70.00
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE			STD
679-998	NO OVERHEAD INSTRUMENT PANEL			(\$69.00)
746-137	AM/FM/WB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939	10		\$490.00
747-001	DASH MOUNTED RADIO			N/C
750-002	(2) RADIO SPEAKERS IN CAB			N/C
753-001	AM/FM ANTENNA MOUNTED ON FORWARD LH ROOF			\$47.00
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER			STD
817-001	STANDARD VEHICLE SPEED SENSOR			STD



Prepared For:
Casey Hardee
PETERSEN INDUSTRIES BB
4000 State Road 60 W
Lake Wales, FL 33859

UNITED STATES
Phone: 800-930-5623

Data Code	Description	Weight Front	Weight Rear	Retail Price
812-001	ELECTRONIC 3000 RPM TACHOMETER			STD
162-011	IDLE LIMITER, ELECTRONIC ENGINE			STD
329-012	FOUR ON/OFF ROCKER SWITCHES IN THE DASH WITH INDICATOR LIGHTS AND WIRE ROUTED TO CHASSIS AT BACK OF CAB, LABEL OPT			\$98.00
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY			STD
660-008	SINGLE ELECTRIC WINDSHIELD WIPER MOTOR WITH DELAY			STD
304-001	MARKER LIGHT SWITCH INTEGRAL WITH HEADLIGHT SWITCH			STD
882-018	ONE VALVE PARKING BRAKE SYSTEM WITH DASH VALVE CONTROL AUTONEUTRAL AND WARNING INDICATOR			\$111.00
299-013	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, WASHER/WIPER AND HAZARD IN HANDLE			STD
298-039	INTEGRAL ELECTRONIC TURN SIGNAL FLASHER WITH HAZARD LAMPS OVERRIDING STOP LAMPS			STD
Design				
* 065-000	PAINT: ONE SOLID COLOR			STD
	980-MW9 43517EY DK JADE MET ELITE EY PAINT			
Color				
980-5F6	CAB COLOR A: L0006EY WHITE ELITE EY			STD
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT			STD
962-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
966-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)			STD
964-6Z7	BUMPER PAINT: FP24812 ARGENT SILVER DUPONT FLEX			STD
963-003	STANDARD E COAT/UNDERCOATING			STD
Certification / 0	Compliance			
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS			STD
Secondary Fac	tory Options			



Prepared For:

Casey Hardee PETERSEN INDUSTRIES BB 4000 State Road 60 W Lake Wales, FL 33859

UNITED STATES
Phone: 800-930-5623

Prepared by: Bob Scharpnick

ORLANDO FREIGHTLINER

2455 S. ORANGE BLOSSOM TRAIL APOPKA, FL 32703

Phone :4072953846

Data Code	Description	Weight Front	Weight Rear	Retail Price
998-001	CORPORATE PDI CENTER IN-SERVICE ONLY			N/C

Raw Performance Data

AE8-99D CALCULATED EFFECTIVE BACK OF CAB TO REAR

SUSPENSION C/L (CA): 189.3230157 in

AM6-99D CALC'D SPACE AVAILABLE FOR DECKPLATE: 186.449 in

CALOD OF ACE AVAILABLE FOR DECKE BATE: 100.449 III

Sales Programs

NO SALES PROGRAMS HAVE BEEN SELECTED

TOTAL VEHICLE SUMMARY

Adjusted List Price

Total Price

Adjusted List Price \$120,858.00

Extended Warranty \$0.00

 Weight Summary
 Weight Front
 Weight Rear
 Weight Weight Weight

 Factory Weight+
 6501 lbs
 3875 lbs
 10376 lbs

 Total Weight+
 6501 lbs
 3875 lbs
 10376 lbs

ITEMS NOT INCLUDED IN ADJUSTED LIST PRICE



Other Factory C	harges	
PNZ-001	CARB22 BASE WARRANTY SURCHARGE DD5/DD8 SS/B6.7/L9 <=325	\$1,075.00
PMU-998	NO ESCALATOR	N/C
PMV-021	GHG21 ENHANCEMENT PRICE	\$455.00
RD1-998	NO DETROIT CONNECT SERVICE SELECTED	STD
RZ1-998	NO ZONAR SERVICE SELECTED	STD
RAG-020	CUMMINS TARIFF CHARGE - \$205	\$205.00
RFY-022	FRONT TIRE SURCHARGE	\$40.00
RFU-022	REAR TIRE SURCHARGE	\$80.00
RFZ-024	MY24/CY23 PRICING SURCHARGE	\$3,750.00
P73-2FT	STANDARD DESTINATION CHARGE	, ,
		\$3,375 00



⁽⁺⁾ Weights Shown are estimates only.

If weight is critical, contact Customer Application Engineering.

^(**) Prices shown do not include taxes, fees, etc... "Net Equipment Selling Price" is located on the Quotation Details Proposal Report.

^(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.