

CITY OF GROSSE POINTE WOODS MEMORANDUM

RECEIVED

MAY **22** 2025

OF GROSSE POINTE WOODS

Date: June 2, 2025

To: Mayor Bryant and City Council

From: Frank Schulte, City Administrator

Steven Schmidt, Treasurer/Comptroller

Re: FY 2025 – 2026 Industrial Waste Control (IWC) Charges

Industrial Waste Control charges are assessed to all commercial and industrial end users that send wastewater to the GLWA wastewater treatment plant. The IWC charges are to offset the costs incurred in administering regulatory activities under the Sewer Use Ordinance/Industrial Waste Control Ordinance as required in the National Pollutant Discharge Elimination System (NPDES) Permit Program and the Clean Water Act (CWA). There is a delegation Agreement with each community to collect the industrial waste control charges from the end-users even though most communities are contracting agency customers to the wholesale sewer contract customer.

The billing process for IWC charges involves the following two steps:

- The City bills all non-residential users IWC charges based upon the user's meter size.
 GLWA establishes its IWC charges in the sewer service charge development process.
 Certain facilities are exempted which include: fire-protection, multi-family dwellings,
 public and private elementary schools which are part of a governmental school district,
 colleges, universities and professional schools, junior colleges and technical institutes,
 and local and state governments.
- 2. The City reports to GLWA the quantity and size of the non-residential meters and GLWA bills each community the IWC charge accordingly.

There is no cost to the City for these charges; this fee is strictly a pass through of charges and is represented this way in the water/sewer operating budget for fiscal year 2025-2026. I am requesting approval of the attached fee resolution for implementation effective July 1, 2025.

Frank Schulte, City Administrator

Steven Schmidt, Treasurer/Comptroller

Adopted

GREAT LAKES WATER AUTHORITY SEWAGE DISPOSAL SYSTEM

Schedule updated by GLWA Staff Pending

SEWAGE DISPOSAL SYSTEM

Industrial Specific Retail Charges

ADOPTED - EFFECTIVE JULY 1, 2025 FOR ALL BILLS ISSUED ON OR AFTER AUGUST 1,

	eii Rijeis	Weste Control Cher	Q(. \$	
Meter Size	100	Full Charge		Admin Only Charge
inches	CHICARIS CANADONALIA	\$/mo	is produced that	\$/mo
5/8	\$	3.89	\$	0.97
3/4	\$	5.84	\$	1.46
]	\$	9.73	\$	2.43
1-1/2	\$	21.40	\$	5.34
2	\$	31.12	\$	7.76
3	\$	56.41	\$	14.07
4	\$	77.80	\$	19.40
6	\$	116.70	\$	29.10
8	\$	194.50	\$	48.50
10	\$	272.30	\$	67.90
12	\$	311.20	\$	77.60
14	\$	389.00	\$	97.00
16	\$	466.80	\$	116.40
18	\$	544.60	\$	135.80
20	\$	622.40	\$	155.20
24	\$	700.20	\$	174.60
30	\$	778.00	\$	194.00
36	\$	855.80	\$	213.40
48	\$	933.60	\$	232.80

Pollulant Surcharges				
Pollutant	u, male en ver Magnetis en participation C	Charge \$/lb		
BIOCHEMICAL OXYGEN DEMAND (BOD)				
for concentrations > 275 mg/l	\$	0.409		
TOTAL SUSPENDED SOLIDS (TSS)		and the second s		
for concentrations > 350 mg/l	\$	0.548		
PHOSPHORUS (P)				
for concentrations > 12 mg/l	\$	7.907		
FATS, OIL AND GREASE (FOG)	1015-1011-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-			
for concentrations > 100 mg/l	\$	0.131		
SEPTAGE DISPOSAL FEE		***************************************		
Per 500 gallons of disposal	\$	40.00		