



QUOTATION

115 Railroad Ave. Albany, N.Y. 12205

TO:

Customer	Town of Halfmoon
Address	322 Route 146
City, State, Zip Code	Halfmoon, N.Y. 12065
Contact Person	Bill Bryans
Phone Number	518-664-3127
Date of Quotation	10/10/2024
Salesman Name	Matt Brayman
	Fax Number
	Quotation Price Good Through
	1/1/2025

Stock #	New or Used	Description	Price
		2025 Western Star 47X 4x2 with Tenco Equipment per attached spec.	
		Total	\$284,955.00
		Onondaga Co. Bid # 0010914	
		This completed unit is due to be finished March 2025 barring any other supply chain disruptions.	
		Onondaga Co. Bid #8996	

--	--

DETAILS OF PROPOSED TRANSACTION:		TERMS AVAILABLE:	
CASH PRICE	_____ \$0	12mos @	=
-TRADE-IN (see above)	_____ \$0	24mos @	=
NET PRICE	_____ \$0	36mos @	=
SALES TAX (if applicable)	_____ \$0	48mos @	=
WASTE TIRE TAX:	_____ \$0	60mos @	=
TOTAL PRICE	_____ \$0		

WE APPRECIATE THIS OPPORTUNITY TO QUOTE YOU. I ASSURE YOU THAT YOUR ORDER WILL BE MOST APPRECIATED AND HANDLED IN A PROMPT AND CAREFUL MANNER. PLEASE FEEL FREE TO CALL ME WHEN I CAN BE OF SERVICE..

Sales Representative

Thank You

Prepared for:
Mike Cafaldo
ESOPUS TOWN OF
342 Mountain View Ave
Ulster Park, NY 12487
Phone: 845-331-5723


Prepared by:
Dave Holzwarth
TRACEY ROAD EQUIPMENT,
INC.
6803 MANLIUS CENTER ROAD
EAST SYRACUSE, NY 13057
Phone: 315-437-4800

A proposal for
ESOPUS TOWN OF

Prepared by
TRACEY ROAD EQUIPMENT, INC.
Dave Holzwarth

May 21, 2024

Western Star 47X



Components shown may not reflect all spec'd options and are not to scale

05/21/2024 8:04 PM

Page 1 of 16

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mountain View Ave
 Ulster Park, NY 12487
 Phone: 845-331-5723

Prepared by:
 Dave Holzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 8803 MANLIUS CENTER ROAD
 EAST SYRACUSE, NY 13057
 Phone: 315-437-4800

S P E C I F I C A T I O N P R O P O S A L

Data Code	Description	Weight Front	Weight Rear
Price Level			
PRL-28X	WST 47X/49X PRL-28X (EFF:MY25 ORDERS)		
Data Version			
DRL-042	SPECPRO21 DATA RELEASE VER 042		
Vehicle Configuration			
001-470	WESTERN STAR 47X	9,050	6,525
004-225	2025 MODEL YEAR SPECIFIED		
002-003	SET FORWARD AXLE - TRUCK	480	480
010-006	TRAILER TOWING PROVISION AT END OF FRAME WITH SAE J560	10	10
003-001	LH PRIMARY STEERING LOCATION		
General Service			
AA1-003	TRUCK/TRAILER CONFIGURATION		
AA6-001	DOMICILED, USA 50 STATES (INCLUDING CALIFORNIA AND CARB OPT-IN STATES)		
99D-010	CARB CLEAN IDLE LABELS NOT FOR INITIAL REGISTRATION IN STATES REQUIRING CARB EMISSIONS CERTIFICATION (INCLUDES 6X4 INCH LABELS ON LOWER FORWARD OF DRIVER DOOR)		
AF2-008	NONE		
A86-011	CONSTRUCTION SERVICE		
A84-1GM	GOVERNMENT BUSINESS SEGMENT		
AA4-010	DIRT/SAND/ROCK COMMODITY		
AA6-008	TERRAIN/DUTY: 10% (SOME) OF THE TIME, IN TRANSIT, IS SPENT ON NON-PAVED ROADS		
AB1-008	MAXIMUM 8% EXPECTED GRADE		
AB5-003	MAINTAINED GRAVEL OR CRUSHED ROCK - MOST SEVERE IN-TRANSIT (BETWEEN SITES) ROAD SURFACE		
096-1A5	WESTERN STAR VOCATIONAL WARRANTY		
A65-99D	EXPECTED FRONT AXLE(S) LOAD : 18000.0 lbs		
A66-99D	EXPECTED REAR DRIVE AXLE(S) LOAD : 27120.0 lbs		

05/21/2024 6:04 PM

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mounlan View Ave
 Ulster Park, NY 12487
 Phone: 846-331-6723

Prepared by:
 Dave Holzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 6803 MANLIUS CENTER ROAD
 EAST SYRACUSE, NY 13057
 Phone: 315-437-4800

Data Code	Description	Weight Front	Weight Rear
A63-99D	EXPECTED GROSS VEHICLE WEIGHT CAPACITY : 46120.0 lbs		
A70-99D	EXPECTED GROSS COMBINATION WEIGHT : 80000.0 lbs		
Truck Service			
AA3-018	FRONT FLOWEND DUMP BODY		
AF3-2D7	VIKING CIVES, LTD.		
Tractor Service			
AA2-005	FLATBED TRAILER		
AH6-001	SINGLE (1) TRAILER		
Engine			
101-3FH	DETROIT DD13 GEN 6 12.0L 450 HP @ 1825 RPM, 1800 GOV RPM, 1650 LB-FT @ 975 RPM		
Electronic Parameters			
79A-068	68 MPH ROAD SPEED LIMIT		
79B-000	CRUISE CONTROL SPEED LIMIT SAME AS ROAD SPEED LIMIT		
79F-013	FLEET MANAGEMENT - DAILY ENGINE USAGE ENABLED		
79K-014	PTO MODE ENGINE RPM LIMIT - 1800 RPM		
79P-032	PTO RPM CONTROL WITH STEERING WHEEL SWITCHES		
79T-001	PTO MODE RPM INCREMENT - 26 RPM		
79U-007	PTO GOVERNOR RAMP RATE - 260 RPM PER SECOND		
79V-001	FUEL DOSING OF AFTERTREATMENT ENABLED IN PTO MODE-CLEANS HYDROCARBONS AT HIGH TEMPERATURES ONLY		
79W-014	ONE CLUSTER MENU PTO SPEED WITH ONE OPERATOR SET SPEED		
79X-003	PTO SPEED 1 SETTING - 800 RPM		
80G-002	PTO MINIMUM RPM - 700		
80J-001	REGEN INHIBIT SPEED THRESHOLD - 0 MPH		
80L-001	ENABLE AUTO ENGINE RPM ELEVATE FOR EXTENDED IDLE		
80S-003	PTO 1, DASH SWITCH, ENGAGE BEFORE DRIVING		
80V-002	ENGINE MOUNT PTO, DASH SWITCH ENGAGES PTO MODE, DRIVING OPERATION		
Engine Equipment			
99C-124	EPA 2010 GHG 2024/CARB 2024 ULTRALOW NOX CONFIGURATION		

06/21/2024 8:04 PM

Page 3 of 16

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mountain View Ave
 Ulster Park, NY 12487
 Phone: 845-331-5723

Prepared by:
 Dave Holzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 6803 MANLIUS CENTER ROAD
 EAST SYRACUSE, NY 13057
 Phone: 315-437-4800

Data Code	Description	Weight Front	Weight Rear
13E-001	STANDARD OIL PAN		
105-001	ENGINE MOUNTED OIL CHECK AND FILL		
014-111	SIDE OF HOOD AIR INTAKE WITH ENGINE MOUNTED AIR CLEANER, WITH INSIDE/OUTSIDE AIR AND SNOW DOOR		
124-105	LN 12V 170 AMP AVI 160 PAD MOUNT ALTERNATOR		
292-222	(3) DTNA GENUINE, HIGH TEMP AGM STARTING AND CYCLING, MIN 2775CCA, 570RC, THREADED STUD BATTERIES		
290-1AC	PASSENGER SEAT BATTERY BOX VENTED TO OUTSIDE OF CAB		
282-013	BATTERY BOX MOUNTED UNDER PASSENGER SEAT		
291-017	WIRE GROUND RETURN FOR BATTERY CABLES WITH ADDITIONAL FRAME GROUND RETURN		
289-006	PLASTIC BATTERY BOX COVER		
293-058	POSITIVE LOAD DISCONNECT WITH CAB MOUNTED CONTROL SWITCH MOUNTED OUTBOARD DRIVER SEAT	2	
306-015	PROGRESSIVE LOW VOLTAGE DISCONNECT AT 12.3 VOLTS FOR DESIGNATED CIRCUITS	2	
107-048	BW MODEL FE-921 19.0 CFM SINGLE CYLINDER AIR COMPRESSOR WITH SAFETY VALVE		
152-041	ELECTRONIC ENGINE INTEGRAL SHUTDOWN PROTECTION SYSTEM		
128-002	JACOBS COMPRESSION BRAKE		
018-1C2	RH OUTBOARD UNDER STEP MOUNTED HORIZONTAL AFTERTREATMENT SYSTEM ASSEMBLY WITH RH B-PILLAR MOUNTED VERTICAL TAILPIPE		
28F-015	ENGINE AFTERTREATMENT DEVICE, AUTOMATIC OVER THE ROAD ACTIVE REGENERATION AND VIRTUAL REGENERATION REQUEST SWITCH IN CLUSTER AND DASH MOUNTED INHIBIT SWITCH		
299-038	11 FOOT 06 INCH (138 INCH±0/-6.9 INCH) EXHAUST SYSTEM HEIGHT		
297-1CR	RH CURVED VERTICAL TAILPIPE B-PILLAR MOUNTED ROUTED FROM STEP		
23U-002	13 GALLON DIESEL EXHAUST FLUID TANK	9	3
29Z-005	UNPOLISHED ALUMINUM WST DIESEL EXHAUST FLUID TANK COVER		
43X-001	LH HEAVY DUTY STANDARD DIESEL EXHAUST FLUID TANK LOCATION		
43Y-001	STANDARD DIESEL EXHAUST FLUID TANK CAP		

05/21/2024 8:04 PM

Page 4 of 16

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mountain View Ave
 Ulster Park, NY 12487
 Phone: 845-331-5723

Prepared by:
 Dave Holzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 6803 MANLIUS CENTER ROAD
 EAST SYRACUSE, NY 13057
 Phone: 316-437-4800

Data Code	Description	Weight Front	Weight Rear
242-001	STAINLESS STEEL AFTERTREATMENT DEVICE/MUFFLER/TAIPIPE SHIELD		
273-059	ELECTRONICALLY CONTROLLED VARIABLE SPEED VISCOUS FAN DRIVE		
278-001	AUTOMATIC FAN CONTROL WITHOUT DASH SWITCH, NON ENGINE MOUNTED		
110-068	DOC SUPPLIED ENGINE MOUNTED FUEL FILTER/FUEL WATER SEPARATOR WITH WATER-IN-FUEL INDICATOR		
118-001	FULL FLOW OIL FILTER		
266-109	1400 SQUARE INCH VOCATIONAL RADIATOR WITH PROTECTION PACKAGE	20	
103-039	ANTIFREEZE TO -34F, OAT (NITRITE AND SILICATE FREE) EXTENDED LIFE COOLANT		
171-007	GATES BLUE STRIPE COOLANT HOSES OR EQUIVALENT		
261-001	STANDARD CHARGE AIR COOLER PLUMBING		
270-023	HDEP FXED RATIO COOLANT PUMP AND RADIATOR DRAIN VALVE		
168-002	LOWER RADIATOR GUARD		
360-013	1350 ADAPTER FLANGE FOR FRONT PTO PROVISION	20	
138-005	PHILLIPS-TEMRO 1600 WATT/115 VOLT BLOCK HEATER	4	
140-022	CHROME ENGINE HEATER RECEPTACLE MOUNTED UNDER LH DOOR		
155-076	DELCO 12V MOD 3.175-39MT+ STARTER WITH ENGINE ECU SOFTWARE PROTECTION AND INTEGRATED MAGNETIC SWITCH	-45	
Transmission			
342-446	EATON FULLER RTO-16908LL TRANSMISSION	-120	-60
Transmission Equipment			
84P-888	NO TCU-PTO DRIVE INTERFACE		
353-076	QUICKFIT BODY LIGHTING CONNECTOR AT END OF FRAME, WITH BLUNTCUTS		
180-1AR	EATON ADVANTAGE 15-1/2 INCH SELF ADJUSTING CLUTCH WITH PREDAMPER	20	
183-008	TORQUE LIMITING CLUTCH BRAKE		
181-002	ZERK FITTING WITH EXTENSION HOSE AT CLUTCH RELEASE BEARING		
182-005	HYDRAULIC CLUTCH CONTROL		
347-002	ALUMINUM CLUTCH HOUSING		
362-1T6	CUSTOMER INSTALLED CHELSEA 489 SERIES PTO		

05/21/2024 8:04 PM

Page 5 of 16

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mountain View Ave
 Ulster Park, NY 12487
 Phone: 845-331-5728

Prepared by:
 Dave Holzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 8803 MANLIUS CENTER ROAD
 EAST SYRACUSE, NY 13057
 Phone: 315-437-4800

Data Code	Description	Weight Front	Weight Rear
383-003	PTO MOUNTING, BOTTOM OF MAIN TRANSMISSION DETROIT & EATON FULLER TRANSMISSION		
341-018	MAGNETIC PLUGS, ENGINE DRAIN, TRANSMISSION DRAIN, AXLE(S) FILL AND DRAIN		
345-001	PAINTED SHIFT LEVER, SOLID LINKAGE		
370-002	AIR TO OIL TRANSMISSION COOLER		
36T-003	SYNTHETIC TRANSMISSION LUBE		
Front Axle and Equipment			
400-1AB	CUMMINS-MERITOR MFS-16-133A 18,000# FL1 71.0 INCH KPI/3.74 INCH DROP SINGLE FRONT AXLE	150	
418-080	CONMET PRESET PLUS PREMIUM IRON FRONT HUBS	20	
402-030	MERITOR 18.5X6 Q+ CAST SPIDER CAM FRONT BRAKES, DOUBLE ANCHOR, FABRICATED SHOES	40	
403-002	NON-ASBESTOS FRONT BRAKE LINING		
419-023	CONMET CAST IRON FRONT BRAKE DRUMS		
427-001	FRONT BRAKE DUST SHIELDS	5	
400-006	FRONT OIL SEALS		
408-001	VENTED FRONT HUB CAPS WITH WINDOW, CENTER AND SIDE PLUGS - OIL		
408-002	MERITOR AUTOMATIC FRONT SLACK ADJUSTERS		
536-104	DUAL POWER STEERING GEARS, BENDIX 16-20K	80	
534-003	1 QUART POWER STEERING RESERVOIR	5	
533-001	OIL/AIR POWER STEERING COOLER	5	
40T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 FRONT AXLE LUBE		
Front Suspension			
620-013	18,000# TAPERLEAF FRONT SUSPENSION	145	
619-005	MAINTENANCE FREE RUBBER BUSHINGS - FRONT SUSPENSION		
410-001	FRONT SHOCK ABSORBERS		
Rear Axle and Equipment			
N 420-024	CUMMINS-MERITOR RS-30-185 30,000# U-SERIES SINGLE REAR AXLE		-1,990
N 450-014	WEBB IRON REAR HUBS		20
421-373	3.73 REAR AXLE RATIO		

05/21/2024 8:04 PM

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mountain View Ave
 Ulster Park, NY 12487
 Phone: 845-331-8723

Prepared by:
 Dave Holzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 6803 MANLIUS CENTER ROAD
 EAST SYRACUSE, NY 13067
 Phone: 315-437-4800

Data Code	Description	Weight Front	Weight Rear
424-001	IRON REAR AXLE CARRIER WITH STANDARD AXLE HOUSING		
386-074	MXL 176T MERITOR EXTENDED LUBE MAIN DRIVELINE WITH HALF ROUND YOKES	-50	50
388-998	NO INTERAXLE (#3) DRIVELINE		
452-001	DRIVER CONTROLLED TRACTION DIFFERENTIAL - SINGLE REAR AXLE		20
878-018	(1) DRIVER CONTROLLED DIFFERENTIAL LOCK REAR VALVE FOR SINGLE DRIVE AXLE		
878-008	INDICATOR LIGHT FOR EACH DIFFERENTIAL LOCKOUT SWITCH		
423-010	MERITOR 16.5X7 P CAST SPIDER CAM REAR BRAKES, DOUBLE ANCHOR, CAST SHOES		95
433-002	NON-ASBESTOS REAR BRAKE LINING		
434-012	BRAKE CAMS AND CHAMBERS ON REAR SIDE OF DRIVE AXLE(S)		
N 451-018	WEBB CAST IRON REAR BRAKE DRUMS		50
425-002	REAR BRAKE DUST SHIELDS		5
440-006	REAR OIL SEALS		
426-100	WABCO TRISTOP D LONGSTROKE 1-DRIVE AXLE SPRING PARKING CHAMBERS		-20
428-003	HALDEX AUTOMATIC REAR SLACK ADJUSTERS		
41T-002	CURRENT AVAILABLE SYNTHETIC 75W-90 REAR AXLE LUBE		
42T-001	STANDARD REAR AXLE BREATHER(S)		
Rear Suspension			
622-10F	30,000# FLAT LEAF SPRING REAR SUSPENSION WITH HELPER AND RADIUS ROD		200
621-114	8.5 INCH NOMINAL RIDE HEIGHT (490MM GLOBAL REFERENCE HEIGHT)		
431-001	STANDARD AXLE SEATS IN AXLE CLAMP GROUP		
623-005	FORE/AFT CONTROL RODS		
439-998	NO REAR SHOCK ABSORBERS		-30
Pusher / Tag Equipment			
429-998	NO PUSHER/TAG BRAKE DUST SHIELDS		
Brake System			
490-1AU	WABCO 4S/4M ABS WITH TRACTION CONTROL WITH ATC SHUT OFF SWITCH		
871-001	REINFORCED NYLON, FABRIC BRAID AND WIRE BRAID CHASSIS AIR LINES		
432-003	RELAY VALVE WITH 5-8 PSI CRACK PRESSURE, NO REAR PROPORTIONING VALVE		

05/21/2024 8:04 PM

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mountain View Ave
 Ulster Park, NY 12487
 Phone: 846-331-8723

Prepared by:
 Dave Hotzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 6803 MANLIUS CENTER ROAD
 EAST SYRACUSE, NY 13067
 Phone: 315-437-4800

Data Code	Description	Weight Front	Weight Rear
480-088	WABCO SYSTEM SAVER HP WITH INTEGRAL AIR GOVERNOR AND HEATER		
483-004	WABCO OIL COALESCING FILTER FOR AIR DRYER		
479-004	AIR DRYER MOUNTED OUTBOARD ON LH RAIL		
460-019	ALUMINUM AIR BRAKE RESERVOIRS MOUNTED INSIDE RAILS	-10	-15
477-019	BW DV-2 AUTO DRAIN VALVE WITH HEATER TO WET TANK; DRAIN VALVE CABLES ON ALL OTHER TANKS		
Trailer Connections			
914-001	AIR CONNECTIONS TO END OF FRAME WITH GLAD HANDS FOR TRUCK AND NO DUST COVERS	5	5
296-010	PRIMARY CONNECTOR/RECEPTACLE WIRED FOR SEPARATE STOP/TURN, ABS CENTER PIN POWERED THROUGH IGNITION		
303-025	SAE J580 7-WAY PRIMARY TRAILER CABLE RECEPTACLE MOUNTED END OF FRAME		
Wheelbase & Frame			
545-101	4540MM (179 INCH) WHEELBASE, SFA ONLY		
546-106	13,0MM X 87,0MM X 311,0MM STEEL FRAME (0,61X3,42X12,24 INCH) 120 KSI		410
548-803	ITEM TO EVALUATE AND INSTALL FRAME RAIL REINFORCEMENT AS NEEDED FOR FRONT FRAME MOUNTED EQUIPMENT		
552-037	1776MM (70 INCH) REAR FRAME OVERHANG		
55W-006	FRAME OVERHANG RANGE: 61 INCH TO 70 INCH	-30	90
549-002	24 INCH INTEGRAL FRONT FRAME EXTENSION	120	
AC8-99D	CALC'D BACK OF CAB TO REAR SUSP C/L (CA) : 97.24 in		
AE4-99D	CALC'D FRAME LENGTH - OVERALL : 301.24 in		
ZF1-99D	FRAME HEIGHT TOP FRONT UNLADEN : 43.94 in		
ZF2-99D	FRAME HEIGHT TOP FRONT LADEN : 40.7 in		
ZF3-99D	FRAME HEIGHT TOP REAR UNLADEN : 42.97 in		
ZF4-99D	FRAME HEIGHT TOP REAR LADEN : 40.09 in		
653-001	SQUARE END OF FRAME		
559-001	STANDARD WEIGHT ENGINE CROSSMEMBER		
681-015	STANDARD CAST ALUMINUM CROSSMEMBER BACK OF TRANSMISSION		
562-063	STANDARD CAST ALUMINUM MIDSHIP		
572-078	HEAVY DUTY REAR C-CHANNEL CROSSMEMBER, NON-TOWING		70

05/21/2024 8:04 PM

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mountain View Ave
 Ulster Park, NY 12487
 Phone: 845-331-5723

Prepared by:
 Dave Holzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 6803 MANLIUS CENTER ROAD
 EAST SYRACUSE, NY 13657
 Phone: 315-437-4800

Data Code	Description	Weight Front	Weight Rear
585-001	STANDARD SUSPENSION CROSSMEMBER		20
588-001	STANDARD WEIGHT REAR SUSPENSION CROSSMEMBER		
Chassis Equipment			
025-001	UNPOLISHED ALUMINUM WST EQUIPMENT COVERS		
6CF-002	2 MID CHASSIS COMPONENT LOCATION REQUESTS ... AIR TANKS IN RAIL ADDITIONAL PERP LH @ SUSPENSIO, AIR DRYER - MOUNT 36" BOG LH RAIL OUTBOARD		
556-142	PAINTED STEEL 3/16 INCH (7GA) VOCATIONAL BUMPER	40	
558-085	FRONT TOW HOOKS - FRONT FRAME EXTENSION MOUNTED		
574-001	BUMPER MOUNTING FOR SINGLE LICENSE PLATE		
551-034	CLASS 10.9 THREADED METRIC FASTENERS		
44Z-002	EXTERIOR HARNESSSES WRAPPED IN ABRASION TAPE		
Fuel Tanks			
204-154	80 GALLON/302 LITER ALUMINUM FUEL TANK - LH	10	
218-005	25 INCH DIAMETER FUEL TANK(S)		
215-005	PLAIN ALUMINUM/PAINTED STEEL FUEL/HYDRAULIC TANK(S) WITH PAINTED BANDS		
212-007	FUEL TANK(S) FORWARD		
884-001	PLAIN STEP FINISH		
205-001	FUEL TANK CAP(S)		
216-020	EQUILO INBOARD FUEL SYSTEM		
202-018	HIGH TEMPERATURE REINFORCED NYLON FUEL LINE		
Tires			
093-0TA	MICHELIN XZY-3 385/85R22.5 18 PLY RADIAL FRONT TIRES	130	
094-0GR	MICHELIN XDN2 12R22.5 16 PLY RADIAL REAR TIRES		152
Wheels			
502-574	ACCURIDE 29807 22.5X12.25 10-HUB PILOT 4.75 INSET 5-HAND STEEL DISC FRONT WHEELS	98	
505-428	ACCURIDE 28828 22.5XB.25 10-HUB PILOT 2-HAND HD STEEL DISC REAR WHEELS		52
496-011	FRONT WHEEL MOUNTING NUTS		

05/21/2024 8:04 PM

Page 9 of 16

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mountain View Ave
 Ulster Park, NY 12487
 Phone: 848-331-8723

Prepared by:
 Dave Holzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 6803 MANLIUS CENTER ROAD
 EAST SYRACUSE, NY 13057
 Phone: 315-437-4800

Data Code	Description	Weight Front	Weight Rear
497-011	REAR WHEEL MOUNTING NUTS		
498-011	NYLON WHEEL GUARDS FRONT AND REAR ALL INTERFACES		
Cab Exterior			
829-053	111.6 INCH BBC CONVENTIONAL ALUMINUM CAB		
82A-028	STAINLESS STEEL CAB ACCENT MOLDING		
867-001	FRONT FENDERS		
764-017	BOLT-ON MOLDED FLEXIBLE FENDER EXTENSIONS	10	
678-086	INTERIOR GRAB HANDLES WITH ADDED LOWER LH AND RH A PILLAR GRAB HANDLES AND LH AND RH EXTERIOR NON-SLIP GRAB HANDLES		
85X-010	BRIGHT HOOD MOUNTED AIR INTAKE GRILLE, BLACK SCREEN, WITH LED ACCENT LIGHTS		
640-016	X-SERIES STEEL REINFORCED ALUMINUM CAB		
644-049	X-SERIES VOCATIONAL HOOD WITH ACCESS HATCH	10	
67U-001	HOOD OPENING ASSIST WITH LOCKING STRUT		
852-018	WESTERN STAR NAMEPLATES		
727-012	DUAL HADLEY SD-978 28 INCH RECTANGULAR AIR HORNS		
728-001	SINGLE ELECTRIC HORN		
67B-001	REAR LICENSE PLATE MOUNT END OF FRAME		
327-064	DUAL AMBER LED CLASS I STROBE LIGHTS WITH STAINLESS STEEL BRACKETS ABOVE CAB DOORS	20	
312-095	DUAL STAGE INTELLIGENT LED HEADLIGHTS WITH HEATED LENS SYSTEM		
302-073	VISOR MOUNTED LED MARKER LIGHTS		
314-824	WIRING AND SWITCH FOR CUSTOMER FURNISHED SNOW PLOW LAMPS WITH DUAL CONNECTIONS AT BUMPER		
311-001	DAYTIME RUNNING LIGHTS		
294-1AY	INTEGRAL LED STOP/TAIL/BACKUP LIGHTS		
300-043	LED SIDE TURN SIGNAL		
744-105	C-BAR MIRROR SYSTEM WITH DUAL HEATED MIRRORS WITH INTEGRAL HEATED CONVEX, DUAL REMOTE, STAINLESS STEEL BACK COVER, AND BRIGHT C-BAR	20	
798-001	102 INCH EQUIPMENT WIDTH		
743-209	LH AND RH CONVEX MIRRORS INTEGRAL WITH PRIMARY MIRRORS		

05/21/2024 8:04 PM

Page 10 of 16

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mountain View Ave
 Ulster Park, NY 12487
 Phone: 846-331-5723

Prepared by:
 Dave Holzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 8803 MANLIUS CENTER ROAD
 EAST SYRACUSE, NY 13087
 Phone: 315-437-4800

Data Code	Description	Weight Front	Weight Rear
74A-001	RH DOWN VIEW MIRROR		
* 712-002	CUSTOM NAMEPLATE(S), " _____ " TOWN OF ESOPUS		
729-001	STANDARD SIDE/REAR REFLECTORS		
677-088	UNPOLISHED ALUMINUM WST AFTERTREATMENT SYSTEM COVER		
764-020	STAINLESS STEEL EXTERIOR SUN VISOR WITH INTEGRAL MARKER LIGHTS	18	
768-064	SINGLE SOLAR TINTED REAR WINDOW, (1) 31 INCH X 20 INCH		
663-019	1-PIECE ROPED-IN SOLAR GREEN GLASS WINDSHIELD		
659-006	8 LITER (2 GAL) WINDSHIELD WASHER RESERVOIR, CAB MOUNTED, WITH FLUID LEVEL INDICATOR		
Cab Interior			
055-015	X-SERIES BASE INTERIOR TRIM LEVEL PACKAGE		
707-1C3	CHARCOAL BLACK VINYL BASE LEVEL INTERIOR		
70K-016	CARBON WITH BASE BLACK ACCENT		
772-001	BLACK MATS		
785-015	(1) DASH MOUNTED POWER OUTLET, LIGHTER AND ASH TRAY		
691-001	FORWARD ROOF MOUNTED CONSOLE		
693-010	LH AND RH DOOR STORAGE POCKETS INTEGRATED INTO MOLDED DOOR PANELS		
741-015	(2) COAT HOOKS ON BACKWALL OF CAB		
738-021	DIGITAL ALARM CLOCK IN DRIVER DISPLAY		
720-025	5 LB. FIRE EXTINGUISHER MOUNTED INBOARD OF DRIVER SEAT	10	
170-015	STANDARD HEATER PLUMBING		
698-001	RADIATOR MOUNTED AIR CONDITIONER CONDENSER		
739-033	STANDARD INSULATION		
324-1B3	STANDARD LED CAB LIGHTING		
787-998	NO SECURITY DEVICE		
857-001	DOOR LOCKS AND IGNITION SWITCH KEYED THE SAME		
780-002	KEY QUANTITY OF 2		
655-028	LH AND RH ELECTRIC DOOR LOCKS WITH AUTO UNLOCK FEATURE WHEN DOOR IS SET FROM OPEN TO CLOSED POSITION		

05/21/2024 8:04 PM

Page 11 of 18

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mountain View Ave
 Ulster Park, NY 12487
 Phone: 845-331-5723

Prepared by:
 Dave Holzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 6803 MANLIUS CENTER ROAD
 EAST SYRACUSE, NY 13057
 Phone: 315-437-4800

Data Code	Description	Weight Front	Weight Rear
64C-002	BRIGHT DOOR HANDLES		
722-028	TRIANGULAR REFLECTORS KIT WITHOUT FLARES SHIPPED LOOSE IN CAB	10	
766-1J6	BASIC 2.0 HIGH BACK AIR SUSPENSION DRIVER SEAT WITH 1 CHAMBER AIR LUMBAR, INTEGRATED CUSHION EXTENSION AND TILT		
760-294	BATTERY BOX MID BACK NON SUSPENSION PASSENGER SEAT		
759-007	DUAL DRIVER SEAT ARMRESTS, NO PASSENGER SEAT ARMRESTS		
758-136	BLACK MORDURA CLOTH DRIVER SEAT COVER WITH EMBROIDERED LOGO		
761-138	BLACK MORDURA CLOTH PASSENGER SEAT COVER WITH NO LOGO		
763-1AA	3 POINT ADJUSTABLE D-RING RETRACTOR DRIVER AND FIXED D-RING RETRACTOR PASSENGER SEAT BELTS		
532-002	ADJUSTABLE TILT AND TELESCOPING STEERING COLUMN		
540-044	4-SPOKE 18 INCH (460MM) BLACK STEERING WHEEL WITH SWITCHES		
765-002	DRIVER AND PASSENGER INTERIOR SUN VISORS		
Instruments & Controls			
185-009	EXTRA GRIP FOOT CLUTCH PEDAL PAD, NON- ADJUSTABLE SUSPENDED PEDALS		
106-002	ELECTRONIC ACCELERATOR CONTROL		
870-001	BLACK GAUGE BEZELS		
734-018	STANDARD CENTER INSTRUMENT PANEL		
840-001	DUAL NEEDLE PRIMARY AND SECONDARY AIR PRESSURE GAUGE		
198-003	DASH MOUNTED AIR RESTRICTION INDICATOR WITH GRADUATIONS	2	
721-001	97 DB BACKUP ALARM		3
149-016	ELECTRONIC CRUISE CONTROL WITH CONTROLS ON STEERING WHEEL SPOKES		
158-007	KEY OPERATED IGNITION SWITCH AND INTEGRAL START POSITION; 4 POSITION OFF/RUN/START/ACCESSORY		
811-044	PREMIUM INSTRUMENT CLUSTER WITH 5.0 INCH TFT COLOR DISPLAY		
818-003	DIGITAL PANEL LAMP DIMMER SWITCH IN DRIVER DISPLAY		

06/21/2024 8:04 PM

Page 12 of 16

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mounlan View Ave
 Ulster Park, NY 12487
 Phone: 845-331-6723

Prepared by:
 Dave Holzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 6803 MANLIUS CENTER ROAD
 EAST-SYRACUSE, NY 13087
 Phone: 315-437-4600

Data Code	Description	Weight Front	Weight Rear
180-046	HEAVY DUTY ONBOARD DIAGNOSTICS INTERFACE CONNECTOR WITH DUST CAP LOCATED BELOW LH DASH		
844-001	2 INCH ELECTRIC FUEL GAUGE		
148-074	ENGINE REMOTE INTERFACE NOT CONFIGURED		
856-001	ELECTRICAL ENGINE COOLANT TEMPERATURE GAUGE		
854-008	DIGITAL ENGINE OIL TEMPERATURE IN DRIVER DISPLAY		
852-002	ELECTRIC ENGINE OIL PRESSURE GAUGE		
884-001	2 INCH TRANSMISSION OIL TEMPERATURE GAUGE		
887-004	ELECTRONIC OUTSIDE TEMPERATURE SENSOR DISPLAY IN DRIVER MESSAGE CENTER		
830-017	ENGINE AND TRIP HOUR METERS INTEGRAL WITHIN DRIVER DISPLAY		
N 372-123	PTO CONTROLS FOR ENHANCED VEHICLE ELECTRIC/ELECTRONIC ARCHITECTURE		
736-998	NO OBSTACLE DETECTION SYSTEM		
73K-998	NO SIDE OBJECT DETECTION SYSTEM		
72K-998	NO REVERSE PROXIMITY SENSOR		
72J-998	NO DR ASSIST SYSTEM		
49B-998	NO VEHICLE STABILITY ADVISOR OR CONTROL		
73B-998	NO LANE DEPARTURE WARNING SYSTEM		
35M-010	1 QUICKFIT PROGRAMABLE MODULE (QPM/XMC)	10	
6TS-005	TMC RP 1226 ACCESSORY CONNECTOR LOCATED BEHIND PASSENGER SIDE REMOVEABLE DASH PANEL		
746-137	AM/FM/MB WORLD TUNER RADIO WITH BLUETOOTH, USB AND AUXILIARY INPUTS, J1939		
747-001	DASH MOUNTED RADIO		
750-041	STANDARD SPEAKER SYSTEM		
753-998	NO AM/FM RADIO ANTENNA		
748-006	POWER AND GROUND WIRING PROVISION OVERHEAD		
749-001	ROOF/OVERHEAD CONSOLE CB RADIO PROVISION		
751-001	SINGLE REMOTE SPEAKER WITH LEAD FOR 2- WAY RADIO		
752-004	SINGLE FIBERGLASS LH MIRROR MOUNTED CB ANTENNA WITH BRACKET AND LEAD		

05/21/2024 8:04 PM

Page 13 of 16

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mountain View Ave
 Ulster Park, NY 12487
 Phone: 845-331-6723

Prepared by:
 Dave Holzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 6803 MANLIUS CENTER ROAD
 EAST SYRACUSE, NY 13057
 Phone: 315-437-4800

Data Code	Description	Weight Front	Weight Rear
75W-001	HEADLINER MULTI-BAND ANTENNA: AM/FM/WEATHERBAND, WIF/BLUETOOTH, GNSS/GPS		
75A-017	UHF/VHF RADIO POWER/GROUND HARNESS AND MOUNTING TO TOP OF DASH		
810-027	ELECTRONIC MPH SPEEDOMETER WITH SECONDARY KPH SCALE, WITHOUT ODOMETER		
812-032	ELECTRONIC 2500 RPM TACHOMETER		
813-1C8	DETROIT CONNECT PLATFORM HARDWARE		
8D1-216	5 YEARS DETROIT CONNECT BASE PACKAGE(FEATURES VARY BY MODEL) DETROIT CONNECT PLATFORM		
182-002	IGNITION SWITCH CONTROLLED ENGINE STOP		
-329-129	FOUR EXTRA HARDWIRED SWITCHES IN DASH, ROUTE TO UNDER CAB BLUNT CUT		
4C1-025	HARDWIRE SWITCH #1, ON/OFF LATCHING, 20 AMPS IGNITION POWER		
4C2-026	HARDWIRE SWITCH #2, ON/OFF LATCHING, 10 AMPS BATTERY POWER		
4C3-017	HARDWIRE SWITCH #3, ON/OFF LATCHING, 10 AMPS BATTERY POWER		
4C4-018	HARDWIRE SWITCH #4, ON/OFF LATCHING, 20 AMPS IGNITION POWER		
81Y-998	NO PRE TRIP SYSTEM TEST		
482-001	BW TRACTOR PROTECTION VALVE		
883-001	TRAILER HAND CONTROL BRAKE VALVE	2	
842-006	DIGITAL TURBO AIR PRESSURE IN DRIVER DISPLAY		
836-015	DIGITAL VOLTAGE DISPLAY INTEGRAL WITH DRIVER DISPLAY		
304-030	ROTARY HEADLAMP SWITCH, MARKER LIGHTS/HEADLIGHTS SWITCH WITH PULL OUT FOR OPTIONAL FOG/ROAD LAMPS		
882-004	TWO VALVE PARKING BRAKE SYSTEM WITH WARNING INDICATOR		
299-020	SELF CANCELING TURN SIGNAL SWITCH WITH DIMMER, HEADLAMP FLASH, WASH/WIPE/INTERMITTENT		
4E1-013	PROGRAMMABLE SWITCHES/INDICATORS LOCATED IN AUXILIARY PANEL		
43H-002	QUICKFIT POWERTRAIN INTERFACE CONNECTOR LOCATED BETWEEN SEATS WITH BLUNT CUTS		
* 4CG-004	4 EXTRA PROGRAMMABLE SWITCHES/INDICATORS		

05/21/2024 8:04 PM

Page 14 of 16

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mountain View Ave
 Ulster Park, NY 12487
 Phone: 846-331-5723

Prepared by:
 Dave Holzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 6803 MANLIUS CENTER ROAD
 EAST SYRACUSE, NY 13067
 Phone: 315-437-4800

Data Code	Description	Weight Front	Weight Rear
	\$A1A0233ZZ,A1B0230ZZ,A1C0188ZZ,A1D0209ZZ		
48C-002	QUICKFIT PROGRAMMABLE INTERFACE CONNECTOR(S) BETWEEN SEATS WITH BLUNTCUT'S		
Design			
065-000	PAINT: ONE SOLID COLOR		
Color			
980-5F8	CAB COLOR A: L0008EY WHITE ELITE EY		
986-020	BLACK, HIGH SOLIDS POLYURETHANE CHASSIS PAINT		
982-972	POWDER WHITE (N0006EA) FRONT WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
988-972	POWDER WHITE (N0006EA) REAR WHEELS/RIMS (PKWHT21, TKWHT21, W, TW)		
964-993	BUMPER PAINTED SAME AS CHASSIS		
Extended Front Axle Coverage			
WA4-004	AXLE: NON-DETROIT FRONT ONLY: HD MODERATE 3 YEARS/200,000 MILES/322,000 KM EXTENDED AXLE COVERAGE		
Certification / Compliance			
996-001	U.S. FMVSS CERTIFICATION, EXCEPT SALES CABS AND GLIDER KITS		
Secondary Factory Options			
* 998-032	CORPORATE PDI CENTER OPTION, INSTALLATION/MODIFICATION ONLY FURNISH AND INSTALL HEATED WIPER BLADES, PER CTS QUOTE #6100.		

TOTAL VEHICLE SUMMARY

Weight Summary			
	Weight Front	Weight Rear	Total Weight
Factory Weight†	9385 lbs	6045 lbs	15410 lbs
Dealer Installed Options	0 lbs	0 lbs	0 lbs
Total Weight†	9385 lbs	6045 lbs	15410 lbs

Extended Warranty

05/21/2024 8:04 PM

Prepared for:
 Mike Cafaldo
 ESOPUS TOWN OF
 342 Mounlian View Ave
 Ulster Park, NY 12487
 Phone: 845-331-6723

Prepared by:
 Dave Holzwarth
 TRACEY ROAD EQUIPMENT,
 INC.
 6808 MANLIUS CENTER ROAD
 EAST SYRACUSE, NY 13067
 Phone: 313-437-4800

WAI-6VY EW4: DD13 CARB COMPLIANT VOC 5 YEARS/100,000 MILES/161,000 KM. EXTENDED ENGINE COVERAGE. FEX APPLIES

WAL-210 AXLE: NON-DETROIT SINGLE REAR ONLY: HD MODERATE 3 YEARS/200,000 MILES/322,000 KM EXTENDED COVERAGE

WUP-020 EXT CHASSIS ATS: STANDARD MODERATE/VOCATIONAL 5 YEARS/100,000 MILES/161,000 KM EXTENDED COVERAGE. FEX APPLIES

Dealer Installed Options

		Weight Front	Weight Rear
SPRING	RH SPRING BUILD-UP	0	0
HTWPR	HEATED WIPER BLADES - CTS	0	0
WASHR	RELOCATE WASHER FILL TO HOOD HATCH	0	0
Total Dealer Installed Options		0 lbs	0 lbs

(+) Weights shown are estimates only.
 If weight is critical, contact Customer Application Engineering.

(***) All cost increases for major components (Engines, Transmissions, Axles, Front and Rear Tires) and government mandated requirements, tariffs, and raw material surcharges will be passed through and added to factory invoices.



HENKE



HP FAIRFIELD



TENCO Industries

5700 South Lima Road Lakeville, NY 14480

Phone: 888-808-3626 / Fax: 585-346-2982

Quote Valid For 30 Days

September 17, 2024

Tracey Road Demo

Tenco Industries is pleased to offer you the following information at your request:

One (1) Tenco Model H345-FW

Custom tilting front hitch with Heated LED plow lights

One (1) Tenco Model FFH48-R

48" full hydraulic front post w/LED work light

One (1) Tenco Model FAFX-3R

Patrol type rear tower, armature, push arms, and floating wing adapter

One (1) Tenco Model TCP-11-T-42-E2-HA2

Reversible plow with 42" tall Tenelene moldboard, 132" bottom edge, 3-piece 6-spring bottom trip edge, rubber snow deflector, and plow makers

One (1) Tenco Model TCW-10H-38-N-R

Right hand wing with 120" cutting edge, 1/8" AR 500 wing skin, 32" intake height, 38 1/2" discharge height, and one LED wing light

One (1) Tenco Model P48R

4-8-30 trip hinge with Aeon rubber compression spring

One (1) Lanna Dump Body Model SHD

10 ft. dump body with double acting telescopic hoist, 12" doghouse, straight tailgate, clean side construction, 3/16 Hardox 450 sides and front, 1/4" Hardox 450 floor and tailgate

Body to Include:

Air actuated tailgate, 24" cab protector w/(4) oval amber LED flashers, 30" sides, 42" tailgate, body safety prop, oval amber LED flashers mounted in rear corner posts with all other Federal and NYS required lighting (LED s/t/t, LED back-up, LED markers), oval amber LED flashers in each side rear post, 10" rear apron, Harder coal door, grease extensions for hoist, folding grip strut ladder, interior body step, shovel bracket, body up light, mud flaps, Roll-Rite aluminum electric tarp system, (4) LED work lights total, body to be painted Black, Red/White DOT tape. Also to include rear hitch plate assembly, and rear chipper bar assembly.



HENKE



HP FAIRFIELD





Hydraulics to Include:

- Front mounted tandem pump with electric clutch and driveline
- Commercial 5-section valve body to be mounted behind cab in a steel enclosure, right side
- All valves and controls are to be air actuated
- 40 Gallon reservoir with shut off valves mounted behind cab, left side
- Low oil level sensor with automatic shutdown and override control
- Rexroth CS630 Sander Control
- Hard pipe to rear of body shall be stainless steel with short hoses as required
- Hydraulic lines to front hitch and pump shall be stainless steel with short hoses as required
- Quick couplers for all detachable equipment
- Plow controls to be mounted on swinging pedestal per request
- All valves, oils, and controls for the complete operations of dump body, plow equipment, and sander functions (no sander provided)

(Available on Onondaga Co Contract #10914)

"Please note a steel surcharge may need to be applied to this quote if the chassis lead time exceeds 12 months"

Chassis must be delivered in a manner which allows the above-listed equipment to be installed without modification to the chassis.

If you have any questions or concerns, please feel free to contact me.
Freight Terms: EX Works

Sincerely,

Glenn F. Plaisted
Territory Sales Manager



I, _____, as a representative of _____
wish to accept the above listed quotation.

Signature

