

FLOOR PLAN NOTES

A. BEFORE BEGINNING WORK, VERIFY THE EXISTENCE AND LOCATION OF PLUMBING, MECHANICAL AND ELECTRICAL SYSTEMS AND OTHER CONSTRUCTION AFFECTING THE WORK. IF DISCREPANCIES ARE DISCOVERED,

- NOTIFY ARCHITECT PROMPTLY.

 B. ALL DIMENSION STRINGS ARE TO FINISH FACE OF WALL, UNLESS NOTED
- OTHERWISE.

 C. VERIFY STRUCTURAL ELEMENTS AND FLOOR SLABS PRIOR TO CORING OR
- C. VERIFY STRUCTURAL ELEMENTS AND FLOOR SLABS PRIOR TO CORING OR CUTTING. COORDINATE VERIFICATION METHOD WITH OWNER.
 D. REFER TO SHEET A010 FOR REFERENCED PARTITION TYPES AND DETAILS.
- WALLS NOT TAGGED ON THESE PLANS SHALL BE PARTITION TYPE W4A-S11.

 E. PROVIDE MOISTURE- AND MOLD-RESISTANT GYPSUM BOARD AT THE FOLLOWING LOCATIONS: ENTIRE WALL DIRECTLY BEHIND OR ADJACENT TO ANY PLUMBING FIXTURE INCLUDING, BUT NOT LIMITED TO, WATER CLOSETS, SHOWERS, DRINKING FOUNTAINS, SINKS, LAVATORIES AND EYEWASHES; AND ALL WALLS OF AREAS INCLUDING, BUT NOT LIMITED TO, CHANGING ROOMS, SINGLE OCCUPANT TOILET ROOMS, JANITOR CLOSETS, COMMERCIAL KITCHENS, DISHWASHING, ETC. WHERE CERAMIC TILE OR SOLID SURFACE WALL CLADDING IS SCHEDULED, PROVIDE CEMENT BOARD BACKER BOARD IN LIEU OF GYPSUM BOARD.
 - LOCATE ALL DOOR JAMBS 4" FROM ADJACENT PERPENDICULAR WALL, UNLESS NOTED OTHERWISE.
- G. REPAIR, PATCH AND CLEAN ALL EXISTING SURFACES SCHEDULED TO REMAIN THAT ARE AFFECTED BY DEMOLITION OR NEW CONSTRUCTION. MAKE APPEAR NEW, MATCHING ADJACENT CONSTRUCTION. PREPARE ALL SURFACES AS REQUIRED FOR SCHEDULED FINISHES. SKIM COAT AND PREPARE ALL DAMAGED OR UNFINISHED SURFACES.
- H. PATCH ALL WALL BASE SCARS AT EXISTING WALL SURFACES. PREPARE SMOOTH TO RECEIVE NEW WALL BASE FOR UNIFORM APPEARANCE.

 PATCH WALLS TO MATCH ADJACENT SURFACES AT ALL ABANDONED OR
- PATCH WALLS TO MATCH ADJACENT SURFACES AT ALL ABANDONED OR REMOVED OUTLET AND SWITCH LOCATIONS. BLANK COVER PLATES ARE NOT ACCEPTABLE.

 J. PREPARE FLOOR LEVEL AND SMOOTH FOR NEW HARD SURFACE FINISHES. PATCH EXISTING PENETRATIONS AND ABNORMALITIES IN CONCRETE FLOOR.

ALL AREAS DISTURBED BY DEMOLITION SHALL BE PATCHED AND PROPERLY

PREPARED FOR NEW FINISH APPLICATIONS. WHERE ADJACENT FINISHES ARE EXISTING TO REMAIN, PATCH AND MATCH EXISTING FINISHES. CONSULT WITH

THE OWNER TO IDENTIFY ATTIC STOCK AND/OR PREVIOUS MATERIAL SPECIFICATIONS.

L. PROVIDE BLOCKING IN WALLS AS REQUIRED FOR NEW MILLWORK, CASEWORK, DOOR BUMPERS, ACCESSORIES, EQUIPMENT, FIXTURES, AND OWNER'S WALL-MOUNTED EQUIPMENT, INCLUDING BUT NOT LIMITED TO, TELEVISIONS/MONITORS, MARKER BOARDS, TACK BOARDS AND SIGNAGE. OPEN EXISTING WALLS AS NEEDED TO INSTALL CONCEALED BLOCKING WHERE

REQUIRED, AND PATCH WALLS TO MATCH EXISTING CONSTRUCTION.
COORDINATE WITH OWNER ON LOCATIONS OF WALL-MOUNTED EQUIPMENT.

M. PROVIDE 3/4" FIRE-RETARDANT TREATED PLYWOOD AS BACKING PANELS FOR DATA & ELECTRICAL EQUIPMENT. INSTALL AT 1'-0" AFF TO FINISHED CEILING. PAINT PLYWOOD TO MATCH ADJACENT WALL FINISH. COORDINATE FINAL SIZE AND LOCATION WITH ELECTRICAL CONTRACTOR.



milwaukee | madison | green bay | denver | atlanta

PROJECT INFORMATION


NORTH SHORE GOLF CLUB -

N 8421 N Shore W Rd Menasha, WI 54952

ISSUANCE AND REVISIONS

DATE DESCRIPTION

KEY PLAN



В

SHEET INFORMATION

PROGRESS DOCUMENTS
NOT FOR CONSTRUCTION


These documents reflect progress and intent and may
be subject to change, including additional detail. These
are not final construction documents and shall not be
used for final bidding or construction-related purposes.

PROJECT MANAGER

PROJECT NUMBER 9

LOWER LEVEL PLAN - LAKE HOUSE

A101



FLOOR PLAN NOTES

- BEFORE BEGINNING WORK, VERIFY THE EXISTENCE AND LOCATION OF PLUMBING, MECHANICAL AND ELECTRICAL SYSTEMS AND OTHER CONSTRUCTION AFFECTING THE WORK. IF DISCREPANCIES ARE DISCOVERED, NOTIFY ARCHITECT PROMPTLY.
- B. ALL DIMENSION STRINGS ARE TO FINISH FACE OF WALL, UNLESS NOTED
- C. VERIFY STRUCTURAL ELEMENTS AND FLOOR SLABS PRIOR TO CORING OR CUTTING. COORDINATE VERIFICATION METHOD WITH OWNER.
- D. REFER TO SHEET A010 FOR REFERENCED PARTITION TYPES AND DETAILS.
 WALLS NOT TAGGED ON THESE PLANS SHALL BE PARTITION TYPE W4A-S11.

 E. PROVIDE MOISTURE- AND MOLD-RESISTANT GYPSUM BOARD AT THE FOLLOWING LOCATIONS: ENTIRE WALL DIRECTLY BEHIND OR ADJACENT TO ANY PLUMBING FIXTURE INCLUDING, BUT NOT LIMITED TO, WATER CLOSETS, SHOWERS, DRINKING FOUNTAINS, SINKS, LAVATORIES AND EYEWASHES; AND ALL WALLS OF AREAS INCLUDING, BUT NOT LIMITED TO, CHANGING ROOMS, SINGLE OCCUPANT TOILET ROOMS, JANITOR CLOSETS, COMMERCIAL KITCHENS, DISHWASHING, ETC.
 - F. LOCATE ALL DOOR JAMBS 4" FROM ADJACENT PERPENDICULAR WALL, UNLESS NOTED OTHERWISE.

WHERE CERAMIC TILE OR SOLID SURFACE WALL CLADDING IS SCHEDULED, PROVIDE CEMENT BOARD BACKER BOARD IN LIEU OF GYPSUM BOARD.

- G. REPAIR, PATCH AND CLEAN ALL EXISTING SURFACES SCHEDULED TO REMAIN THAT ARE AFFECTED BY DEMOLITION OR NEW CONSTRUCTION. MAKE APPEAR NEW, MATCHING ADJACENT CONSTRUCTION. PREPARE ALL SURFACES AS REQUIRED FOR SCHEDULED FINISHES. SKIM COAT AND PREPARE ALL DAMAGED OR UNFINISHED SURFACES.
- H. PATCH ALL WALL BASE SCARS AT EXISTING WALL SURFACES. PREPARE SMOOTH TO RECEIVE NEW WALL BASE FOR UNIFORM APPEARANCE.
- I. PATCH WALLS TO MATCH ADJACENT SURFACES AT ALL ABANDONED OR REMOVED OUTLET AND SWITCH LOCATIONS. BLANK COVER PLATES ARE NOT ACCEPTABLE.
- J. PREPARE FLOOR LEVEL AND SMOOTH FOR NEW HARD SURFACE FINISHES.
 PATCH EXISTING PENETRATIONS AND ABNORMALITIES IN CONCRETE FLOOR.

 K. ALL AREAS DISTURBED BY DEMOLITION SHALL BE PATCHED AND PROPERLY PREPARED FOR NEW FINISH APPLICATIONS. WHERE ADJACENT FINISHES ARE EXISTING TO REMAIN, PATCH AND MATCH EXISTING FINISHES. CONSULT WITH

SPECIFICATIONS.

L. PROVIDE BLOCKING IN WALLS AS REQUIRED FOR NEW MILLWORK, CASEWORK, DOOR BUMPERS, ACCESSORIES, EQUIPMENT, FIXTURES, AND OWNER'S WALL-MOUNTED EQUIPMENT, INCLUDING BUT NOT LIMITED TO, TELEVISIONS/MONITORS, MARKER BOARDS, TACK BOARDS AND SIGNAGE. OPEN EXISTING WALLS AS NEEDED TO INSTALL CONCEALED BLOCKING WHERE REQUIRED, AND PATCH WALLS TO MATCH EXISTING CONSTRUCTION. COORDINATE WITH OWNER ON LOCATIONS OF WALL-MOUNTED EQUIPMENT.

THE OWNER TO IDENTIFY ATTIC STOCK AND/OR PREVIOUS MATERIAL

M. PROVIDE 3/4" FIRE-RETARDANT TREATED PLYWOOD AS BACKING PANELS FOR DATA & ELECTRICAL EQUIPMENT. INSTALL AT 1'-0" AFF TO FINISHED CEILING. PAINT PLYWOOD TO MATCH ADJACENT WALL FINISH. COORDINATE FINAL SIZE AND LOCATION WITH ELECTRICAL CONTRACTOR.

KEYNOTES PER SHEET



milwaukee | madison | green bay | denver | atlanta

PROJECT INFORMATION


NORTH SHORE GOLF CLUB -

D N 8421 N Shore W Rd Menasha, WI 54952

ISSUANCE AND REVISIONS

DATE DESCRIPTION

KEY PLAN



В

SHEET INFORMATION

PROGRESS DOCUMENTS
NOT FOR CONSTRUCTION


These documents reflect progress and intent and may be subject to change, including additional detail. These are not final construction documents and shall not be used for final bidding or construction-related purposes.

PROJECT MANAGER

PROJECT NUMBER 9235

1ST FLOOR PLAN -LAKE HOUSE

A102



EXTERIOR ELEVATION NOTES

A. SEE SHEET A201 FOR EXTERIOR FRAME TYPES AND DIMENSIONS.
 B. PROVIDE CONTINUOUS SEALANT AND BACKER ROD AT ALL PRECAST CONCRETE JOINTS.

ALL INSIDE AND OUTSIDE CORNERS OF PRECAST TRIM TO NOT BE MITERED.

EXTERIOR SIGNAGE ON BUILDING TO BE COORDINATED AND VERIFIED WITH ARCHITECT, OWNER AND SIGNAGE VENDOR.

ALL VERTICAL INSIDE CORNERS TO HAVE 1/2" MOVEMENT JOINT.

CJ = INDICATES CONTROL JOINT - 1/2" GAP.

WINDOW DIMENSIONS ARE NOMINAL. CONTRACTOR TO ACCOUNT FOR SHIM SPACE IN WINDOW SIZING.



KEYNOTES PER SHEET


PROJECT INFORMATION


NORTH SHORE GOLF CLUB -


D N 8421 N Shore W Rd Menasha, WI 54952

ISSUANCE AND REVISIONS

DATE DESCRIPTION








PROGRESS DOCUMENTS NOT FOR CONSTRUCTION These documents reflect progress and intent and may be subject to change, including additional detail. These are not final construction documents and shall not be used for final bidding or construction-related purposes. PROJECT MANAGER

PROJECT NUMBER

EXTERIOR ELEVATIONS AND FRAME TYPES



LOWER LEVEL PLAN - CHANGING BLDG

FLOOR PLAN NOTES

- A. BEFORE BEGINNING WORK, VERIFY THE EXISTENCE AND LOCATION OF PLUMBING, MECHANICAL AND ELECTRICAL SYSTEMS AND OTHER CONSTRUCTION AFFECTING THE WORK. IF DISCREPANCIES ARE DISCOVERED, NOTIFY ARCHITECT PROMPTLY.
- ALL DIMENSION STRINGS ARE TO FINISH FACE OF WALL, UNLESS NOTED
- OTHERWISE.

 C. VERIFY STRUCTURAL ELEMENTS AND FLOOR SLABS PRIOR TO CORING OR

CUTTING. COORDINATE VERIFICATION METHOD WITH OWNER.

- D. REFER TO SHEET A010 FOR REFERENCED PARTITION TYPES AND DETAILS.
 WALLS NOT TAGGED ON THESE PLANS SHALL BE PARTITION TYPE W4A-S11.

 E. PROVIDE MOISTURE- AND MOLD-RESISTANT GYPSUM BOARD AT THE FOLLOWING LOCATIONS: ENTIRE WALL DIRECTLY BEHIND OR ADJACENT TO ANY PLUMBING FIXTURE INCLUDING, BUT NOT LIMITED TO, WATER CLOSETS, SHOWERS, DRINKING FOUNTAINS, SINKS, LAVATORIES AND EYEWASHES; AND ALL WALLS OF AREAS INCLUDING, BUT NOT LIMITED TO, CHANGING ROOMS, SINGLE OCCUPANT TOILET ROOMS, JANITOR CLOSETS, COMMERCIAL KITCHENS, DISHWASHING, ETC. WHERE CERAMIC TILE OR SOLID SURFACE WALL CLADDING IS SCHEDULED,
 - LOCATE ALL DOOR JAMBS 4" FROM ADJACENT PERPENDICULAR WALL, UNLESS NOTED OTHERWISE.

PROVIDE CEMENT BOARD BACKER BOARD IN LIEU OF GYPSUM BOARD.

- G. REPAIR, PATCH AND CLEAN ALL EXISTING SURFACES SCHEDULED TO REMAIN THAT ARE AFFECTED BY DEMOLITION OR NEW CONSTRUCTION. MAKE APPEAR NEW, MATCHING ADJACENT CONSTRUCTION. PREPARE ALL SURFACES AS REQUIRED FOR SCHEDULED FINISHES. SKIM COAT AND PREPARE ALL DAMAGED OR UNFINISHED SURFACES.
- H. PATCH ALL WALL BASE SCARS AT EXISTING WALL SURFACES. PREPARE SMOOTH TO RECEIVE NEW WALL BASE FOR UNIFORM APPEARANCE.

 I. PATCH WALLS TO MATCH ADJACENT SURFACES AT ALL ABANDONED OR
- REMOVED OUTLET AND SWITCH LOCATIONS. BLANK COVER PLATES ARE NOT ACCEPTABLE.

 PREPARE FLOOR LEVEL AND SMOOTH FOR NEW HARD SURFACE FINISHES.
- PATCH EXISTING PENETRATIONS AND ABNORMALITIES IN CONCRETE FLOOR.

 K. ALL AREAS DISTURBED BY DEMOLITION SHALL BE PATCHED AND PROPERLY PREPARED FOR NEW FINISH APPLICATIONS. WHERE ADJACENT FINISHES ARE EXISTING TO REMAIN, PATCH AND MATCH EXISTING FINISHES. CONSULT WITH THE OWNER TO IDENTIFY ATTIC STOCK AND/OR PREVIOUS MATERIAL SPECIFICATIONS.
- PROVIDE BLOCKING IN WALLS AS REQUIRED FOR NEW MILLWORK, CASEWORK, DOOR BUMPERS, ACCESSORIES, EQUIPMENT, FIXTURES, AND OWNER'S WALL-MOUNTED EQUIPMENT, INCLUDING BUT NOT LIMITED TO, TELEVISIONS/MONITORS, MARKER BOARDS, TACK BOARDS AND SIGNAGE. OPEN EXISTING WALLS AS NEEDED TO INSTALL CONCEALED BLOCKING WHERE REQUIRED, AND PATCH WALLS TO MATCH EXISTING CONSTRUCTION. COORDINATE WITH OWNER ON LOCATIONS OF WALL-MOUNTED EQUIPMENT.
- M. PROVIDE 3/4" FIRE-RETARDANT TREATED PLYWOOD AS BACKING PANELS FOR DATA & ELECTRICAL EQUIPMENT. INSTALL AT 1'-0" AFF TO FINISHED CEILING. PAINT PLYWOOD TO MATCH ADJACENT WALL FINISH. COORDINATE FINAL SIZE AND LOCATION WITH ELECTRICAL CONTRACTOR.

KEYNOTES PER SHEET

1420-01 VERTICAL PLATFORM LIFT, 3 OPENINGS

euic

milwaukee | madison | green bay | denver | atlanta

PROJECT INFORMATION


NORTH SHORE GOLF CLUB -

D N 8421 N Shore W Rd Menasha, WI 54952

ISSUANCE AND REVISIONS

DATE DESCRIPTION

KEY PLAN



SHEET INFORMATION

PROGRESS DOCUMENTS
NOT FOR CONSTRUCTION

These documents reflect progress and intent and may be subject to change, including additional detail. These are not final construction documents and shall not be used for final bidding or construction-related purposes.

PROJECT MANAGER

PROJECT NUMBER 923

LOWER LEVEL PLAN
- CHANGING BLDG

A103

EXTERIOR ELEVATION NOTES

- A. SEE SHEET A201 FOR EXTERIOR FRAME TYPES AND DIMENSIONS.
 B. PROVIDE CONTINUOUS SEALANT AND BACKER ROD AT ALL PRECAST CONCRETE JOINTS.
- C. ALL INSIDE AND OUTSIDE CORNERS OF PRECAST TRIM TO NOT BE MITERED.

 D. EXTERIOR SIGNAGE ON BUILDING TO BE COORDINATED AND VERIFIED WITH ARCHITECT, OWNER AND SIGNAGE VENDOR.
- E. ALL VERTICAL INSIDE CORNERS TO HAVE 1/2" MOVEMENT JOINT.

 F. CJ = INDICATES CONTROL JOINT 1/2" GAP.

 G. WINDOW DIMENSIONS ARE NOMINAL. CONTRACTOR TO ACCOUNT FOR SHIM SPACE IN

WINDOW SIZING.

milwaukee | madison | green bay | denver | atlanta


KEYNOTES PER SHEET



THE PARTY OF THE P

1 SOUTH - LAKE HOUSE

1/4" = 1'-0" | REF: A3/A101



PROJECT INFORMATION


NORTH SHORE GOLF CLUB -

N 8421 N Shore W Rd Menasha, WI 54952

ISSUANCE AND REVISIONS

DATE DESCRIPTION

KEY PLAN



В

SHEET INFORMATION

PROGRESS DOCUMENTS
NOT FOR CONSTRUCTION

These documents reflect progress and intent and may be subject to change, including additional detail. These are not final construction documents and shall not be used for final bidding or construction-related purposes.

PROJECT MANAGER
PROJECT NUMBER

EXTERIOR ELEVATIONS

A200