



1151 W Main Avenue
DePere, WI 54115
Sales Rep: Troy Redfearn
Ph: (920) 360-4446
www.MonroeTruck.com

J.O. #

Quotation ID: 2MAW004170

Date: 6/26/2025

Valid thru: 7/26/2025

Terms: NET 30

Quoted by: Mark Woelfel

Ph/Fax: 920-347-4181 / 920-336-8118

Quoted to:

HARRISON, VILLAGE OF (ATTN:)

W5298 HWY 114

MENASHA, WI 54952

Ph: 920-989-1139 / Fax: 920-989-1077

Email:

Chassis Information

Year: 2025	Make: WESTERN STAR	Model: 47X	Chassis Color:	Cab Type:
Single/Dual: DRW	CA:	CT:	Wheelbase:	Engine: DIESEL
			F.O. Number #:	Vin:

Notes:

Monroe Truck Equipment, Inc. is pleased to offer the following quote for your review:

Description	Amount
CRYSTEEL DUMP BODY PACKAGE	
- 15' x 84 ID x 96 OD	
- CABSHIELD: 1/2, 78"W, 10 GAUGE, STAINLESS STEEL	
- 60" STRAIGHT FRONT MADE OF 7 GA STAINLESS STEEL	
- 60" TO 54" TAPERED SINGLE PANEL W/ RUBRAIL SIDES MADE OF 7 GA STAINLESS STEEL	
- 54" ASPHALT SLOPED REAR MADE OF 7 GA STAINLESS STEEL	
- 1/4 AR450 STEEL FLOOR	
- 12 WESTERN TUBULAR LONGSILLS MADE OF 3/4" STAINLESS STEEL	
- 3.5" FULL RIB TAILGATE WITH AIR RELEASE	
- AIR HIGH LIFT TAILGATE	
- 2 INCH FLAT LOWER WALK RAIL	
- BANJO W/ FORGED WELD ON BRACKETS FOR REMOVABLE CHAINS	
- STAINLESS STEEL REAR PILLAR/PILLAR CAP/RUBRAIL	
- 3 OVALS CUTOUTS IN REAR POST	
- STAINLESS HARDWARE BELOW THE FLOOR	
DOT REFLECTIVE TAPE	
- DOWN LOWER RUBRAIL	
- UP REAR CORNER POST	
- AROUND TAILGATE	
1/4 FENDER MOUNT IN FRONT OF DRIVES	
RUBBER FLAP TO PREVENT DEBRIS FROM GOING UP REAR CORNER POST	
SHOVEL HOLDER: FORK & LOOP	
(6) EXTERIOR BODY STEPS	
- (2) DRIVER FRONT	
- (2) DRIVER REAR	
- (2) PASS REAR	
VIBRATOR: COUGAR 3200 ELECTRIC	
AERO EASY COVER ASPHALT TARP SYSTEM - MODEL 550	
- ELECTRIC MOTOR W/ IN-CAB SWITCH	
- ALUMINUM HOUSING MOUNTED BEHIND CAB SHIELD	
- ALUMINUM TARP ARMS	
QUICK SILVER POLY LINER INSTALLED	
- FULL HEIGHT SIDES	
- BULKHEAD AND TAILGATE APPROX 4' HIGH	
- S/S STUD AND SPANNER NUT FASTENING SYSTEM	
- S/S LEP AND COVER STRIP CONTINUOUSLY WELDED	
- ASPHALT HOLD-DOWN PLATE	
MARATHON M63138DA INVERTED TELESCOPIC HOIST, LESS HYDRAULICS	
- DUAL BODY PROPS	
- REAR HINGE	
PINTLE MOUNT; 1" PLATE WITH 3/4" D-RINGS (NO HITCH)	



Description**Amount**

- PH-30 PINTLE HOOK
- MOVE CHASSIS SUPPLIED GLADHAND & TRAILER PLUG FROM CAB TO REAR PINTLE PLATE AREA
- REAR TOW HOOKS

TRUCK PORTION - QUICK HITCH

- 4X10 DA PLOW LIFT CYLINDER
(REQUIRES MINIMUM OF 18" FRONT FRAME EXTENSION)
- CUT AND INSTALL DRIVER BUMPER HALF

MONROE TORSION TRIP EDGE "J" STYLE POLY REVERSIBLE PLOW

- 45" HIGH X 12' LENGTH
- (10) 1/2" ONE-PIECE FLAME CUT RIBS
- 2" X 3" X 3/8" TOP ANGLE
- 4" X 4" X 3/4" BOTTOM ANGLE
- (6) ADJUSTABLE 3/4" TORSION TRIP SPRING ASSEMBLIES FOR A TWO-SECTION TRIP
- 5/8" X 8" ONE-PIECE CENTER PUNCH CUTTING EDGE
- 4" X 4" X 3/8" CROSS-TUBE SUPPORT
- 3-1/2" X 3-1/2" X 1/2" SEMI-CIRCLE
- (2) 3" X 10" DOUBLE ACTING REVERSE CYLINDERS WITH CUSHION VALVE
- BUILT-IN MONROE LEVEL LIFT ASSEMBLY
- MOLDBOARD AND PUSHFRAME TO BE 100% CONTINUOUSLY WELDED
- MOLDBOARD POOLY ORANGE
- PUSH FRAME POWDER COATED BLACK
- MC6000 PLOW PORTION QUICK HITCH
- RUBBER SNOW DEFLECTOR, INSTALLED
- PARKING JACK
- MARKERS

ONSPOT AUTOMATIC TIRE CHAINS**10' MONROE, DOUBLE FUNCTION, TRIP-EDGE PATROL WING (RIGHT SIDE)**

- 35" HIGH INBOARD & OUTBOARD, 3/16" THICK MOLDBOARD
- 4" X 4" X 3/4", A36 STEEL, BOTTOM ANGLE W/ 1" THICK WELDED TRIP HINGE BLOCKS
- TOP OF BOTTOM ANGLE BOXED TO THE MOLDBOARD W/ 1/4" PLATE FOR ADDITIONAL STRENGTH
- 1/2" THICK ONE-PIECE VERTICAL & INTERLACED DESIGNED HORIZONTAL RIBS
- STANDARD 100% WELDED
- **NO CUTTING EDGE**
- TRIP SECTION ANGLE ASSEMBLY: 3/4" X 3" X 4", A36 STEEL W/ 3/4" THICK TRIP HINGE BLOCKS
- ANGLES PIVOT ON 1-1/4" COLD ROLLED, 1040 STEEL HELD IN PLACE BY 1/4" X 2" EXPANSION PINS
- (6) 3/4" SQUARE WIRE TORSION SPRINGS W/ 3-3/4" OUTSIDE DIAMETER & 11" COILS
- 4X14 FRONT HEEL LIFT CYLINDER
- SQ TUBE HYD PUSHARM W/ 4 x 28 DA CYLINDER
- **3/16" TAPERED MOLDBOARD WITH MAILBOX CUT**
- SHOT BLASTED & POWDER COATED ORANGE
- POWDER COATED BLACK HARDWARE
- WING SIDE AIR BAG

MONROE UNDER-TAILGATE, DIRECT DRIVE SPREADER (MS969-OW/DD-DD) W/ SPEED SENSOR

- 201 STAINLESS STEEL
- 9" DIA. AUGER W/ ONE-WAY FLIGHTING FOR LEFT OR RIGHT DISCHARGE
- AUGER 3" PITCH ON BOTH ENDS
- 7 GA., 96" TROUGH W/ 1/4" END PLATES
- ONE-PIECE, REMOVABLE & HINGED, COMBINATION COVER & REAR PANEL
- HEAVY-DUTY, STEEL ROD, CAPTIVE LATCHES
- QUICK DETACH MOUNTING BRACKETS
- CUSTOM TAILGATE SHIELDS
- **SINGLE SPINNER**

TANK KIT: 140 GALLON (1 TANK), STAINLESS STEEL HDW

- CLOSED LOOP HYDRAULIC BASE KIT W/ PLUMBING KIT
- 4 GPM HYD PUMP W/ STAINLESS STEEL MOUNTING PLATE AND PLUMBING KIT W/O HYDRAULIC VALVE
- (2) 2 GPM NOZZLES
- SPINNER DISCONNECT
- BULK FILL AND FLUSH KIT

ELECTRIC HYDRAULICS PACKAGE

Description**Amount**

- 5.98 CU IN FRONT MOUNT PUMP
- HIGH PRESSURE MANUAL SHUT-OFF
- STAINLESS STEEL FRAME MOUNTED VALVE/TANK COMBO
- ELECTRIC ADD-A-FOLD VALVING:
 - D/A HOIST, D/A PLOW, D/A PLOW ANGLE, D/A WING TOE, 20 GPM, D/A WING HEEL, D/A HYD PUSHARM, PRE-WET, AUGER, SPINNER
- * WIRELESS ARC, DISPLAYED IN 6100
- FORCE SSC6100 GROUND BASED SPREADER CONTROL W/ IGRIP JOYSTICK
- * (2) CAMERAS, DISPLAYED IN 6100
 - BACK UP CAMERA W/ PUFFER AND LOADSPACE CAMERA

LIGHTING:

- LED JW SPEAKER PLOW LIGHTS MOUNTED ON STAINLESS STEEL HOOD BRACKETS
- (2) LED AMBER/GREEN LIGHTBARS, ONE MOUNTED ON EACH DOOR MIRROR
- (2) LED AMBER/GREEN OVAL STROBES RECESSED IN REAR POST
- (1) LED AMBER/GREEN OVAL STROBE MOUNTED ON WING HEEL
- (3) CLEAR LED WORK LIGHTS, (2) WIRED INTO BACK UP CIRCUIT, (1) WING LIGHT
- (1) AMBER LED SPINNER LIGHT
- S/T/T AND ICC LIGHTS BUILT INTO TAILGATE SPREADER
- ADDITIONAL SST COMBO BU BETWEEN REAR HINGES

Quote Total: \$203,742.00

**** NOTICE: We are closely monitoring the tariff situation very carefully. Aebi Schmidt North America and its Monroe brand manufacture products in the United States, so the direct impact of current tariffs will be moderate. Although we make significant efforts to source components domestically, this is not always feasible. At this time, we cannot predict the potential cost increases that may arise through our supply chain or from further tariffs. We understand that this may raise concerns, and we want to assure you that we are working hard to minimize any impact on our customers and if cost increases need to be applied to existing or future orders, we will discuss these changes with our customers upfront.**

Additional Options:**Description****Amount****Add to quote?**

Yes / No

Terms & Conditions

- Terms are Due Upon Receipt unless prior credit arrangements are made at the time of order.
- Please note if chassis is furnished, it is as a convenience and terms are Net Due on Receipt of Chassis.
- State and Federal taxes will be added where applicable. **Out-of-state municipal entities may be subject to Wisconsin sales tax.**
- Restocking fees may be applicable for cancelled orders.
- MTE is not responsible or liable for equipment that does not meet local/state regulations if those laws are not made known at time of order.

By signing and accepting this quote, the customer agrees to the terms listed above and has confirmed that all chassis information listed above is accurate to chassis specs.

Re-Assign (Required for all pool units): <input type="checkbox"/> Fleet <input type="checkbox"/> Retail	MSO/MCO (ONLY check if legally required): <input type="checkbox"/> MCO <input type="checkbox"/> MSO
Customer Signature:	Customer P.O. Number: Date of Acceptance:

**General Terms and Conditions for the Sale of Goods by
Subsidiaries of ASH North America, Inc.**

