CITY OF HARTFORD COUNTY OF VAN BUREN STATE OF MICHIGAN RESOLUTION 2025–062

2025



## PURCHASE OF FIELD MONITORING EQUIPMENT

by Mayor Richard A. Hall on Aug	ust 25, 2025	West Main Street and called to order
The following resolution was offer	ed:	
Moved by Commissioner	and supported by Commiss	ioner
revised procedure to ensure regula	e City of Hartford invest in upgraded for compliance with state and federal em, and update the City's pH and tem	
Removal Plant for analysis. All an DR2800 spectrophotometer. pH ar	distribution system samples have been alytes—except pH and temperature—led temperature are currently measured as method does not meet current comple	have been measured using the Hach using probes in the plant lab. While
as federal guidelines, chlorine resi	luals, pH, and temperature must be me neters change rapidly once removed from	<u> </u>
WHEREAS, the City has field equipment to measure chlorine res	nipment available for pH and temperat duals on-site; and	ture, but it lacks the appropriate
	fied Operator Services will develop a meters and provide staff training on the	standard operating procedure (SOP) for e use of the new equipment; and
	<b>SOLVED,</b> the City Commission approduction authorizes the City Manager to execute	oves the purchase of the Hach DR1900 ute the purchase agreement.
YEAS: Commissioners'		
NAYS: ABSENT:		
RESOLUTION DECLARED ADO DATE: August 25, 2025	PTED	RoxAnn Rodney-Isbrecht, City Clerk
	City of Hartford, do hereby certify that the fo mission of the City of Hartford during a meet	

notice of said meeting was held in compliance with Act 267 of the Public Acts of Michigan of 1976, as amended. DATE: August 25,

RoxAnn Rodney-Isbrecht, City Clerk City of Hartford 19 West Main Street, Hartford MI 49057