

Hannah Blum <hannah.blum@floridadep.gov>

4/4/2025 7:41 AM

RE: Electronic Notification of change/CARRETA DOCK REPLACEMENT WITH/0174602-004-EE

To INFO@BREEZYPERMITS.COM <info@breezypermits.com>

Good morning,

If it is a repair and replace within the same footprint than it should be exempt as long there isn't anything that would kick it out. The exemption for this project was issued on December 18th, 2024 so to receive a verification of exemption, you would need to come back in.

Thank you,

Hannah Blum
Environmental Specialist II
Florida Department of Environmental Protection
Southeast District
3301 Gun Club Rd
West Palm Beach, FL 33406
Environmental Resource Permitting
Hannah.Blum@FloridaDEP.gov
Office: 561-681-6686

Notice: Florida has a broad public records law. Most written communications to or from state officials regarding official business are public records and may be disclosed upon request. Your email communications may therefore be subject to public disclosure.

-----Original Message-----

From: INFO@BREEZYPERMITS.COM <INFO@BREEZYPERMITS.COM>

Sent: Thursday, April 3, 2025 10:51 AM

To: Blum, Hannah <Hannah.Blum@FloridaDEP.gov>

Subject: RE: Electronic Notification of change/CARRETA DOCK REPLACEMENT WITH/0174602-004-EE

EXTERNAL MESSAGE

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

Good morning Hannah, I hope you're having a great day so far!

The homeowner for this project has decided to move forward with an exact replacement of the existing dock, rather than the previous plan set which showed a 5 ft setback from the neighboring properties. Please see the attached revised plans.

With this revision, the existing/proposed dock will now be connected to the neighboring dock, which is consistent with the pattern seen throughout this waterway.

That being said, would our proposed design still qualify as exempt?

I look forward to your response and appreciate all of your time and help with this project!

On 12/16/2024 3:50 PM EST Blum, Hannah <hannah.blum@floridadep.gov> wrote:

Hello,

The summary page for the JAXBO is missing. If you can please provide it as soon as possible that would be great. If it is not received by Wednesday the latest, the letter will go out as SPGP red.

Thank you,

Hannah Blum
Florida Department of Environmental Protection Southeast District
3301 Gun Club Rd
West Palm Beach, FL 33406
Environmental Resource Permitting
Environmental Specialist II
Hannah.Blum@FloridaDEP.gov
Office: 561-681-6686

-----Original Message-----

From: INFO@BREEZYPERMITS.COM <INFO@BREEZYPERMITS.COM>
Sent: Wednesday, December 4, 2024 12:50 PM
To: Blum, Hannah <Hannah.Blum@FloridaDEP.gov>
Subject: RE: Electronic Notification of change/CARRETA DOCK
REPLACEMENT WITH/0174602-004-EE

EXTERNAL MESSAGE

This email originated outside of DEP. Please use caution when opening attachments, clicking links, or responding to this email.

Hannah, thank you for getting back to me and clarifying why we were SPGP red in our initial submittal. I made sure to include our JAXBOS in this submittal. Please note that the scope of work remains the same and that this project is a dock replacement within the existing footprint but our engineer had a slightly different dimension for the dock width on his plans.

On 12/04/2024 9:28 AM EST Blum, Hannah <hannah.blum@floridadep.gov> wrote:

Hello,

The reason this project is red is because the JAXBO was never received. I will complete the review of the new plans as soon as possible.

Thank you,

Hannah Blum
Florida Department of Environmental Protection Southeast District
3301 Gun Club Rd
West Palm Beach, FL 33406
Environmental Resource Permitting
Environmental Specialist II
Hannah.Blum@FloridaDEP.gov
Office: 561-681-6686

-----Original Message-----