


Pine Creek Lane Street Lights

- Initially three lamps were installed in the City's easement at the end of the street. Later the middle lamp was removed due to light saturation.
- The two remaining lamps are 45W LED on overhead cobra poles.
- CenterPoint added shields to direct light downward.
- Commercial tenants were asked to redirect or replace outside lighting that spilled over the rear fence line.





125 17F 92	69 59(C) 17P 17A 52 22	48 17D 23.42 125.35	72.85 17K 17M	46.26 69(C) 17M-17C 92 92	31 S8 S7.621
125	69 59(C)	64,9 23.42 125.	128.41(C) 96.07		81.9
73.6 6 44.4 4 1 A ₁	52 50 A A	50 50 30	58.08(¢) 94.13	67.92(0	77 70 70 70 70 70 70 150.6
180.51	207	181 6 7H	7 65 8 75	9 70 42.89(C) 10	11
1A1 2B) 56.55(d) 55.28(C)		\$ 62/C)34.33(C) 8.55/Q4.08(C)	(C)	346.9



Pine Creek Lane Resident Survey

- How do you feel about the two streetlights currently installed at the end of Pine Creek Lane?
- Do you believe additional lighting is needed at the beginning of the street?
- If your property has a dedicated utility easement that already allows CenterPoint to place a pole, would you be open to having a light installed there?
- Do you feel the current configuration addresses pedestrian and traffic safety for the entire street? If no, please explain.

