



A proposal for
VILLAGE OF HOMEWOOD, IL
17755 ASHLAND AVE
HOMEWOOD, IL 60430

Quote # SF-2025-00309 Revision # 1

Jun 12, 2025

Quotation valid until: Sep 10, 2025

This document outlines a comprehensive truck package, comprising the following equipment. The listed equipment is designed to be installed and operated as an integrated system, ensuring full compatibility and optimal performance.

Front Plow

Plow Hitch

Underbody Scraper

Mark E Dump Body

Prewet System

Tailgate Spreader

Chassis

Installation

NPPGov Contract Number: PS22170

Quote prepared by: Daniel Montiel

Package Model - PACKAGE

PLOW

Plow Style	Reversible
Plow Trip Spring Option	Heavy Duty 5 Position Adjustable Trip Spring
Plow Profile	Integral Shield
Plow Moldboard Modifications	RH Mailbox Cut
Plow Trip Type	Full Trip
Plow Height	42 inch
Plow Length	10 foot
Plow Moldboard Material Type	Grade 50
Plow Moldboard Material Thickness	10 Gauge
Plow Moldboard Paint	Henderson Orange
Moldboard Sandblast	Not Required
Plow Cutting Edge type	Standard
Plow Cutting Edge Description	Standard 5/8 X 8 Cutting Edge
Plow Pushframe type	HD pushframe
Plow Pushframe Width	Full Width
Plow Reversing Cylinders	4" x 2" Nitrided Reversing Cylinders
Plow Running Gear Shape	Mushroom Style
Plow Running Gear	Oscilating Mushroom Shoe
Plow Hitch Type	Quick Link Hitch
Plow Deflector	Rubber Deflector Logo Installed
Plow Sight Marker	36" Poly Plow Marker (Ship Loose)
Parking Jack	Parking Jack Installed
Moldboard Shoes	No Moldboard Shoe
Curb Guards	Wrap Around Curb Guard, Pair
Moldboard Bottom Angle Gussets	Full Moldboard Bottom Angle Gussets
Blade Saver	No Blade Saver

HITCH

Truck Side Hitch Type	Low Profile
Hitch Family	Basic Hitch
Lift Cylinder	4"x2" Nitrided Cylinder
Hitch Connection Type	Quick Link Hitch
Hitch Mounting Hardware	Bumper To Frame Mount

UBS

Scraper Moldboard Type	Power Reversing Underbody Scraper
Scraper Length	10 Foot
Scraper Blade Height	15.5 inches
Scraper Blade Thickness	1 inch Moldboard Thickness
Scraper Blade Offset	Yes
Paint	Black Moldboard and Mounting
Scraper Cutting Edge Type	Curved Non Carbide
Scraper Cutting Edge Size	1/2" X 6"
Trip Spring	No Accumulator/Trip Spring, Force Valve

Scraper Lift Cylinder
Scraper Grease Bank
Scraper Cushion Valve
Scraper Oscillation

Lift Cyl 3.5-9,Nitrided Rod
Grease Bank On Circle Plate
Cushion Valve,1800 Psi
Non-Oscillating

HPI

Family
Floor Length
Side Height
Body Material (Sides/HeadSheet)
Floor Material
Front Bolster
Rear Bolster Material
Rear Bolster Height

Mark E, Classic
10 foot
36 inches
10GA 201SS Sides/Headsheet
1/4" AR400 Floor
No Front Bolsters
7GA 201SS Rear Bolsters
8" Taller Than Sides Rear Bolster, 2 1/8"
Pockets

Top Rail/Rub Rail Material
Side Braces
Hydraulic Lines
Hoist Type

10GA 201SS Top & Rub Rails
(2) V Crimp Side Braces
1/2" SS Hydraulic Line DS Longsill
Trunnion Mount Hoist, Internal, DA,
W/SubFrame

Cylinder Model
Install Hoist & Cradle
Hoist Mount Type
Longsills
Body Hinge Maintenance
Tailgate Style
Tailgate Air Valve
Tailgate Pin Lanyards
Horizontal J-Hooks
Bolsters Chain Hooks
Tailgate Chains
Tailgate Hinge
Tailgate Release & Control
Tailgate Lift Style/Location
Tailgate Brace
Coal Chute

CS/G4,DBI Act, 2yr Salt Warranty
Upfitter Installed H&C
Standard Subframe
5" I-Beam, Full Weld Longsill & Apron
Greaseable Pins, W/Bushings
Configured Tailgate
Upfitter Supplied Air Valve
TG Pin Lanyards
No Horizontal J-Hooks
Banjo Chain Hooks (Inst)
SS Tailgate Chains
Heavy Duty 1-1/2" Pins, 1" Plate W/Bushing
Double Acting Air Cylinder with SS Bushings
Formed Lift Loop,Top Brace
(2) Horizontal Tailgate Braces

No Coal Chute
Tailgate Liner
Tailgate Sheet Material
Tailgate Maintenance
Cabshield Install/Ship Loose
Rear Facing Cabshield Light Holes
Side Facing Cabshield Light Holes
Foward Facing Cabshield Light Holes
Cabshield Material
Cabshield Width
Cabshield Overhang
Cabshield Style

No Tailgate Liner
7GA 201SS Tailgate Sheet
Greaseable Pins, Jaws, & Shaft
Cabshield Shipped Loose for Install
No Rear Light Holes
1 Each Side Light Holes
2 Forward Light Holes
10 Gauge Sheet 7 Gauge Ends
86" Width
16" Overhang
Weld-On Cabshield with Tarp Shroud

Backup Light
 Lighting Package
 Lighting Add-Ons
 Rear Facing Rear Bolster Light
 Rear Bolster Marker Lighting
 Rub Rail Lighting
 PWS Tanks
 Finish Prep
 Paint/ Finish
 Asphalt Lip
 Side Boards
 Side Ladder Location

Side Ladder Type
 Body Steps
 Walk Rails
 Tarp Rails
 Vibrator Location
 TGS Installation
 TGS Integration
 TGS/Asph Lip Mount Holes

Special Request

OBROUND FRONT BOX ONLY

Backup Light: None
Upfitter Supplied Light Pack
No Weld-On Light Box
2 Obround Light
3/4" Red Marker Light Hole
Obround Front Box Only
No Prewet Tanks On Body
Wash & Prime Mild Parts Only
No Finish
8" Pin On 7GA GR50 Asp Lip,Ins
Upfitter Supplied Sideboards
Ladder/Grabhandle, Driverside Front, Ship
Loose
Ladder, Pullout 201SS, Fixed Upper
No Interior Steps
2" Sure Step Walk Rail
No Tarp Rails
Vibrator Bracket Between Longsills
No Factory Installed TGS
TGS Spill Shields, Ship Loose
Mount Holes In Apron and Bolster (Asphalt Lip)

Additional midway box so we have a front and
 midway box for lights

PWS

Control Console Type
 Prewet Type
 Material Type/Support Frame
 Application
 Flush Kit
 Tank Float Switch
 Air Bleed Kit
 Spray Nozzle Type
 Spreader Spinner Chute
 Prewet Function

No Control Console
Hydraulic Prewet
Prewet Pump Kit Only (No Tanks/Brackets)
Customer/Hydraulic Supplied Tank
2.5 Gal Flush Tank Assembly
No Float Switch
Air Bleed Kit, 1/8" Npt Drain
Variable Displacement Hose Nozzle
Spreader Spinner Chute, All Other
Hydraulic with Flow Meter No Valve (8gpm)

TGS

Dump Body Profile
 Spreader Side Plates
 Auger Size
 Auger Drive
 Auger Speed Sensor
 Auger Discharge
 Material
 Paint

Straight Rear Dump Body Profile
Standard Height Side Plate
6 inch Auger
Hydraulic Gearcase Drive
Yes
Single Discharge at a time
201 Stainless Steel
No Paint (Stainless Steel)

Spinner Location	Standard Discharge Left Offset
Spinner Motor Type	Hydraulic Spinner Motor
Spinner Motor Detail	Motor,Hyd,Single Spinner (Std)
Spinner Disc	18" Spinner Disc, Polyurethane
Hardware Type	Stainless Hardware
Mounting Width	96 inch body (standard)

CHASSIS

Chassis Supplier	Customer Supplied Chassis
Cab Type	Regular Cab
Chassis Make	International
Chassis Model	HV607
Chassis Model Year	Model Year 2025
Hood Type	Vocational Hood Style
Grille Style	Stationary Grille
Hood Snow Door	No Snow Door On Hood
Front Frame Extensions	24" Front Frame Extensions
Front Frame Wall Type	Single Wall Front Frame
Front Frame Wall Thickness	.37" Frame Rail Wall Thickness
Front Frame Rail Height	7.375" Frame Height
Front Bumper	OEM Front Bumper Included
Front Frame Width	33.5" Front Frame Width
Chassis CA/CT (Usable)	96
Set Back/Forward Axle	Set Back Axle
Chassis Axle Quantity	Single Axle
Front Suspension Load Rating	15K to 19K Front Suspension
PTO/Pump Provisions	PTO Provisions Driver Side
Pump Location	Transmission Mount Pump
Transmission Model	Allison 3000 Transmission
Transmission Cooler	Standard Transmission Cooler
Backup Alarm	Chassis Backup Alarm Included
Battery Box Placement	Battery Box Under Cab
Momentary Dash Switch Qty	5 Momentary Dash Switch
Rocker Switch Qty	5 Latching Dash Switch
Plow Light Prep	Chassis Plow Light Ready
Beacon/Strobe Prep	No OEM Supplied Beacon/Strobe Prep
Trailer Plug	7 Pin Round Plug OEM Installed
Bodybuilder plug	Bodybuilder Plug Installed
Tow Hooks	Chassis Supplied Front Tow Hook
Glad Hands	Glad Hands Not Included
Air Line Provision for Glad Hands	No Air Line Provisions
Air Tank Placement	Inside Frame Air Tank
Fuel Tank Location	Under Driver Door Fuel Tank
Fuel Tank Shape	Round Fuel Tank
Def Tank Location	Def Directly In Front Of Fuel Tank
Fuel Tank Size	50-59 Gallon Fuel Tank Size
Passenger Seat Style	Fixed Passenger Seat

INSTALLATION

USC Paint Location	Not Required For Job
Chassis Delivery To Henderson	Truck Dealer/Customer Delivers
USC Build Facility	USC-IL
Installation Order Type	Turnkey Install
Liquid Type	Behind the Cab Prewet System
Spreader Type	TGS Spreader
Dump Body Type	Mark E Classic
Scraper Type	Reversible UBS Installed, Hydraulic Accumulator Trip
Wing Type	No Wing Plow
Front Plow Type	Reversible Plow
Hitch Type	Low Profile
Completed Truck Delivery	Customer Pick-Up
Hooklift	No Job Specific Hooklift
Non-Henderson Equipment	No Non-Henderson Equipment
Plow Portion Hitch	Plow Attachment Quick Link
Hitch Mount Style	Cheek Plate And Kicker Mount Kit
Front Bumper	OEM Bumper Cut And Split
Front Tow Hooks	Tow Hooks, Pair, OEM Supplied
Plow Markers	Factory Supplied and Installed at USC
Plow Rubber Deflector	Rubber Deflector Installed at Manufacturing
Plow Jack Install	Plow Jack Installed at Manufacturing
Scraper Steps	Scraper Steps Not Required
Scraper Chassis Step	Scraper Chassis Step Not Required
Dump Body Floor Length	10' Floor Length
Dump Body Rear Profile	Straight Tailgate And Apron
Weld On Winches	No Winches Required
TGS Spill Shield	TGS Shield Supplied At Factory, Installed At Henderson Upfit
Body Liner	Not Required
Rubber Mounting Pads	No Rubber Mounting Pads Required
Tarp Material	Black Vinyl Tarp Material Asphalt Rated
Tarp System Type	Electric, 45 Deg Arms, Without Wind Deflector
Tarp Brand	US Tarp System
Sideboards	Wood Side Boards, Supplied At Henderson Upfit, No Paint
Dump Body Vibrator	Cougar DC2700, Single Axle
Shovel Holder Location 1	Driver Side Headsheet
Shovel Holder Style	Stainless Steel Spring Loaded Shovel Holder With Bracket
Shovel Holder Quantity	1 Henderson Upfit Supplied Shovel Holder
Ladder 1 Style	Fold Down Side Ladder
Ladder 1 Location	Driver Side Front
Ladder Quantity	1 Ladder

Ladder(s)	Supplied By Factory And Installed At Henderson Upfit
Grab Handle 2 Type	Stainless Steel 12" Grab Handle
Grab Handle 1 Type	Stainless Steel 12" Grab Handle
Grab Handle Quantity	2 Grab Handles
Grab Handles	Henderson Upfit Supplied
Steps	No Steps Required
Asphalt Lip	Asphalt Lip Supplied & Installed at Factory
Cabshield Install	Cabshield Supplied By Factory, Weld To Body At Henderson Upfit
Pressure Protection Valve	Direct To Air Tank Valve (International, Mack & Volvo)
Tailgate Release Type	Factory Supplied Air Over Air Release
Tailgate Style	Standard Tailgate
Dump Body Material	Stainless Steel Dump Body
Dump Body Cylinder Type	Double Acting Hoist Cylinder
Dump Body Hoist Type	Telescopic Hoist With Subframe, Internal Doghouse
Special Request	No
TGS/RTS Drive Type	Hydraulic Drive TGS/RTS
TGS/RTS Spinner Configuration	Single Spinner
TGS Tailgate Prop	Stainless Steel Tailgate Prop
TGS/RTS Spinner Support Kit	No Spinner Support Kit Required
QD Mount Location Field	Stainless Steel Quick Disconnect Mount, Front Of Bolster
Trunnion Latch	Supplied By Factory, Henderson Upfit Installed, Sales to Order With Unit
Liquid Drive Configuration	Hydraulic Drive, Henderson Upfit Installed
Liquid Controls	Supplied By Henderson Upfit, Included With Hydraulic Package
Feedback Sensor	Supplied By Factory
Flush Kit	Supplied By Factory Henderson Upfit Installed
Liquid Selector Valve Required	Not Required
Prewet Discharge Location	Front Or Rear
Behind the Cab Prewet Tank	240 Gal Behind the Cab Prewet Tank
Pintle Plate information	Blank Plate, Subframe
Pintle Hook Selection	20 Ton
Rear Mudflap Mounting	Swinging Stainless Steel Mount
Rear Mudflap Material	Rubber Rear Mudflap With Logo
Rear Center Mudflap Mounting	Not Required On Job
Front Center Mudflap Mounting	Not Required
Front Mudflap Mounting	Not Required
Poly Fenders	Poly Fenders, Full Pair, Single Axle, Stainless Steel Mount
Pintle Plate	Blank Pintle Plate
Pintle Plate Thickness	3/4" Pintle Plate Thickness

Pintle Plate OEM Lights
 Pintle Plate ICC Lights
 Reflective Tape
 Lube System
 Miscellaneous D-Ring Quantity
 Exhaust Elbows
 Automatic Tire Chains
 Pusher Axle
 Toolbox
 Trailer Plug 2
 Trailer Plug 1
 Gladhands
 Pintle Plate D-Rings
 Chipper Bar
 Rear Tow Hook
 PDP Mount Location
 Misc Electrical Supplies
 Plow Lights
 Plow Lights Brackets
 Driving Lights
 Mirrors
 Roof Spotlight
 Worklight Quantity
 Worklight 1 Type
 Worklight 1 Location
 Worklight 2 Type
 Worklight 2 Location
 Worklight 3 Type
 Worklight 3 Location
 Worklight 4 Type
 Worklight 4 Location
 Roof Beacon Light
 Back Up Alarm
 Back Up Alarm Bracket
 Body Up Switch/Light
 Brake Controller
 License Plate Lights

 Switchbox
 Wiper(s)
 Camera System
 Camera Quantity
 Camera Type/Monitor
 GPS System
 Pavement Temp Sensor
 USC Light Package

OEM Light Remount Sides Of Pintle Plate
Qty 3, 3/4" ICC Lights
Henderson Logo Reflective Tape, 60' Linear
No Lube System Required
Not Required
Not Required
Not Required
Pusher Axle Not Required
Not Required
Not Required For Job
Remount OEM Trailer Plug (qty 1)
Glad Hands Not Required
Qty 2, 1" D-Rings, 50 Degree Bend
Chipper Bar Not Required
Not Required
PDP Mounted Under Passenger Seat
Misc Electrical Supplies Required
ABL, Heated
Stainless Steel, OEM Mount, International, Pair
Not Required
Not Required
Not Required
Quantity 4 Worklights
LED Worklight, 5" Round, Optilux
Scraper
LED Worklight, 5" Round, Optilux
Scraper
LED Worklight, 5" Round, Optilux
Rear Spinner
LED Worklight, 5" Round, Optilux
Rear Spinner
Not Required
97 Decibel
Back Up Alarm Bracket Not Required
Trucklite Body Up Switch/Light
Voyager Brake Controller
Henderson Upfit Supplied License Plate Light
Grey Housing
No Switch Box Necessary
Wiper Not Required
Included In Hydraulic Package
3 Hydraulic Supplied Cameras
Camera Type Not Required
Not Required
Included With Hydraulics Package
72" Whelen Kit 2 Light ILDOT Standard

Grille Light(s)
 Camera Wash Kit
 Camera 1 Location
 Camera 2 Location
 Camera 3 Location
 Dump Body Rear Lighting
 Dump Body Light Box
 Position 2 from Bottom Strobe Color
 Rear Bolster Light Position 2 from Bottom
 Rear Bolster Light Position 1 from Bottom
 Dump Body Side Bolster Lighting
 Dump Body Rub Rail Lighting
 Dump Body Rub Rail Light Color
 Cabshield Front Light Quantity
 Cabshield Rear Facing Light Quantity
 Cabshield Side Facing Strobe Color
 Cabshield Side Facing Light QTY
 Cabshield Front Strobe Light Color
 Cabshield Beacon Light
 Hydraulic System Source
 Hydraulic System Manufacturer
 Control Mount Location
 Hydraulic Control Type
 PTO Type
 Reservoir Type
 Hydraulic Package
 Plow Pressure Relief Valve
 Total Number of Quick Coupler Pairs Required
 Quick Coupler Upgrade
 Return Filter
 Low Oil Indicator
 High Temperature Oil Shutdown
 Low Oil Shutdown
 Valve Enclosure Mount Location
 Valve Enclosure Size
 Valve Enclosure Supplier
 Body Paint Type
 Clear Coat Finish
 Asphalt Lip Paint Type
 Undercoat
 Touch Up Paint

Special Request

Not Required
3 Cameras
Rear Spinner
Cabshield Mounted
Passenger Side Mirror Mount
2 Each Side
Not Required
2 Amber Strobes
Strobe

Stop/Tail/Turn/Backup

3/4" Round (Red)
Obround Front Rub Rail Light
Amber Rub Rail Lighting
2 Forward Facing Light Holes
No Rear Facing Lights
Amber 6" Strobes
Side Facing Light Pair
Amber 6" Strobes
Cabshield Beacon Light Not Required
Henderson Supplied Hydraulic System
Force America
Hydraulics Provided Control Mount
Electric Controls
Included In Hydraulics
Reservoir Supplied With Hydraulics
Full Hydraulic Package
Plow Pressure Relief included In Hydraulics
12 Pair QD Couplers

Stainless Steel QD Couplers
Supplied With Hydraulic Package
Supplied With Hydraulic Package
Supplied With Hydraulic Package
Included With Hydraulic Package
Curb Side Valve Enclosure, Frame Mount
Supplied With Hydraulic Package
Valve Enclosure Supplied w/ Hydraulics
Natural Finish (SS Only)
No Clear Coat Finish Required
Powder Painted Asphalt Lip
No Undercoat Required
No Additional Touch Up Paint

72" WHELEN KIT 2 LITE ILDOT
STANDARD

Special Request

AMBER/Clear

Takedown/alley lights to be added to light bar PN:
181543

All Strobes on entire build to be combo Amber/Clear
PN: 192242

- rear dump bolster REAR strobe (1 ea side)
- rear bolster SIDE strobe
- cabshield forward facing strobes (2)
- cabshield side facing strobes (1 each side)
- rub rail amber strobe- midway (1 each side)
- Rub rail amber strobe- front (1 each side)

Special Request

FORCE AMERICA

QT001-2037820-1

Has future wing provisions

Original Package Price: \$212,288.00

Total Package with applicable NPPGov Discount: \$174,076.16

Total Package with 100% deposit discount:\$167,983.50

Freight: \$990.00

Package (s): 1

Total: \$\$168,973.50

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Henderson offers a deposit programe with additional discounts. Please contact your Henderson sales representative for more details.

All terms and conditions apply. Terms of Sale Document available at
http://www.hendersonproducts.com/assets/Terms_of_sale.pdf

Signed:_____ **Date:**_____

Quote notes:

No Wing



