



A proposal for
VILLAGE OF HOMEWOOD, IL
17755 ASHLAND AVE
HOMEWOOD, IL 60430

Quote # SF-2025-00186 Revision # 1

Jun 12, 2025

Quotation valid until: Sep 10, 2025

This document outlines a comprehensive truck package, comprising the following equipment. The listed equipment is designed to be installed and operated as an integrated system, ensuring full compatibility and optimal performance.

Front Plow

Plow Hitch

Wing

Underbody Scraper

Mark E Dump Body

Prewet System

Tailgate Spreader

Chassis

Installation

NPPGov Contract Number: PS22170

Quote prepared by: Daniel Montiel

Package Model - PACKAGE

PLOW

| | |
|-----------------------------------|--|
| Plow Style | Reversible |
| Plow Trip Spring Option | Heavy Duty 5 Position Adjustable Trip Spring |
| Plow Profile | Integral Shield |
| Plow Moldboard Modifications | RH Mailbox Cut |
| Plow Trip Type | Full Trip |
| Plow Height | 42 inch |
| Plow Length | 10 foot |
| Plow Moldboard Material Type | Grade 50 |
| Plow Moldboard Material Thickness | 10 Gauge |
| Plow Moldboard Paint | Henderson Orange |
| Moldboard Sandblast | Not Required |
| Plow Cutting Edge type | Standard |
| Plow Cutting Edge Description | Standard 5/8 X 8 Cutting Edge |
| Plow Pushframe type | HD pushframe |
| Plow Pushframe Width | Full Width |
| Plow Reversing Cylinders | 4" x 2" Nitrided Reversing Cylinders |
| Plow Running Gear Shape | Mushroom Style |
| Plow Running Gear | Oscilating Mushroom Shoe |
| Plow Hitch Type | Quick Link Hitch |
| Plow Deflector | Rubber Deflector Logo Installed |
| Plow Sight Marker | 36" Poly Plow Marker (Ship Loose) |
| Parking Jack | Parking Jack Installed |
| Moldboard Shoes | No Moldboard Shoe |
| Curb Guards | Wrap Around Curb Guard, Pair |
| Moldboard Bottom Angle Gussets | Full Moldboard Bottom Angle Gussets |
| Blade Saver | No Blade Saver |

HITCH

| | |
|-------------------------|-------------------------|
| Truck Side Hitch Type | Low Profile |
| Hitch Family | Basic Hitch |
| Lift Cylinder | 4"x2" Nitrided Cylinder |
| Hitch Connection Type | Quick Link Hitch |
| Hitch Mounting Hardware | Bumper To Frame Mount |

WING

| | |
|--------------------------------|--------------------------------------|
| Wing Type | Light Duty Patrol Wing (HWS) |
| Wing Mount Location | Rear of Cab Mount |
| Wing Location | Right Hand Wing |
| Rear Wing Brace Mount Location | Brace Behind Rear Axle |
| Wing Braces | 1 Standard Brace with Lift and Float |
| Trip Type | Smart Link with Rotational Trip |
| Moldboard Style | Standard Moldboard |
| Cutting Edge | 1/2" X 6" Top Punch |
| Cutting Edge Length | 8' Cutting Edge |

Moldboard Center Lift Eye
 Moldboard Stiffeners
 Moldboard Top Flange
 Moldboard Bottom Angle Gussets
 Moldboard Bottom Angle
 Moldboard Discharge Flare
 Moldboard Thickness
 Moldboard Material Type
 Moldboard Height and Shape
 Special Request
 Wing Front Mast
 Front Mast Mount
 Rear Mast/Rear Support
 Heel Lift Style
 Wing Paint Color
 Sandblast Wing
 Moldboard Shoe
 Wing Curb Guard
 Wing Sight Marker
 Wing Valve Mounting Bracket
 Heel Lift Holding Valve
 Wing Flow Controls
 Special Request

Moldboard Center Lift Eye
2 Horizontal Moldboard Stiffeners
Boxed-In Top Flange
Bottom Angle Gussets
4 X 4 x .75 Bottom Angle
6 Inch Flare on Discharge with Bead
10 Gauge
Grade 50 High Tensile Steel
32" Straight Moldboard
No
Smart Link Front Mast With Trip Limiter
Front Cross Tube and Cheekplate Mounted
Cheekplates with Rear Cross Tube
Front Moldboard Heel Lift, 4" Cylinder
Moldboard Orange, Everything else Black
Not Required
No Moldboard Shoe
Curb Guard, Installed
Orange Sight Marker
Wing Valve Mount Bracket
No Heel Lift Holding Valve
Heel Lift Flow Controls
No

UBS

Scraper Moldboard Type
 Scraper Length
 Scraper Blade Height
 Scraper Blade Thickness
 Scraper Blade Offset
 Paint
 Scraper Cutting Edge Type
 Scraper Cutting Edge Size
 Trip Spring
 Scraper Lift Cylinder
 Scraper Grease Bank
 Scraper Cushion Valve
 Scraper Oscillation

Power Reversing Underbody Scraper
10 Foot
15.5 inches
1 inch Moldboard Thickness
Yes
Black Moldboard and Mounting
Curved Non Carbide
1/2" X 6"
No Accumulator/Trip Spring, Force Valve
Lift Cyl 3.5-9,Nitrided Rod
Grease Bank On Circle Plate
Cushion Valve,1800 Psi
Non-Oscillating

HPI

Family
 Floor Length
 Side Height
 Body Material (Sides/HeadSheet)
 Floor Material
 Front Bolster
 Rear Bolster Material

Mark E, Classic
10 foot
36 inches
10GA 201SS Sides/Headsheet
1/4" AR400 Floor
No Front Bolsters
7GA 201SS Rear Bolsters

| | |
|--------------------------------------|--|
| Rear Bolster Height | 8" Taller Than Sides Rear Bolster, 2 1/8" Pockets |
| Top Rail/Rub Rail Material | 10GA 201SS Top & Rub Rails |
| Side Braces | (2) V Crimp Side Braces |
| Hydraulic Lines | 1/2" SS Hydraulic Line DS Longsill |
| Hoist Type | Trunnion Mount Hoist, Internal, DA, W/SubFrame |
| Cylinder Model | CS/G4, Dbl Act, 2yr Salt Warranty |
| Install Hoist & Cradle | Upfitter Installed H&C |
| Hoist Mount Type | Standard Subframe |
| Longsills | 5" I-Beam, Full Weld Longsill & Apron |
| Body Hinge Maintenance | Greaseable Pins, W/Bushings |
| Tailgate Style | Configured Tailgate |
| Tailgate Air Valve | Upfitter Supplied Air Valve |
| Tailgate Pin Lanyards | TG Pin Lanyards |
| Horizontal J-Hooks | No Horizontal J-Hooks |
| Bolsters Chain Hooks | Banjo Chain Hooks (Inst) |
| Tailgate Chains | SS Tailgate Chains |
| Tailgate Hinge | Heavy Duty 1-1/2" Pins, 1" Plate W/Bushing |
| Tailgate Release & Control | Double Acting Air Cylinder with SS Bushings |
| Tailgate Lift Style/Location | Formed Lift Loop, Top Brace |
| Tailgate Brace | (2) Horizontal Tailgate Braces |
| Coal Chute | No Coal Chute |
| Tailgate Liner | No Tailgate Liner |
| Tailgate Sheet Material | 7GA 201SS Tailgate Sheet |
| Tailgate Maintenance | Greaseable Pins, Jaws, & Shaft |
| Cabshield Install/Ship Loose | Cabshield Shipped Loose for Install |
| Rear Facing Cabshield Light Holes | No Rear Light Holes |
| Side Facing Cabshield Light Holes | 1 Each Side Light Holes |
| Forward Facing Cabshield Light Holes | 2 Forward Light Holes |
| Cabshield Material | 10 Gauge Sheet 7 Gauge Ends |
| Cabshield Width | 86" Width |
| Cabshield Overhang | 16" Overhang |
| Cabshield Style | Weld-On Cabshield with Tarp Shroud |
| Backup Light | Backup Light: None |
| Lighting Package | Upfitter Supplied Light Pack |
| Lighting Add-Ons | No Weld-On Light Box |
| Rear Facing Rear Bolster Light | 2 Obround Light |
| Rear Bolster Marker Lighting | 3/4" Red Marker Light Hole |
| Rub Rail Lighting | Obround Front Box Only |
| PWS Tanks | No Prewet Tanks On Body |
| Finish Prep | Wash & Prime Mild Parts Only |
| Paint/ Finish | No Finish |
| Asphalt Lip | 8" Pin On 7GA GR50 Asp Lip, Ins |
| Side Boards | Upfitter Supplied Sideboards |

| | |
|--------------------------|--|
| Side Ladder Location | Ladder/Grabhandle, Driverside Front, Ship Loose |
| Side Ladder Type | Ladder, Pullout 201SS, Fixed Upper |
| Body Steps | No Interior Steps |
| Walk Rails | 2" Sure Step Walk Rail |
| Tarp Rails | No Tarp Rails |
| Vibrator Location | Vibrator Bracket Between Longsills |
| TGS Installation | No Factory Installed TGS |
| TGS Integration | TGS Spill Shields, Ship Loose |
| TGS/Asph Lip Mount Holes | Mount Holes In Apron and Bolster (Asphalt Lip) |
| Special Request | |
| OBROUND FRONT BOX ONLY | Additional midway box so we have a front and midway box for lights |

PWS

| | |
|-----------------------------|---|
| Control Console Type | No Control Console |
| Prewet Type | Hydraulic Prewet |
| Material Type/Support Frame | Prewet Pump Kit Only (No Tanks/Brackets) |
| Application | Customer/Hydraulic Supplied Tank |
| Flush Kit | 2.5 Gal Flush Tank Assembly |
| Tank Float Switch | No Float Switch |
| Air Bleed Kit | Air Bleed Kit, 1/8" Npt Drain |
| Spray Nozzle Type | Variable Displacement Hose Nozzle |
| Spreader Spinner Chute | Spreader Spinner Chute, All Other |
| Prewet Function | Hydraulic with Flow Meter No Valve (8gpm) |

TGS

| | |
|----------------------|----------------------------------|
| Dump Body Profile | Straight Rear Dump Body Profile |
| Spreader Side Plates | Standard Height Side Plate |
| Auger Size | 6 inch Auger |
| Auger Drive | Hydraulic Gearcase Drive |
| Auger Speed Sensor | Yes |
| Auger Discharge | Single Discharge at a time |
| Material | 201 Stainless Steel |
| Paint | No Paint (Stainless Steel) |
| Spinner Location | Standard Discharge Left Offset |
| Spinner Motor Type | Hydraulic Spinner Motor |
| Spinner Motor Detail | Motor, Hyd, Single Spinner (Std) |
| Spinner Disc | 18" Spinner Disc, Polyurethane |
| Hardware Type | Stainless Hardware |
| Mounting Width | 96 inch body (standard) |

CHASSIS

| | |
|------------------|---------------------------|
| Chassis Supplier | Customer Supplied Chassis |
| Cab Type | Regular Cab |
| Chassis Make | International |
| Chassis Model | HV607 |

Chassis Model Year
Hood Type
Grille Style
Hood Snow Door
Front Frame Extensions
Front Frame Wall Type
Front Frame Wall Thickness
Front Frame Rail Height
Front Bumper
Front Frame Width
Chassis CA/CT (Usable)
Set Back/Forward Axle
Chassis Axle Quantity
Front Suspension Load Rating
PTO/Pump Provisions
Pump Location
Transmission Model
Transmission Cooler
Backup Alarm
Battery Box Placement
Momentary Dash Switch Qty
Rocker Switch Qty
Plow Light Prep
Beacon/Strobe Prep
Trailer Plug
Bodybuilder plug
Tow Hooks
Glad Hands
Air Line Provision for Glad Hands
Air Tank Placement
Fuel Tank Location
Fuel Tank Shape
Def Tank Location
Fuel Tank Size
Passenger Seat Style

INSTALLATION

USC Paint Location
Chassis Delivery To Henderson
USC Build Facility
Installation Order Type
Liquid Type
Spreader Type
Dump Body Type
Scraper Type

Wing Type

Model Year 2025
Vocational Hood Style
Stationary Grille
No Snow Door On Hood
24" Front Frame Extensions
Single Wall Front Frame
.37" Frame Rail Wall Thickness
7.375" Frame Height
OEM Front Bumper Included
33.5" Front Frame Width
96
Set Back Axle
Single Axle
15K to 19K Front Suspension
PTO Provisions Driver Side
Transmission Mount Pump
Allison 3000 Transmission
Standard Transmission Cooler
Chassis Backup Alarm Included
Battery Box Under Cab
5 Momentary Dash Switch
5 Latching Dash Switch
Chassis Plow Light Ready
No OEM Supplied Beacon/Strobe Prep
7 Pin Round Plug OEM Installed
Bodybuilder Plug Installed
Chassis Supplied Front Tow Hook
Glad Hands Not Included
No Air Line Provisions
Inside Frame Air Tank
Under Driver Door Fuel Tank
Round Fuel Tank
Def Directly In Front Of Fuel Tank
50-59 Gallon Fuel Tank Size
Fixed Passenger Seat

Not Required For Job
Truck Dealer/Customer Delivers
USC-IL
Turnkey Install
Behind the Cab Prewet System
TGS Spreader
Mark E Classic
Reversible UBS Installed, Hydraulic
Accumulator Trip
HWS Wing Smart Link

Front Plow Type
Hitch Type
Completed Truck Delivery
Hooklift
Non-Henderson Equipment
Plow Portion Hitch
Hitch Mount Style
Front Bumper
Front Tow Hooks
Plow Markers
Plow Rubber Deflector
Plow Jack Install
Wing Install Location
Wing Plow Markers
Wing Moldboard Shoes
Wing Curb Guards

Wing Guidance Laser
Wing Travel Positioner Marker
Scraper Steps
Scraper Chassis Step
Dump Body Floor Length
Dump Body Rear Profile
Weld On Winches
TGS Spill Shield

Body Liner
Rubber Mounting Pads
Tarp Material
Tarp System Type
Tarp Brand
Sideboards

Dump Body Vibrator
Shovel Holder Location 1
Shovel Holder Style

Shovel Holder Quantity
Ladder 1 Style
Ladder 1 Location
Ladder Quantity
Ladder(s)

Grab Handle 2 Type
Grab Handle 1 Type
Grab Handle Quantity

Reversible Plow
Low Profile
Customer Pick-Up
No Job Specific Hooklift
No Non-Henderson Equipment
Plow Attachment Quick Link
Cheek Plate And Kicker Mount Kit
OEM Bumper Cut And Split
Tow Hooks, Pair, OEM Supplied
Factory Supplied and Installed at USC
Rubber Deflector Installed at Manufacturing
Plow Jack Installed at Manufacturing
Rear Mount Wing
Install Factory Supplied Wing Marker, Single
Wing Moldboard Shoes Not Required
Wing Curb Guards Supplied And Installed At
Factory
Laser Guide Installed
Travel marker Installed
Scraper Steps Not Required
Scraper Chassis Step Not Required
10' Floor Length
Straight Tailgate And Apron
No Winches Required
TGS Shield Supplied At Factory, Installed At
Henderson Upfit
Not Required
No Rubber Mounting Pads Required
Black Vinyl Tarp Material Asphalt Rated
Electric, 45 Deg Arms, Without Wind Deflector
US Tarp System
Wood Side Boards, Supplied At Henderson
Upfit, No Paint
Cougar DC2700, Single Axle
Driver Side Headsheet
Stainless Steel Spring Loaded Shovel Holder
With Bracket
1 Henderson Upfit Supplied Shovel Holder
Fold Down Side Ladder
Driver Side Front
1 Ladder
Supplied By Factory And Installed At Henderson
Upfit
Stainless Steel 12" Grab Handle
Stainless Steel 12" Grab Handle
2 Grab Handles

Grab Handles
Steps
Asphalt Lip
Cabshield Install

Pressure Protection Valve

Tailgate Release Type
Tailgate Style
Dump Body Material
Dump Body Cylinder Type
Dump Body Hoist Type

Special Request
TGS/RTS Drive Type
TGS/RTS Spinner Configuration
TGS Tailgate Prop
TGS/RTS Spinner Support Kit
QD Mount Location Field

Trunnion Latch

Liquid Drive Configuration
Liquid Controls

Feedback Sensor
Flush Kit
Liquid Selector Valve Required
Prewet Discharge Location
Behind the Cab Prewet Tank
Pintle Plate information
Pintle Hook Selection
Rear Mudflap Mounting
Rear Mudflap Material
Rear Center Mudflap Mounting
Front Center Mudflap Mounting
Front Mudflap Mounting
Poly Fenders

Pintle Plate
Pintle Plate Thickness
Pintle Plate OEM Lights
Pintle Plate ICC Lights
Reflective Tape
Lube System
Miscellaneous D-Ring Quantity

Henderson Upfit Supplied
No Steps Required
Asphalt Lip Supplied & Installed at Factory
Cabshield Supplied By Factory, Weld To Body
At Henderson Upfit
Direct To Air Tank Valve (International, Mack & Volvo)
Factory Supplied Air Over Air Release
Standard Tailgate
Stainless Steel Dump Body
Double Acting Hoist Cylinder
Telescopic Hoist With Subframe, Internal Doghouse
No
Hydraulic Drive TGS/RTS
Single Spinner
Stainless Steel Tailgate Prop
No Spinner Support Kit Required
Stainless Steel Quick Disconnect Mount, Front Of Bolster
Supplied By Factory, Henderson Upfit Installed, Sales to Order With Unit
Hydraulic Drive, Henderson Upfit Installed
Supplied By Henderson Upfit, Included With Hydraulic Package
Supplied By Factory
Supplied By Factory Henderson Upfit Installed
Not Required
Front Or Rear
240 Gal Behind the Cab Prewet Tank
Blank Plate, Subframe
20 Ton
Swinging Stainless Steel Mount
Rubber Rear Mudflap With Logo
Not Required On Job
Not Required
Not Required
Poly Fenders, Full Pair, Single Axle, Stainless Steel Mount
Blank Pintle Plate
3/4" Pintle Plate Thickness
OEM Light Remount Sides Of Pintle Plate
Qty 3, 3/4" ICC Lights
Henderson Logo Reflective Tape, 60' Linear
No Lube System Required
Not Required

Exhaust Elbows
 Automatic Tire Chains
 Pusher Axle
 Toolbox
 Trailer Plug 2
 Trailer Plug 1
 Gladhands
 Pintle Plate D-Rings
 Chipper Bar
 Rear Tow Hook
 PDP Mount Location
 Misc Electrical Supplies
 Plow Lights
 Plow Lights Brackets
 Driving Lights
 Mirrors
 Front Wing Mast Spotlight
 Roof Spotlight
 Worklight Quantity
 Worklight 1 Type
 Worklight 1 Location
 Worklight 2 Type
 Worklight 2 Location
 Worklight 3 Type
 Worklight 3 Location
 Worklight 4 Type
 Worklight 4 Location
 Wing Strobe Lights
 Roof Beacon Light
 Back Up Alarm
 Back Up Alarm Bracket
 Body Up Switch/Light
 Brake Controller
 License Plate Lights

 Switchbox
 Wiper(s)
 Camera System
 Camera Quantity
 Camera Type/Monitor
 GPS System
 Pavement Temp Sensor
 USC Light Package
 Grille Light(s)
 Camera Wash Kit
 Camera 1 Location

Not Required
 Not Required
 Pusher Axle Not Required
 Not Required
 Not Required For Job
 Remount OEM Trailer Plug (qty 1)
 Glad Hands Not Required
 Qty 2, 1" D-Rings, 50 Degree Bend
 Chipper Bar Not Required
 Not Required
 PDP Mounted Under Passenger Seat
 Misc Electrical Supplies Required
 ABL, Heated
 Stainless Steel, OEM Mount, International, Pair
 Not Required
 Not Required
 Not Required
 Not Required
 Quantity 4 Worklights
 LED Worklight, 5" Round, Optilux
 Scraper
 LED Worklight, 5" Round, Optilux
 Scraper
 LED Worklight, 5" Round, Optilux
 Rear Spinner
 LED Worklight, 5" Round, Optilux
 Rear Spinner
 2 LED Amber Wing Light Per Wing
 Not Required
 97 Decibel
 Back Up Alarm Bracket Not Required
 Trucklite Body Up Switch/Light
 Voyager Brake Controller
 Henderson Upfit Supplied License Plate Light
 Grey Housing
 No Switch Box Necessary
 Wiper Not Required
 Included In Hydraulic Package
 3 Hydraulic Supplied Cameras
 Camera Type Not Required
 Not Required
 Included With Hydraulics Package
 72" Whelen Kit 2 Light ILDOT Standard
 Not Required
 3 Cameras
 Rear Spinner

Camera 2 Location
 Camera 3 Location
 Dump Body Rear Lighting
 Dump Body Light Box
 Position 2 from Bottom Strobe Color
 Rear Bolster Light Position 2 from Bottom
 Rear Bolster Light Position 1 from Bottom
 Dump Body Side Bolster Lighting
 Dump Body Rub Rail Lighting
 Dump Body Rub Rail Light Color
 Cabshield Front Light Quantity
 Cabshield Rear Facing Light Quantity
 Cabshield Side Facing Strobe Color
 Cabshield Side Facing Light QTY
 Cabshield Front Strobe Light Color
 Cabshield Beacon Light
 Hydraulic System Source
 Hydraulic System Manufacturer
 Control Mount Location
 Hydraulic Control Type
 PTO Type
 Reservoir Type
 Hydraulic Package
 Plow Pressure Relief Valve
 Total Number of Quick Coupler Pairs Required
 Quick Coupler Upgrade
 Return Filter
 Low Oil Indicator
 High Temperature Oil Shutdown
 Low Oil Shutdown
 Valve Enclosure Mount Location
 Valve Enclosure Size
 Valve Enclosure Supplier
 Body Paint Type
 Clear Coat Finish
 Asphalt Lip Paint Type
 Undercoat
 Touch Up Paint
Special Request
 72" WHELEN KIT 2 LITE ILDOT STANDARD
Special Request
 AMBER/Clear

Cabshield Mounted
Passenger Side Mirror Mount
2 Each Side
Not Required
2 Amber Strobes
Strobe

Stop/Tail/Turn/Backup

3/4" Round (Red)
Obround Front Rub Rail Light
Amber Rub Rail Lighting
2 Forward Facing Light Holes
No Rear Facing Lights
Amber 6" Strobes
Side Facing Light Pair
Amber 6" Strobes
Cabshield Beacon Light Not Required
Henderson Supplied Hydraulic System
Force America
Hydraulics Provided Control Mount
Electric Controls
Included In Hydraulics
Reservoir Supplied With Hydraulics
Full Hydraulic Package
Plow Pressure Relief included In Hydraulics
12 Pair QD Couplers

Stainless Steel QD Couplers
Supplied With Hydraulic Package
Supplied With Hydraulic Package
Supplied With Hydraulic Package
Included With Hydraulic Package
Curb Side Valve Enclosure, Frame Mount
Supplied With Hydraulic Package
Valve Enclosure Supplied w/ Hydraulics
Natural Finish (SS Only)
No Clear Coat Finish Required
Powder Painted Asphalt Lip
No Undercoat Required
No Additional Touch Up Paint

Takedown/alley lights to be added to light bar PN:
 181543

All Strobes on entire build to be combo Amber/Clear
PN: 192242

- rear dump bolster REAR strobe (1 ea side)
- rear bolster SIDE strobe
- cabshield forward facing strobes (2)
- cabshield side facing strobes (1 each side)
- rub rail amber strobe- midway (1 each side)
- Rub rail amber strobe- front (1 each side)

Special Request
FORCE AMERICA

QT001-2037820-1

Original Package Price: \$236,493.00

Total Package with applicable NPPGov Discount: \$193,924.26

Total Package with 100% deposit discount:\$187,136.91

Freight: \$1,224.00

Package (s): 1

Total: \$188,360.91

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Henderson offers a deposit programe with additional discounts. Please contact your Henderson sales representative for more details.

All terms and conditions apply. Terms of Sale Document available at
http://www.hendersonproducts.com/assets/Terms_of_sale.pdf

Signed:_____ **Date:**_____

Quote notes:

With Wing