
Sec. 44-04-14. Accessory use standards.

(a) *Accessory dwelling unit.*

(1) *Quantity.* One detached, attached, or internal accessory dwelling unit shall be allowed per lot.

(2) *Location.*

- a. If a lot has a detached garage, a detached accessory dwelling unit shall be located above the detached garage. A standalone detached garage and standalone detached accessory dwelling unit shall not be allowed on a lot.
- b. Detached accessory dwellings shall be located to the interior side or rear of the principal dwelling.
- c. Detached accessory dwellings shall be setback a minimum of five feet from the rear and interior side yard lot lines.
- d. Attached/internal accessory dwellings shall comply with all regulations applicable to the principal building on the lot.
- e. Architectural features that are structurally part of the accessory dwelling unit shall be allowed to encroach subject to the regulations of Table 44-03-03.

(3) *Dimensions.*

- a. The minimum size of an accessory dwelling unit shall be 220 square feet.
- b. The maximum size of the internal accessory dwelling shall be 25 percent of the floor area of the principal building.
- c. The maximum building footprint of a detached accessory dwelling shall be 936 square feet.
- d. The maximum height of a standalone detached accessory dwelling shall be 17 feet or the height of the principal dwelling, whichever is less.
- e. The maximum, combined height of a detached accessory dwelling located above a detached garage and the detached garage shall be 27 feet or the height of the principal dwelling, whichever is less.


(4) *Access.* The principal dwelling and accessory dwelling shall be served by a common driveway.

(5) *Design.* The accessory dwelling shall have architectural features and exterior materials compatible with the principal building. Accessory dwelling units deemed incompatible by the director of economic and community development shall go before the appearance commission for review and final approval, approval with conditions, or denial.

(6) *Ownership.*

- a. The principal dwelling or accessory dwelling shall be the primary residence of the owner of the property.
- b. An accessory dwelling must be kept in common ownership with the principal dwelling on the property.

Figure 4.2. Accessory Dwelling Units




(b) *Accessory structure/building.*

(1) *Location of accessory buildings and structures.* All accessory buildings and structures shall follow the location requirements of this section.

- a. An accessory building or structure shall be located either:
 1. Completely within the interior side or rear yard of the principal building and at least five feet from lot lines; or
 2. Completely within the buildable area of the lot.
- b. Any accessory building or structure shall be located a minimum of ten feet from the principal building.
 1. The required distance may be varied to a minimum of five feet from the principal building when the exterior walls of the accessory building or structure has a minimum of a one-hour fire-resistance rating.

- c. Any accessory building or structure shall be located a minimum of five feet from all other buildings on the lot and abutting properties.

Figure 4.3. Accessory Building/Structure



(2) *Garages.*

- a. *Applicability.* This section shall apply to all single-family detached, duplex, or townhome.
- b. *General.*
1. No garage shall exceed an area of 936 square feet.
 2. Only one garage shall be allowed on a residential lot. Such garage shall be either an accessory portion of a principal building or an accessory building.
 3. The parking spaces in the garage shall not be used as a means to access other parking spaces or to any other area located on or off the lot.

-
- c. *Attached garages.*
 - 1. Attached garage doors located on the front facade of the principal building shall not constitute 50 percent or more of the front elevation as measured in linear frontage and in square footage.
 - 2. Attached garages located on the front facade shall be recessed from the front facade by at least five feet.
 - 3. Side-loading attached garages shall have a similar front facade as the principal dwelling.
 - d. *Detached garages.*
 - 1. Detached garages shall be located in the rear yard and set back at least five feet from the rear and side yard lot lines.
 - 2. Detached garages shall have a maximum height of 17 feet.
- (3) *Accessible steps or ramps.*
- a. Accessible steps or ramps shall be designed to be integrated with the architecture of the building.
 - b. Accessible steps or ramps may be located no closer than two feet from any side lot line and no closer than ten feet from any front lot line.
 - c. Accessible steps or ramps may also include, in compliance with the Illinois Administrative Code, a landing that does not exceed five feet by five feet.
 - d. Accessible steps or ramps shall be constructed in accordance with chapter 10 of this Code.
 - e. Any accessible steps or ramp not meeting the above requirements may be approved by the director of economic and community development as a limited use, provided that:
 - 1. There is no other practical conforming location on the lot.
 - 2. A physician certifies in writing that the ramp is medically necessary.
 - 3. The homeowner agrees to remove the ramp when it is no longer medically necessary.
- (4) *Sheds, cabanas, greenhouses, playhouses, gazebos, and decks.*
- a. *Quantity.* One shed, cabana, greenhouse, playhouse, or gazebo, in addition to a detached garage or standalone detached accessory dwelling unit, and one deck shall be allowed per lot.
 - b. *Dimensions for sheds, cabanas, greenhouses, playhouses, and gazebos.*
 - 1. The maximum size shall be the lesser of 144 square feet or 30 percent of the required rear yard.
 - 2. Detached gazebos shall have a maximum height of 14 feet.
 - 3. Attached gazebos, as measured from the deck, shall have a maximum height of 14 feet or the height of the roofline at the closest point of the principal building, whichever is less.
 - c. *Location.*
 - 1. Sheds, cabanas, greenhouses, playhouses, and gazebos shall be located in an interior side or rear yard only. Decks shall be located in a rear yard only.
 - 2. Any structures shall be located a minimum of three feet from any lot line.
 - 3. No structure shall be located in an easement.
- (5) *Household recreational facilities.*

-
- a. Household recreational facilities shall be less than 17 feet in height.
 - b. Trampolines shall be located at least ten feet from interior side and rear lot lines and all principal and accessory buildings and accessory structures.
 - c. Any noise generated by the activity shall comply with the regulations of this chapter and [subsection] 44-301(g) of this Code.
- (6) *Outdoor fireplaces.*
- a. Barrels, half-barrels and drums are not permitted.
 - b. Outdoor fireplaces and fixed, permanent masonry fire pits shall comply with [subsection] 44-301(k) of this Code.
 - c. Fuel shall be dry wood, producing a minimum of smoke and particulate matter.
 - d. When in use, adult supervision shall be present at all times.
 - e. Outdoor fireplaces shall be located at least 20 feet from any building structure, building overhang or vehicle.
- (7) *Swimming pools and spas.*
- a. Pools are permitted in rear yards only and shall conform to all requirements of section 44-143 of this Code.
 - b. Pumping and filtering equipment for pools and spas shall be located at least ten feet from the interior side and rear lot lines and no water shall drain onto adjacent properties.
- (c) *Cargo container storage, stacking—Permanent.*
- (1) The facility utilizing the cargo container shall carry adequate insurance (as determined by the director of economic and community development) and provide the village a certificate of insurance prior to the issuance of a special use permit.
- (2) *Location.*
- a. The containers shall conform with setback requirements for a principal building.
 - b. The containers shall be located in the interior side or rear yard.
 - c. The containers shall be entirely on private property and are prohibited from being parked or placed upon any street, highway, roadway, right-of-way, designated fire lane, required parking space, drive aisle, or sidewalk.
 - d. The containers shall not be placed in such a fashion as to impede or obstruct the flow of drainage waters, nor impede or obstruct emergency access to the property.
 - e. The containers shall only be located on concrete paved surfaces in accordance with the paving standards set forth by the Illinois Department of Transportation (IDOT) for an 80,000-pound truck route.
 - f. The site layout shall provide adequate means for fire and emergency vehicles (as approved by the fire chief) to access cargo containers both on and off a chassis in the event of an emergency.
 - g. The containers shall be screened with a solid fence, landscaping, and berm so as not be visible from the public right-of-way and adjacent properties.
- (3) *Height.* Cargo containers shall not measure or be stacked to a height greater than 14 feet.
- (4) *Operations and maintenance.*

-
- a. Cargo containers shall not be used for occupancy or sleeping; housing of animals; housing or storage of firearms, hazardous or flammable materials, material that is required to be placarded as class 7 (radioactive material) according to the U.S. Department of Transportation (DOT) Emergency Response Guideline (ERG), or storage of materials which are otherwise unlawful to possess (e.g. fireworks or other unlawful material or substances).
 - b. Cargo containers shall not include windows, heating and cooling, refrigeration systems, plumbing or have multiple entrances except for what is necessary to meet the minimum codes and standards for light and air circulation for storage purposes.
 - c. Cargo containers shall be closed and secured from unauthorized access at all times when not under the direct supervision of the permit applicant.
 - d. Cargo containers shall not be used to display signage or otherwise advertise a commercial activity other than a design or logo permanently affixed to the container that identifies its owner.
 - e. Containers shall be kept at all times in a like-new condition.
- (d) *Cargo container storage, stacking—Temporary.*
- (1) *Residential, commercial and public lands/open space.* Cargo containers are prohibited except they may be used on a temporary basis provided they are issued a permit and meet the following conditions:
 - a. The cargo container shall be used for the purpose of a construction project duly proceeding toward completion.
 - b. The cargo container shall be located on the same lot on which the construction activity is occurring until such time as the construction project is complete.
 - c. Upon completion of the construction activity that the container supports, the container must be promptly removed from the site.
 - d. The cargo container shall be maintained in a like-new condition.
 - e. The cargo container shall not measure or be stacked to a height greater than 14 feet.
 - f. The cargo container shall not be used to display signage.
 - g. No more than one cargo container shall be located on a lot in a residential district at one time for construction purposes.
 - h. No more than three cargo containers shall be located on a lot in a commercial or public lands/open space district at one time when used for construction purposes.
 - i. No more than one cargo container shall be located on a commercial lot, limited to no longer than 60 days in a calendar year, when used for the purpose of storage of seasonal inventory.
 - j. The permit shall be affixed to the container for the duration of its use.
 - k. The director of economic and community development may approve containers that exceed the allowable number, allowable size, or length of time.
 - (2) *M-1 limited manufacturing.* Cargo containers may be located in a M-1 district on a temporary basis provided they are issued a permit and meet the following conditions:
 - a. Cargo containers utilized for temporary storage shall be restricted to a period of time not to exceed 30 days in one calendar year.
 - b. Cargo containers used for the purpose of a construction project duly proceeding toward completion and located on the same lot on which the construction activity is occurring may be allowed until such time as the construction project is complete. Upon completion of the

-
- construction activity that the container supports, the container must be promptly removed from the site.
- c. At all times, any and all cargo containers must be maintained in a like-new condition.
 - d. No more than three temporary cargo containers shall be located on a lot located in the M-1 district at one time.
 - e. Cargo containers may not measure or be stacked to a height greater than 14 feet.
 - f. The permit shall be affixed to the container for the duration of its use.
 - g. The director of economic and community development may approve containers that exceed the allowable number, allowable size, or length of time.
- (e) *Civic uses of public property.* In the PL-1 or PL-2 districts, any civic use of any public building or property shall be permitted when authorized by the government agency owning or controlling such property. Such use shall not impose an undue adverse effect on neighboring streets or property.
- (f) *Contractors trailers and real estate model units.*
- (1) Contractors' trailers and real estate model units are allowed when accessory to a construction project or a new development.
 - (2) Such use shall be limited to a period not to exceed the duration of the active construction phase of such project or the active selling and leasing of space in such development.
 - (3) No such use shall contain any sleeping or cooking accommodations, except those located in a model unit.
 - (4) No such trailer, unit, or office shall be used as the general office or headquarters of any firm.
- (g) Accessory retail/restaurant and accessory office/personal service uses**
- (1) Accessory retail/restaurant uses**
- a. No use shall occupy more than 25% of the floor area of the principal use.**
- (2) Accessory office/personal service uses**
- a. Uses may not be located on a property where the primary use is a residential use.**
 - b. No exterior signage shall be permitted for any use.**
 - c. Uses shall be located fully interior to the principal use.**
 - d. No use shall occupy more than 25% of the floor area of the principal use.**
- (g) *Drive-through facility.*
- (1) *Design and layout.*
 - a. Provide minimum six inches high barrier curbs to protect accessories such as menu boards and canopy supports from vehicular circulation.
 - b. The location of the curb cut shall be subject to the approval of the village engineer.
 - (2) *Stacking.*
 - a. The stacking spaces shall be designed so as not to interfere with the ingress and egress to the off-street parking, traffic circulation on or off site, and traffic visibility.
 - b. Stacking lanes shall have a minimum depth of 20 feet per stacking space and the following minimum lane widths:

1. One lane: 12 feet;
 2. Two or more lanes: ten feet per lane.
- c. Drive-through facilities shall be required to provide a minimum number of vehicle stacking spaces as detailed in Table 44-04-14(d)(2)d.

Table 44-04-14(f)(2)c.: Drive Through Stacking Requirements		
Use	Minimum Stack	Measure From
Automated Teller Machine	3 per machine	Teller machine
Bank Teller Lane	2 per lane	Teller or window
Restaurant	6 per order box	Order box (1)
Carwash Stall, Automatic	5 per stall	Stall entrance
Carwash Stall, Manual	3 per stall	Stall entrance
Oil Change Shop	3 per service bay	Service bay entrance
Pharmacy	4 per lane	Machine or window
Other	As determined necessary through the special use permitting process	
(1) Four of the required stacking spaces are to be located between the order-box and pick-up window, including the stacking space at the order box.		

(3) *Menu boards.*

- a. A drive-through facility shall be permitted a maximum of two menu boards.
- b. The combined maximum area of the menu boards shall be 80 square feet.
- c. Each menu board shall not exceed:
 1. Sixty square feet in area; and
 2. Ten feet in height.
- d. Menu boards may utilize digital display boards for 100 percent of the permitted menu board area.

(4) *Overhead canopy.*


- a. The total height of any overhead canopy of similar structure shall not exceed 20 feet as measured to the highest part of the structure.
- b. Any overhead canopy or similar structure shall maintain a uniform and consistent roof line with the building to which the drive-through facility is a part.
- c. Any overhead canopy or similar structure shall have columns, solid walls or semi-solid walls placed so that they are similar in their relation to the roof as that of the exterior walls of the building to which the drive-through facility is a part.
- d. Any overhead canopy or similar structure shall be finished with exterior cladding materials consistent with the primary building facade.

(5) *Screening.* The following regulations shall apply to any drive through adjacent to a residential use regardless of the use to which it is accessory.

- a. Drive aisles must be effectively screened from view along public rights-of-way and at the edges of sites adjacent to residential properties to minimize the visual impact of menu boards and headlight glare and audio impact of intercoms.
- b. Screening shall meet all sight triangle requirements as established in section 44-05-10.

- c. Screening shall be a minimum of six feet wide, and must consist of:
 - 1. An opaque masonry wall or solid wood fence with a minimum height of four feet and a maximum height of six feet;
 - 2. One ornamental tree per every 25 linear feet of screening; and
 - 3. One shrub or native grass per every three feet of screening.

Figure 4.4. Drive Through Facility



- (h) *Dumpsters, temporary.* Temporary dumpsters shall meet the following conditions:
 - (1) The refuse container shall be obtained from a scavenger service licensed with the Village of Homewood.
 - (2) No more than one temporary dumpster shall be located on a lot at a time.
 - (3) The container shall be maintained in a neat and orderly fashion with all refuse contained within and not higher than the height of the container.
 - (4) The temporary dumpster shall be located on an impervious surface on private property.
 - (5) The placement of a temporary dumpster shall be restricted to a period of time not to exceed 30 days, per calendar year.
 - (6) The director of economic and community development may approve containers that exceed the allowable number, size, surface, or length of time.
- (i) *Electric vehicle charging stations.*
 - (1) *Equipment.*
 - a. Electric vehicle charging stations that are accessory to all mixed-use, multi-family, and nonresidential uses shall be a level 2 charging capacity.
 - b. Electric vehicle charging station equipment shall be protected by a wheel stop, curb, or bollards.

-
- c. In parking lot applications, all connections of the charging station to electrical utility equipment shall be underground.
 - d. All electric vehicle charging station equipment shall comply with the National Fire Protection Association/National Electrical Code and be approved by the Underwriters Laboratory.
 - e. All equipment should be made of low-maintenance, durable materials appropriate to withstand northeast Illinois weather and shall be vandal-proof to the extent possible.
 - f. All equipment shall provide a cord management system that minimizes tripping hazards for pedestrians. Charging cords may not cross sidewalks, walkways, or driveways.
- (2) *Design considerations.*
- a. Electric vehicle charging station equipment shall be located in a manner that will not obstruct pedestrian walkways. A minimum of three feet of clear area shall be maintained.
 - b. Electric vehicle charging stations shall be located to optimize ease of use for all potential users.
 - c. Electric vehicle charging station shall provide a safe and clearly delineated area for maneuvering around the vehicle for connecting to the equipment.
 - d. A sign indicating that the electric vehicle parking is for use while charging only shall be provided.
 - e. All charging stations shall be illuminated. Lighting shall comply with the limitations in section 44-05-12.
- (3) *Electrical equipment siting and screening.*
- a. Electric vehicle charging stations shall be located to minimize the distance to electrical supply equipment.
 - b. When locating the electrical supply equipment consider blind spots and visibility obstructions for drivers and pedestrians.
 - c. To the extent practical, electrical supply equipment shall be screened by walls, fences, landscaping, or a combination thereof to be effective year-round.
- (4) *Accessibility.* A minimum of one accessible charging station is required with any installation of electric vehicle charging stations. The accessible charging station shall provide equipment, reach, clear area, route, and other applicable building blocks to comply with the Illinois Accessibility Code as well as incorporating industry recommended best practices and current federal accessibility recommendations.
- (5) *Maintenance.*
- a. The property owner on which electric vehicle charging stations are located is responsible for ensuring that the equipment is intact and will not pose a hazard to any visitors to the property. This shall include ensuring that cords are hung to prevent tripping hazards.
 - b. All electric vehicle charging station equipment shall be maintained to working condition. Equipment that is no longer functional must be decommissioned within 60 days.
- (j) *Food cart or truck.*
- (1) A stand-alone food cart or truck whether motorized or non-motorized may be set up on a regular, semi-regular, or one-time basis subject to the following criteria:
- a. The owner or operator of the food cart or truck shall obtain and maintain all required licenses at all times.

-
- b. The permit shall be displayed to the public in a visible location on the food cart or truck.
 - c. Operations shall not be located in a driveway or drive aisle.
 - d. Operations shall not obstruct parking lot circulation or block access to a public street, alley, or sidewalk.
 - e. The operation of the food cart or truck shall not block a pedestrian walkway or public sidewalk in a manner which reduces the width of that walkway or sidewalk to less than five feet or causes damage to any improvements within the public right-of-way.
 - f. Operations of any food cart or truck shall be at least 500 feet from any eating and drinking establishment lawfully existing at the time the permit or renewal permit was issued and is open for business unless written permission is granted by the eating or drinking establishment located within that distance.
 - g. No food cart or truck shall be set up on any privately owned lot or parcel without written permission of the owner.
 - h. Trash receptacles shall be provided, and the owner/operator shall be responsible for keeping the area surrounding the food cart or truck clear of any litter and properly cleaned.
 - i. Signs, except for a-frame/sandwich board signs shall be permanently affixed to or painted on the food cart or truck. Each food cart or truck may have one sandwich board sign which may not be located in any right-of-way or impede pedestrian or vehicular traffic and shall be within 25 feet of the food cart or truck.
 - j. Canopies, umbrellas, and outdoor tables and chairs shall not block a pedestrian walkway or public sidewalk in a manner which reduces the width of that walkway or sidewalk to less than five feet or creates a visual obstruction to traffic.
 - k. Food carts or trucks may locate on the same lot or parcel so long as each vendor has the property owner's written permission and all other provisions contained herein are met.
 - l. No food cart or truck shall be located within 50 feet of the established outer boundary of any village-permitted or licensed event where the sale of merchandise and food has been allowed unless it is part of the event.
 - m. When not in operation, a food cart or truck shall be stored on private property.
 - n. If located in a village right-of-way:
 - 1. No merchandise shall be offered, displayed or sold and no customers served except from the sidewalk;
 - 2. Only non-motorized carts may be located on sidewalks;
 - 3. Carts or trucks shall be located at least 25 feet from any intersection (measured from the edge of sidewalk to the cart or truck) and 15 feet from any driveway;
 - 4. Food carts or trucks shall comply with all traffic and parking ordinances of the village, as they may be amended.
 - o. Any location in a village right-of-way, including sidewalks, may be subject to temporary suspension or revocation without cause, but for reasons that may include construction, repairs, maintenance or emergencies as determined by the village.
 - p. A permit shall not be required for food carts or trucks that are:
 - 1. Part of a village-permitted event; or

-
2. For a private, catered event occurring on private property (private parties, reunions, weddings and the like) in any district.
- q. A street closure permit may be required in order to locate on any village street or right-of-way where the provisions contained in this section cannot be met. Food carts or trucks may not cater private events from either the sidewalk or road right-of-way without an approved street closure permit.
- r. The provisions of this section shall not apply to any minor-operated business.
- (k) *Home-based business.*
- (1) *Purpose.* To protect residents from deleterious effects of commercial uses being conducted in residential areas, the following provisions regulate and restrict commercial uses in residentially zoned districts.
- (2) *Requirements.* No home-based business shall be permitted without the prior issuance of a zoning permit for the home-based business. Permits shall be granted to a designated person who resides at the residential address. If the applicant is not the owner of the property, a letter from the owner authorizing the applicant shall be submitted with the application. Permits shall not be assigned from person to person or transferred from address to address. Home-based business permits shall expire April 30 of each year and require annual review. Once granted, permits may be renewed by paying the annual renewal fee, subject to the provisions of this section, failure to timely apply for renewal, and/or failure to pay the annual home-based business permit or inspection fee, shall be grounds for revocation of a home-based business permit.
- a. *Exceptions.* No home-based permit shall be required for individuals operating an office out of their residence, provided that the office meets the following use limitations:
1. No routine attendance of patients, clients, subcontractors, or employees associated with the home-based business as part of regular conduct of the occupation.
2. No merchandise shall be offered for retail sale on the premises.
- (3) *Annual inspection.*
- a. There shall be one annual inspection by the village of the premises of a home-based business.
- b. The village shall have the right to enter and inspect the premises of all home-based businesses.
- c. The village shall have the right at any time, upon reasonable request, to enter and inspect the premises of all home-based businesses for safety and compliance purposes.
- d. Such inspection shall only be made between the hours of 8:00 a.m. and 5:00 p.m., Monday through Friday, or may be made Saturday and Sunday during those hours, if the business is conducted on those days.
- e. The annual inspection fee for each premise where a home-based business is conducted shall be paid within ten days after such billing has been mailed by the village.
- (4) *Limitation.* Only one class I or class II home-based business shall be allowed per lot.
- (5) *Location allowed.* Either the principal or accessory dwelling on a subject lot may be used as a class I or class II home-based business.
- (6) *Standards.* All home-based businesses shall conform to the following standards:
- a. Only one nonresident of the premises may be employed to work at the premises.

-
- b. The applicant for a class I or class II permit must reside at the location of the proposed home-based business.
 - c. No signs shall be permitted, unless authorized by the sign regulations of that district.
 - d. No exterior storage of business equipment, materials, merchandise, inventory, or heavy equipment shall be permitted. However, garage storage of business equipment, merchandise, inventory, or heavy equipment shall be permitted provided it complies with all requirements of this chapter and this Code.
 - e. Home based businesses shall be conducted entirely indoors.
 - f. Merchandise shall not be displayed or offered for retail sale on the exterior of the residence.
 - g. Home-based businesses providing house or office cleaning service or limousine service shall be limited to dispatching only.
 - h. Home-based businesses shall comply with the environmental performance standards in section 44-05-13.
 - i. Off-street loading and parking requirements of sections 44-05-02 and 44-05-03 must be met.
 - j. The area set aside for home-based business use shall not exceed 20 percent of the total floor area of the residence. However, child day care homes shall be required to meet all DCFS requirements, including a designated play area for the children.
 - k. Child day care homes shall submit annually a copy of their DCFS license to the director of economic and community development.
 - l. Trucks or commercial vehicles shall not operate out of the residential premises. Any truck or commercial vehicle owned by the holder of a class I or class II permit, or their immediate family, and used in the business, may, if otherwise authorized to be parked at the premises overnight, be driven from the premises in the morning and be driven onto the premises in the evening, but shall not be driven back and forth from the premises during the day.
 - m. No truck or commercial vehicle, other than a class B truck or class B commercial vehicle, as defined in the Illinois Motor Vehicle Code, may be parked or stored in any residential zoning district except as permitted in section 44-05-02.

(l) *Murals and art installations (murals defined as an accessory use).*

- (1) *General provisions.* Any mural, defined in section 44-10-11, erected in the Village of Homewood after August 26, 2025, may be erected upon approval of a mural and art installation application and meeting the following conditions:
 - a. *Commercial messaging.* Under no circumstances may a mural contain any commercial messaging, including, but not limited to, business names, brand artwork, insignias or logos, or other references, whether direct or implicit, to the use occurring within the building upon which the mural is located. Commercial messaging painted on a building facade shall constitute a painted sign and be subject to the requirements for painted signs in section 44-10-06.
 - b. *Encroachments.* No component of any mural shall encroach into the public right-of-way.
 - c. *Obstructions.* No mural or art installation shall be placed where visibility from the public right-of-way is partially or fully obstructed by permanent structures or site elements, including, but not limited to, architectural features, landscaping, or ground and wall-mounted equipment.
 - d. *Applications.* All murals and art installations proposed within village limits shall be reviewed pursuant to the process requirements in section 44-07-16, including adherence to all standards

found in section 44-07-16. Murals applications initially by the Village of Homewood shall be exempt from the review process unless otherwise directed by the village board of trustees.

(m) *Outdoor display/sale of merchandise.*

- (1) Only those goods and materials offered for sale by the existing on-site use may be displayed or sold.
- (2) Permanent outdoor display or sales areas shall not be located within any required yard setback or required parking area or loading space.
- (3) Permanent outdoor display or sales areas shall be surfaced with an approved hard surface material. Partially paved or unpaved outdoor retail sales areas shall be prohibited.
- (4) Permanent outdoor display or sales areas shall not exceed ten percent of the gross floor area of the principal building on the property unless approved as a special use.

(n) *Outdoor itinerant merchants.*

- (1) The construction or assembly of any type of display structure, although temporary, shall be prohibited.
- (2) The space occupied by an outdoor itinerant merchant may be no closer than 150 feet to any permanent building.
- (3) Only one outdoor itinerant merchant may conduct business at a location at any given time.
- (4) No wires, signs, pennants, banners, products, or any other marketing device may be attached by, or on behalf of, the itinerant merchant to poles or structures in public lands including rights-of-way, parkways and easements.
- (5) An outdoor itinerant merchant may not occupy parking spaces needed to meet the minimum parking requirements as set forth in section 44-05-01.
- (6) No licensee or anyone on their behalf shall use any device that emits or produces sound plainly heard on public rights-of-way to attract attention to any goods or service that such licensee proposes to sell.
- (7) No licensee under this section, nor anyone in their behalf, shall use any public street, sidewalk, or alley to sell, offer for sale, or display their goods, wares, merchandise, or service unless expressly allowed in this section.

(o) *Outdoor seating for restaurants.* Outdoor seating accessory to a restaurant, bar, or craft brewery shall be allowed, provided it complies with the requirements of chapter 12, article VII of this Code and has been issued a permit with approval from the health officer.

(p) *Outdoor storage, permanent.*

- (1) Permanent outdoor storage areas shall be surfaced with an approved hard surface material. Partially paved or unpaved outdoor storage areas shall be prohibited.
- (2) Outdoor storage shall not be in the required front or exterior side yard, closer to the front or exterior side lot line than the front or exterior side facing elevation of the primary building, nor ten feet from the interior side or rear lot line.
- (3) A solid wall constructed from materials identical to those used on the exterior of the principal building and not less than six feet and not more than eight feet in height or landscaping of an equivalent height that provides year-round screening shall be provided to screen those portions of permanent outdoor storage areas visible from any right-of-way, excluding alleys, and/or a property in any residential, business, or special district, as listed in section 44-02-01.
- (4) No signage is permitted in conjunction with the outdoor storage.
- (5) Such materials shall not occupy or interfere with the use of required parking spaces or aisles.

-
- (6) Any permanent outdoor storage shall meet applicable building codes.
- (q) *Portable temporary storage container.* Portable temporary storage containers are allowed subject to the following conditions:
- (1) Only one portable temporary storage container may be located on a lot at a time.
 - (2) No portion of any container may extend onto the public right-of-way, including, but not limited to, sidewalks, parkways, streets, or alleys.
 - (3) The portable temporary storage container shall not exceed eight feet in width, 12 feet in length and eight feet in height, or 768 cubic feet.
 - (4) The portable temporary storage container must be located on an impervious surface.
 - (5) Placement of a portable temporary storage container shall be limited to 14 days per residential lot, per calendar year.
 - (6) Placement of a portable temporary storage container shall be limited to 30 days per commercial, public lands/open space or manufacturing lot, per calendar year.
 - (7) Every portable temporary storage container must be locked and secured when not being loaded or unloaded.
 - (8) The permit shall be prominently displayed during the approval period.
 - (9) The director of economic and community development may approve containers that exceed the allowable number, size, surface, or length of time.


Figure 4.5. Portable Temporary Storage Container



- (r) *Solar energy collection system, canopy.*
- (1) Canopy solar energy collection systems are permitted over any parking area.

-
- (2) The height of canopy solar energy collection systems shall not exceed the height of the principal building that the parking area serves.
 - (3) The minimum height of solar energy collection systems shall allow clearance for emergency and service vehicles.



Figure 4.6. Solar Energy Collection System, Canopy



(s) *Solar energy collection system, ground, less than one-acre site.*

- (1) Ground-mounted solar energy collection systems shall be permitted in the rear setback only.
- (2) The maximum height of ground-mounted solar energy collection systems shall be five feet in height, measured from the grade at the base of the pole to the highest edge of the system.
- (3) Minimum clearance between the lowest point of the system and the surface on which the system is mounted shall be 12 inches.
- (4) Ground-mounted solar energy collection systems shall be exempt from the impervious surface limits if the ground directly under the solar panel is plated with native plantings and groundcover.
- (5) All parts of the freestanding system shall be set back five feet from the side and rear lot lines and shall not be located in a public utility easement.
- (6) Solar panels shall be screened from view from any public right-of-way unless otherwise approved by the director of economic and community development.

Figure 4.7. Solar Energy Collection System, Ground, Less Than One Acre




(t) *Solar energy collection system ground, one- to five-acre site.*

- (1) Ground-mounted solar energy collection systems shall be permitted in the rear setback only.
- (2) The maximum height of ground-mounted solar energy collection systems shall be five feet in height, measured from the grade at the base of the pole to the highest edge of the system.
- (3) Minimum clearance between the lowest point of the system and the surface on which the system is mounted shall be 12 inches.
- (4) Ground-mounted solar energy collection systems shall be exempt from the impervious surface limits if the ground directly under the solar panel is plated with native plantings and groundcover.
- (5) All parts of the freestanding system shall be set back five feet from the side and rear lot lines and shall not be located in a public utility easement.
- (6) Solar panels shall be screened from view from any public right-of-way unless otherwise approved by the director of economic and community development.
- (7) Information regarding the owner of the property and operator of the solar energy system shall be submitted to the village and updated with any change in the property owners or operator.
- (8) Decommissioning required. Any solar energy use that is not actively in use for 12 consecutive months the operator shall decommission the operator shall have six months to fully decommission the use, including all panels, structures, accessories, and appurtenances, shall be entirely removed from the lot.
- (9) Decommissioning plan. Prior to receiving approval, the applicant for any solar energy use shall submit a decommissioning plan to ensure that the project is properly decommissioned, which shall include:
 - a. Procedures for the removal of structures, debris, and cabling, including those below the soil surface;
 - b. Provisions for the restoration of the natural soil and vegetation;


- c. A provision that the terms of the decommissioning plan shall be binding upon the owner or operator and any of their successors, assigns, or heirs.

Figure 4.8. Solar Energy Collection System, Ground, One to Five Acres



- (u) *Solar energy collection system, roof.*
- (1) Roof-mounted solar energy collection systems may be located on any roof face of principal or accessory buildings. Systems should be flush mounted when possible.
 - (2) Systems on residential structures shall not extend beyond 12 inches parallel to the roof surface of a pitched roof or flat roof.
 - (3) Systems on nonresidential structures shall not extend beyond 36 inches parallel to the roof surface of a pitched roof or flat roof.
 - (4) Systems on all structures shall not extend above the highest peak of a pitched roof.
 - (5) All materials used for racking, mounts, mounting clamps, and flashings shall be of a color consistent with the color of the roof surface to minimize visibility.
- (v) *Reserved.*
- (w) *Tents.* Unless the village board has granted their approval, no tent in excess of 200 square feet shall be allowed to remain for a period of more than two days longer than the period with which the use it is associated is allowed to remain or, in the absence of any such restriction, ten days.

Figure 4.9. Solar Energy Collection System, Roof



(Ord. No. MC-1068, § 2(Exh. B), 1-10-2023; Ord. No. MC-1075, § 2B., 5-9-2023; Ord. No. MC-1089, § 2.2., 8-26-2025)