A proposal for
VILLAGE OF HOMEWOOD, IL
17755 ASHLAND AVE
HOMEWOOD, IL 60430

Quote # SF-2026-03470 Revison # 1

Oct 28, 2026

Quotation valid until: Jan 26, 2027

This document outlines a comprehensive truck package, comprising the following equipment. The listed equipment is designed to be installed and operated as an integrated system, ensuring full compatibility and optimal performance.

Front Plow

Plow Hitch

Underbody Scraper

Mark E Dump Body

Prewet System

Tailgate Spreader

Chassis

Installation

NPPGov Contract Number: PS22170

Quote prepared by: Brad Peters

Package Model - PACKAGE

PLOW	
Plow Style	**Reversible RSP/OWP**
Plow Trip Spring Option	**Heavy Duty 5 Position Adjustable Trip Spring**
Plow Profile	**Integral Shield**
Plow Moldboard Modifications	**RH Mailbox Cut**
Plow Trip Type	**Full Trip**
Plow Height	**42 inch**
Plow Length	**10 foot**
Plow Moldboard Material Type	**Grade 50**
Plow Moldboard Material Thickness	**10 Gauge**
Plow Moldboard Paint	**Henderson Orange**
Moldboard Sandblast	**Not Required**
Plow Cutting Edge type	**Standard**
Plow Cutting Edge Description	**Standard 5/8 X 8 Cutting Edge**
Plow Pushframe type	**HD pushframe**
Plow Pushframe Width	**Full Width**
Plow Reversing Cylinders	**4" x 2" Nitrided Reversing Cylinders**
Cushion Valve	**Cushion Valve (Standard)**
Cylinder Hose Kit	**Cylinder Hose Kit (Standard)**
Plow Running Gear Shape	**Mushroom Style**
Plow Running Gear	**Oscilating Mushroom Shoe**
Plow Hitch Type	**Quick Link Hitch**
Plow Deflector	**Rubber Deflector Logo Installed**
Plow Sight Marker	**36" Poly Plow Marker (Ship Loose)**
Parking Jack	**Parking Jack Shipped Loose**
Moldboard Shoes	**No Moldboard Shoe**
Curb Guards	**Wrap Around Curb Guard, Pair**
Moldboard Bottom Angle Gussets	**Full Moldboard Bottom Angle Gussets**
Blade Saver	**No Blade Saver**
HITCH	
Truck Side Hitch Type	**Low Profile**
Hitch Family	**Basic Hitch**
Lift Cylinder	**4"x2" Nitrided Cylinder**
Hitch Connection Type	**Quick Link Hitch**
Hitch Mounting Hardware	**No Mounting Hardware**
UBS	
Scraper Moldboard Type	**Power Reversing Underbody Scraper**
Scraper Length	**10 Foot**
Scraper Blade Height	**20 inches**
Scraper Blade Thickness	**1 inch Moldboard Thickness**
Scraper Blade Offset	**Yes**
Paint	**Black Moldboard and Mounting**
Scraper Cutting Edge Type	**Curved Non Carbide**
Scraper Cutting Edge Size	**1/2" X 6"**

Trip Spring	**No Accumulator/Trip Spring, Force Valve**
Scraper Lift Cylinder	**Lift Cyl 3.5-9,Nitrided Rod**
Scraper Grease Bank	**Grease Bank On Circle Plate**
Scraper Cushion Valve	**Cushion Valve,1800 Psi**
Scraper Oscillation	**Non-Oscillating**
HPI	
Family	**Mark E, Classic**
Floor Length	**10' Floor Length**
Side Height	**36 inches**
Body Material (Sides/HeadSheet)	**10GA 201SS Sides/Headsheet**
Floor Material	**1/4" AR400 Floor**
Front Bolster	**No Front Bolsters**
Rear Bolster Material	**7GA 201SS Rear Bolsters**
Rear Bolster Height	**8" Taller Than Sides Rear Bolster, 2 1/8" Pockets**
Top Rail/Rub Rail Material	**10GA 201SS Top & Rub Rails**
Side Braces	**(2) V Crimp Side Braces**
Hydraulic Lines	**1/2" SS Hydraulic Line DS Longsill**
Hoist Type	**Trunnion Mount Hoist, Internal, DA, W/SubFrame**
Cylinder Model	**CS/G4,Dbl Act, 2yr Salt Warranty**
Install Hoist & Cradle	**Upfitter Installed H&C**
Hoist Mount Type	**Standard Subframe**
Longsills	**5" I-Beam, Full Weld Longsill & Apron**
Body Hinge Maintenance	**Greaseable Pins, W/Bushings**
Tailgate Style	**Configured Tailgate**
Tailgate Air Valve	**Upfitter Supplied Air Valve**
Tailgate Pin Lanyards	**TG Pin Lanyards**
Horizontal J-Hooks	**No Horizontal J-Hooks**
Bolsters Chain Hooks	**Banjo Chain Hooks (Inst)**
Tailgate Chains	**SS Tailgate Chains**
Tailgate Hinge	**Heavy Duty 1-1/2" Pins, 1" Plate W/Bushing**
Tailgate Release & Control	**Double Acting Air Cylinder with SS Bushings**
Tailgate Lift Style/Location	**Formed Lift Loop,Top Brace**
Tailgate Brace	**(2) Horizontal Tailgate Braces**
Coal Chute	**No Coal Chute**
Tailgate Liner	**No Tailgate Liner**
Tailgate Sheet Material	**7GA 201SS Tailgate Sheet**
Tailgate Maintenance	**Greaseable Pins, Jaws, & Shaft**
Cabshield Install/Ship Loose	**Cabshield Shipped Loose for Install**
Rear Facing Cabshield Light Holes	**4 Rear Facing ILDOT Spec**
Side Facing Cabshield Light Holes	**No Side Light Holes**
Foward Facing Cabshield Light Holes	**No Forward Light Holes**
Cabshield Installation Height	**Upfitter Installed Standard Leg Height**
Cabshield Material	**10 Gauge Sheet 7 Gauge Ends**
Cabshield Width	**86" Width**
Cabshield Overhang	**22" Overhang**
Cabshield Style	**Weld-On Cabshield with Tarp Shroud**

Cabshield Finish Prep	**Cabshield No Finish Prep (Raw)**
Cabshield Paint/Finish	**Cabshield No Finish (Raw)**
Backup Light	**Backup Light: None**
Lighting Package	**Upfitter Supplied Light Pack**
Lighting Add-Ons	**No Weld-On Light Box**
Rear Facing Rear Bolster Light	**2 Obround Light**
Rear Bolster Marker Lighting	**2.5" Round Low, 6" Obround High Light Holes**
Rub Rail Lighting	**Obround Midway Box Only**
Liquid Tanks	**No Prewet Tanks On Body**
Finish Prep	**Wash & Prime Mild Parts Only**
Paint/ Finish	**No Finish**
Asphalt Lip	**12"Pin On 7GA GR50 Asp Lip,Ins**
Side Boards, Installed at Factory	**Upfitter Supplied Sideboards**
Side Ladder Location	**Ladder/Grabhandle, Driverside Front, Ship Loose**
Side Ladder Type	**Ladder, Pullout 201SS, Fixed Upper**
Body Steps	**No Interior Steps**
Walk Rails	**2" Sure Step Walk Rail**
Vibrator Location	**Vibrator Bracket Between Longsills**
TGS Installation	**No Factory Installed TGS**
TGS Integration	**HPI TGS External Prop Style Spill Shields, Ship Loose**
TGS/Asph Lip Mount Holes	**Mount Holes In Apron and Bolster (Asphalt Lip)**

Special Request
Cs,Weld-On,W/ Tarp Shroud

USE 197038.201 CABSHIELD, 22X86,10GA, W/TARP (LIGHT BOX HOODS ON TOP OF TARP SHROUD TO PROTECT LIGHTS FROM DAMAGE).

Special Request
12"Pin On 7GA GR50 Asphalt Lip Installed

ASPHALT LIP TO BE PRIMED AND PAINTED BLACK.

Special Request
2.5" Round Low, Obround High

- CHANGE THE 2.5" HOLE TO A 3/4" MARKER LIGHT HOLE.
- MAKE THE 6" OBROUND LIGHT HOLE LOW (SEE PICTURE REFERENCE).

Family	**Mark E, Classic**
Floor Length	**10' Floor Length**
Side Height	**36 inches**
Body Material (Sides/HeadSheet)	**10GA 201SS Sides/Headsheet**
Floor Material	**1/4" AR400 Floor**
Front Bolster	**No Front Bolsters**

Rear Bolster Material	**7GA 201SS Rear Bolsters**
Rear Bolster Height	**8" Taller Than Sides Rear Bolster, 2 1/8" Pockets**
Top Rail/Rub Rail Material	**10GA 201SS Top & Rub Rails**
Side Braces	**(2) V Crimp Side Braces**
Hydraulic Lines	**1/2" SS Hydraulic Line DS Longsill**
Hoist Type	**Trunnion Mount Hoist, Internal, DA, W/SubFrame**
Cylinder Model	**CS/G4,Dbl Act, 2yr Salt Warranty**
Install Hoist & Cradle	**Upfitter Installed H&C**
Hoist Mount Type	**Standard Subframe**
Longsills	**5" I-Beam, Full Weld Longsill & Apron**
Body Hinge Maintenance	**Greaseable Pins, W/Bushings**
Tailgate Style	**Configured Tailgate**
Tailgate Air Valve	**Upfitter Supplied Air Valve**
Tailgate Pin Lanyards	**TG Pin Lanyards**
Horizontal J-Hooks	**No Horizontal J-Hooks**
Bolsters Chain Hooks	**Banjo Chain Hooks (Inst)**
Tailgate Chains	**SS Tailgate Chains**
Tailgate Hinge	**Heavy Duty 1-1/2" Pins, 1" Plate W/Bushing**
Tailgate Release & Control	**Double Acting Air Cylinder with SS Bushings**
Tailgate Lift Style/Location	**Formed Lift Loop,Top Brace**
Tailgate Brace	**(2) Horizontal Tailgate Braces**
Coal Chute	**No Coal Chute**
Tailgate Liner	**No Tailgate Liner**
Tailgate Sheet Material	**7GA 201SS Tailgate Sheet**
Tailgate Maintenance	**Greaseable Pins, Jaws, & Shaft**
Cabshield Install/Ship Loose	**Cabshield Shipped Loose for Install**
Rear Facing Cabshield Light Holes	**4 Rear Facing ILDOT Spec**
Side Facing Cabshield Light Holes	**No Side Light Holes**
Foward Facing Cabshield Light Holes	**No Forward Light Holes**
Cabshield Installation Height	**Upfitter Installed Standard Leg Height**
Cabshield Material	**10 Gauge Sheet 7 Gauge Ends**
Cabshield Width	**86" Width**
Cabshield Overhang	**22" Overhang**
Cabshield Style	**Weld-On Cabshield with Tarp Shroud**
Cabshield Finish Prep	**Cabshield No Finish Prep (Raw)**
Cabshield Paint/Finish	**Cabshield No Finish (Raw)**
Backup Light	**Backup Light: None**
Lighting Package	**Upfitter Supplied Light Pack**
Lighting Add-Ons	**No Weld-On Light Box**
Rear Facing Rear Bolster Light	**2 Obround Light**
Rear Bolster Marker Lighting	**2.5" Round Low, 6" Obround High Light Holes**
Rub Rail Lighting	**Obround Midway Box Only**
Liquid Tanks	**No Prewet Tanks On Body**
Finish Prep	**Wash & Prime Mild Parts Only**
Paint/ Finish	**No Finish**
Asphalt Lip	**12"Pin On 7GA GR50 Asp Lip,Ins**

Side Boards, Installed at Factory	**Upfitter Supplied Sideboards**
Side Ladder Location	**Ladder/Grabhandle, Driverside Front, Ship Loose**
Side Ladder Type	**Ladder, Pullout 201SS, Fixed Upper**
Body Steps	**No Interior Steps**
Walk Rails	**2" Sure Step Walk Rail**
Vibrator Location	**Vibrator Bracket Between Longsills**
TGS Installation	**No Factory Installed TGS**
TGS Integration	**HPI TGS External Prop Style Spill Shields, Ship Loose**
TGS/Asph Lip Mount Holes	**Mount Holes In Apron and Bolster (Asphalt Lip)**

PWS

Control Console Type	**No Control Console**
Prewet Type	**Hydraulic Prewet**
Material Type/Support Frame	**Prewet Pump Kit Only (No Tanks/Brackets)**
Application	**Customer/Hydraulic Supplied Tank**
Slurry Tube	**No Slurry**
Flush Kit	**2.5 Gal Flush Tank Assembly**
Tank Float Switch	**No Float Switch**
Air Bleed Kit	**Air Bleed Kit, 1/8" Npt Drain**
Spray Nozzle Type	**Variable Displacement Hose Nozzle**
Spreader Spinner Chute	**Spreader Spinner Chute, All Other**
Prewet Function	**Hydraulic with Flow Meter No Valve (8gpm)**
Special Request	
No Slurry	TGS WILL HAVE SLURRY TUBE.
Special Request	
Variable Displacement Hose Nozzle	DEDUCT VDN HOSE. TGS WILL HAVE SLURRY TUBE.

TGS

Dump Body Profile	**Straight Rear Dump Body Profile**
Spreader Side Plates	**Standard Height Side Plate**
Auger Size	**6 inch Auger**
Auger Drive	**Hydraulic Gearcase Drive**
Auger Speed Sensor	**Yes**
Auger Discharge	**Single Discharge at a time**
Material	**201 Stainless Steel**
Paint	**No Paint (Stainless Steel)**
Spinner Location	**Standard Discharge**
Spinner Motor Type	**Hydraulic Spinner Motor**
Spinner Motor Detail	**Motor,Hyd,Single Spinner (Std)**
Spinner Disc	**18" Spinner Disc, Polyurethane**
TGS Spinner Strut Kit	**No Spinner Frame Strut**
TGS Spinner Height Adjustment Kit	**No Spinner Height Adj Kit**
TGS Adjustable Baffle Kit	**Adjustable Spinner Baffle**
Hardware Type	**Stainless Hardware**
Mounting Width	**96 inch body (standard)**
TGS Berm Chute	**No Berm Chute**
TGS Slurry Tube	**Slurry Tube Installed**
TGS Auger Pitch	**STD Auger Pitch Auger**

TGS Hose Kit	**No Hose Kit w/ Quick Couplers**
TGS Shipping Kit	**No Shipping Kit**
TGS Dump Install	**No TGS Install**
CHASSIS	
Chassis Supplier	**Customer Supplied Chassis**
Order Type	**Turnkey Install**
Chassis Make	**International**
Chassis Model	**HV607**
Chassis Model Year	**Model Year 2026**
Hood Snow Door	**No Snow Door On Hood**
Hood Type	**Standard OEM Hood Style**
Grille Style	**Stationary Grille**
Cab Type	**Regular Cab**
Front Frame Extensions	**20" Front Frame Extensions**
Front Frame Wall Type	**Single Wall Front Frame**
Front Frame Wall Thickness	**.44" Frame Rail Wall Thickness**
Front Frame Rail Height	**10.866" Frame Height**
Front Bumper	**OEM Front Bumper Included**
Front Frame Width	**33.5" Front Frame Width**
Front Suspension Load Rating	**15K to 19K Front Suspension**
Set Back/Forward Axle	**Set Back Axle**
Chassis Axle Quantity	**Single Axle**
Chassis CA/CT (Usable)	**102**
PTO/Pump Provisions	**PTO Provisions Driver Side**
Pump Location	**Transmission Mount Pump**
Transmission Model	**Allison 3000 Transmission**
Transmission Cooler	**Standard Transmission Cooler**
Backup Alarm	**Chassis Back Up Alarm Not Included**
Battery Box Placement	**Battery Box Under Passenger Seat**
Momentary Dash Switch Qty	**No Momentary Dash Switch**
Rocker Switch Qty	**12 Latching Dash Switch**
Plow Light Prep	**Chassis Plow Light Ready**
Beacon/Strobe Prep	**No OEM Supplied Beacon/Strobe Prep**
Trailer Plug	**7 Pin Round Plug OEM Installed**
Body builder plug	**Bodybuilder Plug Installed**
Chassis Supplied Camera	**No Chassis Supplied Camera**
Tow Hooks	**No Chassis Supplied Tow Hook**
Glad Hands	**Glad Hands Not Included**
Air Line Provision for Glad Hands	**No Air Line Provisions**
Air Tank Placement	**Inside Frame Air Tank**
Fuel Tank Location	**Under Driver Door Fuel Tank**
Fuel Tank Shape	**D-Shaped Fuel Tank**
Def Tank Location	**Def Directly Behind Fuel Tank**
Fuel Tank Size	**50-59 Gallon Fuel Tank Size**
Passenger Seat Style	**Fixed Passenger Seat**
INSTALLATION	
Chassis Delivery To Henderson	**Truck Dealer/Customer Delivers**
USC Build Facility	**USC-IL**

Installation Order Type	**Turnkey Install**
Completed Truck Delivery	**Henderson Delivers (100 Miles or Less)**
Non-Henderson Equipment	**No Non-Henderson Equipment**
USC Paint Location	**Not Required For Job**
Hooklift	**No Job Specific Hooklift**
Liquid Type	**Behind the Cab Prewet System**
Spreader Type	**TGS Spreader**
Dump Body Type	**Mark E Classic**
Scraper Type	**Reversible UBS Installed, Hydraulic Accumulator Trip**
Wing Type	**No Wing Plow**
Front Plow Type	**Reversible Plow**
Hitch Type	**Low Profile**
Plow Portion Hitch	**Plow Attachment Quick Link**
Hitch Mount Style	**Cheek Plate And Kicker Mount Kit**
Front Bumper	**OEM Bumper Cut And Split**
Front Tow Hooks	**Tow Hooks, 44K Lb, Pair, USC Supplied**
Plow Markers	**Factory Supplied and Installed at USC**
Plow Rubber Deflector	**Rubber Deflector Installed at Manufacturing**
Plow Jack Install	**Plow Jack Installed at Upfit**
Scraper Steps	**Scraper Steps Not Required**
Scraper Chassis Step	**Scraper Chassis Step Not Required**
Scraper Quick Disconnect	**Scraper with No Quick Couplers Installed**
Wood Sideboard Size	**2" X 10" Sideboards Rough Cut**
Dump Body Floor Length	**10' Floor Length**
Dump Body Rear Profile	**Straight Tailgate And Apron**
Sideboards	**Wood Side Boards, Supplied At Henderson Upfit, No Paint**
Dump Body Vibrator	**Cougar DC2700, Single Axle**
Shovel Holder Location 1	**Driver Side Headsheet**
Shovel Holder Style	**Stainless Steel Spring Loaded Shovel Holder With Bracket**
Shovel Holder Quantity	**1 Henderson Upfit Supplied Shovel Holder**
Ladder 1 Style	**3 Step Pull Out**
Ladder 1 Location	**Driver Side Front**
Ladder Quantity	**1 Ladder**
Ladder(s)	**Supplied By Factory And Installed At Henderson Upfit**
Grab Handle 1 Type	**Stainless Steel 17" Grab Handle**
Grab Handle Quanity	**1 Grab Handle**
Grab Handles	**Factory Supplied**
Steps	**No Steps Required**
Asphalt Lip	**Asphalt Lip Supplied & Installed at Factory**
Cabshield Install	**Cabshield Supplied By Factory, Weld To Body At Henderson Upfit**
Pressure Protection Valve	**Direct To Air Tank Valve (International, Mack & Volvo)**

Tailgate Release Type	**Henderson Upfit Supplied Manual Air Over Air Release**
Tailgate Style	**Standard Tailgate**
Dump Body Material	**Stainless Steel Dump Body**
Dump Body Cylinder Type	**Double Acting Hoist Cylinder**
Dump Body Hoist Type	**Telescopic Hoist With Subframe, Internal Doghouse**
Spreader Tie Down Winch System	**No Spreader Tie Down Winches Required**
TGS Spill Shield	**TGS Shield Supplied At Factory, Installed At Henderson Upfit**
Body Liner	**Body Liner Not Required**
Rubber Mounting Pads	**No Rubber Mounting Pads Required**
Tarp Material	**Black Vinyl Tarp Material Asphalt Rated**
Tarp System Type	**Electric, 45 Deg Arms, Without Wind Deflector**
Tarp Brand	**US Tarp System**
TGS/RTS Drive Type	**Hydraulic Drive TGS/RTS**
TGS/RTS Spinner Configuration	**Single Spinner**
TGS Tailgate Prop	**No Tailgate Prop Required**
TGS/RTS Spinner Support Kit	**No Spinner Support Kit Required**
QD Mount Location Field	**Quick Disconnect Mount in Pintle Plate**
Liquid Drive Configuration	**Hydraulic Drive, Henderson Upfit Installed**
Liquid Controls	**Supplied By Henderson Upfit, Included With Hydraulic Package**
Slurry Tube	**Supplied By Factory, Sales To Order With Unit**
Prewet Discharge Location	**Front Or Rear**
Behind the Cab Prewet Tank	**240 Gal Behind the Cab Prewet Tank**
Pintle Plate information	**Blank Plate, Subframe**
Pintle Hook Selection	**20 Ton**
Rear Mudflap Mounting	**Swinging Stainless Steel Mount**
Rear Mudflap Material	**Rubber Rear Mudflap With Logo**
Rear Center Mudflap Mounting	**Not Required On Job**
Front Center Mudflap Mounting	**Front Center Mudflap Not Required**
Front Mudflap Mounting	**Front Mudflap Not Required**
Poly Fenders	**Poly Fenders, Full Pair, Single Axle, Stainless Steel Mount**
Pintle Plate	**Blank Pintle Plate**
Pintle Plate Thickness	**3/4" Pintle Plate Thickness**
Pintle Plate OEM Lights	**OEM Light Remount Sides Of Pintle Plate**
Pintle Plate ICC Lights	**Qty 3, 3/4" ICC Lights**
Reflective Tape	**Henderson Logo Reflective Tape, 60' Linear**
Lube System	**No Lube System Required**
Miscellaneous D-Ring Quantity	**Not Required**
Exhaust Elbows	**Exhaust Elbow Not Required**
Automatic Tire Chains	**Tire Chains Not Required**
Pusher Axle	**Pusher Axle Not Required**
Toolbox	**Not Required**
Trailer Plug 2	**Not Required For Job**
Trailer Plug 1	**Remount OEM Trailer Plug (qty 1)**

Gladhands	**Glad Hands Not Required**
Pintle Plate D-Rings	**Qty 2, 1" D-Rings, 50 Degree Bend**
Chipper Bar	**Chipper Bar Not Required**
Rear Tow Hook	**Not Required**
PDP Mount Location	**PDP Mounted On Back Wall**
Misc Electrical Supplies	**Misc Electrical Supplies Required**
GPS System	**GPS System Not Required**
Pavement Temp Sensor	**Included With Hydraulics Package**
USC Light Package	**72" Light Bar ILDOT Short Whelen**
Grille Light(s)	**Grille Lights Not Required**
Camera Wash Kit	**Camera Wash Kit 3 Cameras**
Camera 3 Location	**Passenger Side Mirror Mount**
Camera 2 Location	**Cabshield Mounted**
Camera 1 Location	**Rear Spinner**
Camera Type/Monitor	**Camera Type Not Required**
Camera Quantity	**3 Hydraulic Supplied Cameras**
Camera System	**Camera System Included In Hydraulic Package**
Wiper(s)	**Wiper Not Required**
Switchbox	**No Switch Box Necessary**
License Plate Lights	**Henderson Upfit Supplied License Plate Light Grey Housing**
Brake Controller	**Voyager Brake Controller**
Body Up Switch/Light	**Proximity Switch/Bracket/Harness**
Back Up Alarm Bracket	**Back Up Alarm Bracket Not Required**
Back Up Alarm	**97 Decibel**
Roof Beacon Light	**Not Required**
Worklight 4 Location	**On Rear Of Body**
Worklight 4 Type	**LED Worklight, 5" Round, Optilux**
Worklight 3 Location	**On Rear Of Body**
Worklight 3 Type	**LED Worklight, 5" Round, Optilux**
Worklight 2 Location	**Scraper**
Worklight 2 Type	**LED Worklight, 5" Round, Optilux**
Worklight 1 Location	**Scraper**
Worklight 1 Type	**LED Worklight, 5" Round, Optilux**
Worklight Quantity	**Quantity 4 Worklights**
Roof Spotlight	**Not Required**
Mirrors	**Not Required**
Driving Lights	**Driving Lights Not Required**
Plow Lights Brackets	**Stainless Steel, OEM Mount, International, Pair**
Plow Lights	**ABL, Heated**
Dump Body Rear Lighting	**2 Each Side**
Dump Body Light Box	**Not Required**
Position 2 from Bottom Strobe Color	**White/Amber Combo Strobe**
Rear Bolster Light Position 2 from Bottom	**Strobe**
Rear Bolster Light Position 1 from Bottom	**Stop/Tail/Turn/Backup**
Dump Body Side Bolster Lighting	**2.5" Red/6" Obround Combination**

Bolster Rear Side Strobe	**White/Amber Combo Strobe**
Dump Body Rub Rail Lighting	**Obround Midway Rub Rail Light**
Dump Body Rub Rail Light Color	**Amber Rub Rail Lighting**
Cabshield Front Light Quantity	**No Forward Facing Lights**
Cabshield Rear Facing Light Type	**(2) S/T/T (2) Strobe Lights**
Cabshield Rear Facing Light Quantity	**4 Rear Facing Light Holes**
Cabshield Side Facing Light QTY	**No Side Facing Lights**
Cabshield Beacon Light	**Cabshield Beacon Light Not Required**
Cabshield Rear Facing Strobe Color	**Amber 6" Strobes**
Hydraulic System Source	**Henderson Supplied Hydraulic System**
Hydraulic System Manufacturer	**Force America**
Control Mount Location	**Hydraulics Provided Control Mount**
Hydraulic Control Type	**Electric Controls**
PTO Type	**Included In Hydraulics**
Reservoir Type	**Reservoir Supplied With Hydraulics**
Hydraulic Package	**Full Hydraulic Package**
Total Number of Quick Coupler Pairs Required	**10 Pair QD Couplers**
Quick Coupler Upgrade	**Stainless Steel QD Couplers**
Return Filter	**Supplied With Hydraulic Package**
Low Oil Indicator	**Supplied With Hydraulic Package**
High Temperature Oil Shutdown	**High Temp Oil Shutdown Not Required**
Low Oil Shutdown	**Not Required**
Valve Enclosure Mount Location	**Driver Side Valve enclosure, Frame Mount**
Valve Enclosure Size	**Supplied With Hydraulic Package**
Valve Enclosure Supplier	**Valve Enclosure Supplied w/ Hydraulics**
Plow Pressure Relief Valve	**Plow Pressure Relief included In Hydraulics**
Stainless Steel Tubing	**SS Lines to Front and Rear of Truck**
Body Paint Type	**No Henderson Upfit Paint Required**
Clear Coat Finish	**No Clear Coat Finish Required**
Asphalt Lip Paint Type	**Asphalt Lip Paint Not Required**
Undercoat	**No Undercoat Required**
Touch Up Paint	**Black Out Paint on Hardware**
Special Request Quick Disconnect Mount Pintle Plate	MOUNT ABOVE PINTLE PLATE ON SHELF OF TRUNNION.
Special Request 240 Gal Behind The Cab Prewet Tank	**NOTE FOR CUSTOMER:** LIQUID FILL TO BE FILLED FROM DRIVERS SIDE OF TRUCK.
Special Request 72" Lght Bar Ildot Short Whelen	**TAKEDOWN AND ALLEY LIGHTS TO BE ADDED TO THE LIGHTBAR:** (2)181543 KIT, LED, TAKEDOWN, PAIR.
Special Request Dump Body Side Bolster Light 2.5" And Obround Combination	CHANGE THE 2.5" LIGHT TO A 3/4" MARKER LIGHT.
Special Request	

Amber Rub Rail Lighting	(2)192242 LIGHT, OVAL, AMBER/WHT, LED,5GF 5G SERIES, SPLIT-COLOR.
Special Request Cabshield Lights Not Required	**INSTALL 2.5" MARKER LIGHTS IN FRONT OF CABSHIELD:** (2)259105 LIGHT, MARKER, AMBER,2.5", LED.
Special Request Side Facing Stobe None	**INSTALL AMBER/WHITE COMBO STROBES:** (2)192242 LIGHT, OVAL, AMBER/WHT, LED,5GF 5G SERIES, SPLIT-COLOR.
Special Request Rear Facing Cabshield Amber 6" Strobes Qty 2	REAR FACING CABSHIELD LIGHTS ARE INCLUDED IN THE WHELEN ILDOT LIGHT KIT.
Special Request Hydraulic System Manufacturer: Force America	FORCE AMERICA HYDRAULICS QUOTE# QT001-2106696-1 • Has future wing provisions • Valve to operate D/A Hoist, D/A Plow raise with power float, D/A Plow angle, D/A Wing toe, Da Wing heel, D/A Scraper raise, D/A Scraper angle, Prewet, Auger and Spinner. • Includes closed loop auger and prewet feedback, includes ARC wireless sensor, includes three complete camera kits. • Hot Shift PTO • 6100 Spreader Controller

Original Package Price: $224,155.00

Total Package with applicable NPPGov Discount: $191,175.16

100% Deposit (3.5% Discount): $184,484.03

Freight: $1,029.00

Package (s): 2

Total: $371,026.06

Due to the volatility in material costs and chassis delays, pricing is subject to change at time of manufacturing and/or upfit.

Henderson offers a deposit programe with additional discounts. Please contact your Henderson sales representative for more details.

All terms and conditions apply. Terms of Sale Document available at http://www.hendersonproducts.com/assets/Terms_of_sale.pdf

Signed:_____ **Date:**_____

Quote notes: