


# Village of Homewood Alley

## Blast Lighting Study

# Fixture Placement

## Plan View

KEY	FIXTURE DESCRIPTION	MOUNTING HEIGHT
■	Blast Powercore gen5, IntelliHue	15' - 0" AFF





### Notes:

- Renderings are for conceptual purposes only.
- Mock-up is recommended to ensure design intent is met.

# Photometric Calculation

Option 1: Blast IntelliHue, 60° Beam - Pseudo Color





## Notes:

- Renderings are for conceptual purposes only.
- Mock-up is recommended to ensure design intent is met.

FIXTURE DESCRIPTION	BEAM ANGLE
Blast Powercore gen5, IntelliHue	60°

# Photometric Calculation

Option 1: Blast IntelliHue, 60° Beam - Rendering





Notes:

- Renderings are for conceptual purposes only.
- Mock-up is recommended to ensure design intent is met.

FIXTURE DESCRIPTION	BEAM ANGLE
Blast Powercore gen5, IntelliHue	60°

# Photometric Calculation

Option 2: Blast IntelliHue, OptiField - Pseudo Color





## Notes:

- Renderings are for conceptual purposes only.
- Mock-up is recommended to ensure design intent is met.

FIXTURE DESCRIPTION	BEAM ANGLE
Blast Powercore gen5, IntelliHue OptiField	OptiField

# Photometric Calculation

Option 2: Blast Intellihue, OptiField - Rendering



Notes:

- Renderings are for conceptual purposes only.
- Mock-up is recommended to ensure design intent is met.

FIXTURE DESCRIPTION	BEAM ANGLE
Blast Powercore gen5, IntelliHue OptiField	OptiField