



December 9, 2024

Fire Chief Robert Grabowski Village of Homewood 2020 Chestnut Road Homewood, IL 60430

Subject: Proposal for one (1) Pierce Enforcer HDR-Pumper

Proposal / Bid 711

Dear Fire Chief Grabowski.

With regard to the above subject, please find attached our completed proposal.

Pricing Summary:

Sale Price - \$1,385,000.00*

*Houston-Galveston Area Council (HGAC) Consortium Pricing.

100% Performance Bond:

Included in the above sale price.

Terms and Conditions:

Taxes -

Not Applicable

Freight -

F.O.B. - Appleton, WI / Shipping to Homewood, IL

Terms -

Net due prior to vehicle(s) release at the Pierce Manufacturing Plant

(Appleton, WI).

Delivery* -

48.5 – 51.5 months from receipt and acceptance of contract.

^{*}Due to global supply chain constraints, any delivery date contained herein is a good faith estimate as of the date of this order/contract, and merely an approximation based on current information. Delivery updates will be made available, and a final firm delivery date will be provided as soon as possible.





Said apparatus and equipment are to be built and shipped in accordance with the specifications hereto attached, delays due to strikes, war, or international conflicts, or other causes beyond our control not preventing, could alter the delivery schedule.

The specifications herein contained, shall form a part of the final contract, and are subject to changes as desired by the purchaser, provided such changes are acknowledged and agreed to in writing by the purchaser.

Various state or federal regulation agencies (e.g., NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting cost increases incurred to comply therewith will be added to the Purchase Price to be paid by the Customer. Any future drive train upgrades (engine, transmission, axles, etc.) or any other specification changes have not been calculated into our annual increases and will be provided at additional cost. The Company reserves the right to update pricing in response to manufacturer-imposed increases as a result of PPI inflation. The Company will document and itemize any such price increase for the Customer's review and approval before proceeding. Should the customer choose not to accept the pricing update, the customer has the ability to cancel without penalty.

This proposal for fire apparatus conforms with all Federal Department of Transportation (DOT) rules and regulations in effect at the time of bid, and with all National Fire Protection Association (NFPA) Guidelines for Automotive Fire Apparatus as published at the time of bid, except as modified by customer specifications.

The attached proposal is valid until January 30, 2025.

We trust the above and the enclosed to be full and complete at this time; however, should you have any questions or require additional information, please do not hesitate to contact me at 815-693-9015 or vince.baudek@macqueengroup.com.

We wish to thank the Village of Homewood for the opportunity to submit our proposal.

Respectfully.

Vince Baudek

Vince Baudek
Apparatus Sales
MacQueen Equipment LLC
DBA MacQueen Emergency Group



PURCHASE AGREEMENT

This Purchase Agreement (together with all attachments referenced herein, the "Agreement"), made and entered into by and between MacQueen Equipment, LLC, as Delaware corporation DBA MacQueen Emergency ("MacQueen"), and Village of Homewood, (customer) is effective as of the date specified in Section 3 hereof.

1. Definitions

- **a.** "**Product**" means the fire apparatus and any associated equipment furnished for the Customer by MacQueen, pursuant to the specifications.
- **b.** "Specifications" means the general specifications, technical specifications, orientation, and testing requirements for the Product contained in the MacQueen Proposal for the Product prepared in response to the Customer's request for proposal.
- **c.** "MacQueen Proposal" means the proposal provided by MacQueen attached as Exhibit C prepared in response to the Customer's request for proposal.
- d. "Delivery" means the date MacQueen is prepared to make physical possession of the Product available to the Customer.

2. Purpose

This Agreement sets forth the terms and conditions of MacQueen's sale of the Product to the Customer.

3. Term of Agreement

This Agreement will become effective on the date it is signed and approved by MacQueen's authorized representative pursuant to Section 22 hereof ("Effective Date") and, unless earlier terminated pursuant to the terms of this Agreement, it will terminate upon the Customer's Acceptance and payment in full of the Purchase Price.

4. Purchase and Payment

The Customer agrees to purchase the Product specified on Exhibit A for the total purchase price of \$1,385,000.00 ("Purchase Price"). Prices are in US Funds.

NOTE: Upon final inspection at the factory for pick-up or delivery, the customer will need to supply a "Certificate of Insurance" and "FULL PAYMENT" prior to release of the vehicle, unless prior arrangements for vehicle's release have been made.

5. Future Changes

Various state or federal regulation agencies (e.g., NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting cost increases incurred to comply therewith will be added to the Purchase Price to be paid by the Customer. Any future drive train upgrades (engine, transmission, axles, etc.) or any other specification changes have not been calculated into our annual increases and will be provided at additional cost. The Company reserves the right to update pricing in response to manufacturer-imposed increases as a result of PPI inflation. The Company will document and itemize any such price increase for the Customer's review and approval before proceeding. Should the customer choose not to accept the pricing update, the customer has the ability to cancel without penalty or cancellation fee.

6. Agreement Changes

The Customer may request that MacQueen incorporate a change to the Products or the Specifications for the Products by delivering a change order to MacQueen; provided, however, that any such change order must be in writing and include a description of the proposed change sufficient to permit MacQueen to evaluate the feasibility of such change ("Change Order"). Within seven (7) business days of receipt of a Change Order, MacQueen will inform the Customer in writing of the feasibility of the Change Order, the earliest possible implementation date for the Change Order, of any increase or decrease in the Purchase Price resulting from such Change Order, and of any effect on production scheduling or Delivery resulting from such Change Order. MacQueen shall not be liable to the Customer for any delay in performance or Delivery arising from any such Change Order. A Change Order is only



effective when counter-signed by MacQueen's authorized representative. Only the listed customer person(s) specified on Exhibit A may be able to authorize and sign the Change Order.

7. Cancellation/Termination

In the event this Agreement is cancelled or terminated by the Customer before completion, MacQueen may charge a cancellation fee. The following charge schedule based on costs incurred may be applied: (a) 10% of the Purchase Price after order is accepted and entered by MacQueen; (b) 20% of the Purchase Price after completion of approval drawings, and; (c) 30% of the Purchase Price upon any material requisition. The cancellation fee will increase accordingly as costs are incurred as the order progresses through engineering and into manufacturing. MacQueen endeavors to mitigate any such costs through the sale of such Product to another purchaser; however, Customer shall remain liable for the difference between the Purchase Price and, if applicable, the sale price obtained by MacQueen upon sale of the Product to another purchaser, plus any costs incurred by MacQueen to conduct any such sale.

8. Delivery, Inspection, and Acceptance

a. Delivery

Delivery of the Product is approximately 48.5-51.5 months of the Effective Date of this Agreement. Risk of loss shall pass to Customer upon Delivery. Delivery shall be made and title documentation shall pass upon Customer's complete fulfillment of its obligations arising under Section 4 hereof. Due to global supply chain constraints, any delivery date contained herein is a good faith estimate as of the date of this order/contract, and merely an approximation based on current information. Delivery updates will be made available, and a final firm delivery date will be provided as soon as possible.

b. Inspection and Acceptance

Upon Delivery, Customer shall have fifteen (15) days within which to inspect the Product for substantial conformance to the material Specifications, and in the event of substantial non-conformance to the material Specifications to furnish MacQueen with written notice sufficient to permit MacQueen to evaluate such non-conformance ("Notice of Defect"). Any Product not in substantial conformance to material Specifications shall be remedied by MacQueen within thirty (30) days from the Notice of Defect. In the event MacQueen does not receive a Notice of Defect within fifteen (15) days of Delivery, Product will be deemed to be in conformance with Specifications and Accepted by Customer.

9. Notice

Any required or permitted notices hereunder must be given in writing at the address of each party set forth below, or to such other address as either party may substitute by written notice to the other in the manner contemplated herein, by one of the following methods: hand delivery; registered, express, or certified mail, return receipt requested, postage prepaid; or nationally-recognized private express courier:

MacQueen Equipment, LLC 1125 7th Street East St. Paul, MN 55106 Village of Homewood Fire Chief Robert Grabowski 2020 Chestnut Road Homewood, IL 60430

10. Standard Warranty

The equipment sold herein will be manufactured by Pierce Manufacturing, Inc. and any warranties are attached hereto as Exhibit B and made a part hereof. Any additional warranties must be expressly approved in writing by Pierce's authorized representative and MacQueen.

a. Disclaimer

Other than as expressly set forth in this agreement, neither Pierce, its Parent Company, Affiliates, Subsidiaries, Licensors, suppliers, distributors, dealers, including without limitation, MacQueen, or other respective officers, directors, employees, shareholders, agents or representatives, make any express or implied warranties with respect to the products provided hereunder or otherwise regarding this agreement, whether oral or written, express, implied or statutory. Without limiting the foregoing, any implied warranty against infringement, and the



implied warranty of condition of fitness for a particular purpose are expressly excluded and disclaimed. Statements made by sales representatives or in promotional materials do not constitute warranties.

b. Exclusions of Incidental and Consequential Damages

In no event shall MacQueen be liable for consequential, incidental or punitive damages incurred by Customer or any third party in connection with any matter arising out of or relating to this Agreement, or the breach thereof, regardless of whether such damages arise out of breach of warranty, tort, contract, strict liability, statutory liability, indemnity, whether resulting from non-delivery or from MacQueen's own negligence, or otherwise.

11. Insurance

MacQueen maintains the following limits of insurance with a carrier(s) rated A- or better by A.M. Best:

Commercial General Liability Insurance:

Products/Completed Operations Aggregate: \$ 2,000,000

Each Occurrence: \$2,000,000

Umbrella/Excess Liability Insurance:

Aggregate: \$5,000,000

Each Occurrence: \$5,000,000

The Customer may request MacQueen to provide the Customer with a copy of a current Certificate of Insurance with the coverages listed above.

12. Indemnity

The Customer shall indemnify, defend and hold harmless MacQueen, its officers, employees, dealers, agents or subcontractors, from any and all claims, costs, judgments, liability, loss, damage, attorneys' fees or expenses of any kind or nature whatsoever (including, but without limitation, personal injury and death) to all property and persons caused by, resulting from, arising out of or occurring in connection with the Customer's purchase, installation or use of goods sold or supplied by MacQueen which are not caused by the sole negligence of MacQueen or Pierce.

13. Force Majeure

MacQueen shall not be responsible nor deemed to be in default on account of delays in performance due to causes which are beyond MacQueen's control which make MacQueen's performance impracticable, including but not limited to civil wars, insurrections, strikes, riots, fires, storms, floods, other acts of nature, explosions, earthquakes, accidents, any act of government, delays in transportation, inability to obtain necessary labor supplies or manufacturing facilities, allocation regulations or orders affecting materials, equipment, facilities or completed products, failure to obtain any required license or certificates, acts of God or the public enemy or terrorism, failure of transportation, epidemics, quarantine restrictions, failure of vendors (due to causes similar to those within the scope of this clause) to perform their contracts or labor troubles causing cessation, slowdown, or interruption of work.

14. Default

The occurrence of one or more of the following shall constitute a default under this Agreement:

(a) the Customer fails to pay when due any amounts under this Agreement or to perform any of its obligations under this Agreement; (b) MacQueen fails to perform any of its obligations under this Agreement; (c) either party becomes insolvent or become subject to a bankruptcy or insolvency proceedings; (d) any representation made by either party to induce the other to enter into this Agreement is false in any material respect; (e) the Customer dissolves, merges, consolidates or transfers a substantial portion of its property to another entity; or (f) the Customer is in default or has breached any other contract or agreement with MacQueen.

15. Relationship of Parties

Neither party is a partner, employee, agent, or joint venture of or with the other.

16. Assignment

Neither party may assign its rights and obligations under this Agreement unless it has obtained the prior written approval of the other party.



17. Governing Law; Jurisdiction

Without regard to any conflict of law's provisions, this Agreement is to be governed by and under the laws of the state of Minnesota.

18. Facsimile & Electronic Verified Signatures

The delivery of signatures to this Agreement by facsimile transmission and/or electronic verified shall be binding as original signatures.

19. Entire Agreement

This Agreement shall be the exclusive agreement between the parties for the Product. Additional or different terms proposed by the Customer shall not be applicable, unless accepted in writing by MacQueen's authorized representative. No change in, modification of, or revision of this Agreement shall be valid unless in writing and signed by MacQueen's authorized representative.

20. Conflict

In the event of a conflict between the Customer Specifications and the MacQueen Proposal, the MacQueen Proposal shall control.

21. Additional Orders

Company, at its sole discretion, will allow the terms of this contract to be extended to both the Customer, as well as to other Municipal, State, or Federal agencies for similar unit(s). Company will allow tag on / additional orders for up to three (3) years from the date of contract execution. To facilitate pricing, Company will quote the original price plus manufacturer's price increases or Producer's Price Index (PPI) whichever is greater as it applies to either Fire Apparatus and/or commercial heavy truck industries. Additionally, any regulatory changes (NFPA, EPA, Engine Emissions, FMVSS, etc.) will also have to be added to the price as they become applicable. Change orders to the original specification will need to be authorized, signed, and accepted by Company. Any entity using this tag-on/additional orders program will be required to sign a new contract commencing the relationship. Additionally, if required by the Purchaser, any new tag-on / additional orders that require a "separate" Performance bond will be separately priced. This contract, including its appendices, embodies the entire agreement between the parties relating to the subject matter contained herein and merges all prior discussions and agreements. No agent or representative of Company has authority to make any representations, statements, warranties, or agreements not herein expressed and all modifications of amendments of this agreement, including any appendices, must be in writing and executed by an authorized representative of each of the parties hereto. No surety of any performance bond given by Company to the Customer in connection with this Agreement shall be liable for any obligation of Company arising under the Standard Applicable Warranty.

22. Signatures

This Agreement is not effective unless and until it is approved, signed and dated by MacQueen's authorized representative.

Accepted and Agreed to:

MACQUEEN EQUIPMENT, LLC	VILLAGE OF HOMEWOOD
Signature:	Signature:
Name:	Name:
Title:	Title:
Date:	Date:



EXHIBIT A – PURCHASE PAYMENT TERMS & CONDITIONS

MacQueen Equipment, LLC 1125 7th Street East St. Paul, MN 55106

Customer Name Village of Homewood

Date December 9, 2024

Quantity	Chassis Type	Body Type	Contract Price per Unit
1	Enforcer	HDR-Pumper	\$1,385,000.00*

*Houston-Galveston PERFORMANCE BOND: Included in the contract price.	Area Council (HGAC) Consortium Pricing.
Only the below listed person(s) are authorized to ma	ke changes to product specifications on behalf of the Customer.
Name	Title
this contract is available for inter-local and other deleting any Company available options, including	municipal corporations to utilize with the option of adding or chassis models. Any addition or deletion may affect the unit price.
"PAYMENT TERMS" 100% of contract price or any Manufacturing Plant (Appleton, WI).	balance is due prior to vehicle(s) release at the Pierce
"TAXES" Federal, State, and Local Taxes are not in	ncluded in the contract price.
"LATE PAYMENT" A late fee of .033% of the sale p (10) days after the payment is due for the first the payment is received.	orice will be charged per day for overdue payments beginning ten irty (30) days. The late fee increases to .044% per day until the
taxes, excises and levies that MacQueen may be required to pay or collect purchase, delivery, storage, processing, use, consumption, or transportation shall be added to the Purchase Price. All delivery prices or prices with freight such rates, the prices on all unshipped Product will be increased or decrease month or such lesser amount permitted by law. MacQueen will not be requir assessment in the event of a dispute caused by a substantial nonconformanc (5%) of the Purchase Price until such time that MacQueen substantially rem Delivery. If the disputed amount is the freight charge, the Customer may wi (60) days after Delivery. MacQueen shall have and retain a purchase money sany of its affiliated companies to secure payment of the Purchase Price for a	t make such financial arrangements through a financial institution acceptable to MacQueen.] All by reason of any present or future law or by any governmental authority based upon the sale, of the Product sold by MacQueen to the Customer shall be for the account of the Customer and allowance are based upon prevailing freight rates and, in the event of any increase or decrease in data coordingly. Delinquent payments shall be subject to a carrying charge of 1.5 percent (1.5%) per red to accept payment other than as set forth in this Agreement. However, to avoid a late charge with material Specifications (other than freight), the Customer may withhold up to five percent redies the nonconformance with material Specifications, but no longer than sixty (60) days after thhold only the amount of the freight charge until the dispute is settled, but no longer than sixty eccurity interest in all goods and products now or hereafter sold to the Customer by MacQueen or Il such goods and products. In the event of nonpayment by the Customer of any debt, obligation in, MacQueen shall have and may exercise all rights and remedies of a secured party under Article ta.
AS OF <u>December 9, 2024</u> BETWEEN MACQUEEN AND ARE HEREBY INCORPORATED IN, AND MADE PART OF,	TO THE PURCHASE AGREEMENT TERMS AND CONDITIONS DATED VIllage of Homewood (customer) WHICH TERMS AND CONDITIONS THIS PURCHASE DETAIL FORM AS THOUGH EACH PROVISION WERE NT OTHERWISE STATED OR SUPPLEMENTED BY MACQUEEN
Is Customer Name and Address listed on page 2 to be If not, please provide correct name and address to be	
Is there a lienholder? ☐ Yes ☐ No If yes, please provide lienholder Name & Address	



EXHIBIT B – PROPOSAL OPTION LIST WITH WARRANTIES

SEE ATTACHED PROPOSAL OPTION LIST Bid Number 711 Dated 12/9/2024 FOR ALL APPLICABLE OPTIONS AND WARRANTIES APPROVED WITH CONTRACT.						



Option List

12/9/2024

Customer: Representative HOMEWOOD FIRE DEPARTMENT, Village of

Baudek, Vince

Organization:

MacQueen Emergency Group

Requirements Manager:

Description:

Homewood Fire Department Enforcer Pumper HDR Pumper, Heavy Duty Rescue, Stainless Steel, 3G

Body: Chassis:

Enforcer Chassis, HDRP

Bid Number:

Job Number:

Number of Units:

Bid Date:

12/04/2024

711

1

Stock Number:

Price Level:

51 (Current: 51)

Lane:

Line Option	Type Option Description	Qty
1 0766611	Pumper Boiler Plate	1
	Fire Department/Customer - Homewood Fire Department	1.50
	Operating/In conjunction W-Service Center - Operating	
	Miles - 50 Miles	
	Number of Fire Dept/Municipalities - 5	
	Bidder/Sales Organization - MacQueen Emergency Group	
	Delivery - Delivery representative	
2 0661794	Dealership/Sales Organization, Service - MacQueen Emergency Group Single Source Compliance	1
3 0584456	Manufacture Location, Appleton, Wisconsin	1
4 0584452	RFP Location: Appleton, Wisconsin	1
5 0588609	Vehicle Destination, US	1
6 0670275	Unit to be Similar in some Aspects, Excluding Pump Panel	1
	Fill in Blank - 33390	::19
7 0816491	Comply NFPA 1900 Changes Effective Jan 1, 2024, With Exceptions	1
8 0533347	Pumper/Pumper with Aerial Device Fire Apparatus	1
9 0588611	Vehicle Certification, Pumper	1
10 0661778	Agency, Apparatus Certification, Pumper/Tanker, U.L.	1
11 0816495	Certification, Vehicle Inspection Program, NFPA 1900	1
12 0000114	Inspection Trip(s)	2
	Qty, - 02	_
	Fill in Blank - four	
13 0000113	Table of Contents	1
14 0536644	Customer Service Website	1
15 0620362	HGAC	1
16 0537375	Unit of Measure, US Gallons	1
17 0529326	10%, Pierce Built Chassis	1
18 0816574	P-Bond, 100% w/ Warranty, 1 Yr. PP!	1
	Percentage, Contract - 100	
19 0000007	Approval Drawing	1
20 0727745	Drawing, Compartment Layout, HDRP	1
21 0002928	Electrical Diagrams	1
22 0624557	Enforcer Chassis	1
23 0000110	Wheelbase	1
04.0000070	Wheelbase - 187.50"	
24 0000070	GVW Rating	1
25 0729280	GVW rating - 49,800#	4
26 0889469	Frame Rails, 13.38 x 3.50 x .375, Enforcer Frame Liner, "C/Inv L" 12.50" x 3.00" x .25", AXT/Vel/Imp/Enf, 56" QVal	1
27 0629940	22,800 lb TAK-4 Axle	1
28 0010427	Suspension, Front TAK-4, 22,800 lb, Qtm/AXT/lmp/Vel/Enf/SFR	1
29 0087572	Shock Absorbers, KONI, TAK-4, Qtm/AXT/Imp/Vel/DCF/Enf	1
30 0000322	Oil Seals, Front Axle	1
31 0899438	Tires, Front, Goodyear, Armor MAX MSA, 425/65R22.50, 20 ply	1
32 0752585	Wheels, Front, Alcoa, 22.50" x 12.25", Aluminum, Dura-Black, Hub Pilot	1
33 0530461	Axle, Rear, Meritor RS30-185, 31,000 lb, Saber/Enforcer	1
34 0818721	Top Speed of Vehicle, 68 MPH/109 KPH, Non-NFPA/ULC 2024	1
35 0635109	Suspen, Rear, Single Slipper Spring, 31,000 lb, Saber FR/Enforcer	1
36 0000485	Oil Seals, Rear Axle	1
37 0627529	Tires, Rear, Goodyear, G751 MSA, 315/80R22.50, LRL, Single	1
38 0752587	Wheels, Rear, Alcoa, 22.50" x 9.00", Alum-Stl, Dura-Black, Hub Pilot, Single	1
X 10%		25 100 10

	Option	Туре	Option Description	Qty
	0568081		Tire Balancing, Counteract Beads	1
40	0620570		Tire Pressure Monitoring, RealWheels, AirSecure, Valve Cap, Single Axle	1
44	0004000		Qty, Tire Pressure Ind - 6	
	0801909		Lug Nut, Covers, Chrome	1
	0742337		Mud Flap, Full Width, Under Rear Tailboard, Custom Logo	1
	0002045		Mud Flap, Front and Rear, Pierce Logo	1
44	0544802		Chocks, Wheel, SAC-44-E, Folding, (Up to 44" Diameter Tires)	1
45	0544806		Qty, Pair - 01 Mounting Brackets, Chocks, SAC-44-E, Folding, Horizontal	1
43	0344000			'
			Qty, Pair - 01	
46	0820509		Location, Wheel Chocks - Left Side Rear Tire, Forward and Rearward ESC/ABS/ATC Wabco Brake System, Single Rear Axle, NFPA 1900/ULC	1
	0030185		Brakes, Knorr/Bendix 17", Disc, Front, TAK-4	1
	0803729		Brakes, Meritor, Cam, Rear, 16.50 x 8.63" No Dust Shield	1
	0020784		Air Compressor, Brake, Cummins/Wabco 18.7 CFM	1
	0637584		Brake Reservoirs, 5,376 Cubic Inch Minimum Capacity, Saber FR/Enforcer	1
			Paint Color, Air Tanks - Black #98	
51	0790412		Air Dryer, Wabco System Saver 1200 IWT, Heated, SFR/Enf	1
52	0070790		Brake Lines, Nyl w/Wire Reinf At Ea Brake Chamber	1
53	0000856		Air Inlet, with Kussmaul Air Eject	1
			Location, Air Coupling(s) - ddd) DS Above Front Wheel	·
			Qty, Air Coupling (s) - 1	
54	0060852		Cover, Weatherproof, for Recessed Kussmaul Air Inlet	1
			Color, Kussmaul Cover - b) red	
55	0808535		Engine, Cummins X10, 450 hp, 1250 lb-ft, W/OBD, EPA 2027, Saber FR/Enforcer	1
56	0811409		Not Required, Engine Contingency Adjustment	1
57	0001244		High Idle w/Electronic Engine, Custom	1
58	0687994		Engine Brake, Jacobs Compression Brake, Cummins Engine	1
			Switch, Engine Brake - e) ISC/ISM/ISL9/ISX Hi Med Lo	
	0644227		Clutch, Fan, Air Actuated, Saber FR/Enforcer	1
	0644573		Air Intake, Water & Ember Screen, Saber FR/Enforcer	1
61	0814375		Exhaust System, Horizontal, Right Side	1
			Exhaust, Diffuser - Aluminized Steel (Standard)	
			Exhaust, Material/Finish - Aluminized Steel (Standard)	
			Location, Diffuser Termination - 2.00" Past Rub Rail (Standard)	
62	0816167	SP	Tip, Exhaust - Straight Tip (Standard) Adapter, Exhaust, Plymovent Magnetic Grabber, for 6" or 7" Diffuser Outlet	1
	0788765	O.	Radiator, Saber FR/Enforcer	1
	0722490		Cooling Hoses, Gates Silicone and Rubber Combination - Custom	1
	0074074		Fuel Tank, 65 Gallon, Left Side Fill, Aluminum	â
			Finish - Painted, Chassis Frame Color	
66	0001129		Lines, Fuel	1
	0692516		DEF Tank, 4.5 Gallon, DS Fill, Rear of Axle, Common Door, Spring Flip Door	1
			Door, Material & Finish, DEF Tank - Painted	
68	0723716		Fuel Priming Pump, Electronic, Automatic, Cummins, No Swt Req'd	1
69	0582243		Shutoff Valves, Fuel Line @ Primary Filter, Cummins	1
70	0553019		Cooler, Engine Fuel, Imp/Vel, SFR/Enf	1
71	0663938		Label, "DEF Fluid Only", Mounted On Inside Of DEF Fill Door	1
72	0690880		No Selection Required From This Category	1
73	0887559		Trans, Allison 6th Gen, 3000 EVS P, w/Prognostics, Imp/Vel/SFR/Enf	1
74	0625329		Transmission, Shifter, 5-Spd, Push Button, 3000 EVS	1
75	0684459		Transmission Oil Cooler, Modine, External	1
76	0550313		Label @ Transmission Fill Point, "Synthetic Fluid Only"	1
77	0024895		Mode, Downshift, Aggressive downshift to 2nd, w/engine brake, 5 speed	1
78	0801878		Fluid, 3000 Series Trans, Allison Approved TES-668 Synthetic, IPOS, Custom	1
79 (0001370		Driveline, Spicer 1710	1
80 (0669988		Steering, Sheppard M110 w/Tilt, TAK-4, Eaton Pump, w/Cooler	1
81 (0605356		Steering Wheel, 4 Spoke without Controls, Saber FR/Enforcer	1
82 (0690274		Logo and Emblem on Dash	1
			Text, Row (1) One - xxxx	
			Text, Row (2) Two - Homewood	
			Text, Row (3) Three - Fire Dept	

Line Option	Туре	Option Description	Qty
83 0606441		19" Painted Steel Bumper	1
84 0658303	3	Box, Tool w/cover, Left	1
		Stay arm, Tray Cover - b) Pneumatic Stay Arm	
		Latch, Bumper Storage - D ring latch	
85 0625557	•	Hose Restraint, Not Required, Cover Included with Other Option	1
86 0614646	i	No Lift & Tow Package, Imp/Vel, AXT, SFR/Enf	1
87 0002283		Tow Hooks, Painted	1
88 0558109		Notch, Front For Recessing Of Q2B, Painted Bumper	1
		Location - center	
89 0608054		Coating, Protective UL-LX, Hose Tray Cover(s), Black	1
Section 1		Qty, Hose Tray Covers - 1	
90 0608055		Coating, Protective UL-LX, Bumper Gravel Pan, Black	1
91 0698960		Coating, Top Flange, Front Bumper, Outside Exterior, UL-LX Coating, Black	1
92 0648332		7010 Enforcer Cab	1
93 0647919		Engine Tunnel, ISL, Spray Insulation, Saber FR/Enforcer	1
94 0887601		Cab Insulation, Enforcer/Saber FR	1
95 0610508		Rear Wall, Interior, Adjustable Seating, Not Available	1
96 0757880	SP	Rear Wall, Exterior, Cab, Alum Treadplate, UL-LX, Enforcer	1
		Color, UL-LX, Per Item - a) black	
		Material, Exterior Rear Wall - Aluminum Treadplate Full Coverage	
97 0639727		Cab Lift, Elec/Hyd, Manual Override, Saber FR/Enforcer	1
98 0751128		Grille, Painted, Painted Mesh Screen, Front of Cab, Enforcer	1
		Paint Color, Grille Surround - Black #101	
00 0000004		Paint Color, Grille Mesh - Black #101	
99 0002224		Scuffplates, S/S At Cab Door Jambs, 4-Door Cab	1
100 0670252		Material Trim/Scuffplate - c) S/S, Polished	
100 0678352		Scuffplate, S/S, Engine Tunnel, Seat Belt Buckles	1
101 0647932		Not Required, Trim, S/S Band, Across Cab Face, AXT/Saber/Enforcer	1
102 0015440		No Chrome Molding, On side of cab	1
103 0590424		Mirrors, Retrac, West Coast Style, Htd/Rmt, w/Htd/Rmt Convex, Black	1
104 0648170		Half Height Door	1
		Key Model, Cab Doors - 751	
105 0756925	SP	Cab, Exterior Door Handle, Finish - 4-Door, Black	9
106 0630636	OF.	Door Panel, UL-LX, Access, Black Covers, Enforcer 4-Door Cab	7
107 0807029	SP	Controls, Electric Roll-Up Windows, 4dr, 4 Driver Controls, Saber FR/Enforcer	1
107 0007029	3	Steps, 4-Door Cab, Safe-Stride Steps, UL-LX Step Wells, Enforcer	1
108 0770192		Color, UL-LX, Per Item - a) black	920
109 0892638		Handrail, Exterior, Hansen, Knurled, Alum, Black, 4-Door Cab Lights, Cab & Crw Cab Acs Stps, P25, LED w/Bezel, 6lts	1
103 0032030			1)
110 0810282	SP	Color, Trim - Black Housing Fenders, S/S on cab, Extra Wide, UL-LX, Enf	1941
110 0010202	0,		1
111 0754506		Color, UL-LX, Per Item - a) black Handrail, 10", Below Cab Windshield, Hansen Knurled, Black, Pair	4
112 0042105		No Windows, Side of Crew Cab	1
113 0012090		Not Required, Windows, Front/Side of raised roof	1
114 0779033		Not Required, Windows, Front/Side of raised foor Not Required, Windows Rear of Crew Cab, Saber FR/Enforcer	1
115 0001745		Trim, Locking, Windows Rear of Crew Cab, Saber FR/Enforcer Trim, Locking, Window, Black IPO Chrome	1
116 0824309	SP		1
110 0024309	3F	Compt, Saddle, Transverse C/C, Dbl Pan, Sp Int Dr, 70" SFR/Enf	1
		Light, Short Transverse Compt - Pierce, Both Sides	
		Louvers - no louvers	
		Scuffplate, Material/Finish - S/S, Polished Finish, Cab Compt/Component - D/A Finish	
		Door, Cab Exterior Cabinet - Double Pan, (2), Rev Hng, Black, Non-	
		Locking	
		Door, Exterior Stop - 2-Web Strap	
		Door, Cab Interior Cabinet - Lap, Drop, (2) Lever, Blk, Non-Locking	
117 0722796		Dash, Poly, Saber FR/Enforcer	1
118 0664351		Pac Trac, Installed in Cab/Crew Cab	2
		Location - on the back wall of crew cab from the ceiling to the floor each	
		side of forward facing seats	
140 0004000		Qty, - 02	
119 0634206		Mounting Provisions, 1/4" Alum, Full Engine Tunnel, Saber FR/Enforcer	1
9		Mounting Provision Spacing - 1.00"	

Line Option	Туре	Option Description	Qty
119		Material Finish, Cab Interior - Painted	
120 0750824		Cab Interior, Vinyl Headliner, Saber FR/Enforcer, CARE	1
		Color, Cab Interior Vinyl/Fabric - Endure Vinyl - Black Engine Tunnel Cover - Painted	
		Cab Interior Rear Wall Material - Painted Aluminum	
121 0753903		Cab Interior, Paint Color, Saber FR/Enforcer	1
122 0052100		Color, Cab Interior Paint - b) black	1
123 0722696		Floor, Rubber Padded, Cab & Crew Cab, Saber/Enforcer HVAC, Standard-Duty, Enforcer, CARE	1
120 0122000		HVAC System, Filter Access - Tool Free Panel	
		Auxiliary Cab Heater - Both	
		HVAC System, Control Loc Panel Position #12	
124 0745748		Plenum Cover Material - Metal, Painted Tracer Dye, To Detect Air Conditioning System for Leaks	1
125 0012122		Fans, Window Defrost, One (1) Fan on Each Side	i
126 0639675		Sun Visor, Smoked Lexan, AXT, Imp/Vel, SFR/Enf	1
		Sun Visor Retention - Thumb Latch	
127 0748840	SP	Grab Handles, Driver and Officer Door Posts, Both Contoured, SFR/Enf	1
128 0693439		Lights, Engine Compt, Custom, Auto Sw, w/Fld Chk Dr Wln 3SC0CDCR, 3" LED Trim	1
		Qty, - 01	
129 0631830		Fluid Check Access, Saber FR/Enforcer, Arrow XT	1
400 0500050		Latch, Door, Storage - Lift and Turn Latch, Flush	2
130 0599959		Straps, Velcro, Map Box, Custom Chassis	1
		Qty, - 1 Location, Map Box/Straps - Final Inspection	
131 0829234	SP	Map Box, 3 Bin/30 deg Slant, 2 Cup Holders, Custom Chassis	1
		Location - tbd	
		Qty, - 1	
132 0583042		Location, Map Box/Straps - Final Inspection Side Roll and Frontal Impact Protection	1
133 0622619		Seating Capacity, 4 Belted Seats	1
134 0632959		Seat, Driver, Bostrom, Sierra, Air Ride, High Back, Safety, PRIMARY, SFR/Enf	1
135 0632911		Bostrom, Zip Clean Cover - (0) None Seat, Officer, Bostrom Sierra, Air Ride, High Back, Safety, PRIMARY, SFR/Enf	1
100 0002011		Bostrom, Zip Clean Cover - (0) None	1.0
136 0002517		Not Required, Radio Compartment	1
137 0754655		Cabinet, Rear Facing, LS, 23 W x 43 H x 26.75 D, Roll, Ext Acc, SFR/Enf	1
		Light, Short Cabinet - Pierce, Exterior, Left Side, Pierce, Exterior, Right	
		Side, Pierce, Interior, Right Side and Pierce, Interior, Left Side Scuffplate, Material/Finish - S/S, Polished	
		Material Finish, Shelf - Painted - Cab Interior	
		Shelf/Tray, Cabinet - (1) Shelf, Adjustable, 1.25" Up-Turned Lip	
		Door, Cab Exterior Cabinet - Double Pan, Rev Hng, Blk, Locking #751	
		Door, Exterior Stop - Stay Arm Door, Cab Interior Cabinet - Rollup, Gortite, Anodized, Locking #751	
		Louvers, Cabinet - 0-No Louvers	
138 0102783		Not Required, Seat, Rr Facing C/C, Center	1
139 0767456		Cabinet, Rear Facing, RS, 22 W x 43 H x 26.75 D, Roll, Ext Acc, SFR/Enf	1
		Light, Short Cabinet - Pierce, Exterior, Left Side, Pierce, Exterior, Right Side, Pierce, Interior, Right Side and Pierce, Interior, Left Side	
		Scuffplate, Material/Finish - S/S, Polished	
		Material Finish, Shelf - Painted - Cab Interior	
		Shelf/Tray, Cabinet - (1) Shelf, Adjustable, 1.25" Up-Turned Lip	
		Door, Cab Exterior Cabinet - Double Pan, Rev Hng, Blk, Locking #751 Door, Exterior Stop - Stay Arm	
		Door, Cab Interior Cabinet - Rollup, Gortite, Anodized, Locking #751	
440 0400400		Louvers, Cabinet - 0-No Louvers	
140 0108189 141 0745781	SP	Not Required, Seat, Forward Facing C/C, LS Outboard	1 1
141 0740701	JP'	Seat, Fwd Fcng C/C, Ctr, (2) Bostrom 400CT, SCBA,Safety,11" Sp,SECONDARY,SFR/Enf	1
		Bostrom, Zip Clean Cover - (0) None	
142 0108190		Not Required, Seat, Forward Facing C/C, RS Outboard	1

Line Option	Type Option Description	Qty
143 0042359	Upholstery, Seats In Cab, All Vinyl, Bostrom, CARE	4
	Color, Cab Interior Vinyl/Fabric - c) Black	
144 0543991	Qty, - 04 Bracket, Air Bottle, Hands-Free II, Cab Seats	2
145 0603866	Qty, - 02 Seat Belt, Dual Retractor, ReadyReach, Saber FR/Enforcer	1
146 0817557	Seat Belt Color - Red Helmet Storage, Provided by Fire Department, NFPA/ULC 2024	1
147 0647638	Lights, Dome, Weldon Dual LED 4 Lts	1
	Color, Dome Lt - Red & White Color, Dome Lt Bzl - Black Control, Dome Lt White - Door Switches and Lens Switch Control, Dome Lt Color - Lens Switch	
148 0816997	Portable Hand Light, Provided by Fire Dept, NFPA/ULC 2024	1
149 0644187	Cab Instruments, Black Gauges, Black Bezels, Saber FR/Enforcer	1
150 0000544	Emergency Switching - Individual Switches	
150 0002544 151 0543751	Air Restriction Indicator - Pierce Chassis	1
131 0543751	Light, Do Not Move Apparatus	1
152 0637359	Alarm, Do Not Move Truck - Pulsing Alarm Not Required, Door Open Indicator w/Do Not Move Truck Light, Enf/Saber FR	1
153 0632738	Switching, Cab Instrument Lower Console & Overhead, Rocker, Enforcer	1
154 0802940	Wiper Control, 2-Speed with Intermittent, Saber FR/Enforcer	1
	Location, Wiper Control - Standard Location	
155 0821226	NFPA 2024	1
	Qty, - 01	
	12vdc power from - Battery direct	
156 0820898	Location - officer side dash above 12v power point NFPA 2024	1
	Location, Wiring - behind officer side leave enough coiled up. There will be a modem that will be mounted behind seat on sidewall. Label this wire MODEM 12vdc power from - Battery direct	
157 0820897	Wire termination - Butt Splice	
137 0020097	NFPA 2024	1
	Location, Wiring - under front plate on doghouse and labeled TIC camera. Leave enough coiled up	
	12vdc power from - Battery direct	
450 000000	Wire termination - Butt Splice	
158 0820894	NFPA 2024	1
	Location, Wiring - Leave coiled up in electric distribution panel in front of officer and label this MDT. Please leave enough loose wiring. 12vdc power from - Battery direct Wire termination - Butt Splice	
159 0820904	DO NOT TURN ON BATT DIR FEATURES!!	1
	Qty, - 01	
	12vdc power from - Battery switched	
	Wire termination - 15 amp power point plug	
160 0819994	Location, Spare Wiring - Officer Dash Radio, Jensen, AM/FM/WB, Bluetooth	1
	Speakers, AM/FM Radio - Two (2) pairs of speakers, Cab/Crew	e
	Antenna, AM/FM Radio - c) Roof-mounted rubber antenna	
404 070040	Location, AM/FM Radio - e) switch panel	
161 0763646	Vehicle Information Center, LCD On Gauge Cluster Only, Sab/Enf	1
162 0816633	System Of Measurement - US Customary Collision Mitigation, HAAS Alert (R2V), HA7	1
62 0610240	Subscription, HAAS R2V - R2V - 5 Year Data Plan Subscription	- 2
63 0610240 64 0662029	Vehicle Data Recorder w/Seat Belt Monitor	1
0- 0002023	Intercom, Firecom 5200D Dual Radio, 4-Pos, D,O,2C	1
	Location - Position #5 recessed overhead, run interface down to engine tunnel under plate and leave enough loose wire and label Location, Intercom, C Cab - 2) 2 rearward facing seats	
65 0657152	Cable, Radio to Intercom Interface, Firecom, 2 Radios	1
	Radio, First Two-Way Model - Motorola CDM 1250	
	Radio, Second Two-Way Model - Motorola CDM 1250	

Line	Option	Туре	Option Description	Qty
165	1.5		Radio, First Two-Way Make - Motorola High Power	
166	0681383		Radio, Second Two-Way Make - Motorola High Power Headset, Firecom, UH-54 Under Helmet, Intercom Only, Mic On/Off Button	2
			Qty, - 02	
			Location, Headset - DS Outbrd, Rear Fcng Seat and PS Outbrd, Rear	
167	0681389		Fong Seat	2
107	0001309		Headset, Firecom, UH-51 Under Helmet, Radio Transmit	2
			Qty, - 02	
168	0819255		Location, Headset - Driver Seat and Officer Seat Hangers For Headsets, NFPA/ULC 2024, Each	4
100	0010200		Qty, - 04	4
			Location, Headset Hangers - Driver Seat, Officer Seat, DS Outbrd, Rear	
			Forg Seat and PS Outbrd, Rear Forg Seat	
169	0640653		Cable, Firecom Radio Interface Extension, 15'	4
			Location - option 0640653 added to this order to cover the distance	
			between switch panel 5 and lower engine tunnel.	
			Qty, - 04	
170	0616382		Install Customer Provided GPS/Multimode Antenna(s)	1
			Qty, - 01	
171	0562774		Install Customer Provided Thermal Camera(s), Charger Only	1
			Location - tbd	
470	0550540		Qty, - 01	
1/2	0559512		Install Customer Provided MDT, Complete (Qty)	1
			Location - in front of officer in recessed area	
172	0699100		Qty, - 01	4
173	0099100		Install Customer Provided Key Storage, Knox Box, in Cab	1
			Location - tbd	
174	0505836		Qty, - 01 Antenna Mount, Custom Chassis, Maxrad BMATM, Location Feature	2
177	0000000		Location - driver side roof area one each side and run cable to dash area	2
			and label mobile radio	
			Qty, - 02	
			Location, Antenna Cable - instrument panel	
175	0003757		Antenna, Std and Add'l Mts Only, 2-way Radio, Cust, Spl Cable Routing	1
			Location - passenger side roof and run to d-3 compartment for mobile	
			radio	
			Qty, - 01	
4=0			Location 1 - passenger side roof and run to D-3 compartment	
1/6	0808099		Camera, Pierce, 7" HD, R, Camera, AHD	1
			Color - 1) black	
177	0014021		Location, Camera Monitor - Centered Between Sunvisors	
	0814831		Not Required, Camera Switcher	1
1/8	0523921		Recess, Rear Vision Camera	1
170	0624244		Location, Camera, Recessed - Center Rear	4
	0624241		Electrical Power/Signal Protection & Control, Enforcer	1
	0624256		Hard Wired Electrical System	1
	0079178		Batteries, (4) Stryten/Exide Grp 31, 950 CCA ea, SAE Post	1
	0008621		Battery System, Single Start, All Custom Chassis	1
183	0546514		Battery Compartment, Stainless Steel, Saber/Enforcer	1
404	0040506		Material Finish - Painted	1741
	0812586		Charger, Sngl Sys, Kussmaul, Chief 091-266-12-60, 60 Amp	1
	0814869		Location, Cab, Charger, Behind Driver Seat	1
	0811943		Panel, Remote Control, Kussmaul, Chief 091-266-RCP	1
	0814939		Location, Cab, Ind/Remote, Driver's Seat Riser	1
	0819019	SP	Inverter, Xantrex Freedom X, 817-2000, Non-NFPA 2024 Batt Sw	1
	0817288		Location, Cab, Inverter, Behind Officers Seat	1
190	0016857		Shoreline, 20A 120V, Kussmaul Auto Eject, 091-55-20-120, Super	1
			Qty, - 01	
			Color, Kussmaul Cover - b) red	
101	0026800		Shoreline Connection - battery charger and interior receptacles Shoreline Location	:#°
181	UUZUOUU			1
102	0780161		Location, Shoreline(s) - DS Step Well Transfer Switch, Shoreline to Inverter 30 Amp and Under	4
	0764491		Alternator, 420 amp, Leece-Neville BLP4003	1 1
195			7 Memater, 720 amp, 16606-1464116 DLF 4000	

Line Option	Туре	Option Description	Qty
194 0026408		Wiring, Customer Installed Radio, Battery-Direct, Ignition-Power & Ground	1
		Location - compt D-3 and leave enough loose wire	
		Qty, - 1	
195 0644176		Load Manager, Integrated In Electrical System, Saber FR/Enforcer	1
196 0783157		Headlights, Rect LED, JW Spkr Evo 2, Heat, AXT/DCF/Enf/Imp/Sab/Vel **	1
		Color, Headlight Bez - Black Bezel	
197 0758302		Light, Directional, Wln 600 Cmb, Cab Crn, Wrp Bzl Out HD Lts, Enf/Sab, Blk	1
400 0777040		Color, Lens, LED's - m)match LED's	
198 0777910		Light, Directional/Marker, Intermediate, Weldon 9186-8580-29 LED Blk Trim 2lts	1
199 0647802		Lights, Clearance/Marker/ID, Front, P25 LED 5 Lts, Saber FR/Enforcer	1
200 0756641	SP	Lights, Directional, Cab Front Side, Truck-Lite 19036Y LED Blk Trm, AXT/Enf	1
201 0669538		Lights, Clearance/Marker/ID, Rear, P25 LED 7Lts, Pumper/Tanker/PUC	1
202 0804514		Lights, Tail, WIn M62BTT* Red Stop/Tail & M62T* Amber Dir Arw For Hsg	1
		Color, Lens, LED's - Clear	
000 0000400		Flash Pattern, Directional Lts - Steady On (Arrow)	
203 0806466		Lights, Backup, Win M62BU, LED, For Tail Lt Housing	1
204 0889577		Bracket, License Plate & Light, P25 LED, Stainless Brkt	1
205 0704744		Color, Trim - Black Housing	
205 0794744		Bezels, Wln, (2) M6 Black Pierce, For mtg (4) Wln M6 lights	1
206 0681444		Instruction, Order of Tail Lt Instl, Stop, Dir, BU, Warn	1
207 0689672		Alarm, Back-up Warning, PRECO 1048	1
208 0687604		Lights, Perimeter Cab, Truck-Lite 6060C LED 4Dr, Grommet Mt	1
209 0617866		Lights, Perimeter Pump House, Truck-Lite 6060C LED 2lts	1
210 0683575		Lights, Perimeter Body, Truck-Lite 6060C LED 2ts, Rear Step	1
044 0700007		Control, Perimeter Lts - Parking Brake Applied	
211 0728297		Lights, Step, P25 LED 4lts, Ign, Prk Brk Activated, Black Bezel	1
212 0892654		Light, Step, Additional, P25 LED	1
		Qty, Lights - 01	
		Location, Lights - one light in left side cargo compartment above pump,	
		Lights to be switched with parking break	
213 0776357		Color, Trim - Black Housing Light, Visor, Wln, 12V P*H2* Pioneer, Cnt Feature, 1st	1
		Qty 01	
		Location, driver's/passenger's/center - Centered	
		Color, Win Lt Housing - Black Paint	
		Control, Scene Lts - Cab Sw Panel DS and Cab Sw Panel PS	
		Scene Light Optics - Flood/Spot	
214 0774309		Lights, Wln, P*H2* Pioneer, 12 VDC, 1st	1
		Location - DS at raised roof area	
		Qty, - 01	
		Color, WIn Lt Housing - Black Paint	
		Control, Scene Lts - Cab Sw Panel DS, Pump Panel Sw LS and Cab Sw	
		Panel PS	
		Scene Light Optics - combination	
215 0774308		Mount, Wln II - Semi-recessed 0 deg P**2 - Black PBH203BB Lights, Wln, P*H2* Pioneer, 12 VDC, 2nd	1
210 011 1000		Location - PS at raised roof area	-1
		Qty, - 01	
		Color, Win Lt Housing - Black Paint	
		Control, Scene Lts - Cab Sw Panel DS, Pump Panel Sw LS and Cab Sw	
		Panel PS	
		Scene Light Optics - combination	
		Mount, WIn II - Semi-recessed 0 deg P**2 - Black PBH203BB	
216 0774333		Lights, Wln, P*H2* Pioneer, 12 VDC, 2nd	2
		Location - two in PS hatch compartments each side, one at front and one	
		at rear	
		Qty, - 02	
		Color, WIn Lt Housing - Black Paint	
		Control, Scene Lts - PS Scene Lts	
		Scene Light Optics - Flood/Spot	
217 0774579	1	Mount, Wln II - Semi-recessed 0 deg P**2 - Black PBH203BB Lights, Wln, P*H2* Pioneer, 12 VDC, 1st	2
	ļ		2
		Location - two in DS hatch compartments each side, one at front and one at rear	
	7 7 5		1 20

Line	Option	Type	Option Description	Qty
217		181.0	Qty, - 02	
			Color, Wln Lt Housing - Black Paint	
			Control, Scene Lts - DS Scene Lts	
			Scene Light Optics - Flood/Spot	
218	0532358		Mount, WIn II - Semi-recessed 0 deg P**2 - Black PBH203BB Not Required, Deck Lights, Other Hose Bed & Rear Lighting	1
	0645877		Lights, Hose Bed, Sides, Dual LED Light Strips	1
210	00 1001 7		Control, Hose Bed Lts - Cup Switch At Rear	'
220	0645677		Lights, Not Required, Rear Work, Alt. 12 Volt Lights At Rear Body	1
221	0895439		Lights, Rear Scene, WIn, M9LZ* LED	2
			Qty, - 02	_
			Control, Rear Scene Lts - Cab Switch Panel DS, Pump Panel DS and	
			Cup Switch At Rear SS	
			Location, Scene Lights - Each Side Rear Body, High, 2lts	
222	0755070		Color, Trim - Black Trim	
	0755272		Lights, Walk Surf, Dual LED Light Strips, Cargo Area, Frt LS to RS & Rr LS to RS	1
	0745622		Pumper, Heavy Duty Rescue, Stainless Steel, 3G	1
	0554271		Body Skirt Height, 20"	1
	0744398		750 Gallon Water Tank LHB	1
	0003405		Overflow, 4.00" Water Tank, Poly	1
	0028107		Not Required, Foam Cell Modification	1
	0066439 0041289		Modified Poly Tank, Thru-Tunnel for Ladder Storage, Pumper/Aerial	1
			Notch, Poly Tank, Hose, Hydraulic Lines or Wiring	1
230	0633066		Sleeve, Through Tank	3
			Qty, Sleeve - 3	
231	0553725		Water Tank Sleeve - Plumbing/Hydraulic Diameter - 3" Plumbing Restraint, Water Tank, Heavy Duty, Special Type Tank, 4x4, or Export	1
	0003429		Not Required, Direct Tank Fill	1
	0003424		Not Required, Dump Valve	1
	0048710		Not Required, Jet Assist	1
	0030007		Not Required, Dump Valve Chute	1
	0514778		Not Required, Switch, Tank Dump Master	1
	0597043		Body Height, PUC/HDRP	1
			Body Height - 92.00"	•
238	0741174		Hose Bed, Stainless Steel, Heavy Duty Rescue Pumper, Low Hose Bed	1
239	0723340		Unpainted/Brush Finished, Hose Bed, 3G PUC/HDRP	1
240	0003481		Hose Bed Capacity, Special	1
			Capacity, Hosebed - L to R-Bay 1- 200' of 1.75", Bay 2-200' of 2.50" with	
			100' of 1.75", Bay 3- 550' of 5", Bay 4- 400' of 2.50", Bay 5- 200' of 1.75"	
241	0652742		Divider, Hose Bed, .25" Unpainted, Special Height	4
			Qty, Hosebed Dividers - 4	
			Height, Hosebed Divider - Divider 1 will be 24", divider 2 & 3 will be 30", divider 4 will be 24"	
242	0805760		Cover, Hose Bed, Alum Treadplate	1
	0807433		Hose Restraint, Hose Bed, Web, Rear, Separate From Top, Seat Belt	ì
			Color, Strap - Orange	
			Release, Seat Belt Buckle - Bar	
			Fastener, Rear Restraint, Bottom - Seat Belt Buckle (hinged)	
244	0615183		Pull Bar w/1" Strap for Seat Belt Buckle Fasteners	1
			Location - rear of hosebed at top	
			Qty, - 01	
			Fill in Blank - the top	
245	0040433		Color - 2) red	
	0010133		Cross-Divider, Hose Bed	1
240 (0089471		Cutout, Handhold, in Hose Bed Divider	2
247 (0060884		Qty, - 02 Stay Arm, Hose Bod Cover, Machanical	1
	0695399		Stay Arm, Hose Bed Cover, Mechanical	1
	0676723		Running Boards, 14.75" Deep, Front and Rear 45 Degree Corners Tailboard, 16" Deep, Full Width, Angled Corners, PUC/HDRP	1 1
	0690029		Wall, Rear, Body Material, PUC/HDRP	
	003531		Tow Bar, Under Tailboard	1 1
	0695677		Partition, Fixed, Running Board Hose Tray	2
_02 (Location - tbd on PS tray	2
			Location - tou on FS tray	

Line Option	Туре	Option Description	Qty
252		Location, Hose Tray, Running Board - c) RH side	
253 0590926		Qty, - 02 Hose Restraint, Running Board, Velcro Straps	141
200 0000020		Location, Hose Tray, Running Board - Right Side	1
		Qty, Tray, Hose - 1	
254 0815707		Tray, Hose, Running Board, Free Floating, Special Capacity, Tapered	1
		Location, Hose Tray, Running Board - c) RH side	
		Qty, Tray, Hose - 1	
		Capacity, Hose Tray - 25' of 5"	
255 0745621		Tapered Corners - Both Construction, Compt, S/S, Heavy Duty Rescue Pumper	1
256 0722709		LS 189" Lap, (1) 62" Fwd, (1) 52" Rr, FH/FD Frt & Rr, Dbl OTW, No Notch, HDRP	1
257 0722429		RS 189" Lap, (1) 62" Fwd, (1) 52" Rr, FH/FD Frt&Rr, Double OTW, No Notch, HDRP	1
258 0063911		Doors, Lap w/ "D" Handles - Side Compartments	1
259 0808401	SP	Compt, Rear, Dbl Door, 24.50" FF, w/Tailboard, PUC/HDRP	1
260 0073912		Doors, Lap w/"D" Handles-S/S, Rear Compt	1
261 0634947		Scuffplate, Front Bulkheads, Wrapped, Aluminum Diamondplate	1
		Size - full height	
262 0690523		Scuffplate, S/S Around DEF Fill Opening	1
262 0004010		Material Trim/Scuffplate - c) S/S, Polished	_
263 0004010		Scuffplate, Polished S/S Bottom of Door Frame	7
		Location, Door Accessory - all compartment floors Qty, Scuffplates - 07	
264 0004012		Scuffplate, Polished S/S, Inside Each Compartment Door	8
		Qty, Door Accessory - 08	Ü
		Location, Door Accessory - all side body compartments	
265 0746076		Handle, Lap Doors, Hansen, Black	7
		Location - all body compartment doors	
000 0040070		Qty, - 07	
266 0616670		Lights, Compt, Pierce LED, Dual Light Strips, Each Side of Door, Pumper/Tanker	7
		Qty, - 07	
267 0562348		Location, Compartment Lights - All Body Compts Fasteners, Mechanical, Strip Lighting In Compartments	1
268 0515681		189" Hatch, (2) Lift-up, 28" Wide, Both Sides, PUC/HDRP	1
		Size, Hatch Compt, Height - 22.00"	10.
		Trim, Body/Hatch Compt Seam, Horizontal, Pair - Painted Formed - Two	
		Tone	
		Trim, Body/Hatch Compt Seam, Vertical, Pair, PUC - Painted Formed	
269 0733406		Matting, Floor, Hatch Compt - Turtle Tile - Black Handrails, Hatch Step Area, (1) Curved & (1) Straight	1
270 0688124		Lights, Hatch Compt, LED Strip Light, 189", Both Sides	
271 0760868		Lights, Cargo/Dunnage, Dual LED Light Strips, Each Side	1
		Control, Scene Lts - Park Brake	760
272 0687145		Shelf Tracks, Recessed, PUC/3rd Generation	1
273 0600350		500 lb Adjustable Shelf	8
		Qty, Shelf - 08	
		Material Finish, Shelf - Painted - Spatter Gray	
		Location, Shelves/Trays, Predefined - RS2-Centered, RS3-Centered	
		Right of Partition, RS3-Lower Third Right of Partition, RS3-Upper Third Right of Partition, LS1-Centered, LS2-Centered, LS3-Lower Third Right of Partition and	
		LS3-Lower Third Right of Partition (2nd)	
274 0667235	(Cable, Single Hand Operation, Tilt/Slide Out, Utility Trays	3
		Location - Two in RS1, One in LS1	
075 0004004	_	Qty, Tray (slide-out) - 03	
275 0601834		Tray, 215 lb, Tilt/Slide-Out, 30 Deg, Adj, Max Width/Depth, 3G	3
		Location - Two (2) in RS1, One (1) in LS1	
		Qty, Tray (slide-out) - 03 Finish - Painted, Compt Interior, Spatter Gray	
276 0647043	7	Fray, Floor Mounted, Slide-Out, Full Width/Full Depth, 500lb, 2.00" Sides, 3G	3
		Qty, - 03	•
		location - LS1, B-1, RS1	
077 0705040		Material Finish, Tray - Painted - Spatter Gray	
277 0725642	C	Cabinet, Drawer Assembly, CTECH, Three Drawers, Up To 36" Wide, 24" Deep	1
<u></u> 17	T S	Qty, - 01	
40/0/0004 40 04 5		D. L. 11 744	

Line Option	і Туре	Option Description	Qty
277		Location - LS3 left side of partition	
		Size, Drawer Height 1 (Top) - 5.00"	
		Size, Drawer Height 2 - 5.75"	
278 061745	54	Size, Drawer Height 3 - 7.75" Toolboard, Slide-out, Alum, .188", Peg Board, Painted, 3G, Slides Top and Bottom	1
210 001140	, ,	location - RS3 left side of divider	
		Qty - 1	
		Mounting, Toolboard - Adjustable side-side	
279 072641	12	Partition, Trans Rear Compt, PUC/HDRP	2
		Qty, Partition - 02	
		Location, Partition - c) both sides	
		Material Finish, Partition - Painted - Spatter Gray	
280 072640	03	Partition, Vertical Compt, Special Height	1
		Qty, Partition - 01	
		Fill in Blank - same height as toolbox	
		Location - LS3 right side of toolbox	
281 072131	6	Material Finish, Partition - Painted - Spatter Gray Partition, Vertical Compt, Special Location	1
201 0/2131	0		'
		Qty, - 01 Material Finish, Partition - Painted - Spatter Gray	
		Location Within Compartment - RS3 tbd off right side wall	
		Location, Compartment, Predefined - RS3	
282 065049	01	DuraSurf, Compartment Floor	2
		Location - Stokes compartment and ladder compartment	
		Qty, - 02	
283 000972	29	Pac Trac, Installed on Compartment Walls	1
		Location - RS-3 back, left side, and right side of divider	
	_	Qty, Comp. Accessory - 01	
284 079795	i7	Pac Trac, Installed on Compartment Wall, Back Wall Only	3
		Location - RS1, LS1, LS3	
205 006206	.4	Qty, Comp. Accessory - 03	4
285 006306		Rub Rail, Aluminum Extruded, Side of Body, 3rd Gen Body	1
286 089480	13	Fender Crowns, Rear, UL-LX S/S, w/Removable Fender Liner, Pumper, 3G	1
		Color, UL-LX, Per Item - a) black	
287 051984	.q	Material Finish, Fender Liner - Painted Aluminum Lower Body Not Required, Hose, Hard Suction	1
288 077841		Handrails, Side Pump Panels, Per Print, Hansen Knurled Alum Tubing, Black	1
289 077329		Handrails, Rear, PUC/HDRP, Hansen Tubing, Black	1
290 001121		Handrail, Not Required, Rear Hose Bed, Pumper	1
291 075431		Handrail, Extra - 10" Long, Hansen Tubing, Knurled Aluminum, Black	2
	_	Location, Handrails - installed (1) each side atop the forward rear body to	7.5
		assist with climbing to the top of the apparatus	
		Qty, Handrails - 02	
292 065765	1	Compt, Air Bottle, Double, Fender Panel	3
		Qty, Air Bottle Comp - 3	
		Door Finish, Fender Compt - Painted	
		Location, Fender Compt - Double - LS Fwd, Double - RS Fwd and	
		Double - RS Rear	
		Latch, Air Bottle Compt - Southco C2 Black Raised Insert, Air Bottle Compt - W-Shaped Insert	
293 074450	3	Holder, Air Bottle, Zico Model UN-6-30-2-SFPHS, Mounted in Compt w/Tracks	2
		Qty, Bracket - 02	_
		Location, Bracket/comp tbd by department	
294 000422	5	Ladder, 24' Duo-Safety 900A 2-Section	1
295 000423	0	Ladder, 14' Duo-Safety 775A Roof	1
296 073343		Ladder Storage, Thru-Tunnel, Horiz, Banked/Spaced, Encl'd, Addt'l Storage, HDRP	1
		Fill in Blank - a storage trough on the left side to fit high-rise hose. 10.5"	
		tall x 16" wide x 70" long. Matching pretty close to Job 33390	
		Door, Material & Finish, Ladder Storage - smooth aluminum	
		Latch, Door Ladder Storage - D-Handle Latch, Black	
007 070000	7	Door Type - lift up with 2 stay arms	141
297 073338		Ladder, 10' Duo-Safety Folding 585A	1
298 0732958	5	Trough, Folding Ladder, Ladder Storage	1

Line Option	Type Option Description	Qty
299 0816920	Pike Pole, Provided by Fire Department, NFPA/ULC 2024	1
	Qty, - 01	
000 0040040	Pike Pole Make/Model - Fire Hooks Unlimited 10' All Purpose Hook	
300 0816918	Pike Pole, 6', Provided by Fire Department, NFPA/ULC 2024	1
	Qty, - 01	
301 0058193	Pike Pole Make/Model - Fire Hooks Unlimited 6' All Purpose Hook	4
301 0030193	Tubes, Alum, Pike Pole Storage, Spcl Notch, NY PP Head	4
	Location - within the ladder storage compartment two on each side of 10' folding ladder	
	Qty, Pike Pole Tubes - 04	
302 0785103	Steps, Folding, Front of Body, Cargo Bed Access, Eberhard	1
	Location, Steps - Full Height Left and Right Side, Eberhard	
303 0724127	Steps, Folding, Rear of Body, Trident, Black Powder Coat, PUC/HDRP	1
004 0704454	Coating, Step - luminescent	
304 0724151	Step, Folding - Extra, Body Only, Trident, Black Powder Coat	4
	Qty, Folding Step - 04	
	Location, Additional Step - tbd by department	
305 0559070	Coating, Step - black Step, Corner Step - Extra, PUC/HDRP	2
200 00000.0	Location, Additional Step - (2) total one each side to access cargo area.	2
	Situate at corner to meet NFPA while climbing into cargo area	
	Qty, Corner Steps - 2	
306 0007575	48" Control Zone Side Mount	1
307 0035501	Pump House Structure, Std Height	1
308 0049444	Notch Cargo Compt Side Sheet w/ Rollers, Right Side	1
309 0045679	Raise Side Sheet Above Pump House	1
310 0004425	1500 GPM CSU Waterous	1
311 0004482	Seal, Mechanical, Waterous	1
312 0816447	Trans, Pump, Waterous C22 Series	1
313 0635600	Pumping Mode, Stationary Only	1
314 0605126	Pump Shift, Air Mnl Override, Split Shaft, Interlocked, Waterous	1
315 0003148	Transmission Lock-up, EVS	1
316 0004547	Auxiliary Cooling System	1
317 0014486	Not Required, Transfer Valve, Single Stage Pump	1
318 0746501	Valve, Relief Intake, Elkhart	1
	Qty - 1	
	Pressure Setting - 125 psig	
319 0721609	Intake Relief Valve Control - Behind Right Side Pump Panel Controller, Pressure, Pierce LCD, Custom Chassis	1
010 0/21000	Pressure Governor Throttle Control - Clockwise	3.
	Pressure Governor Throttle Control - Clockwise Pressure Governor Default Mode - No Mode/Default Press Setting	
320 0072153	Primer, Trident, Air Prime, Air Operated	1
321 0044552	Line, 0.50" Recirculating w/Check Valve	1
322 0780364	Manuals, Pump, (2) Total, Electronic Copies	1
323 0602512	Plumbing, Stainless Steel and Hose, Single Stage Pump, Control Zone	1
324 0089437	Plumbing Without Foam System	1
325 0004645	Inlets, 6.00" - 1250 GPM or Larger Pump	1
326 0730368	Valve, Ball Intake, TFT, AX Series	1
	Location - PS	
	Qty - 1	
	Connection, Inlet, Side B - 1ST (5.0" Rigid Storz) with a cap	
	Connection, Outlet, Side A - NX (6.0" Threaded Swivel)	
	Ball Intake Valve Actuation - Electric Control	
327 0004646	Relief Valve, Ball Intake - Slip Joint Behind The Panel Cap, Main Pump Inlet, Long Handle, NST, VLH	1
328 0084610	Valves, Akron 8000 series- All	1
329 0016158	Valves, Anton 6000 series All Valve, Inlet(s) Recessed, Side Cntrl, "Control Zone"	1
	Qty. Inlets - 1	
330 0004700	Control, Inlet, at Valve	1
331 0055600	Not Required, Auxiliary Inlet, Left Side	1
332 0004680	Inlet, Right Side, 2.50"	1
333 0034720	Anode, Zinc, Pair, Pump Inlets	1

Line Option	Type Option Description	Qty
334 0897257	Inlet, 4" to 6" Front, 5" Plumbing, w/Bleeder Valve, Top of Bumper	1
	Inlet, Size - Six	
	Drain, Suction - T Swing Handle Inlet, Front, Valve - Jamesbury 5.00" SS	
	Inlet, Front, Plumbing - Stainless Steel	
335 0767500	Control, Front Inlet, Akron 9333 Elec Controller, w/Override, Access Door	1
336 0755136	Valve, Relief Intake, Front Inlet, Elkhart	1
	Pressure Setting - 125 psig	
337 0732444	Swivel, Front Inlet, 4.00" to 6.00", w/Drain	1
	Inlet, Size - 6.00" inlet	
	Inlet Bleeder - Petcock/Snubber Style Bleeder	
338 0004788	Finish, Front Inlet Elbow/Adapter - Job color Cap, Front Inlet, Long Handle, VLH	1
339 0092569	No Rear Inlet (Large Dia) Requested	1
340 0064116	No Rear Inlet Actuation Required	1
341 0092696	Not Required, Cap, Rear Inlet	1
342 0009648	No Rear Intake Relief Valve Required on Rear Inlet	1
343 0092568	No Rear Auxiliary Inlet Requested	1
344 0723047	Valve, .75" Bleeder, Aux. Side Inlet, "T" Swing Handle, No Snubbers	1
345 0029043	Tank to Pump, (1) 3.00" Valve, 3.00" Plumbing	1
346 0004905	Outlet, Tank Fill, 1.50"	1
347 0062133	Control, Outlets, Manual, Pierce HW if applicable	1
348 0004940	Outlet, Left Side, 2.50"	2
040 0005004	Qty, Discharges - 02	
349 0005091	Elbow, Left Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
350 0092570	Not Required, Outlets, Left Side Additional	1
351 0035094	Not Required, Elbow, Left Side Outlets, Additional	1
352 0004945	Outlet, Right Side, 2.50"	'
353 0025091	Qty, Discharges - 01 Elbow, Right Side Outlets, 45 Degree, 2.50" FNST x 2.50" MNST, VLH	1
354 0092571	Not Required, Outlets, Right Side Additional	1
355 0089584	Not Required, Elbow, Right Side Outlets, Additional	1
356 0816625	Outlet, Large Diameter, Right Side, Akron Valve	1
	Outlet, Large Diameter, Plumbing - 4.00"	
	Outlet, Large Diameter, NST Adapter - 4.00" MNST	
	Outlet, Large Diameter, Valve Actuation - Pierce large handwheel	
357 0005097	Elbow, Large Dia Outlet, 30 Deg, 4.00" FNST x 5.00" Storz	1
250 0002572	Qty, - 01	4
358 0092572	Not Required, Outlet, Front	1
359 0092575 360 0045099	Not Required, Outlet, Rear Not Required, Elbow, Rear Outlets	1
361 0092574	Not Required, Cibow, Rear Oditets Not Required, Outlet, Rear, Additional	1
362 0085695	Not Required, Elbow, Rear Outlets, Large, Additional	1
363 0820322	Outlet, Front HB, 2.50" w/3.00" Plumbing	3
000 0020022	Qty, Discharges - 03	J
	Location, Outlet - two (2) left side, one (1) right side	
364 0752097	Caps/Plugs for 1.00" to 3.00" Discharges/Inlets, Chain	1
365 0723038	Valve, 0.75" Bleeder, Discharges, "T" Swing Handle, No Snubbers	1
366 0092504	Reducer, 2.50" FNST x 1.50" MNST, No Cap	2
	Qty, Adapter for Outlets - 02	
	Location, Adapter(s) - both outer hosebed outlets	2
367 0091106	Outlet, 3.00" Deluge w/TFT Extend-a-Gun XG18, Handwheel	1
368 0543570	Monitor, Elkhart Stinger 8297-51, 5" Storz Inlet, Portable Base	1
260 0046007	Monitor Finish - Painted	1
369 0046997 370 0071580	Nozzle, Elkhart ST-194, Stacked Tips and 282 A Shaper Deluge Mount, 3" ANSI 4 Bolt Flange S/S	1 1
371 0723726	Speedlay Module Not Required	1
372 0722432	Hose Restraint Not Required, No Speedlay Module	1
373 0723395	Speedlays, Not Required	1
	Speedlays, Not Required	1
3/4 U/Z3394		
374 0723394 375 0025140	No Crosslays	1

12/9/2024 12:31 PM Bid #: 711

Line Option	Type	Option Description	Qty
377 0500535		Not Required, Hose Restraint, Crosslay	1
378 0029260		No Speedlays	1
379 0750536		Hose Restr, Spdly, Not Required, No Spdly	1
380 0760546	SP	Compartment, IPO Crosslay, Long Tool Storage, Lowered 9"	1
		Fill in Blank - stokes basket-86" x 24" x 10" ctf	
		Stay arm, Tray Cover - d) No Stay Arm	
		Door, Material & Finish, Storage - Aluminum Treadplate	
		Latch, Door, Storage - "D" Handle Latch, Black	
		Qty, Partition, Compt Over Pump - 2 - Horizontal Location, Partition, Over Pump Compt - locate first partition 26" from	
		inside top of the compartment (clear 24" opening to fit a stokes basket and	
		second partition locate 4.00" from the inside bottom of the compartment.	
		Matches Job 33390	
381 0015215		Access, Long Item Storage, Over Pump - Both	
301 0013213		Reel, Booster, Over Pump, Right Side, Steel	1
382 0011060		Finish, Reel - Painted Job Color Matching Lower Body	ä
383 0526945		Switch, Reel Rewind - One at Pump Panel Hose, Booster - 250' of .75"/800 PSI	1
384 0005245			1
304 0003243		Capacity, Hose Reel, Special	1
385 0007074		Capacity, Reel - 250' of .75" Nozzle, Elkhart S-200 1.00"	1
386 0005326		Blowout, Hose Reel - Valve at Panel	1
000 0000020		Qty, - 1	/i
387 0515688		Gauge, Hose Reel, (Match Panel Gauges)	1
		Location - at the discharge control	
		Qty, - 1	
388 0044333		Foam System Not Required	1
389 0012126		Not Required, CAF Compressor	1
390 0552517		Not Required, Refill, Foam Tank	1
391 0042573		Not Required, Foam System Demonstration	1
392 0045465		Not Required, Foam Tanks	1
393 0091110		Not Required, Foam Tank Drain	1
394 0091079		Not Required, Foam Tank #2	1
395 0091112		Not Required, Foam Tank #2 Drain	1
396 0746447		Approval Dwg, All Pump Panel(s), Includes Color And Label Tags	1
		Num Of Truck(s) or Sim Unit, ALL Pump Pnl, Dwg - 01	
397 0032479		Pump Panel Configuration, Control Zone	1
398 0629224		Material, Pump Panels, Side Control Black UL-LX	1
		Material Finish, Pump Panel, Side Control - Black UL-LX	
200 0724765		Material, Pump Panel, Side Control - Aluminum	
399 0721765		Panel, Pump Access - Right Side Only, Side Control	1
400 0583824		Latch, Pump Panel Access, Side Mount - Swell Latch, Black Light, Pump Compt, Wln 3SC0CDCR LED White	
400 0000024		Qty, - 01	1
401 0536401		Gauges, Engine, Included With Pierce Pressure Controller	1
402 0005601		Throttle, Engine, Incl'd w/Press Controller	1
403 0739224		Indicator Light @ Pump Panel, Throttle Ready, Incl w/Pressure Gov/Throttle,Green	1
404 0549333		Indicators, Engine, Included with Pressure Controller	1
405 0745568		Indicator Light, Pump Panel, Ok To Pump, Green	1
406 0553643		Control, Air Horn at Pmp Pnl, Red Switch, Momentary	1
407 0663913		Discharge Bezels, Color Coded	2
		Qty, Gauges/Disc 02	_
		Color, Discharge Tag - Change the #2 Crosslay tag set to Orange,	
		Change the #2 Passengers side discharge to White.	
408 0005690		Gauges, 6.00" Master, Class 1, 30"-0-600psi	1
409 0511100		Gauge, 2.00" Pressure, Class 1, 30"-0-400psi	1
410 0750526		Gauge, Water Level, Pierce, In pressure Controller, Lt Driver	1
411 0604028		Water Level Gauge, FRC, MaxVision WLA280-A00 Programmable Remote Display	2
		Location - one each side of cab behind crew cab door	
		Qty, - 02	
412 0006774		Activation, Water Level G - pb) parking brake is applied Not Required, Foam Level Gauge	87
413 0663944		Light Shield/Step 8", LED, P25 LED Stp Lt, Prk Brk Activation	1
	- 6.0	Light Shieldrotop o , LLD, i 20 LLD otp Lt, i'ik bik Autivation	= 1

Line	Option	Туре	Option Description	Qty
	0643186	. 7 -	Light Shield/Step 8", PS LED, P25 LED Stp Lt Act w/Prk Brk	1
	0606694		Air Horns, (2) Hadley, 6" Round, eTone, In Bumper	1
	0606833		Location, Air Horns, Bumper, Each Side, Inside Frame (Pos #3 & #5)	1
	0757092		Control, Air Horn, Multi Select	1
	0757076		Control, Air Horn, Lanyard, RS	1
			Lanyard - Nylon Rope	177
419	0757077		Control, Air Horn, Lanyard, LS	1
			Lanyard - Nylon Rope	
420	0006100		No Electronic Siren	1
421	0046133		No Siren Location	1
422	0076155		No Siren Switch	1
423	0006188		No Speaker	1
	0550461		Location, Not Required, No Speaker (Q2B)	1
425	0895310		Siren, Federal Q2B	1
426	0006097		Finish, Q2B Siren - Chrome Location of Siren, Recessed in Bumper	1
			Location, Siren, Mech - c) center	
	0748305		Control, Mech Siren, Multi Select	1
	0748282		Control, Mech Siren, Ft Sw LS	1
	0748281		Control Mech Siren, Ft Sw RS	1
	0740391		Sw, Siren Brake, Momentary Chrome Push Button, RS	1
	0746353		Not Required, Warning Lights Intensity	1
432	0765428	SP	Lightbar, Wln, Freedom IV-*, 3-23", RRRRR RstrR GRRRR, 30 deg	1
433	0790846		Filter, Whl Freedom Ltbrs - No Filters Power Supply, Wln PE215 Traffic Light Controller, Single Strobe Tube	1
			Opticom Priority - b) High	
			Opticom Activation - Cab Switch & E-Master	
434	0016380		Momentary Opticom Activation - No Activation No Additional Lights Req'd, Side Zone Upper	1
	0761731		Lights, Front Zone, Win M6** M6** M6**, 4lts Q Bezel, Cir Fet	1
426	0653937		Color, Lens, LED's - c)clear Color, Lt DS Frnt Outside - DS Front Outside Red Color, Lt PS Frnt Outside - PS Front Outside Red Color, Lt DS Front Inside - g) DS Front Inside Green Color, Lt PS Front Inside - g) PS Front Inside Green Color, Q Bezel and Trim - Black	
430	0003937		Flasher, Headlight Alternating Headlt flash deactivation - a)w/high beam	1
437	0829068		Light, Mars TB8-L1-P/** LED, S/S Wedge Brkt Centered Under Windshield	1
438	0747228		Color, Lights, Warning - White Color, Lens, LED Mars Lt - Clear Lights, Side Zone Lower, Wln M6**, M6**, M6**, 6Lts	ĩ
100	07 17220			**
			Location, Lights Front Side - b)each side bumper Color, Lens, LED's - Colored Location, Lights Mid Side - Rearward of Crew Cab Doors Location, Lights Rear Side - Over Rear Wheels Color, Trim - Chrome Trim Color, Lt Side Front, DS - Red Color, Lt Side Front, PS - Red Color, Lt Side Mid DS - Red Color, Lt Side Mid PS - Red Color, Lt Side Rear PS - Red Color, Lt Side Rear PS - Red	
439	0896616		Lights, Door Interior Flash, 4 Dr Cab, Weldon 8401-0000-20 Strip Light	1
			Control, Door Int Flash - None (Doors only)	
110	1805/25		Location, Light, Door Int Flash - Over Window	4
	0895435 0745867		Connectors, Door Interior Flash, 4Dr Cab, Deutsch Connectors	1
441	714007		Lights, Side, Win M9** LED, Trm Fet 1st	2
			Location, Lights - one each side on hatch compartments toward the front Qty, - 02 Color, Lights, Warning - Red Control, Light - b) side warning	
			Color, Lens, LED's - Colored	

Bid #: 711

Line Option	Type Option Description	Qty
441 442 0564654	Color, Trim - Black Trim Lights, Rear Zn Lwr, Wln M6*, Colored Lens, For Tail Light Housing	1
442 0304034	Color, Lt DS Rear - r) DS Rear Lt Red	A.
	Color, Lt PS Rear - r) PS Rear Lt Red	
443 0734069	Lights, Rear/Side Up Zone, Wln M9** M9** M9** 4lts	1
	Color, Lens, LED's - Colored	
	Color, Lt, Side Rear Upper DS - Red	
	Color, Lt, Side Rear Upper PS - Red	
	Color, Lt, Rear Upper DS - Red	
	Color, Lt, Rear Upper PS - Red Color, Trim - Black Trim	
444 0006551	Not Required, Lights, Rear Upper Zone Blocking	1
445 0590000	No Hose Bed Warn Lts Brkts Required, Lts On Hatch/Body Compts,PUC	1
446 0791463	Light, Traffic Directing, Wln TANF65, 34" Long LED	1
	Activation, Traffic Dir L - Aux Flash with Emergency Master	
447 0590662	Location, TDL, Over Hose Bed, Crosstube (Included), Recessed	1
	Material/Finish, Cross Tube - Treadplate Covered	
	Size, Crosstube - 3.00" W x 3.00" H	
448 0530282	Location, Traf Dir Lt Controller, Overhead Switch Panel DS Right End	1
449 0781579	Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Cab	1
	Qty, - 01	
	Location 1 - EMS compt	
	AC Power Source - Gen to Shoreline Transfer Switch Cover, Receptacle - Interior SS Wall Plate(s)	
450 0779722	Receptacle, 15/20A 120V 3-Pr 3-Wr, NEMA 5-20R SB Dup, 1st, Interior Body	5
	Qty, - 05	_
	Location 1 - RS1 up high right side wall toward back, RS3 right side wall	
	up high toward backLS3 left side wall up high toward back, LS1 back wall upper	
	left corner, B1, upper left corner back wall	
	AC Power Source - Shoreline to Inverter External Transfer Sw	
451 0519934	Cover, Receptacle - Interior, Flip Up Duplex Cover(s) Not Required, Brand, Hydraulic Tool System	1
452 0649753	Not Required, PTO Driven Hydraulic Tool System	1
453 0649736	Not Required, Hydraulic Tools	1
454 0007150	Bag of Nuts and Bolts	1
	Qty, Bag Nuts and Bolts - 1	·
455 0816508	NFPA Required Loose Equipment, Pumper, NFPA/ULC 2024, Provided by Fire Depl	1
456 0519913	Not Required, Soft Suction Hose	1
457 0027023	No Strainer Required	1
458 0816939	Extinguisher, Dry Chemical, NFPA 2024, Provided by Fire Department	1
459 0816937	Extinguisher, 2.5 Gal. Pressurized Water, NFPA/ULC 2024, Provided by Fire Dept	1
460 0816998	Axe, Flathead, Provided by Fire Department	1
461 0817000	Axe, Pickhead, Provided by Fire Department	1
462 0741569	Paint Process / Environmental Requirements, Appleton	1
463 0709566	Paint, Two-Tone Color, Enforcer	1
	Paint Color, Upper Area, Predefined - #101 Black	
	Shield, Cab - Standard Shield	
	Paint Color, Lower Area, Predefined - #106 Dark Red Paint Break, Cab - Standard Two-Tone Cab Break	
464 0709833	Paint, Two-Tone Color, Body	1
	Paint Break, Body - Body Seam/Catwalk	
	Paint, Lower Body - Match Cab Lower	
	Paint, Upper Body - Match Cab Upper	
465 0645807	Paint Chassis Frame Assy, With Liner, E-Coat, All Joints Sealed	1
400 0000707	Paint Color, Frame Assembly, Predefined - Gloss Black	
466 0693797	No Paint Required, Aluminum Front Wheels	1
467 0687653	Paint, Rear Wheels, Single Axle, Alum-Stl	1
468 0733739	Paint, Wheels - Powder Coat Black #101	4
400 0/33/39	Paint, Axle Hubs	1
469 0753821	Paint, Axle Hub - Black #101 Coating, Safe-Stride, Running Board	1
.55 0700021	Color, Safe-Stride - Black	- I
470 0730598	SP Coating, Safe-Stride, Black, Aluminum Treadplate Hose Bed Cover & Frame	1
2 74 3	C, and a second of the second	

Line Option	Type	Option Description	Qty
471 0802853	10.1	Coating, UL-LX, Black, Pump Panel Access Doors, Match Pump Panel	1
472 0817280	SP	Coating, Safe-Stride, Black, Enclosure Over Pump Panel, Top	1
473 0887826		Color, Safe-Stride - Black Coating, UL-LX, Accessory Compt Door	3
		Location - DS and PS stokes compartment and rear ladder storage	
		Qty, - 03	
474 0751196	SP	Color, UL-LX, Per Item - a) black Coating, Safe-Stride, Black, Front Body Bulkheads	4
475 0772680	3F	Coating, Safe-Stride, Front Body Bulkheads, Aerial	1
473 0772000		Color, Safe-Stride - Black	'
476 0603742	SP	Coating, UL-LX, Rub Rail on Sides, Black	1
477 0735236	SP	Paint, Cup Switch	2
		Location - cup switches at rear	
		Qty, - 02	
478 0744514	SP	Paint Color, Predefined - #101 black Coating, Safe-Stride, Hose Tray Exterior	1
470 0744014	Ģ.	Location - PS	(X
		Qty, - 01	
		Color, UL-LX, Per Item - a) black	
479 0791911		Coating, Safe-Stride, Black, Top of Body Compartments, Pumpers	1
480 0776125		Coating, Safe-Stride, Black, Light Shield/Step	2
		Location - DS and PS Qty, - 02	
481 0791907		Coating, Safe-Stride, Black, Top of Hatch Compartments	1
482 0644120		Coating, UL-LX, Fuel/DEF Areas, Black	1
483 0753823	SP	Coating, UL-LX, Pumphouse Vertical 4-Way Surfaces	1
404 0770400		Color, Paint - black	
484 0776466	CD.	Coating, Safe-Stride, Black, Wedge Steps, Rear of Body	1
485 0890839 486 0756674	SP SP	Coating, Safe-Stride, Black, Backboard/Stokes, Top Surface Coating, Safe-Stride, Running Board Hose Tray Exterior Surface, Each	1
400 0730074	31	Location - PS tray	3.
		Qty, - 01	
	_	Color, Safe-Stride - Black	
487 0731162	SP	Paint, Drip Rail, Above Aux Cab Compt, Color	1
488 0788880		Color, Paint - Black Coating, Safe-Stride, Black, Tailboard	1
489 0723008	SP	Coating, UL-LX, Front Body Bulkheads	1
	-	Color, UL-LX, Per Item - a) black	
490 0533484	SP	Compartment Paint, Spatter Gray, Stainless Steel PUC Body	1
491 0544129		Reflective Band, 1"-6"-1"	1
		Color, Reflect Band - A - e) black	
		Color, Reflect Band - B - p) black Color, Reflect Band - C - za) black	
492 0007356		Reflective across Cab Face	1
493 0536954		Stripe, Chevron, Rear, Diamond Grade, Pumper	1
		Color, Rear Chevron DG - fluorescent yellow green	
494 0027341		Jog, In Reflective Stripe, Single or Multiple	1
40E 0E02270		Qty, - 1	4
495 0583278		Stripe, Chevron, Diamond Grade, Rear Access Doors	1
496 0552453		Color, Rear Chevron DG - fluorescent yellow green Stripe, Reflective, Chevron, Cab and Crew Cab Doors Interior, Diamond Grade	1
		Color, Reflect Band - A - p) fluorescent yellow green diamond grade	
		Size, Chevron Striping - 04	
497 0679780		Color, Reflect Chev - A - r) red diamond grade	926
498 0027286		Stripe, Vinyl, Two-Tone Paint Break with Shield, IPO Chrome Molding	1
499 0007472		Not Required, Lettering Specs [Lettering not Requested]	1
500 0683999		Lettering, Vinyl, 14.00", (1-20)	1
		Outline, Lettering - Outline and Shade	-
501 0684000		Lettering, Vinyl, 14.00", Each	6
		Qty, Lettering - 06	
		Outline, Lettering - Outline and Shade	

Line Option	Type Option Description	Qty
502 0684031	Lettering, Vinyl, 6.00", Each	2
	Qty, Lettering - 02	
	Outline, Lettering - Outline and Shade	
503 0503761	Plate, Smooth Aluminum for Lettering	4
	Location - cab and crew cab doors	
	Qty, - 04	
E04 0744040	Size - cab and crew cab doors	240
504 0741843	Lettering, Reflective, Full Width Mud Flap, 1 Color	1
	Configuration - TBD	
	Font, Lettering, Mud Flap - Style 4	
	Outline, Lettering, Mud Flap - White Outline Color, Lettering, Mud Flap - Red	
505 0017268	Decals, Customer furnished, Pierce installed, Per Pair	3
	Qty, - 03	J
506 0666414	Emblem, Freedom Flag, Each	2
	Qty, - 02	
	Location, Emblem - D-3, and P-3 matching graphic layout	
	Size, Flag - 21" - 23"	
507 0599008	Rust Proof/Undercoat, Custom Chassis	1
	Color, Undercoating - Black	
508 0653808	Rustproof/Undercoat, Cab & Body w/Lap Doors, Ziebart	1
509 0073192	Undercoating, Fuel Tank, Complete Before Installation, Ziebart	1
510 0529225	Manuals, Two (2) CD, Fire Apparatus Parts, Custom Chassis	1
511 0531636	Manual, (2) CD, Chassis Service, Custom	1
512 0531638	Manual, Two (2) CD, Chassis Operation, Custom	1
513 0030008	Warranty, Basic, 1 Year, Apparatus, WA0008	1
514 0696698	Warranty, Engine, Cummins, 5 Year, WA0181	1
515 0684953	Warranty, Steering Gear, Sheppard M110, 3 Year WA0201	1
516 0596017	Warranty, Frame, 50 Year, Custom Chassis, WA0013	1
517 0595698	Warranty, Axle, 3 Year, TAK-4, WA0050	1
518 0733306	Warranty, Single Axle, 5 Year, Meritor, General Service, WA0384	1
519 0652758	Warranty, ABS Brake System, 3 Year, Meritor Wabco, WA0232	1
520 0019914	Warranty, Structure, 10 Year, Custom Cab, WA0012	1
521 0744240	Warranty, Paint, 10 Year, Cab, Pro-Rate, WA0055	1
522 0695416	Warranty, Pierce Camera System, WA0188	1
523 0647720	Warranty, Pierce LED Strip Lights, WA0203	1
524 0046369	Warranty, 5-year EVS Transmission, Standard Custom, WA0187	1
525 0685945	Warranty, Transmission Cooler, WA0216	1
526 0688798	Warranty, Water Tank, Lifetime, UPF, Poly Tank, WA0195	1
527 0596025	Warranty, Structure, 10 Year, Body, WA0009	1
528 0693127	Warranty, Gortite, Roll-up Door, 6 Year, WA0190	1
529 0734463	Warranty, Pump, Waterous, 7 Year Parts, WA0382	1
530 0648675	Warranty, 10 Year S/S Pumbing, WA0035	1
531 0641372	Warranty, Foam System, Not Available	1
532 0595547 533 0593921	Warranty, Paint, 12 Year, S/S Body, Pro-Rate, WA0058	1
534 0819254	Not Required, Warranty, No Lettering	1
535 0808582	Certification, Vehicle Stability, CD0196	1
536 0686786	Certification, Engine Installation, Saber FR/Enf, Cummins X10, 2027	1
537 0892691	Certification, Power Steering, CD0098	1
538 0631973	Certification, Cab Integrity, Saber FR/Enforcer, CD0189	1
539 0631978	Certification, Cab Door Durability, Saber FR/Enforcer, CD0137 Certification, Windshield Wiper Durability, Saber FR/Enforcer, CD0132	1
540 0631974	Certification, Electric Window Durability, Saber FR/Enforcer, CD0133	1
541 0631977		1
542 0735949	Certification, Seat Belt Anchors and Mounting, Saber FR/Enforcer, CD0134	1
UTA 0130343	Certification, Cab HVAC System Performance, SFR/Enf, CD0165/CD0167/CD0174/CD0175	1
543 0545073	Amp Draw Report, NFPA Current Edition	1
544 0002758	Amp Draw, NFPA/ULC Radio Allowance	1
545 0799248	Appleton/Florida BTO	1
546 0000048	PUMPER/TANKER, 3rd Gen	1
547 0000012	PIERCE CHASSIS	1
548 0004713	ENGINE, OTHER	1

Line Option	Type	Option Description	Qty
549 0046395		EVS 3000 Series TRANSMISSION	7
550 0020011		WATEROUS PUMP	1
551 0020009		POLY TANK	1
552 0028047		NO FOAM SYSTEM	1
553 0020006		SIDE CONTROL	1
554 0020007		AKRON VALVES	1
555 0020014		FRONT SUCTION	1
556 0020015		ABS SYSTEM	1
557 0658751		PUMPER BASE	1

12/9/2024 12:31 PM Bid #: 711



EXHIBIT C - PROPOSAL

SEE PROPOSAL FOR Bid Number 711 Dated December 9, 2024.





December 9, 2024

Fire Chief Robert Grabowski Village of Homewood 2020 Chestnut Road Homewood, IL 60430

Subject: Proposal for one (1) Pierce Enforcer HDR-Pumper

Proposal / Bid 711

Dear Fire Chief Grabowski,

With regard to the above subject, please find attached our completed proposal.

Pricing Summary:

Sale Price - \$1,385,000.00*

*Houston-Galveston Area Council (HGAC) Consortium Pricing.

100% Performance Bond:

Included in the above sale price.

Terms and Conditions:

Taxes – Not Applicable

Freight – F.O.B. – Appleton, WI / Shipping to Homewood, IL

Terms - Net due prior to vehicle(s) release at the Pierce Manufacturing Plant

(Appleton, WI).

Delivery* – 48.5 – 51.5 months from receipt and acceptance of contract.

*Due to global supply chain constraints, any delivery date contained herein is a good faith estimate as of the date of this order/contract, and merely an approximation based on current information. Delivery updates will be made available, and a final firm delivery date will be provided as soon as possible.





Said apparatus and equipment are to be built and shipped in accordance with the specifications hereto attached, delays due to strikes, war, or international conflicts, or other causes beyond our control not preventing, could alter the delivery schedule.

The specifications herein contained, shall form a part of the final contract, and are subject to changes as desired by the purchaser, provided such changes are acknowledged and agreed to in writing by the purchaser.

Various state or federal regulation agencies (e.g., NFPA, DOT, EPA) may require changes to the Specifications and/or the Product and in any such event any resulting cost increases incurred to comply therewith will be added to the Purchase Price to be paid by the Customer. Any future drive train upgrades (engine, transmission, axles, etc.) or any other specification changes have not been calculated into our annual increases and will be provided at additional cost. The Company reserves the right to update pricing in response to manufacturer-imposed increases as a result of PPI inflation. The Company will document and itemize any such price increase for the Customer's review and approval before proceeding. Should the customer choose not to accept the pricing update, the customer has the ability to cancel without penalty.

This proposal for fire apparatus conforms with all Federal Department of Transportation (DOT) rules and regulations in effect at the time of bid, and with all National Fire Protection Association (NFPA) Guidelines for Automotive Fire Apparatus as published at the time of bid, except as modified by customer specifications.

The attached proposal is valid until January 30, 2025.

We trust the above and the enclosed to be full and complete at this time; however, should you have any questions or require additional information, please do not hesitate to contact me at 815-693-9015 or vince.baudek@macqueengroup.com.

We wish to thank the Village of Homewood for the opportunity to submit our proposal.

Respectfully,

Vince Baudek

Vince Baudek
Apparatus Sales
MacQueen Equipment LLC
DBA MacQueen Emergency Group