

Exhibit B
Conditions of Approval
Hermiston Home Works Inc
Comprehensive Plan Map Amendment and Annexation
1295 SE 10th Street
March 11, 2024

Subject to the testimony received and deliberations of the city council, the following draft conditions are proposed:

1. Annexation is contingent upon co-adoption of the comprehensive plan map amendment by Umatilla County under the provisions of the Hermiston Planning Area Joint Management Agreement, dated March 2, 2017. In the event that Umatilla County fails to co-adopt the map amendments, annexation shall fail, and a new comprehensive plan map amendment and annexation application shall be submitted.
2. Per the recommendations of the January 24, 2024, traffic impact analysis and the Oregon Department of Transportation, a trip cap of 657 peak hour trips is imposed upon the property. Residential trips shall be capped at 325 peak hour trips and the newly designated commercial area south of the railroad tracks shall be capped at 110 peak hour trips. Compliance with the trip cap will require the following actions:
 - a. Each application for development authorization within amended area submitted to the city shall be accompanied by a trip generation letter prepared by a registered traffic engineer indicating the average daily and peak hour trips generated for the proposal.
 - b. Each trip generation letter shall indicate available peak hour trips remaining at completion of construction for the proposal.
 - c. At such time that the peak hour trips exceed 657, the city shall no longer issue building permits until a revised traffic impact analysis is prepared. The requirement to prepare a new traffic impact analysis shall run with the land and is not binding upon the applicant unless the applicant retains ownership at the time the trip cap is exceeded.
 - d. The city shall reserve the right to require additional traffic mitigation measures and/or prepare an independent traffic impact analysis at such time the trip cap is exceeded.
 - e. Determination of mitigation measures is contingent upon and proportional to the impacts of the eventual development approved for the amended property. Comprehensive plan map amendment and annexation is not sufficient to require additional mitigation measures.
3. Portions of the property are identified on Figure 12 of the Hermiston Comprehensive Plan as being subject to ground water pollution hazards due to excessively well-drained soils. In the case of an existing or potential groundwater pollution threat, the city shall prohibit the outdoor storage of hazardous chemicals and underground storage of gasoline and diesel fuels.
4. Portions of the property are identified on Figure 12 of the Hermiston Comprehensive Plan as being subject to development hazards due to restrictive foundation soils. Where

restrictive foundation soils are evident, the city shall require a registered engineer's assessment of the design and structural techniques needed to mitigate potential hazards. In the event there are inadequate mitigation measures, the city shall prohibit development.

5. Portions of the property are identified on the city's Natural Resource Map as having potential wetlands. At such time as development is proposed, the city will notify the Oregon Department of State Lands of the development proposal, soliciting comment on the potential wetland status. Necessary mitigation measures will be determined as part of the review and approval process for development on the amended property.