



**Knauf**  
INSULATION

**Knauf**  
INSULATION

...RATED SHEATHING...  
**24/16**  
...SIZED FOR SPAC...

EXTERIOR TYPE  
ADHESIVE

Hot  
Cold





#0866550

**SQUARE D**  
by Schneider Electric

Load Center  
Cover

Fronte De  
Centro De Carga

Couvercle  
De Centre  
De Charge

Organization / Organisation  
Local/Dept./ Local  
Address / Dirección / Adresse  
Date / Fecha / Date

Technical Data  
1. Cable Type: Cat 6  
2. Cable Length: 100m  
3. Cable Color: Yellow  
4. Cable Material: PVC  
5. Cable Diameter: 10mm  
6. Cable Weight: 1.5kg  
7. Cable Temperature: 0-60°C  
8. Cable Humidity: 10-90%  
9. Cable Voltage: 100V  
10. Cable Frequency: 100MHz  
11. Cable Bandwidth: 10Gbps  
12. Cable Connector: RJ45  
13. Cable Standard: TIA/EIA-568  
14. Cable Manufacturer: 3M  
15. Cable Part Number: 3M 350-01









**APA**  
RATED SHEATHING  
**24/16**  
SIZED FOR SPACING

**TYPE CATEGORY**  
CONSTRUCTION SHEATHING  
**1924 / 2516 / W24**  
1.50 mm  
GSA-0820-10  
EXTERIOR TYPE  
ADHESIVE







TOP PANEL SUPPORT  
253-828-1100  
STRENGTHENED  
THIS DIRECTION

THIS SIDE DOWN  
SPACE PANELS  
ENDS 1/8" SIDES 1/8"  
MADE IN CANADA







1/2" PEX 5008 21 17 02/05/17



DO NOT RETURN THIS WATER HEATER TO THE PLACE OF PURCHASE  
IF COVERED UNDER WARRANTY

**STOP**  
DO NOT RETURN THIS WATER HEATER TO THE PLACE OF PURCHASE  
1-866-279-4566

PERFORMANCE  
**Rheem**

DO NOT RETURN THIS WATER HEATER TO THE PLACE OF PURCHASE  
1-866-279-4566

**DANGER**











INSULATION  
FIBRE DE VERRE  
UL 263  
UL 264  
UL 265  
UL 266  
UL 267  
UL 268  
UL 269  
UL 270  
UL 271  
UL 272  
UL 273  
UL 274  
UL 275  
UL 276  
UL 277  
UL 278  
UL 279  
UL 280

INSULATION  
FIBRE DE VERRE  
UL 263  
UL 264  
UL 265  
UL 266  
UL 267  
UL 268  
UL 269  
UL 270  
UL 271  
UL 272  
UL 273  
UL 274  
UL 275  
UL 276  
UL 277  
UL 278  
UL 279  
UL 280



INSULATION  
FIBRE DE VERRE  
UL 263  
UL 264  
UL 265  
UL 266  
UL 267  
UL 268  
UL 269  
UL 270  
UL 271  
UL 272  
UL 273  
UL 274  
UL 275  
UL 276  
UL 277  
UL 278  
UL 279  
UL 280



INSULATION  
FIBRE DE VERRE  
UL 263  
UL 264  
UL 265  
UL 266  
UL 267  
UL 268  
UL 269  
UL 270  
UL 271  
UL 272  
UL 273  
UL 274  
UL 275  
UL 276  
UL 277  
UL 278  
UL 279  
UL 280

UL 263  
UL 264  
UL 265  
UL 266  
UL 267  
UL 268  
UL 269  
UL 270  
UL 271  
UL 272  
UL 273  
UL 274  
UL 275  
UL 276  
UL 277  
UL 278  
UL 279  
UL 280











