



APPLICATION FOR A  
 CERTIFICATE OF APPROPRIATENESS PERMIT  
 100 N. King Street ~ Hendersonville, NC ~ 28792  
 Phone (828) 697-3010 ~ Fax (828) 697-6185  
 www.cityofhendersonville.org

**HENDERSONVILLE HISTORIC PRESERVATION COMMISSION**

The following are required to constitute a complete application:

- ~ This form including the property owner's signature.
- ~ Attachments such as sketches, photos, site plan, etc., necessary to clearly explain the project.

Date **4.23.2023**

Local District/Landmark **Hyman**

Address of Property **415 Crescent Avenue**

Property Owner: Name **Michael & Kaven Fonte**

**(Michael)**

Address **415 Crescent Ave**

Day Phone **973.908.4653**

Contact Name (if other than owner)

Address

Phone

Details of proposed work: (attach additional papers if needed).

**Replace Front Door / Side Lites / Storm  
 Replace Rear Door and (Storm to be Reused)**

Attachments:

☒ Photographs

☐ Sketch

☐ Site Plan (showing existing features and proposed)

☐ Commercial samples

☒ Commercial brochures

The burden of proof is on the applicant to prove the proposed work is in keeping with the historical character of the historic district. Please list specific reference(s) in the **Design Guidelines** that support your application.

I, the undersigned, certify that all information in this application and in any attachments thereto is accurate to the best of my knowledge. Furthermore, I understand that should a certificate of appropriateness be issued, such certificate will be valid for a period of six months from the date of issuance. Failure to procure a building permit within that period will be considered as failure to comply with the certificate, and the certificate will become invalid. If a building permit is not required, the authorized work must be completed within six months. Certificates can be extended for six months by requesting an extension in writing prior to their expiration from the Commission Coordinator.

Owner's  
Signature

*[Handwritten Signature]*

Owner's  
Signature

*Kaven Fonte*

# EXTERNAL GRIDS

**LIFETIME LIMITED WARRANTY**  
Includes Glass Breakage & Seal Failure



External grids will match the door's paint or stain color.

**Note:** All doors with external grids (except for 430 style) are available with privacy glass.

Front Door

Back Door

- † For additional door panel styles, see pg. 15 for Heritage™ or pg. 18 for Legacy™.  
‡ Not available in 1" worm edge. ††† Glass non-screw plugs are not available for this door style.



At Windows, we believe Windows by ENERGY STAR® can help you save on the energy costs you spend. That's why we've made ENERGY STAR Windows a requirement for all our new products, and we're proud to be a leader.

Door Styles	Glazing Systems			
HALF LITE OR LARGER	T&T	T&T	D&A	DC
400, 400, 400, 200	•	•	•	•
SMALLER THAN HALF LITE				
410				•
400	•	•	•	•

**ENERGY STAR Certified**

Refer to pg. 26-27 for Glazing Systems information.

††† Not available in 1" worm edge. †††† Not available in 1" worm edge. ††††† Not available in 1" worm edge.





#51 Full View Archway with Beveled Glass



#51-B Full View Archway with Beveled Glass & Brass Inlay



#51-2 Full View Archway with Beveled Glass & Zinc Inlay



#51 Full View Double Pane with Beveled Glass



#51-B Full View Double Pane with Beveled Glass & Brass Inlay



#51-2 Full View Double Pane with Beveled Glass & Zinc Inlay



#51 Full View



Small Vintage

### ART GLASS

Ask to see our glass brochure for a complete selection of designs and colors.

See entry/till for style availability.

Artistic stained glass or tempered glass for custom size storm doors where the lead work is greater than 20 inches in length or 12 inches in width.

## NEW FRONT STORM DOOR

Optional full screen with horizontal stainless steel available for all Decade storm doors.

Self-closing hardware and stainless steel 1 1/2 inch piano hinge are standard on Decade storm doors with one pane of art glass.

Available in 2' height.



The spring-bolled, flush-mounted lock secures the glass, virtually eliminating rattles and air leaks. Only available in Zinc finish.



Rear Door  
Information also by  
entry/till.

Rear Door to Reuse Existing