

SOURCEWELL CONTRACT NO. 101221-GPV

GapVax[®]

PREPARED BY

AQUIP

Peter Berko

PREPARED FOR

Tim Sexton

City of Hendersonville Utilities
305 Williams Street
Hendersonville, NC 28792

QUOTE

GapVax[®]



QUOTE ID
22460

UPDATED:
1/4/23

2023 MC1510-3S3X COMBINATION JET/VAC

QUOTE ID: 22460

January 10, 2023



NOTE: THE GAPVAX MC UNIT MAY EXCEED FEDERAL BRIDGE ALLOWABLE WEIGHTS WHEN LOADED WITH WATER, OR DEBRIS, AND/OR BOTH WATER AND DEBRIS COMBINED. PLEASE CONSULT FACTORY.

OPTION DESCRIPTION		NOTES	QTY
CHASSIS OPTIONS			
CHA001	WESTERN STAR 47X-SF (6 X 4) - 455 HP - 66,000 LB. GVWR - AUTO	MODEL YEAR 2023	1
	CUMMINS X12 RATED FOR 455 HP	CONSULT FACTORY	
	ALLISON 6 SPEED AUTOMATIC	PRICES MAY VARY	
	22,000 LB FRONT AXLE		
	46,000 LB REAR AXLE		
	WHITE CAB COLOR		1
	STOCK CHASSIS ARE SUBJECT TO PRIOR SALE, LIMITED QUANTITY ARE AVAILABLE		1
DEBRIS BODY OPTIONS			
STD	10 USABLE YARD DEBRIS TANK MADE OF 3/16" ASTM A-572 GRADE 50 EXTEN STEEL		STANDARD
STD	FULL-OPENING REAR TAILGATE		STANDARD
STD	STAINLESS STEEL TAILGATE SEALING ROD		STANDARD
STD	FOUR HYDRAULIC REAR DOOR LOCKS		STANDARD
STD	DUAL TAILGATE LIFT CYLINDERS		STANDARD
STD	FRONT MOUNTED HOIST CYLINDER, POWER UP AND DOWN, 55,000 LB CAPACITY		STANDARD
STD	THREE TIE-OFF ANCHORS ON TOP OF BODY		STANDARD
STD	FIVE YEAR WARRANTY ON DEBRIS TANK AGAINST RUST THROUGH, DISTORTION AND CRACKS		STANDARD
STD	THREE TIE-OFF ANCHORS ON TOP OF THE BODY 6' APART		STANDARD
A1	DEBRIS BODY FLUSH OUT SYSTEM		1
A2A	DRAIN AT BOTTOM OF TAILGATE - 6" BRASS LEVER VALVE WITH 15' OF LAYFLAT HOSE	VALVE IS NOT 100% LEAK PROOF	1
A3	FLOAT TYPE LIQUID LEVEL INDICATOR ON TAILGATE		1
A12A	FILTER SCREEN FOR DRAIN VALVE (LONG BOX)	REQUIRES A2	1
A24E	FILTER SCREEN FOR 6" OR 4" DECANT VALVE HALF WAY UP THE TAILGATE	REQUIRES A24	1
A21	CURBSIDE LADDER TO PORT INSPECTION AREA		1
A18	PURGE VALVE AT GRAVITY DRAIN (1-1/4" BALL VALVE)		1
A22A	GALVANIZED BOLT ON TAILGATE SPLASH SHIELDS		1
A37A	UPGRADE BODY INLET CANNON TO 12" HX STYLE WITH 3" CLEANOUT		1
A44	PNEUMATIC TAILGATE PROP (IN ADDITION TO STANDARD TAILGATE PROP ROD)		1
WATER TANK OPTIONS			
STD	1500 GALLON WATER TANK MADE OF 3/16" 304 STAINLESS STEEL		STANDARD
STD	4" HIGH ANTI-SIPHON RING WITH (4) 2-1/2" HOLES		STANDARD
STD	WATER TANK LEVEL SIGHT TUBE ON CURBSIDE		STANDARD
STD	DRAIN VALVE AT BOTTOM OF WATER TANK		STANDARD
STD	3" FILL LINE WITH 2-1/2" FIRE HOSE CONNECTION CURBSIDE		STANDARD
STD	3" WATER STRAINER WITH STAINLESS STEEL SCREEN ON WATER TANK FILL LINE		STANDARD

STD	3" SUPPLY LINE TO WATER PUMP MOUNTED AT REAR HINGE PIN	STANDARD
STD	FIVE YEAR WARRANTY ON WATER TANK AGAINST RUST THROUGH, DISTORTION AND CRACKS	STANDARD
B23A	GALVANIZED BAFFLES IN THE WATER TANK	1
B30	UPGRADE TO BUTTERFLY VALVE IN 3" SUPPLY LINE	STANDARD
VACUUM SYSTEM OPTIONS		
STD	TRUE 8" DIAMETER VACUUM SYSTEM	STANDARD
STD	VACUUM PUMP DRIVEN VIA MID-SHIP MOUNTED SPLIT SHAFT TRANSFER CASE GEARBOX (PTO)	STANDARD
STD	NOISE & VIBRATION DAMPENING MOUNTS ON VACUUM PUMP AND TRANSFER CASE	STANDARD
STD	NOISE ATTENUATED VACUUM PUMP DISCHARGE SILENCER WITH RAIN CAP AND DRAIN	STANDARD
STD	24" CENTRIFUGAL CYCLONE SEPARATOR WITH 20" CHAMBER	STANDARD
STD	DUAL STAINLESS STEEL SHUTOFF FLOAT BALLS MOUNTED AT THE REAR OF DEBRIS TANK	STANDARD
STD	STAINLESS STEEL VEE-WIRE SAFETY SCREEN	STANDARD
STD	6" SAFETY VACUUM RELIEF	STANDARD
STD	PANIC SWITCH FUNCTION FOR VACUUM	STANDARD
C8	UPGRADE TO ROOTS TYPE VACUUM PUMP 4,500 CFM AND 18" HG (4) 18" Hg VACUUM RELIEF VALVES	1
C19	UPGRADE TO XL TRANSFER CASE 9-LITER ENGINE = UP TO 5300 CFM, REQUIRES OPTION C8	1
WATER SYSTEM OPTIONS		
STD	TRI-PLEX WATER PUMP SYSTEM	STANDARD
STD	800 PSI WASHDOWN CIRCUIT WITH 50' X 1/2" HOSE	STANDARD
STD	AIR PURGE SYSTEM FOR PRIMARY CIRCUIT	STANDARD
STD	LOW POINT DRAIN VALVES ON WATER LINES	STANDARD
STD	SET WASHDOWN CIRCUIT TO FULL WORKING PRESSURE OPTION D4 IS RECOMMENDED	1
D3A	GIANT GP8000 SERIES WATER PUMP RATED 80 GPM @ 2,500 PSI	1
D4	UPGRADE TO URACA MULTIFLOW VALVE - SET WASHDOWN CIRCUIT TO FULL PRESSURE FOR HANDGUN APPLICATIONS	1
D7A	50' X 1/2" HAND GUN REEL FOR WASHDOWN CIRCUIT	1
D20A	NON-REMOVABLE LATERAL HOSE REEL - 150' X 1/2" HOSE REQUIRES OPTION D4	1
D28A	GLYCOL INJECTION SYSTEM - JETTER PUMP ONLY REQUIRES G2	1
D35D	3/8" HX LANCE WITH 6' EXTENSION AND TURBO NOZZLE	1
BOOM OPTIONS		
STD	8" FRONT MOUNTED TELESOPING BOOM WITH 26' REACH AND 180 DEG. ROTATION	STANDARD
STD	180 DEGREE POWER ROTATION VIA WORM DRIVE	STANDARD
STD	DUAL 4" LIFT CYLINDERS	STANDARD
STD	CAB PROTECTION RACK	STANDARD
E6	REMOTE LUBE FOR BOOM LIFT AND ROTATION	1
HOSE REEL OPTIONS		
STD	FRONT FRAME MOUNTED HOSE REEL WITH 180 DEGREE ARTICULATION	STANDARD
STD	HOSE REEL RATED FOR 800' OF HOSE AND 3,000 PSI	STANDARD
STD	EXTERIOR HOSE EXPANSION RIBS	STANDARD
F1A	FOOTAGE COUNTER ON SIDE OF SPOOL	1
F11	AUTOMATIC HOSE LEVEL WINDER (INCLUDES "J-HOOK" STLYE HOSE GUIDE)	1
CONTROLS, GUAGES, ACCESSORIES OPTIONS		
STD	CAB-MOUNTED AIR SHIFT CONTROLS FOR BLOWER, HYDRAULICS, AND WATER PUMP	STANDARD
STD	CONTROL PANEL MOUNTED AT FRONT HOSE REEL	STANDARD
STD	OPERATOR CONTROL PANEL INCLUDES GUAGES FOR ENGINE, HYDRAULICS, VACUUM, AND WATER PUMP	STANDARD
STD	PANIC SWITCH TO RELIEVE WATER PRESSURE AND VACUUM	STANDARD

G2B	G2B CONTROL SYSTEM WITH DM430 DISPLAY INCLUDES:		WIRELESS NOT INCLUDED, SELECT OPTION G19 OR G21 BELOW	1
	LOW WATER SHUTDOWN PROTECTION			1
	HIGH WATER TEMPERATURE SHUTDOWN PROTECTION			1
	ENGINE OVERSPEED PROTECTION			1
	ON-SCREEN DIAGNOSTICS FOR WATER, PTO AND ENGINE LEVELS			1
G6	BLOWER TEMPERATURE GUAGE WIRED TO VACUUM RELIEF			1
G19	WIRELESS REMOTE WITH BOOM AND VACUUM FUNCTIONS			1
G21-TD	UPGRADE TO AARCOMM TRIDENT REMOTE	REQUIRES OPTION G21		1
G21-AWR	ADDITIONAL WIRELESS TRANSMITTER	REQUIRES OPTION G19 OR G21		1
	LIGHTING			
STD	TRUCK-LITE LED RUNNING (MARKER) LIGHTS			STANDARD
STD	LED STOP/TAIL/TURN LIGHT WITH POLISHED STAINLESS STEEL BOXES			STANDARD
H1	ONE LED STROBE BEACON LIGHT - FRONT (SAE CLASS-1 (SAE J595) COMPLIANT)	(WHELEN L10 OR EQUAL)		1
H2	ONE LED STROBE BEACON LIGHT - REAR (SAE CLASS-1 (SAE J595) COMPLIANT)	(WHELEN L10 OR EQUAL)		1
H5B	(2) BOOM WORK LIGHTS - HELLA LED WORK LIGHTS (PN: LHT022429)			1
H6B	(2) REAR WORK LIGHTS - HELLA LED WORK LIGHTS (PN: LHT022429)			1
H7BA	(2) SIDE WORK LIGHTS - HELLA LED WORK LIGHTS (PN: LHT022429) (1 PER SIDE)			1
H22	REAR ARROW LIGHT - LOW PROFILE LED ARROW STICK (CLASS-1 (SAE J595))	WHELEN TAM85 OR EQUAL		1
	STORAGE OPTIONS			
STD	25' FIRE HOSE BASKET			STANDARD
STD	TWO (2) GALVANIZED STEEL TUBE TRAYS			STANDARD
I6E-DS	ALUMINUM, 36" WIDE X 24" TALL X 24" DEEP, MOUNTED ON THE DRIVER'S SIDE			1
I9B	48" TOOL BOX - ALUMINUM, 48" WIDE X 24" TALL X 24" DEEP, MOUNTED ON THE CURBSIDE			1
I14	TRAFFIC CONE HOLDER ON DRIVER'S SIDE			1
I16A	WHEEL CHOCK HOLDER (PER SIDE) - DRIVER'S SIDE			1
I16B	WHEEL CHOCK HOLDER (PER SIDE) - CURBSIDE			1
I17A	NOZZLE RACK - SIX (6) NOZZLES, 1"			1
I20A	REAR DRAIN HOSE RACK FOR 6" LAYFLAT HOSE X 15' LONG			1
	CHASSIS OPTIONS			
STD	DOT LIGHTING / FENDERS / MUD FLAPS / TAILGATE SAFETY PROP, ICC LIGHTS			STANDARD
STD	REMOTE ACTUATED BODY SAFETY PROP			STANDARD
STD	70 GALLONS AW-46 HYDRAULIC OIL, LEVEL/TEMPERATURE GAUGE, SHUTOFF ON SUCTION			STANDARD
STD	REAR BUMPER, TRIANGLE KIT, FIRE EXTINGUISHER, BACKUP ALARM			STANDARD
STD	ALLISON 10-BOLT PTO UPGRADE			STANDARD
J0	FRONT BUMPER - MAY NOT BE REQUIRED IN ALL STATES			1
J3	TOW HOOKS FRONT			1
J4B	TOW HOOKS REAR - FRAME MOUNTED			1
	PAINT OPTIONS			
STD	PAINTED WITH PPG URETHANE PAINT			STANDARD
STD	PAINT BODY WHITE			STANDARD
STD	PAINT FRAME AND PARTS BLACK			STANDARD
STD	PAINT HOSE REEL AND BOOM BLACK			STANDARD
STD	FLEET FINISH			STANDARD
	MISCELLANEOUS OPTIONS			
STD	25 FEET OF VACUUM TUBING (5) AND CLAMPS			STANDARD

STD	TIGER TAIL HOSE GUIDE	STANDARD
STD	TWO BLUE STAR SEWER CLEANING NOZZLES	STANDARD
M3	FILL HOSE 25' X 2 1/2"	1
M5A	LEADER HOSE 20' X 1"	1
M8G	1" PIRHANA SEWER HOSE - 2,500 PSI X 600 FT PLASTIC (ORANGE) (PN: HOS022393)	1
M12	MANHOLE LIFTING HOOK	1
M13	HYDRANT WRENCH	1
M26	1" SIX WIRE EXTENDER	1
M27	TIGER TAIL (TOTAL OF TWO)	1
M28	(5) TRAFFIC CONES - 28" LIME GREEN WITH REFLECTIVE STRIPE	1
M29	ONE CAMERA - BACK-UP CAMERA SYSTEM WITH 7" COLOR MONITOR (RV-505A), INCLUDES DVR-916 REAR CAMERA	1
CUSTOM OPTIONS		
**		
*****	COMPLIMENTARY 40 HOUR TRAINING	1



PRICING SUMMARY

PRICE OF BASE UNIT WITH OPTIONS:		\$ 528,747.30
SOURCWELL DISCOUNT:		\$ 7,175.95
DELIVERY: (\$1,000.00 MINIMUM)	@ \$3.00 PER MILE	\$ 1,500.00
ESTIMATED SUBTOTAL:		\$ 523,071.36
SALES TAX:		\$ -
FEDERAL EXCISE TAX (BODY):		\$ -
FEDERAL EXCISE TAX (CHASSIS):		\$ -
TOTAL PRICE (PER UNIT):		\$ 523,071.36

ALL PRICES ARE IN US DOLLARS

DUE TO EXTREME MARKET VOLATILITY AND PENDING U.S. GOVERNMENT SECTION 232 TRADE CASES ALL PRICES AND AVAILABILITY ARE SUBJECT TO CHANGE WITHOUT NOTICE, ALL QUOTES TO BE CONFIRMED AT TIME OF ORDER

*** FOB DESTINATION ***

SIGNATURE

DATE

Please return a signed copy to betty@gapvax.com

QUOTE ID
22460

LAST UPDATED:
1/4/23

GapVax Incorporated

Terms and Conditions of Sale

1. **ORDERS.** All orders are subject to acceptance by an officer of GapVax Inc. Orders for products not regularly carried in stock or requiring special engineering or manufacture are in every case subject to approval by an officer of GapVax.
2. **PERFORMANCE.** GapVax Inc. shall not be liable for failure to complete the contract in accordance with its terms if failure is due to wars, strikes, fires, floods, accidents, delays in transportation or other causes beyond its reasonable control.
3. **EXPERIMENTAL WORK.** Work performed at customer's request such as sketches, drawings, design, testing, fabrication and materials shall be charged at current rates.
4. **SKETCHES, ENGINEERING DRAWINGS, MODELS** and all preparatory work created or furnished by GapVax Inc. shall remain its exclusive property; and no use of same shall be made, nor may ideas obtained therefrom be used, except with the consent of and on terms acceptable to GapVax Inc.
5. **CANCELLATION.** Orders regularly entered cannot be canceled except upon terms that will compensate GapVax Inc. for any loss or damage sustained.
6. **SHIPMENT.** All proposals are based on continuous and uninterrupted delivery of the order upon completion unless specifications distinctly state otherwise. In the event that an agreement is reached for GapVax Inc. to store completed items, they will be immediately invoiced to the customer and become due and payable. Storage shall be at the risk of the customer and GapVax Inc. shall be liable only for ordinary care of the property.
7. **CUSTOMER'S PROPERTY.** GapVax Inc. shall charge the customer at current rates, for handling and storing customer's property (e.g., truck chassis) held for more than thirty (30) days after notification of availability for shipment. All customer's property, or third party's property, that is stored by GapVax Inc. is at the customer's or other party's risk. GapVax is not liable for any loss or damage thereto caused by fire, water, corrosion, theft, negligence, or any cause beyond its reasonable control.
8. **PRICES.** All orders are subject to current prices in effect at the time of order acknowledgment. Prices and Specifications are Subject to Change Without Notice. **PRICING DISCLAIMER:** While we make every effort to maintain and preserve pricing accuracy, prices are subject to change without notice. Although the information on this quotation is presented in good faith and believed to be correct at the time of printing, we make no representations or warranties as to the completeness or accuracy of this information. We reserve the right to change, delete, or otherwise modify the pricing information which is represented herein without any prior notice. We carefully check pricing specifications, but occasionally errors can occur, therefore we reserve the right to change such prices without notice. We disclaim all liability for any errors or omissions in the materials. In no event will we be responsible for any damages of any nature whatsoever from the reliance upon information from these materials. Please check your order to confirm your pricing information.
9. **F.O.B. POINT.** Unless otherwise stated, all prices listed are F.O.B. point of manufacture.
10. **TAXES.** Unless specifically stated, prices listed do not include Federal, State, City or other excise occupation, sales, use or similar taxes which are extra and are to be added at rates in effect at time of shipment. If federal Excise Taxes are included or listed on the reverse side of this paper, they are stated at the rates and regulations in effect at the time this order is written and are subject to revision in accordance with rates and regulations in effect at time of shipment.
11. **PRODUCT IMPROVEMENT.** GapVax Inc. reserves the right to change manufacturing specifications and procedures without incurring any responsibility for modifying previously shipped products.
12. **MOUNTING PRICES.** Mounting prices assumes normal factory installation on a truck chassis suitable for the unit purchased. Relocation of batteries, gas tanks, mufflers, air tanks, etc. will be an additional charge, billed at the standard factory labor rate.
13. **WARRANTY.** GapVax Inc. warrants its products to be free from defects in material and workmanship, subject to the limitations and conditions set forth in its current published warranty but makes no warranty of merchantability or fitness for any particular purpose. GapVax Inc. does not assume liability for any loss of product, time or any direct, indirect, or consequential damage, losses or delay or any nature whatsoever. No warranty, express or implied, is made or authorized to be made and no obligation is assumed or authorized to be assumed with respect to products of GapVax Inc. other than that set forth in the current, published warranty. It is to be understood that the acceptance this order is expressly conditioned upon your acceptance of GapVax Inc. standard written warranty for the products sold hereunder. GapVax Inc. hereby disclaims any responsibility or liability for any consequential losses delays or downtime resulting from orders hereunder the use of its products. GapVax does not and will not warranty any tank coating or tank lining. PTO damage is not covered when the PTO protection system or low water shut down system is not selected / installed / and operational. GapVax does not and will not warranty any water system component(s) that show any sign or indication of ice or freeze damage.
14. This agreement shall be construed according to the laws of the State of Pennsylvania. Our failure at any time to exercise any right we may have under the agreement shall not constitute a waiver thereof nor prejudice our right to enforce same thereafter.
15. This order, including the above terms and conditions contains the complete and final agreement between the parties hereto and no other agreement in any way modifying any of said terms and conditions will be binding on us unless in writing and agreed to by authorized representative of this company.