

NAME OF BIDDER: Sawcross, Inc.SECTION 00300
BID FORMDATE SUBMITTED: August 12, 2025PROJECT IDENTIFICATION: Town of Howey-in-the-Hills
101 North Palm Avenue, Howey-in-the-Hills, Florida 34737
Town of Howey-in-the-Hills BID NO. RFB 2025-007NAME OF BIDDER: Sawcross, Inc.BUSINESS ADDRESS: 10970 New Berlin Rd, Jacksonville, FL 32226TELEPHONE NUMBER: 904-751-7500CONTRACTOR'S FLORIDA LICENSE NO.: CGC036203THIS BID IS SUBMITTED TO: Morgan Cates
Public Services Director
Town of Howey-in-the-Hills
101 North Palm Avenue, Howey-in-the-Hills, Florida 34737

- A. The undersigned Bidder proposed and agrees, if this Bid is accepted, to enter into an agreement with the Owner in the form included in the Contract Documents to perform and furnish all Work as specified or indicated in the Contract Documents for the Bid Price and within the Bid Times indicated in this Bid and in accordance with the other terms and conditions of the Contract Documents.
- B. Bidder accepts all of the terms and conditions of the Advertisement or Invitation to Bid and Instructions to Bidders, including without limitation those dealing with the disposition of Bid security. This Bid will remain subject to acceptance for ninety (90) days after the day of Bid opening. Bidder will sign and deliver the required number of counterparts of the Agreement with the Bonds and other documents required by the Bidding Requirements within ten (10) days after the date of Owner's Notice of Award.
- C. In submitting this Bid, Bidder makes all representatives required by the Instructions to Bidders and further warrants and represents that:

1. Bidder has examined and carefully studied the Bidding Documents and the following Addenda receipt of which is hereby acknowledged:

No. <u>1</u>	Dated: <u>7/21/2025</u>	No. _____	Dated: _____
No. <u>2</u>	Dated: <u>7/23/2025</u>	No. _____	Dated: _____
No. <u>3</u>	Dated: <u>7/31/2025</u>	No. _____	Dated: _____
No. <u>4</u>	Date: <u>8/7/2025</u>	No. _____	Dated: _____
No. _____	Date: _____	No. _____	Dated: _____
No. _____	Date: _____	No. _____	Dated: _____

2. Bidder has visited the site and become familiar with and is satisfied as to the general, local, and site conditions that may affect cost, progress, performance and furnishing of the Work.

NAME OF BIDDER: Sawcross, Inc.

3. Bidder is familiar with and is satisfied as to the federal, state, and local Laws and Regulations that may affect cost, progress, performance, and furnishing of the Work.
 4. Bidder has carefully studied all reports of explorations and tests of subsurface conditions at or contiguous to the site and all drawings of physical conditions in or relating to existing surface or subsurface structures at or contiguous to the site (except Underground Facilities) which have been identified in the Supplementary Conditions as provided in the General Conditions. Bidder accepts the determinations set forth in the Supplementary Conditions of the extent of the "technical data" contained in such reports and drawings upon which Bidder is entitled to rely as provided in the General Conditions. Bidder acknowledges that such reports and drawings are not Contract Documents and may not be complete for Bidder's purposes. Bidder acknowledges that Owner and Engineer do not assume responsibility for the accuracy or completeness of information and data shown or indicated in the Bidding Documents with respect to Underground Facilities at or contiguous to the site. Bidder has obtained and carefully studied (or assumes responsibility for having done so) all such additional or supplementary examinations, investigations, explorations, tests, studies and data concerning conditions (surface, subsurface and Underground Facilities) at or contiguous to the site or otherwise which may affect cost progress, performance of furnishing of the Work or which relate to any aspect of the means, methods, techniques, sequences and procedures of construction to be employed by Bidder and safety precautions and programs incident thereto. Bidder does not consider that any additional examinations, investigations, explorations, tests, studies, or data are necessary for the determination of this Bid for performance and furnishing of the Work in accordance with the times, price and other terms and conditions of the Contract Documents.
 5. Bidder is aware of the general nature of Work to be performed by Owner and others at the site that relates to Work for which this Bid is submitted as indicated in the Contract Documents.
 6. Bidder has correlated the information known to Bidder, information and observations obtained from visits to the site, reports and drawings identified in the Contract Documents and all additional examinations, investigations, explorations, tests, studies, and data with the Contract Documents.
 7. Bidder has given Town Clerk written notice of all conflicts, errors, ambiguities, or discrepancies that Bidder has discovered in the Contract Documents and the written resolution thereof by Engineer is acceptable to Bidder, and the Contract Documents are generally sufficient to indicate and convey understanding of all terms and conditions for performing and furnishing the Work for which this Bid is submitted.
 8. This Bid is genuine and not made in the interest of or on behalf of any undisclosed person, firm, or corporation and is not submitted in conformity with any agreement or rules of any group, association, organization, or corporation. Bidder has not directly or indirectly induced or solicited any other Bidder to submit a false or sham Bid. Bidder has not solicited or induced any person, firm, or corporation to refrain from bidding, and Bidder has not sought by collusion to obtain for itself any advantage over any other Bidder or over Owner.
- D. Bidder submits the following lump sum/unit prices to perform all work required by the Drawings and Specifications:
1. It shall be the responsibility of the BIDDER to perform necessary tests and/or calculations to determine quantities required for the performance of the work described herein.
 2. Should certain additional work be required, or should the quantities submitted by the Contractor of certain classes of work be increased or decreased from those required by the Contract

NAME OF BIDDER: Sawcross, Inc.

Documents, by authorization of the Owner, the Unit Prices contained in the following Schedule of Unit Prices shall, at the option of the Owner, be the basis of payment to the Contractor credit to the Owner, for such increase or decrease in the work.

3. The Unit Prices shall represent the exact net amount per unit to be paid by the Contractor (in the case additions or increases) or to be refunded by the Owner (in the case of decrease). No additional adjustments will be allowed for overhead, profit, insurance, or to other direct or indirect expenses of the Contractor or Subcontractors, and no additional adjustments will be allowed.
4. All Bid items shall include all materials, equipment, labor, permit fees, taxes, tests, miscellaneous costs of all types, overhead, and profit for the item to be complete, in place, and ready for operation in the manner contemplated by the Contract Documents.
5. Unit Prices have been computed in accordance with Article 11 of the General Conditions. Bidder acknowledges that quantities are not guaranteed, and final payment will be based on actual quantities determined as provided in the Contract Documents.

E. The following documents are attached to and made a condition of this Bid:

1. Bid security (surety bond or cashier's check)
2. Power of Attorney (for surety bond only)
3. Questionnaire (Bidding Documents, Section 00301)
4. Subcontractor Listing (Bidding Documents, Section 00301-A)
5. Corporate authority to execute Bid (any corporate employee other than president or vice president, Section 00420)
6. Non-collusion Affidavit (Bidding Documents, Section 00480)
7. Trench Safety Affidavit (Bidding Documents, Section 00490)
8. A separate sheet(s) clearly identified and numbered, of exceptions or deviations from the Specifications. **N/A - NO EXCEPTIONS OR DEVIATIONS**
9. Bidder Certification (Bidding Documents, Section 00020)
10. Drug Free Work Place Certificate (Bidding Documents, Section 00020)
11. Certificate of Insurability

- F. The terms used in this Bid, which are defined in Article 1 of the General Conditions, shall have the meanings assigned to them in the General Conditions as amended by the Supplementary Conditions.
- G. Bidder accepts the provisions of the Agreement as to liquidated damages in the event of failure to complete the Work within the times specified in the Agreement.
- H. The Work shall be performed under a Florida Contractor's License. Contract shall not be awarded unless proof of valid license(s) is provided.

Item	Description	Estimated Quantity	Unit	Unit Price (In Words)	Unit Price (Numbers)	Total Price (Numbers)
1.	General Requirements	1	LS	five hundred thousand Dollars	500,000.00	500,000.00
2.	Mobilization/Demobilization	1	LS	two hundred fifty thousand	450,000.00	450,000.00
3.	Indemnification (\$1,000 min.)	1	LS	One Thousand Dollars	1,000.00	1,000.00
4.	Town of Howey-in-the-Hills Permitting (Allowance)	1	Allowance	Ten Thousand Dollars	\$10,000.00	\$10,000.00
5.	Office Furnishings (Allowance)	1	Allowance	Twenty-Five Thousand Dollars	\$25,000.00	\$25,000.00
6.	Material Testing as Specified in Section 01410 (Allowance)	1	Allowance	Fifteen Thousand Dollars	\$15,000.00	\$15,000.00
7.	Power Company Connection as specified in Section 16050 (Allowance)	1	Allowance	Fifty Thousand Dollars	\$50,000.00	\$50,000.00
8.	All materials, equipment, and work for construction of the Water Treatment Plant No. 3	1	LS	Six million one hundred eighty five thousand Dollars	6,185,000.00	6,185,000.00
9.	All other work not included in Items 1 through 9 (List Below)	1	LS	Three million seven hundred thirty seven thousand dollars	3,760,000.00	3,760,000.00
10.	Payment and Performance Bond	1	LS	One hundred and fifty thousand	150,000.00	150,000.00

TOTAL BASE BID PRICE for the Contract (Sum of Items 1 through 9):

Eight million one hundred forty six thousand dollars (In Words) \$11,146,000.00 (Numbers)

\$11,146,000.00 Unit Price \$11,146,000.00 Total Price

NAME OF BIDDER: Sawcross, Inc.

If Bidder is: (ALL SIGNATORIES MUST HAVE THEIR NAME PRINTED OR TYPED BELOW THEIR SIGNATURE)

SOLE PROPRIETORSHIP

(Individual's Signature) (SEAL)

(Individual's Name) (SEAL)

DOING BUSINESS AS: _____

BUSINESS ADDRESS: _____

TELEPHONE NUMBER: _____

FLORIDA LICENSE NO.: _____

NAME OF BIDDER: Sawcross, Inc.

A PARTNERSHIP

(Partnership Name) (SEAL)

(General Partner's Signature)

(General Partner's Name)

DOING BUSINESS AS: _____

BUSINESS ADDRESS: _____

TELEPHONE NUMBER: _____


FLORIDA LICENSE NO.: _____

NAME OF BIDDER: Sawcross, Inc.


A CORPORATION

Sawcross, Inc. (SEAL)
(Corporation Name)
Florida
(State of Incorporation)
BY Mark Hickinbotham
(Name of Person Authorized to Sign)
President
(Title)

(Authorized Signature)



(CORPORATE SEAL)

ATTEST  Frances Hickinbotham
(Secretary)

DOING BUSINESS AS: Sawcross, Inc.

BUSINESS ADDRESS: 10970 New Berlin Rd, Jacksonville, FL 32226

TELEPHONE NUMBER: 904-751-7500

CORPORATE PRESIDENT: Mark Hickinbotham

FLORIDA LICENSE NO.: CGC036203

NAME OF BIDDER: Sawcross, Inc.

A JOINT VENTURE

BY _____ (Name) _____ (SEAL)

BY _____
(Address)

BY _____ (Name)

BY _____ (Address) _____ (SEAL)

DOING BUSINESS AS: _____

BUSINESS ADDRESS: _____

TELEPHONE NUMBER: _____

CORPORATE PRESIDENT: _____

FLORIDA LICENSE NO.: _____

(Each joint venturer must sign. The manner of signing for each individual, partnership, and corporation that is a party to the joint venture should be in the manner indicated above)

List the following in connection with the Surety which is providing the Bid Bond.

Surety's Name: _____

Surety's Address: _____

Name and Address of Surety's resident agent for service of process in Florida:

END OF SECTION

SECTION 00301
BID FORM

DATE SUBMITTED: 8/12/2025

PROJECT IDENTIFICATION: Howey-in-the-Hills Water Treatment Plant No. 3

NAME OF BIDDER: Sawcross, Inc.

BUSINESS ADDRESS: 10970 New Berlin Rd, Jacksonville, FL 32226

TELEPHONE NUMBER: 904-751-7500

CONTRACTOR'S FLORIDA LICENSE NO.: CGC036203

The undersigned warrants the truth and accuracy of all statements and answers herein contained. Include additional sheets if necessary.

1. How many years has your organization been in business as a General Contractor?
33 Years
2. Describe and give the date and owner of the last project that you have completed similar in type, size, and nature as the one proposed:
Sanford Main Water Treatment Plant Improvements - February 2024
Construction of a new 2-story Main WTP Operations Building - Included: installation of
chemical feed, storage and pumping systems, electrical, controls, SCADA, and site work.
3. Have you ever failed to complete work awarded to you? If so, where and why?
No.
4. Name three (3) municipalities for which you have performed work and to which you refer:
Jacksonville Electric Authority (JEA) - Dean Llewellyn, llewd@jea.com, 904-580-0899
St. Johns County - Jim Overton, joverton@sjcfl.us, 904-209-2614
City of Eustis - Rick Gierok, gierokr@ci.eustis.fl.us, 352-483-5480
5. Have you personally inspected the site of the proposed Work? Describe any anticipated problems with the site and your proposed solutions:
Yes, no anticipated problems.
6. Will you subcontract any part of this Work? If so, describe which portions.
Yes; Electrical, Prestressed tank, PIC's & Roofing.

7. What equipment do you own that is available for the Work?

See attached list.

8. What equipment will you purchase for the Work?

None.

9. What equipment will you rent for the Work?

None.

10. The following is given as a summary of the Financial Statement of the undersigned: (List Assets and Liabilities and use insert sheet if necessary).

Current Assets: \$29,319,455.00

Current Liabilities: \$21,006,929.00

11. State the true and exact, correct, and complete name under which you do business. Bidder is:

Sawcross, Inc.

END OF SECTION

Sanford Main Water Treatment Plant Improvements

Sanford, Florida



The work consists of construction of a new 2-story Main WTP Operations Building to include an Operations Center Control room, meeting/breakroom, laboratory, administrative offices, high service pumping room, restrooms, reception area, electrical and mechanical rooms, chemical storage rooms, etc. The installation of pumping piping, valving, and metering systems. Installation of chemical feed, storage and pumping systems. Electrical, controls, and instrumentation system improvements, SCADA system improvements, diesel engine driven generator with weatherproof enclosure, facility wall, fencing, lighting and security systems. Site work, yard piping, stormwater management system improvements, plant internal roadway improvements, signage, landscaping, sodding, facility irrigation system, and miscellaneous appurtenances and ancillaries. Demolition of two on-site buildings (the existing WTP operations/pumping building and the one-story office building) and all associated infrastructure and the legal disposal of all demolished materials after the new Main WTP Operations Building is constructed and all systems and equipment have passed demonstration tests and are operational.

OWNER

City of Sanford, Florida
300 North Park Avenue
PO Box 1788
Sanford, FL 32771
Richard Casella
(407) 688-5095
Richard.casella@sanfordfl.gov

ENGINEER

CPH, Inc.
500 W Fulton St
Sanford, FL 32771
Rocco Nasso
(407) 322-6841
rnasso@cphcorp.com

Project Type

Bid/Build

Contract Amount

\$8,081,142.10

Notice To Proceed

February, 2021

Contract Substantial Completion

February 2024

Actual Substantial Completion

February 2024



SAWCROSS, INC.

CONTRACTORS & ENGINEERS

CGC036203 EB8465

10970 New Berlin Road
Jacksonville, FL 32226

OFFICE: (904) 751-7500

FAX: (904) 751-0600

www.sawcross.com


PRECONSTRUCTION SERVICES

DESIGN BUILD

BID BUILD

Lofton Oaks WTP Improvements

Yulee, Florida



The project consisted of implementing improvements to the existing Lofton Oaks Water Treatment Plant (WTP) to supplement demands within JEA's Nassau Grid. This provided a finished water capacity of 2.83 million gallons per day (mgd) on a maximum day demand (MDD) basis production. A new 0.20-million-gallon (MG) ground storage tank (GST) increased the finished water on-site storage. Two (2) new high service pumps (HSPs) rated at 480-gpm capacity, one new HSP rated at 1,000-gpm capacity, each equipped with variable frequency drives (VFDs) which served as the firm capacity of the plant. An existing 480-gpm pump was reinstalled to serve as a back-up pump. A new 2,000-gallon Bulk Sodium Hypochlorite Storage tank and feed equipment for disinfection was provided. A new high service pump building, with an electrical room, unisex toilet, a chemical metering room and chemical storage area was provided. A new 350 kW emergency power generator and a 1,000-gallon above ground fuel tank provided emergency WTP operations at the current firm capacity.

OWNER

Jacksonville Electric Authority
21 W. Church Street
Jacksonville, FL 32202
Dean Llewellyn
904-580-0899
llewd@jea.com

ENGINEER

Ardurra Engineering
100 Center Creek Rd, Suite 108
St. Augustine, FL 32084
Dave Rasmussen
407-334-8877
drasmussen@ardurra.com

Project Type

Bid/Build

Contract Amount

\$5,717,800.00

Notice To Proceed

July 2022

Contract Substantial Completion

April 2024

Actual Substantial Completion

April 2024



SAWCROSS, INC.

CONTRACTORS & ENGINEERS

CGC036203 EB8465

10970 New Berlin Road
Jacksonville, FL 32226

OFFICE: (904) 751-7500

FAX: (904) 751-0600

www.sawcross.com

PRECONSTRUCTION SERVICES

DESIGN BUILD

BID BUILD

SJC Northwest Water Treatment Plant Phase 1 Expansion

Saint Augustine, Florida



The project consisted of the Phase 1 expansion of the Northwest Water Treatment Plant from 6 MGD to 9 MGD. This expansion included: modifications to the existing CO₂ PSF pane; one new 91-ton carbon dioxide storage tank; one new clearwell complex that included a new 3.0 MGD degasification tower, two new biotrickling odor control filters, each with a rated capacity of 13,500 scfm, one new 9,000 scfm centrifugal blower, three new 2,100 gpm VFD vertical turbine transfer pumps, chemical piping additions for sodium hypochlorite and sodium hydroxide, sample pumps and piping; modifications to Clearwell complex No. 1 which included demolition and removal of the existing chemical odor control scrubber, replacement of the existing centrifugal blowers with two new 9,000 scfm centrifugal blowers, modifications to the FRP ductwork, removal of 3 existing horizontal split case transfer pumps and the addition of 2 new 2,100 gpm VFD vertical turbine transfer pumps; modifications to the HSP station to increase capacity from 13.6 MGD to 18.1 MGD PHF which included the removal of HSPs 1, 2, 3, & 4 and replacement with 3 new VFD 3,150 gpm HSPs for pump slots 2, 3, & 4; the addition of two new NaOCl metering pumps and modifications to the chemical feed application points for the sodium hypochlorite and sodium hydroxide that serve the existing chemical odor control scrubber; as well as all other site work, landscaping, and demolition not mentioned above.

OWNER

St. Johns County
Utility Department
1205 State Road 16,
Saint Augustine, FL 32084
Jim Overton
Project Manager
3390 International Golf Parkway,
Saint Augustine, FL 32084
(904) 209-2614
overtonjj@cdmsmith.com

ENGINEER

CDM Smith
4651 Salisbury Road
Suite 420,
Jacksonville, FL 32256
Yanni Polematidis, P.E.
(904) 527-6722
PolematidisIM@cdmsmith.com

Project Type

Bid/Build

Original Contract Amount

\$6,834,000.00

Final Contract Amount

\$6,834,000.00

Notice To Proceed Date

November, 2019

Contract Substantial Completion

June, 2021

Actual Substantial Completion

June, 2021



CGC036203 EB8465

10970 New Berlin Road
Jacksonville, FL 32226

OFFICE: (904) 751-7500

FAX: (904) 751-0600

www.sawcross.com

PRECONSTRUCTION SERVICES

DESIGN BUILD

BID BUILD

Eastern Wastewater Treatment Plant Expansion

Eustis, Florida



This project included the construction of a 1.0-MGD expansion to the existing 0.3-MGD Eastern Wastewater Treatment Plant for the City of Eustis. The project includes a 1.0-MGD Biological Treatment Unit (BTU) including a Screening Structure, Master Submersible Influent Pump Station with two (2) 1,500 gpm submersible pumps, MLE Process Basins, Clarifiers, Filters, Chlorine Contact Chamber, Effluent Transfer Pump Station with two 1,500 gpm vertical turbine reclaim water pumps, three (3) 6-inch return activated sludge pumps, Hypochlorite System, Blower/Electrical Building, and associated piping, site work, paving, grading, equipment, variable speed drives, electrical including service entrance and an emergency power generator and fuel storage tank, instrumentation and controls (I&C) including instruments and SCADA, and miscellaneous appurtenances necessary for system operation. Work consists of furnishing all labor, equipment, and materials for the construction of the facility. Due to immediate need for additional capacity, a unique design approach was necessary to expedite the project schedule, which led to the project preliminary design and final design being completed within seven (7) months. Additionally, the construction was required to be completed within one (1) year and pre-purchase of long lead equipment was done to expedite the construction schedule. This meets the package plant qualification requirement as stated in section 00111—Advertisement for Bids.

OWNER

City of Eustis,
Purchasing Department, City
Hall
10 North Grove Street,
3rd Floor
Eustis, FL 32726
Rick Gierok, P.E.
(352) 483-5480 office
(321) 388-7485 mobile
gierokr@ci.eustis.fl.us

ENGINEER

Reiss Engineering, Inc.
1016 Spring Villas Point
Winter Springs, FL 32708
Scott Hoxworth, P.E.
(407) 679-5358
shoxworth@reisseng.com

Project Type

Bid/Build

Original Contract Amount

\$7,454,000.00

Final Contract Amount

\$7,501,069.66

Notice To Proceed Date

April 2017

Contract Substantial Completion

July 2018

Actual Substantial Completion

June 2018

Project Manager

Kevin DiQuisto

Lead Field Superintendent

Tom Carter



SAWCROSS, INC.

CONTRACTORS & ENGINEERS

CGC036203 EB8465

10970 New Berlin Road

Jacksonville, FL 32226

OFFICE: (904) 751-7500

FAX: (904) 751-0600

www.sawcross.com

PRECONSTRUCTION SERVICES

DESIGN BUILD

BID BUILD



CURRENT COMPANY OWNED EQUIPMENT LIST as of 6/10/2025

EQUIPMENT DESCRIPTION	AVAILABLE FOR PROJECT	EQUIPMENT DESCRIPTION	AVAILABLE FOR PROJECT	EQUIPMENT DESCRIPTION	AVAILABLE FOR PROJECT
Trackhoe 330 2022	X	Trackhoe Komatsu 210 2014	X	Skidsteer John Deere CT332 2007	X
Loader 930 2021	X	Minihoe Cat 305E2 2016	X	Telehandler 2013 Cat TL642	X
Roller CatCS54B 2020	X	Backhoe Cat420F2IT 2015 (2)	X	Backhoe Cat420DIT 2005	X
Dozer CatD3G 2005	X	Skidsteer Cat289D3 2020	X	Telehandler CatTL943C 2014 (2)	X
Skidsteer Cat289D3 2021	X	Roller Bomag BW 1770-5 2018	X	Skidsteer Cat289D 2018	X
Minihoe Cat306 2022	X	Pump MSP HD-150 2022	X	Fork Lift Doosan D455-7	X
Genie Z45/25 2020	X	Trackhoe Cat308E 2016	X	Minihoe Cat303E 2021	X
Crane Grove QRT 655 2019	X	Telehandler CatTL943C 2013	X	Scissor Lift Genie 2014	X
Gator John Deere S4 2021 (2)	X	Backhoe Cat420EIT 2006	X	Scissor Lift JLG 263ES 2017	X
Trackhoe Cat335F 2014	X	Trackhoe 320 2019 (2)	X	Sweeper Lay-Mor SM300	X
Trackhoe Cat314 2014	X	Dozer CatD-5K 2016	X	Double D. Pump 4" yellow 2018 (2)	X
Hydrema 912HM 2019 (2)	X	Telehandler CAT TL1255D 2018 (2)	X	Gator John Deere 835 2019 (2)	X
Telehandler Cat TH360B 2003	X	Backhoe CAT420F2IT 2016	X	Trackhoe 308E 2017	X
Minihoe Cat 305E 2014	X	Minihoe Volvo ECP38 2014	X	Skidsteer Cat257D 2016	X
Skidsteer Cat289D3 2019	X	Skidsteer Cat289D3 2022	X	Genie Z45/25 2005	X
Roller HAMM 2019	X	Genie 260/34 2009	X	John Deere Tractor 3038	X
Double D. Gray Pump 6" yellow (4)	X	Double D. Gray Pump 6" 2021 (2)	X	Roller CatCB114C 2007	X
Jet Pump 6"x3" Pioneer 2011	X	Gator John Deere S4 2018	X	Water Trailer Multi Quip WT5	X
Skidsteer Cat 257D 2017	X	Gator John Deere 835 2022	X	Double. D Pump 4" green	X
Backhoe CAT420F 2014	X	Skidsteer Cat257D 2018	X	Skidsteer Cat299XPS 2018	X
Dozer Cat D-3 2022	X	Minihoe Cat305E2CR 2017	X	Gator John Deere 835 2018	X
Trackhoe Komatsu 228 2004	X	Telehandler CatTL1055D 2018	X	Skidsteer John Deere 2015	X
Loader Cat 930K 2011	X	Scissor Lift JLG 1930ES	X	Telehandler CatTH340B	X
Skidsteer Cat 257D 2015	X	Gator John Deere S2 2014	X		
Double D. Pump 6" blue 2022	X	Gator John Deere S4 2014 (3)	X		
Gator John Deere S4 2019 (3)	X	Trackhoe Cat308E2CR 2017 (2)	X		

SECTION 00301-A
SUBCONTRACTOR LISTING

List all proposed Subcontractors to be used for this Project:

Firm Name: THS automation (THC)
Address: 640 Heyward Ave N, Oakdale, MA 01928
Telephone Number: 951-436-0435
Trade: I & C Estimated Dollar Amount: \$ 643,769.00

Firm Name: Cortar Electric
Address: 450 Marshall Lake Rd, Apopka FL 32703
Telephone Number: 407-814-2697
Trade: Electrical Estimated Dollar Amount: \$ 1,917,752.00

Firm Name: Precon Corporation
Address: 115 SW 140th Terrace, Newberry FL 32669
Telephone Number: _____
Trade: Prestressed tank Estimated Dollar Amount: \$ 1,050,000.00

Firm Name: _____
Address: _____
Telephone Number: _____
Trade: _____ Estimated Dollar Amount: \$ _____

Firm Name: _____
Address: _____
Telephone Number: _____
Trade: _____ Estimated Dollar Amount: \$ _____

Firm Name: _____
Address: _____
Telephone Number: _____
Trade: _____ Estimated Dollar Amount: \$ _____

Firm Name: _____
Address: _____
Telephone Number: _____
Trade: _____ Estimated Dollar Amount: \$ _____

END OF SECTION

SECTION 00410
BID BOND
BIDDER CERTIFICATION

KNOW ALL MEN BY THESE PRESENTS, that we, the undersigned, Sawcross, Inc.
as Principal, and Swiss Re Corporate Solutions America Insurance Corporation as Surety, are hereby held and firmly bound unto
the Town of Howey-in-the-Hills, as Owner in the penal sum of (five percent (5%) of the Contract Bid)
5% of Bid for the payment of which, well and truly to be made, we hereby jointly and severally
bind ourselves, successor, and assigns to pay Owner upon default of Bidder the penal sum set forth on the
face of this Bond.

Signed this 28th day of July 20 25.

The condition of the above obligation is such that whereas the Principal has submitted to the Town of Howey-in-the-Hills, a certain Bid, attached hereto and hereby made a part hereof, to enter into a contract in writing, for the Howey-in-the-Hills Water Treatment Plant No. 3 project.

NOW THEREFORE:

- A. The term "bid" as used herein included a bid, offer, or proposal as applicable.
- B. Default of Bidder shall occur upon the failure of Bidder to deliver within the time required by the Bidding Documents the executed Agreement required by the Bidding Documents and any performance and payment bonds required by the Bidding Documents and Contract Documents.
- C. This obligation shall be null and void if:
 - 1. Owner accepts Bidder's bid and Bidder delivers within the time required by the Bidding Documents (or any extension thereof agreed to in writing by Owner) the executed Agreement required by the Bidding Documents and any performance and payment bonds required by the Bidding Documents and Contract Documents, or
 - 2. All bids are rejected by Owner, or
 - 3. Owner fails to issue a notice of award to Bidder within the time specified in the Bidding Documents (or any extension thereof agreed to in writing by Bidder and, if applicable, consented to by Surety when required by paragraph E hereof)
- D. Payment under this Bond will be due and payable upon default of Bidder and within thirty (30) calendar days after receipt of Bidder and Surety of written notice of default from Owner which notice will be given with reasonable promptness, identifying this Bond and the Project, and including a statement of the amount due.
- E. Surety waived notice of any and all defenses based on or arising out of any time extension to issue notice of award agreed to in writing by Owner and Bidder, provided that the time for issuing notice of award including extensions shall not in the aggregate exceed one hundred twenty (120) days from Bid Due without Surety's written consent.
- F. No suit or action shall be commenced under this Bond prior to thirty (30) calendar days after the notice of default required in paragraph C above is received by Bidder and Surety, and in no case later than one year after Bid Due Date.
- G. Any suit or action under this Bond shall be commence only in a court of competent jurisdiction located in the state in which the Project is located.

- H. Notice required hereunder shall be in writing and sent to Bidder and Surety at their respective addresses shown on the face of this Bond. Such notices may be sent by personal delivery, commercial courier or by U.S. Registered or Certified Mail, return receipt requested, postage pre-paid, and shall be deemed to be effective upon receipt by the party concerned.
- I. Surety shall cause to be attached to this Bond a current and effective Power of Attorney evidencing the authority of the officer, agent, or representative who executed this Bond on behalf of Surety to execute, seal, and deliver such Bond and bind the Surety thereby.
- J. This Bond is intended to conform to all applicable statutory requirements. Any applicable requirement of any applicable statute that has been omitted from this Bond shall be deemed to be included herein as if set forth at length. If any provision of the Bond conflicts with any applicable provision of any applicable statute, then the provision of said statute shall govern and the remainder of the Bond that is not in conflict therewith shall continue in full force and effect.

IN WITNESS WHEREOF, the Principal and the Surety have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be hereto affixed and these presents to be signed by their proper officers, the day and year first set forth above.

Principal (Print Full Name):
Sawcross, Inc.

By: _____ (L.S.)

Title: Mark Hickinbotham, President

Attest: _____

Mikayla Parker
Witness

Signature and Title

Surety (Print Full Name):

Swiss Re Corporate Solutions America Insurance Corporation (Seal)

Surety's Name and Corporate Seal

By: _____
Signature (attach Power of Attorney)

April L. Lively

Title: Attorney-in-Fact & FL Licensed Resident Agent

Attest: _____

Christine Morton
Witness

Signature and Title

IMPORTANT: Surety companies executing bonds must appear on the Treasury Department's most current list (Circular 576 as amended) and be authorized to transact business in the State of Florida. See Article 5 of the General Conditions as amended by Supplementary Conditions.

Inquiries: (407) 834-0022

END OF SECTION

SWISS RE CORPORATE SOLUTIONS

SWISS RE CORPORATE SOLUTIONS AMERICA INSURANCE CORPORATION ("SRCSAIC")
SWISS RE CORPORATE SOLUTIONS PREMIER INSURANCE CORPORATION ("SRCSPIC")
WESTPORT INSURANCE CORPORATION ("WIC")

GENERAL POWER OF ATTORNEY

KNOW ALL MEN BY THESE PRESENTS, THAT SRCSAIC, a corporation duly organized and existing under laws of the State of Missouri, and having its principal office in the City of Kansas City, Missouri, and SRCSPIC, a corporation organized and existing under the laws of the State of Missouri and having its principal office in the City of Kansas City, Missouri, and WIC, organized under the laws of the State of Missouri, and having its principal office in the City of Kansas City, Missouri, each does hereby make, constitute and appoint:

BRYCE R. GUIGNARD, APRIL L. LIVELY, JENNIFER L. HINDLEY, MARGIE L. MORRIS, DEBORAH ANN DEFOE,

M. GARY FRANCIS, CHRISTINE MORTON, KELLY PHELAN, ALLYSON FOSS WING, DAVID TURCIOS,

WESLEY MATT ADCOCK and AMANDA JO HERSTINE JOINTLY OR SEVERALLY

Its true and lawful Attorney(s)-in-Fact, to make, execute, seal and deliver, for and on its behalf and as its act and deed, bonds or other writings obligatory in the nature of a bond on behalf of each of said Companies, as surety, on contracts of suretyship as are or may be required or permitted by law, regulation, contract or otherwise, provided that no bond or undertaking or contract or suretyship executed under this authority shall exceed the amount of:

TWO HUNDRED MILLION (\$200,000,000.00) DOLLARS

This Power of Attorney is granted and is signed by facsimile under and by the authority of the following Resolutions adopted by the Boards of Directors of both SRCSAIC and SRCSPIC at meetings duly called and held on the 18th of November 2021 and WIC by written consent of its Executive Committee dated July 18, 2011.

"RESOLVED, that any two of the President, any Managing Director, any Senior Vice President, any Vice President, the Secretary or any Assistant Secretary be, and each or any of them hereby is, authorized to execute a Power of Attorney qualifying the attorney named in the given Power of Attorney to execute on behalf of the Corporation bonds, undertakings and all contracts of surety, and that each or any of them hereby is authorized to attest to the execution of any such Power of Attorney and to attach therein the seal of the Corporation; and it is

FURTHER RESOLVED, that the signature of such officers and the seal of the Corporation may be affixed to any such Power of Attorney or to any certificate relating thereto by facsimile, and any such Power of Attorney or certificate bearing such facsimile signatures or facsimile seal shall be binding upon the Corporation when so affixed and in the future with regard to any bond, undertaking or contract of surety to which it is attached."



By Erik Janssens
Erik Janssens, Senior Vice President of SRCSAIC & Senior Vice President of SRCSPIC & Senior Vice President of WIC

By Gerald Jagrowski
Gerald Jagrowski, Vice President of SRCSAIC & Vice President of SRCSPIC & Vice President of WIC



IN WITNESS WHEREOF, SRCSAIC, SRCSPIC, and WIC have caused their official seals to be hereunto affixed, and these presents to be signed by their authorized officers

this 28TH day of JUNE, 20 24

State of Illinois
County of Cook



Swiss Re Corporate Solutions America Insurance Corporation
Swiss Re Corporate Solutions Premier Insurance Corporation
Westport Insurance Corporation

On this 28TH day of JUNE, 20 24, before me, a Notary Public personally appeared Erik Janssens, Senior Vice President of SRCSAIC and Senior Vice President of SRCSPIC and Senior Vice President of WIC and Gerald Jagrowski, Vice President of SRCSAIC and Vice President of SRCSPIC and Vice President of WIC, personally known to me, who being by me duly sworn, acknowledged that they signed the above Power of Attorney as officers of and acknowledged said instrument to be the voluntary act and deed of their respective companies.


Karen M. Szveda
Karen M. Szveda, Notary

I, Jeffrey Goldberg, the duly elected Senior Vice President and Assistant Secretary of SRCSAIC and SRCSPIC and WIC, do hereby certify that the above and foregoing is a true and correct copy of a Power of Attorney given by said SRCSAIC and SRCSPIC and WIC, which is still in full force and effect.

IN WITNESS WHEREOF, I have set my hand and affixed the seals of the Companies this 28th day of July, 20 25



Jeffrey Goldberg
Jeffrey Goldberg, Senior Vice President & Assistant Secretary of SRCSAIC and SRCSPIC and WIC



BIDDER CERTIFICATION

SECTION 00480
NON-COLLUSION AFFIDAVIT

STATE OF: Florida

COUNTY OF: Duval

Mark Hickinbotham, being first duly sworn deposes and says that:

- A. He is the President, of Sawcross, Inc., the Bidder that has submitted the attached Bid.
- B. He is fully informed respecting the preparation and contents of the attached Bid and of all pertinent circumstances respecting such Bid.
- C. Such Bid is genuine and is not a collusive of sham Bid.
- D. Neither the said Bidder nor any of its officers, partners, owners, agents, representatives, employees, or parties in interest, including this affiant, have in any way, colluded, conspired, connived or agreed, directly or indirectly, with any other Bidder, firm or person to submit a collusive or sham Bid in connection with the Contract for which the attached Bid has been submitted, or to refrain from bidding in connection with such Contract. Or have in any manner, directly or indirectly sought by agreement or collusion, or communication, or conference with any Bidder, firm or person to fix the price or prices in the attached Bid or of any other Bidder, or to fix any overhead, profit, or cost elements of the Bid price of the Bid price with any other Bidder, or to secure through any collusion, conspiracy, connivance, or unlawful agreement any advantage against the Owner, or any person interested in the proposed Contract.
- E. The price or prices quoted in the attached Bid are fair and proper and not tainted by any collusion, conspiracy, connivance, or unlawful agreement on the part of the Bidder or any other of its agents, representatives, owners, employees or parties in interest, including his affiant.

By [Signature] Mark Hickinbotham, President

Sworn and subscribed to before me this 12th day of August, 2025, in the State of Florida, County of Duval.

[Signature] Notary Public

My Commission Expires: 5/12/2026

END OF SECTION



SECTION 00490
TRENCH SAFETY AFFIDAVIT

Trench excavations on this Project are expected to be in excess of 5 feet deep. The Occupational Safety and Health Administration excavation safety standards, 29 CFR 1926.650 Subpart P Trench Safety Standards will be in effect during the period of construction of the Project.

Bidder acknowledges that included in the Bid Price are costs for complying with the Florida Trench Safety Act (90-96, Laws of FL) effective October 1, 1990, and hereby gives assurance that, if awarded the Contract, the Contractor or Subcontractor performing trench excavation work on the Project will comply with the applicable trench safety standards. The Bidder further identifies the costs as follows:

Trench Safety Item (Description) Cost:

Project Name: Town of Howey-in-the-Hills Water Treatment Plant No. 3

NINE THOUSAND EIGHT HUNDRED DOLLARS
AND NO CENTS.

(Cost in Words)

TOTAL: \$ 9,800.00

FAILURE TO COMPLETE THE ABOVE MAY RESULT IN THE BID BEING DECLARED NON-RESPONSIVE

COMPANY NAME: Sawcross, Inc. DATE: 8/12/2025

BY: [Signature] Mark Hickinbotham, President

END OF SECTION

BIDDER CERTIFICATION

"I, the undersigned, certify I have received all addenda. I understand timely commencement/delivery may be considered in award of bid, and cancellation of bid/award will be considered if commencement/delivery time is not met, and untimely delivery may cause for assessment of liquidated damages claims. I certify the equipment, or products meet or exceed the Specification, and the undersigned declares I have carefully examined any and all plan, blueprints, specifications, terms and conditions as applicable for this bid, and I am thoroughly familiar with all provisions, and the quality and type of coverage specified and bid herein. I certify neither the entity submitting this sworn statement, nor any officers, directors, executives, partners, shareholders, employees, members, or agents who are active in the management of the entity, nor an affiliate of the entity has been charged with and convicted of a public entity crime subsequent to July 1, 1989. I further declare I have not divulged, discussed or compared this bid with any other bidders and have not colluded with any other bidders or parties to a bid proposal whatsoever for a fraudulent purpose."

Signature:  Date: 8/12/2025

Printed name: Mark Hickinbotham Title: President

Company: Sawcross, Inc. Phone number: 904-751-7500

Address: 10970 New Berlin Rd City/State: Jacksonville, FL Zip: 32226

Email address: markh@sawcross.com Fax number: 904-751-0600

DRUG FREE WORKPLACE CERTIFICATE

I, the undersigned, in accordance with Florida Statute 287.087, hereby certify that:

Sawcross, Inc.

(Print or Type Name of Firm)

- ◆ Publishes a written statement notifying that the unlawful manufacture, distribution, dispensing, possession or use of a controlled substance is prohibited in the workplace named above and specifying actions that will be taken against violations of such prohibition.
- ◆ Informs employees about the dangers of drug abuse in the workplace, the firm's policy of maintaining a drug free working environment, and available drug counseling, rehabilitation, and employee assistance programs, and the penalties that may be imposed upon employees for drug use violations.
- ◆ Gives each employee engaged in providing commodities or contractual services that are under bid or proposal, a copy of the statement specified above.
- ◆ Notifies the employees that as a condition of working on the commodities or contractual services that are under bid or proposal, the employee will abide by the terms of the statement and will notify the employer of any conviction of, plea of guilty or nolo contendere to, any violation of Chapter 1893, or of any controlled substance law of the State of Florida or the United States, for a violation occurring in the work place, no later than five (5) days after such conviction, and requires employees to sign copies of such written (*) statement to acknowledge their receipt.
- ◆ Imposes a sanction on, or requires the satisfactory participation in, a drug abuse assistance or rehabilitation program, if such is available in the employee's community, by any employee who is so convicted.
- ◆ Makes a good faith effort to continue to maintain a drug free workplace through the implementation of the drug free workplace program.

"As a person authorized to sign this statement, I certify the above-named business, firm or corporation complies fully with the requirements set forth herein."

Mark Hickinbotham, Authorized Signature
President

8/12/2025

Date signed _____

State of: Florida

County of: Duval


Sworn to (or affirmed) and subscribed before me this 12th date of August 2025

By X physical presence or _____ online notarization.

Personally known X or Produced Identification _____

Signature of Notary

My Commission Expires 5/12/2026



END OF SECTION

ADDENDUM NO. 1

DATE: July 21, 2025

PROJECT NO: RFB 2025-007

PROJECT: Howey-in-the-Hills Water Treatment Plant No. 3

ALL PROSPECTIVE BIDDERS ARE HEREBY NOTIFIED OF THE CHANGES OR ALTERATIONS IN THE ABOVE-REFERENCED PROJECT

General Information:

- It was brought to our attention that a Wallace & Tiernan system is called out in the plans for the new treatment plant. Currently the Town uses a Hydro system which is maintained using Guardian equipment. The Town would prefer to stay using a Hydro system and not have 2 different systems to maintain.
- Site/Mechanical Changes to the Contract Drawings
 - Sheet M-05
 - Sheet M-06
- Electrical Changes to the Contract Drawings
 - Delete the following drawings:
E-01, E-02, E-03, E-05, E-06, E-07, E-08, E-10, E-11, E-12, E-13, E-14, E-15, E-16, E-17, E-18, E-19, E-21, I-02 & I-03
 - Insert the following revised drawings in their place:
E-01, E-02, E-03, E-05, E-06, E-07, E-08, E-10, E-11, E-12, E-13, E-14, E-15, E-16, E-17, E-18, E-19, E-21, I-02 & I-03
- Architectural Changes to the Contract Drawings
 - DRAWING A1.1 PROJECT DATA:
Updated Sheet index to reflect revised sheets.
 - DRAWING A6.1 INTERIOR ELEVATIONS:
Updated detail 1/A6.1 to include dimensions and finish material.
 - DRAWING AS1.1 SPECIFICATIONS:
Added new sheet
 - DRAWING AS1.2 SPECIFICATIONS:
Added new sheet

- DRAWING AS1.3 SPECIFICATIONS:
Added new sheet
- DRAWING AS1.4 SPECIFICATIONS:
Added new sheet
- Structural Changes to the Contract Drawings
 - DRAWING S3.1 FOUNDATION PLAN:
Relocated door opening from the Chlorine Room to the Storage Room
 - DRAWING S3.2 ROOF FRAMING PLAN:
Relocated lintel from the Chlorine Room to the Storage Room.

Questions from Bidders:

1. Bid Item number 7 seems incomplete, can you clarify?
Response: See attached revised Bid Form.
2. We respectfully request that Unitron Controls® (a division of Barney's Pumps, Inc) be considered an Approved Equal for the System Supplier role, as specified in Section 13300.
Response: Not Approved. TLS Automation Sole Source.
3. In Table 11215, please confirm that the minimum shutoff head shall be at least 200 ft of head (~15% over the top of the highest specified performance condition). Current specified shutoff head is 64 ft
Response: Confirmed. The minimum shutoff head shall be at least 200 ft of head.
4. In Table 11215 (and plan sheet M-01 & M-02), well casing is specified as being 12". Please confirm the ID is at least 12" or larger. The pump sizes needed to meet the specified flow rates have OD's that are around 11.50". This means that there could be only 0.25" gap (or smaller) around the perimeter of the pump, making setting & removal of the pump challenging. If the ID of the casing is at any location less than 12.0", please consider revising the pump requirements to allow smaller equipment.
Response: Confirmed. The casing pipe is 12" I.D. black steel. Smaller equipment which meets the design point, HP and other specifications found in the bid documents shall be acceptable.
5. In section 11215, to allow for future electrical upgrades, we recommend requiring that the complete pump assembly and motor be Variable Speed rated (including fabricated discharge heads). This will increase the equipment robustness even when operated at Constant speed, and will allow the City the option of adding VFDs to the wells for better flow control in the future.
Response: Solid State Starters are required for the well pumps as shown on the Contract Drawings

6. In section 11216, please confirm that all four pump cans shall be the same size and shall allow all pumps to be interchangeable between the cans. This will ensure that the City can replace the Jockey Pump with another High Service Pump in the future without needing to up-size the cans.

Response: Confirmed. All four pump cans shall be the same size.

7. In section 11216, to minimize the chances of undesirable vibrations during variable speed operation, and to facilitate all suction cans being made to the same size, we recommend requiring that all pump heads be Fabricated. Such heads can be optimized for variable speed operation, and also allow the Jockey to be built with an oversized baseplate to mate with the larger Can size for the HSPs.

Response: Pump heads may be fabricated per pump manufacturer recommendations.

8. In section 11216, the need for an 8" x 10" reducer can be eliminated by specifying 10" pump discharges (which has little to no cost impact on the pumps and reduces friction). Please confirm if this is desirable.

Response: Bid per current layout.

9. In section 11216, we request that the minimum Pump Efficiency at the Primary design point be changed to 75%, with a pump BEP still at 80%. This will allow a bowl selection that places the high flow condition to the Right of BEP, thus allowing the pump to be operated at higher efficiencies throughout its operating cycle. This request applies to both the High Service and Jockey Pumps

Response: The minimum Pump Efficiency at the Primary design point is changed to 75%, with a pump BEP still at 80%.

10. Can you provide details of the existing well that need to be abandoned, such as diameter and depth?

Response: Existing well details (Well No. 3) are shown in the FDEP Sanitary Survey Report for WTP No. 2 which is attached.

11. We have landscaping plans in the bid plans, is there irrigation plans?

Response: Due to Town ordinance, there will be no irrigation system for this site. The Contractor will be responsible for providing irrigation water for 30 days to establish planted landscape grow-in.

12. Section 11210, "Water Pumps"

- Does this project have funding that requires the equipment to be BABA compliant?

Response: No. This project is not required to be BABA compliant.

- Please confirm that the specified well pumps and high service pumps are to be NSF61 certified.

Response: Confirmed. All well pumps and high service pumps are to be NSF61 certified.

- Please confirm that the specified performance tests for the well pumps and high service pumps are to be in accordance with HI Grade 1U tolerances.

Response: Confirmed. Performance tests for the well pumps and high service pumps are to be in accordance with HI Grade 1U tolerances.

- Please clarify the requirements for the factory performance testing for the well pumps and the high service pumps. Section 11210, 1.03.C.2, says the “tests shall be witnessed and certified by a registered PE”. Section 11215, 3.02.B, says the “tests shall be witnessed by a registered engineer” but then adds additional information which indicates this engineer would be a HALFF representative including travel, meals, etc. to the pump manufacturing facility. Section 11216, 3.02.A, specifies a “non-witnessed laboratory performance test”. Witness testing adds cost & lead time. I would suggest non-witnessed factory performance tests on each unit, HI Grade 1U tolerance, certified by a PE or factory test lab manager.

Response: Factory performance testing for the well pumps and the high service pumps shall be accordance with Section 11216, 3.02.A, specifies a “non-witnessed laboratory performance test”.

13. Section 11215, “Vertical Turbine Water Pumps”

- Paragraph 1.01.B makes reference to “variable speed well pumps”. Please confirm the well pumps are constant speed as indicated by the electrical drawings and not variable speed.

Response: Confirmed. The well pumps are constant speed as indicated by the electrical drawings.

- Please clarify the note in paragraph 2.02.B which says “Existing motor shall be reinstalled for continued use”.

Response: No existing motors shall be reinstalled. All pumps and motors shall be new.

- Are any factory certified hydrostatic tests desired for the well pump bowls, columns, or heads?

Response: No factory certified hydrostatic tests are required.

- Regarding the testing in 3.02.C:

- Vibration testing in the factory is not feasible as the pumps are not fully assembled or securely anchored, as they will be in the field. Can vibration testing be performed as part of the field services / startup?

Response: Yes. Vibration testing be performed as part of the field services / startup.

- Noise level testing in the factory is not feasible due to external influences. In addition, typically a factory test motor is used for testing and not the actual job motor. Can noise testing be performed as part of the field services / startup?

Response: Yes. Noise testing can be performed as part of the field services / startup.

- Is certified historical NPSHR data acceptable in lieu of actual NPSHR testing?

Response: Yes. Certified historical NPSHR data is acceptable.

14. Section 11216, "Vertical Turbine High Service and Jockey Pumps"

- Is packing or a mechanical seal to be used for shaft sealing?

Response: Packing or mechanical seal for shaft sealing will be per pump manufacture recommendations.

- Please confirm the requirement for hardened sleeves on the line shaft as indicated at the top of 11213-4. This is not typical for municipal water service. Please note that line shaft bearings are neoprene per 2.12.A.

Response: Confirmed. the requirement for hardened sleeves on the line shaft. Line shaft bearings shall be zincless bronze bearings as indicated in Paragraph 2.07.B.

- Paragraph 2.10.A - Please consider allowing integral impeller wear rings as an acceptable alternative.

Response: Impellers need to be equipped with replaceable wear rings per Specification.

- Paragraph 2.12.A – Our standard for bowl bearings is a combination of bronze & rubber. Is this acceptable?

Response: No. Bowl bearings need to be stainless steel per Specification.

- Please confirm a factory FEA is required for the high service pumps as indicated by 1.03.A.1.i in section 11210.

Response: Confirmed. Factory FEA is required for the high service pumps as indicated by 1.03.A.1.i in section 11210.

- Please confirm the coatings that are required for the high service pumps. 3.03.A calls for fusion bonded epoxy but then 3.03.B, 3.03.C, and 3.03.D have different requirements. In addition, the references to system 7 and system 10 do not appear to be correct. I would suggest that the exterior of the bowls, interior & exterior of the column, and interior of the head be coated with an NSF epoxy such as Tnemec 21 or equal. The interior of the bowl will have a vitreous enamel or fusion bonded epoxy coating. Standard factory finish on the discharge head exterior is typically acceptable as the installing contractor will typically field prime & paint to match the existing piping.

Response: All coatings that come into contact with pumped water shall be suitable for potable water service as approved by the National Sanitation Foundation (NSF) Standard 61.

14. Can General Control Systems be added as an approved System Supplier? We meet the requirements listed in 13300 1.07. Please see attached documentation.

Response: Not Approved. TLS Automation Sole Source.

15. Can General Control Systems be added as an approved Control Systems Engineer (CSE)? We meet the requirements listed in 13300 1.01-E. Please see attached documentation.

Response: Provide supplemental information to allow review.

16. The bid sheet and PCT spec 13205.2.02.A.9 call out a 3,000 GPM aerator and drawing sheet M-07 calls out a 3800 GPM aerator. Please provide clarification.

Response: The aerator shall be 3,800 gpm per Sheet M-07.

17. Specifications section 13205.2.02.B.3.a & 13205.2.02.B.4.a Require a SAF-T-Climb ladder system, please confirm a TS rail system is acceptable.

Response: Confirmed. A TS rail system is acceptable.

18. Specifications section 13205.2.03.C requires aerator tray materials to conform to NSF 61 standards. NSF approved gel coat materials are not readily available, therefore we recommend trays be constructed using NSF 61 approved resin and remain uncoated with no gelcoat. This approach is industry standard for fiberglass products such as fiberglass baffles.

Response: Aerator trays be constructed using NSF 61 approved resin and remain uncoated with no gel coat.

19. Specification section 13205.3.01.B.4 refers to the floor being sloped to drain. Confirm slope reference refers to dish sump at drain only and that the floor is flat as shown on the drawings.

Response: Confirmed. The slope reference refers to dish sump at drain only and that the floor is flat as shown on the drawings.

20. Specification section 13205.3.03.B indicates "filling of voids" shall be in accordance with manufacturers recommendations. It has been our experience the underside of the dome, being cast concrete against a formed surface, once the surface has been properly prepared would leave sufficient holes/voids that a full 1/8" thick resurfacer coat will provide a more durable coating system in lieu of addressing holes individually. Please confirm if a full coat of resurfacer is required on the underside of the concrete dome.

Response: Confirmed. A full coat of resurfacer is required on the underside of the concrete dome.

21. Specification section 03300.2.01.B.1 states the cement classes that shall be used are Type II or Type III. Please also include ASTM C595 Type IL into the classes of cement.

Response: ASTM C595 Type IL shall be included in the cement classes in addition to Type II and Type III.

22. In RFB 2025-007 WTP No 3 - Bid Specifications Section 13205 Prestressed Circular Concrete Tank 2.04 Painting and 3.03 Painting, the specified Tnemec Series N140 does not meet NSF 600 standard for contact with potable water. Will Tnemec Series L140 Pota-Pox Plus be considered an approved equal for the specified interior surfaces of the new PCT tank?

Response: Confirmed. Tnemec Series L140 Pota-Pox Plus is considered an approved equal for the specified interior surfaces of the new PCT tank.

23. Geotechnical report from March 2025, ground storage tank #3 foundation section, has calculated settlement values off an assumed bearing pressure of 1,400 psf. The tank size with a 60'-0" ID and 28'-6" SWD requires a minimum bearing pressure of 1,900 psf. Please provide differential and total settlement values based off a 1,900 psf bearing pressure.

Response: The Geotechnical Investigation has been revised to show a 1,900 psf bearing pressure. The addendum report is attached.

24. Drawing sheet M-04: The SWD is currently shown as 28'-5". Please confirm the top of wall elevation would be 167.92 and the high-water elevation would be 167.75 at the top of the CMU block wall.

Response: Confirmed. The top of wall elevation would be 167.92 and the high-water elevation would be 167.75 at the top of the CMU block wall.

25. Drawing sheet M-05 requires fiberglass screens for the precast concrete overflow's while PCT spec 2.02.B.6.a. requires stainless steel. Please provide clarification.

Response: Precast concrete overflow screens shall be stainless steel per Specification 2.02.B.6.a. Please refer to the revised construction plans.

26. Drawing sheet M-05 calls out an aluminum interior ladder. Please confirm a fiberglass ladder is required as stated on PCT specification section 13205.2.02.A.3. An aluminum interior ladder is not recommended.

Response: Confirmed. Interior ladder shall be fiberglass per Specification section 13205.2.02.A.3. Please refer to the revised construction plans.

27. Drawing sheet M-05 shows the interior and exterior ladders as 17' tall. Confirm the ladders are to be designed to accommodate a 28'-5" side water depth.

Response: Confirmed. Interior and exterior ladders are to be designed to accommodate a 28'-5" side water depth.

28. Drawing sheet M-06: Shows "link seals". Please modify this detail to read "Through-wall pipe shall be Type 316 stainless steel. Waterstop rings on wall-pipes shall be Type 316 stainless steel."

Response: Detail indicating "link seals" has been removed from the revised construction plans.

29. The tank construction company shall self-perform the interior and exterior coatings of the tank (concrete surfaces and ferrous metals). The tank construction company shall be QP-8 certified and have system responsibility for all coatings under the same warranty as the tank. If the tank construction company is not QP-8 certified, then a Senior Certified Coatings Inspector (CIP Level 3) shall be hired at the expense of the tank construction company and present full-time during the application of all coating systems.

Response: Noted. The tank construction company shall self-perform the interior and exterior coatings of the tank (concrete surfaces and ferrous metals). The tank construction company shall be QP-8 certified and have system responsibility for all coatings under the same warranty as the tank. If the tank construction company is not QP-8 certified, then a Senior Certified Coatings Inspector (CIP Level 3) shall be hired at the expense of the tank construction company and present full-time during the application of all coating systems.

30. Please confirm if this project is NOT subject to, AIS/ Buy American provisions, M/WBE requirements, and certified payroll.

Response: Confirmed. This project is NOT subject to, AIS/ Buy American provisions, M/WBE requirements, and certified payroll.

31. Please confirm the all of the pump disconnects are 316SS, indoor and outdoor. The specs say 316SS unless otherwise noted on plans. The plans don't call out a material.

Response: All pump disconnects are to be NEMA 4X 316 stainless steel.

32. Would the Town consider any of the following?

- Move the bid to 2PM due time to allow time for pricing to come in, as well as travel time, after the weekend on Monday morning.

Response: The Town is set on their current submittal schedule and are not willing to change times or dates.

- Move the bid to from Monday to any other day Tuesday thru Friday to allow 1 full consecutive workday before the bid to finalize pricing, contact vendors, finalize for a morning delivery of bid in the case of contractors who have a long drive.

Response: The Town is set on their current submittal schedule and are not willing to change times or dates.

33. Please provide me with the column length starting under the discharge head to the top of the bowl assembly for the 3 HSP's and jockey pump.

Response: The column length shall be a minimum of 10 feet in length.

34. Also the overall depth of the wet well and please specify if there's a concrete pedestal on the slab.

Response: The high service pumps and jockey pumps are canned. There is not wet well. There will be a concrete pedestal on the slab.

35. Southern Flow would like to be added to the list of approved Systems Integrators in Section 13300. Attached is our qualification package for your review.

Response: Not Approved. TLS Automation Sole Source.

36. Lab storage room – I did not locate a Div 6 or Div 12 spec, is there one? Nothing is noted in terms of materials either on the elevations of this room (cabinets or counter tops). Is this an Owner furnished or contractor furnished item? Lockers in restrooms /ADA restroom bench – I did not locate a spec, are there any specific requirements for these items? Is this an Owner furnished or contractor furnished item?

Response: Please refer to the amended architectural sheets attached with revised construction plans.

- *Division 6 has been added to the set in addendum #1 above. Please see revised detail 1/A6.1 for added notes to the millwork details. All items are to be contractor furnished unless instructed otherwise.*

- *There are no specific requirements for the lockers. Please ensure that any locker specified will not impede the required clear floor area in the room that said unit is located. A specification has not been provided for the ADA restroom bench. Please coordinate bench selection with the provided ADA bench dimension parameters provided in detail 4/A6.1. All items are to be contractor furnished unless instructed otherwise.*

37. Consider naming **EDGENG** as an approved Manufacturer in the specification OR approve us Equal Status on this Project per the specification sections of **Section 13205- FRP ladder.**

Response: FRP ladder shall be provided by the prestressed concrete tank manufacturer.


Attachments:

1. Revised Construction Plans for Town of Howey-in-the-Hills Water Treatment Plant No. 3
2. Revised Bid Form 00300-4
3. Addendum Report – Geotechnical Investigation for Howey-in-the-Hills Water Treatment Plant No. 3

ALL BIDDERS ARE REQUESTED TO ACKNOWLEDGE RECEIPT OF THIS ADDENDUM BY SIGNING BELOW AND SUBMITTING THE BID.

ACKNOWLEDGE RECEIPT- ADDENDUM NO. 1

NAME OF BIDDER Sawcross, Inc.

SIGNATURE  Mark Hickinbotham

TITLE President DATE 8/12/2025

ADDENDUM NO. 2

DATE: July 23, 2025
PROJECT NO: RFB 2025-007
PROJECT: Howey-in-the-Hills Water Treatment Plant No. 3

ALL PROSPECTIVE BIDDERS ARE HEREBY NOTIFIED OF THE CHANGES OR ALTERATIONS IN THE ABOVE-REFERENCED PROJECT

General Information:

- Please be advised the date for the Receipt of Bids and the Town Council Meeting has been changed. The Town will also require a digital copy of the bid to be submitted with the bid package.
- There will be an additional Addendum issued due to changes to the chlorination system manufacturer.

Attachments:

1. Revised Invitation to Bid 00020-1

ALL BIDDERS ARE REQUESTED TO ACKNOWLEDGE RECEIPT OF THIS ADDENDUM BY SIGNING BELOW AND SUBMITTING THE BID.

ACKNOWLEDGE RECEIPT- ADDENDUM NO. 2

NAME OF BIDDER Sawcross, Inc.

SIGNATURE  Mark Hickinbotham

TITLE President DATE 8/12/2025

ADDENDUM NO. 3

DATE: July 31, 2025
PROJECT NO: RFB 2025-007
PROJECT: Howey-in-the-Hills Water Treatment Plant No. 3

ALL PROSPECTIVE BIDDERS ARE HEREBY NOTIFIED OF THE CHANGES OR ALTERATIONS IN THE ABOVE-REFERENCED PROJECT

General Information:

- The Town is sole sourcing the chlorination gas feeder and detection system as supplied by Guardian Equipment, Inc. Bidders shall utilize the equipment price quote provided by Guardian Equipment, Inc.
- Specification Section 11345 Gas Detection System is now obsolete. Gas detection system is included in the revised Specification Section 11245.
- Septic Tank shall be a minimum of 900 gallons and the drain field shall have a minimum of 334 square foot bed.

Attachments:

1. Revised Specification Section 11245.
2. Scope and Quote from Guardian Equipment for Section 11245 Gas Feeder.
3. FDOH Onsite Sewage Treatment and Disposal System Construction Permit and associated attachments.

ALL BIDDERS ARE REQUESTED TO ACKNOWLEDGE RECEIPT OF THIS ADDENDUM BY SIGNING BELOW AND SUBMITTING THE BID.

ACKNOWLEDGE RECEIPT- ADDENDUM NO. 3

NAME OF BIDDER Sawcross, Inc.

SIGNATURE  Mark Hickinbotham

TITLE President DATE 8/12/2025

ADDENDUM NO. 4

DATE: August 7, 2025
PROJECT NO: RFB 2025-007
PROJECT: Howey-in-the-Hills Water Treatment Plant No. 3

ALL PROSPECTIVE BIDDERS ARE HEREBY NOTIFIED OF THE CHANGES OR ALTERATIONS IN THE ABOVE-REFERENCED PROJECT

General Information:

- Please be advised that the Town has requested a change to the retainage amount in section 00100.
- Please be advised the Town has requested a change to how the liquidated damages are calculated in section 00500 and section 00800.
- Please be advised that the Town has requested a change to the bond amount in section 00800.
- Generator Pad is detailed in the attached Sheet S5.1

Attachments:

1. Revised Contract Document Section 00100.
2. Revised Contract Document Section 00500.
3. Revised Contract Document Section 00800.
4. Generator Pad Plan, Section and Detail (Sheet S5.1)

ALL BIDDERS ARE REQUESTED TO ACKNOWLEDGE RECEIPT OF THIS ADDENDUM BY SIGNING BELOW AND SUBMITTING THE BID.

ACKNOWLEDGE RECEIPT- ADDENDUM NO. 4

NAME OF BIDDER Sawcross, Inc.

SIGNATURE  Mark Hickinbotham

TITLE President DATE 8/12/2025

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

1/03/2025

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer any rights to the certificate holder in lieu of such endorsement(s).

PRODUCER		CONTACT NAME: Lisa Obina	
USI Insurance Svcs LLC, CL		PHONE (A/C, No, Ext): -	FAX (A/C, No):
4600 Touchton Rd		E-MAIL: lisa.obina@usi.com	
Building 100, Suite 275		ADDRESS: lisa.obina@usi.com	
Jacksonville, FL 32246			
INSURED		INSURER(S) AFFORDING COVERAGE	
Sawcross, Inc.		INSURER A: National Fire Insurance Co. of Hartford	NAIC #: 20478
10970 New Berlin Road		INSURER B: Continental Insurance Company	35289
Jacksonville, FL 32226		INSURER C: Bridgefield Casualty Insurance Company	10335
		INSURER D: AXIS Surplus Insurance Company	26620
		INSURER E: Continental Casualty Company	20443
		INSURER F:	

COVERAGES

CERTIFICATE NUMBER:

REVISION NUMBER:

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL SUBR INSR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS
A	<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY <input type="checkbox"/> CLAIMS-MADE <input checked="" type="checkbox"/> OCCUR <input checked="" type="checkbox"/> PD Ded:5,000 GEN'L AGGREGATE LIMIT APPLIES PER: <input type="checkbox"/> POLICY <input type="checkbox"/> PROJECT <input type="checkbox"/> LOC <input type="checkbox"/> OTHER:		7036358631	01/01/2025	01/01/2026	EACH OCCURRENCE \$1,000,000 DAMAGE TO RENTED PREMISES (Ea occurrence) \$100,000 MED EXP (Any one person) \$15,000 PERSONAL & ADV INJURY \$1,000,000 GENERAL AGGREGATE \$2,000,000 PRODUCTS - COMP/OP AGG \$2,000,000
A	<input checked="" type="checkbox"/> AUTOMOBILE LIABILITY <input checked="" type="checkbox"/> ANY AUTO <input type="checkbox"/> OWNED AUTOS ONLY <input checked="" type="checkbox"/> HIRED AUTOS ONLY <input type="checkbox"/> SCHEDULED AUTOS <input checked="" type="checkbox"/> NON-OWNED AUTOS ONLY		7036358628	01/01/2025	01/01/2026	COMBINED SINGLE LIMIT (Ea accident) \$1,000,000 BODILY INJURY (Per person) \$ BODILY INJURY (Per accident) \$ PROPERTY DAMAGE (Per accident) \$
B	<input checked="" type="checkbox"/> UMBRELLA LIAB <input checked="" type="checkbox"/> OCCUR <input type="checkbox"/> EXCESS LIAB <input type="checkbox"/> CLAIMS-MADE DED <input checked="" type="checkbox"/> RETENTION \$10000		7036358614	01/01/2025	01/01/2026	EACH OCCURRENCE \$5,000,000 AGGREGATE \$5,000,000
C	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? <input checked="" type="checkbox"/> Y/N <input checked="" type="checkbox"/> N N/A (Mandatory in NH) if yes, describe under DESCRIPTION OF OPERATIONS below		19662413	01/01/2025	01/01/2026	<input checked="" type="checkbox"/> PER STATUTE <input type="checkbox"/> OTHER E.L. EACH ACCIDENT \$500,000 E.L. DISEASE - EA EMPLOYEE: \$500,000 E.L. DISEASE - POLICY LIMIT \$500,000
D	Poll/Prof Liab		CM004461042025	01/01/2025	01/01/2026	\$1,000,000
E	Leased/Rent Equip		7036484214	01/01/2025	01/01/2026	\$500,000
E	Installation Cov		7036484214	01/01/2025	01/01/2026	\$2,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

CERTIFICATE HOLDER

CANCELLATION

Sawcross, Inc.
10970 New Berlin Road
Jacksonville, FL 32226

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE



© 1988-2015 ACORD CORPORATION. All rights reserved.

2025 FLORIDA PROFIT CORPORATION ANNUAL REPORT

DOCUMENT# V55559

Entity Name: SAWCROSS, INC.

Current Principal Place of Business:

10970 NEW BERLIN ROAD
JACKSONVILLE, FL 32226-2270

Current Mailing Address:

10970 NEW BERLIN ROAD
JACKSONVILLE, FL 32226-2270 US

FEI Number: 59-3136689

Certificate of Status Desired: No

Name and Address of Current Registered Agent:

HICKINBOTHAM, MARK E
8127 WEKIVA LANE
JACKSONVILLE, FL 32256 US

The above named entity submits this statement for the purpose of changing its registered office or registered agent, or both, in the State of Florida.

SIGNATURE:

Electronic Signature of Registered Agent

Date

Officer/Director Detail :

Title D
Name HICKINBOTHAM, MARK E
Address 8127 WEKIVA LANE
City-State-Zip: JACKSONVILLE FL 32256

Title VP
Name HICKINBOTHAM, FRANCES T
Address 8127 WEKIVA LANE
City-State-Zip: JACKSONVILLE FL 32256

Title S
Name HICKINBOTHAM, FRANCES T
Address 8127 WEKIVA LANE
City-State-Zip: JACKSONVILLE FL 32256

Title P
Name HICKINBOTHAM, MARK E
Address 8127 WEKIVA LANE
City-State-Zip: JACKSONVILLE FL 32256

I hereby certify that the information indicated on this report or supplemental report is true and accurate and that my electronic signature shall have the same legal effect as if made under oath; that I am an officer or director of the corporation or the receiver or trustee empowered to execute this report as required by Chapter 607, Florida Statutes; and that my name appears above, or on an attachment with all other like empowered.

SIGNATURE: MARK HICKINBOTHAM

PRESIDENT

01/29/2025

Electronic Signature of Signing Officer/Director Detail

Date

State of Florida

Department of State

I certify from the records of this office that SAWCROSS, INC. is a corporation organized under the laws of the State of Florida, filed on July 31, 1992.


The document number of this corporation is V55559.

I further certify that said corporation has paid all fees due this office through December 31, 2025, that its most recent annual report/uniform business report was filed on January 29, 2025, and that its status is active.

I further certify that said corporation has not filed Articles of Dissolution.

*Given under my hand and the
Great Seal of the State of Florida
at Tallahassee, the Capital, this
the Twenty-ninth day of January,
2025*




Secretary of State

Tracking Number: 3358064028CU

To authenticate this certificate, visit the following site, enter this number, and then follow the instructions displayed.

<https://services.sunbiz.org/Filings/CertificateOfStatus/CertificateAuthentication>



Ron DeSantis, Governor

Melanie S. Griffin, Secretary



STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

CONSTRUCTION INDUSTRY LICENSING BOARD

THE GENERAL CONTRACTOR HEREIN IS CERTIFIED UNDER THE
PROVISIONS OF CHAPTER 489, FLORIDA STATUTES

HICKINBOTHAM, MARK EDWARD

SAWCROSS INC
10970 NEW BERLIN ROAD
JACKSONVILLE FL 32226-2270

LICENSE NUMBER: CGC036203

EXPIRATION DATE: AUGUST 31, 2026

Always verify licenses online at [MyFloridaLicense.com](https://myfloridalicense.com)

ISSUED: 07/12/2024

Do not alter this document in any form.

This is your license. It is unlawful for anyone other than the licensee to use this document.



Request for Taxpayer Identification Number and Certification

Go to www.irs.gov/FormW9 for instructions and the latest information.

Give form to the
requester. Do not
send to the IRS.

Before you begin. For guidance related to the purpose of Form W-9, see *Purpose of Form*, below.

Print or type. See Specific Instructions on page 3.	1 Name of entity/individual. An entry is required. (For a sole proprietor or disregarded entity, enter the owner's name on line 1, and enter the business/disregarded entity's name on line 2.) Sawcross, Inc.	
	2 Business name/disregarded entity name, if different from above. Same As Above	
	3a Check the appropriate box for federal tax classification of the entity/individual whose name is entered on line 1. Check only one of the following seven boxes. <input type="checkbox"/> Individual/sole proprietor <input type="checkbox"/> C corporation <input checked="" type="checkbox"/> S corporation <input type="checkbox"/> Partnership <input type="checkbox"/> Trust/estate <input type="checkbox"/> LLC. Enter the tax classification (C = C corporation, S = S corporation, P = Partnership) _____ Note: Check the "LLC" box above and, in the entry space, enter the appropriate code (C, S, or P) for the tax classification of the LLC, unless it is a disregarded entity. A disregarded entity should instead check the appropriate box for the tax classification of its owner. <input type="checkbox"/> Other (see instructions)	
	4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3): Exempt payee code (if any) _____ Exemption from Foreign Account Tax Compliance Act (FATCA) reporting code (if any) _____ (Applies to accounts maintained outside the United States.)	
	3b If on line 3a you checked "Partnership" or "Trust/estate," or checked "LLC" and entered "P" as its tax classification, and you are providing this form to a partnership, trust, or estate in which you have an ownership interest, check this box if you have any foreign partners, owners, or beneficiaries. See instructions. <input type="checkbox"/>	
5 Address (number, street, and apt. or suite no.). See instructions. 10970 New Berlin Road		Requester's name and address (optional)
6 City, state, and ZIP code Jacksonville, Florida 32226		
7 List account number(s) here (optional)		

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Note: If the account is in more than one name, see the instructions for line 1. See also *What Name and Number To Give the Requester* for guidelines on whose number to enter.

Social security number								
			-					
or								
Employer identification number								
5	9	-	3	1	3	6	6	8 9

Part II Certification

Under penalties of perjury, I certify that:

- The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- I am not subject to backup withholding because (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- I am a U.S. citizen or other U.S. person (defined below); and
- The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and, generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign
Here

Signature of
U.S. person

Mark Hickinbotham

Date 8/12/2025

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to www.irs.gov/FormW9.

What's New

Line 3a has been modified to clarify how a disregarded entity completes this line. An LLC that is a disregarded entity should check the appropriate box for the tax classification of its owner. Otherwise, it should check the "LLC" box and enter its appropriate tax classification.

New line 3b has been added to this form. A flow-through entity is required to complete this line to indicate that it has direct or indirect foreign partners, owners, or beneficiaries when it provides the Form W-9 to another flow-through entity in which it has an ownership interest. This change is intended to provide a flow-through entity with information regarding the status of its indirect foreign partners, owners, or beneficiaries, so that it can satisfy any applicable reporting requirements. For example, a partnership that has any indirect foreign partners may be required to complete Schedules K-2 and K-3. See the Partnership Instructions for Schedules K-2 and K-3 (Form 1065).

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS is giving you this form because they