

**LEGAL DESCRIPTION:**

(As per Title Commitment 11166639 issued by Fidelity National Title Insurance Company bearing an effective date of May 24, 2023 at 8:00 AM with Revision 1 dated June 6, 2023)

**PARCEL 1:**

GOVERNMENT LOTS 2, 4, 5, 6, 7, 8 AND 9, LYING NORTH OF HIGHWAY 48 AND THE WESTERLY OF HIGHWAY 19, ALL LYING IN SECTION 23, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA, LESS THE FOLLOWING DESCRIBED PARCEL OF LAND: BEGIN AT SOUTHEAST CORNER OF THE NORTHWEST ¼ OF THE SOUTHEAST ¼ OF SECTION 23, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA, AND RUN NORTH 00°04'21" EAST 1314.20 FEET, MORE OR LESS, TO THE SOUTHERLY WATERS EDGE OF LAKE HARRIS AND A POINT HEREBY DESIGNATED AS POINT "A"; RETURN TO THE POINT OF BEGINNING AND RUN SOUTH 89°35'28" WEST ALONG THE SOUTH LINE OF THE NORTHWEST ¼ OF THE SOUTHEAST ¼ OF SECTION 23 A DISTANCE OF 1100.00 FEET; THENCE NORTH 00°27'54" EAST 1484.76 FEET, MORE OR LESS, TO THE SOUTHERLY WATERS EDGE OF LAKE HARRIS; THENCE EASTERLY ALONG SAID SOUTHERLY WATERS EDGE OF LAKE HARRIS TO POINT "A".

LESS any portion conveyed in those certain deeds recorded in Official Records Book 6019, Page 212 and Official Records Book 606B, Page 2222.

**LESS AND EXCEPT COMMERCIAL 1**

A PORTION OF GOVERNMENT LOTS 2, 8, AND 9 LYING WESTERLY OF HIGHWAY 19, ALL LYING IN SECTION 23, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: AS A POINT OF REFERENCE COMMENCE AT SOUTHWEST CORNER OF THE SOUTHWEST ¼ OF SECTION 23, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA AND PROCEED N 00°53'14" E, ALONG THE WEST BOUNDARY OF THE SOUTHWEST 1/4 OF SAID SECTION 23, A DISTANCE OF 1171.08 FEET TO A POINT ON THE NORTHERLY RIGHT OF WAY LINE OF COUNTY ROAD 48 SAID POINT LYING ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 5679.58 FEET AND A CHORD BEARING AND DISTANCE OF S 69°35'43" E, A DISTANCE OF 1186.12 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE LEFT AND SAID NORTHERLY RIGHT OF WAY LINE, A DISTANCE OF 1188.29 FEET; THENCE S 75°35'20" E, ALONG SAID NORTHERLY RIGHT OF WAY LINE, A DISTANCE OF 1460.31 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2341.83 FEET AND A CHORD BEARING AND DISTANCE OF S 72°35'58" E, A DISTANCE OF 223.25 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE RIGHT AND ALONG SAID NORTHERLY RIGHT OF WAY LINE, A DISTANCE OF 223.33 FEET; THENCE LEAVING SAID NORTHERLY RIGHT OF WAY LINE, N 15°36'38" E, A DISTANCE OF 52.62 FEET; THENCE N 75°08'12" E, A DISTANCE OF 258.80 FEET TO THE POINT OF BEGINNING; THENCE N 15°36'16" E, A DISTANCE OF 306.32 FEET; THENCE N 60°15'03" E, A DISTANCE OF 218.37 FEET; THENCE N 46°59'01" E, A DISTANCE OF 705.92 FEET; THENCE S 43°00'59" E, A DISTANCE OF 404.25 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 100.00 FEET AND A CHORD BEARING AND DISTANCE OF S 27°52'48" E, A DISTANCE OF 52.22 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE RIGHT, A DISTANCE OF 52.84 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 120.00 FEET AND A CHORD BEARING AND DISTANCE OF S 27°52'48" E, A DISTANCE OF 62.67 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE LEFT, A DISTANCE OF 63.40 FEET; THENCE S 43°00'59" E, A DISTANCE OF 125.00 FEET TO A POINT ON THE WESTERLY RIGHT OF WAY LINE OF STATE ROAD 19; THENCE S 46°59'01" W, ALONG SAID WESTERLY RIGHT OF WAY LINE, A DISTANCE OF 650.20 FEET TO A POINT ON THE NORTHERLY RIGHT OF WAY LINE OF STATE ROAD 19; THENCE S 75°06'54" W, ALONG SAID NORTHERLY RIGHT OF WAY LINE, A DISTANCE OF 210.88; THENCE LEAVING SAID NORTHERLY RIGHT OF WAY LINE, N 41°20'52" W, A DISTANCE OF 270.98 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 133.42 FEET AND A CHORD BEARING AND DISTANCE OF S 62°15'27" W, A DISTANCE OF 62.77 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE RIGHT, A DISTANCE OF 63.36 FEET; THENCE S 75°51'45" W, A DISTANCE OF 298.03 FEET; THENCE S 75°08'12" W, A DISTANCE OF 229.89 FEET; THENCE S 15°36'38" W, A DISTANCE OF 28.52 FEET TO A POINT ON THE AFOREMENTIONED NORTHERLY RIGHT OF WAY LINE OF COUNTY ROAD 48 AND A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2341.83 FEET AND A CHORD BEARING AND DISTANCE OF N 69°15'12" W, A DISTANCE OF 50.20 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE LEFT AND ALONG SAID NORTHERLY RIGHT OF WAY LINE, A DISTANCE OF 50.20 FEET TO THE POINT OF BEGINNING.

SAID PARCEL CONTAINING 630854 SQUARE FEET OR 14.48 ACRES MORE OR LESS.

**LESS AND EXCEPT COMMERCIAL 2**

A PORTION OF GOVERNMENT LOT 9 LYING WESTERLY OF HIGHWAY 19, ALL LYING IN SECTION 23, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS: AS A POINT OF REFERENCE COMMENCE AT SOUTHWEST CORNER OF THE SOUTHWEST ¼ OF SECTION 23, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA AND PROCEED N 00°53'14" E, ALONG THE WEST BOUNDARY OF THE SOUTHWEST 1/4 OF SAID SECTION 23, A DISTANCE OF 1171.08 FEET TO A POINT ON THE NORTHERLY RIGHT OF WAY LINE OF COUNTY ROAD 48 SAID POINT LYING ON A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 5679.58 FEET AND A CHORD BEARING AND DISTANCE OF S 69°35'43" E, A DISTANCE OF 1186.12 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE LEFT AND SAID NORTHERLY RIGHT OF WAY LINE, A DISTANCE OF 1188.29 FEET; THENCE S 75°35'20" E, ALONG SAID NORTHERLY RIGHT OF WAY LINE, A DISTANCE OF 1460.31 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2341.83 FEET AND A CHORD BEARING AND DISTANCE OF S 72°35'58" E, A DISTANCE OF 223.25 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE RIGHT AND ALONG SAID NORTHERLY RIGHT OF WAY LINE, A DISTANCE OF 223.33 FEET; THENCE LEAVING SAID NORTHERLY RIGHT OF WAY LINE, N 15°36'38" E, A DISTANCE OF 52.62 FEET; THENCE N 75°08'12" E, A DISTANCE OF 258.80 FEET TO THE POINT OF BEGINNING; THENCE LEAVING SAID WESTERLY RIGHT OF WAY LINE, N 89°48'40" W, A DISTANCE OF 738.20; THENCE S 46°59'01" W, A DISTANCE OF 50.00 FEET; THENCE S 43°00'59" E, A DISTANCE OF 269.48 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 100.00 FEET AND A CHORD BEARING AND DISTANCE OF S 58°09'10" E, A DISTANCE OF 52.22 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE LEFT, A DISTANCE OF 52.84 FEET TO A POINT OF REVERSE CURVATURE OF A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 120.00 FEET AND A CHORD BEARING AND DISTANCE OF S 58°09'10" E, A DISTANCE OF 62.67 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE RIGHT, A DISTANCE OF 63.40 FEET; THENCE S 43°00'59" E, A DISTANCE OF 125.00 FEET TO A POINT ON THE AFOREMENTIONED WESTERLY RIGHT OF WAY OF STATE ROAD 19; THENCE N 46°59'01" E, ALONG SAID RIGHT OF WAY LINE, A DISTANCE OF 558.08 FEET TO THE POINT OF BEGINNING.

SAID PARCEL CONTAINING 155,772 SQUARE FEET OR 3.58 ACRES MORE OR LESS.

**LESS AND EXCEPT ACCESS EASEMENT**

COMMENCE AT THE NORTHEAST CORNER OF THE SOUTHEAST 1/4 SECTION 23-20-25; THENCE SOUTH 00°28'42" WEST ALONG THE EAST LINE OF THE SOUTHEAST 1/4 OF SECTION 25, A DISTANCE OF 785.11 FEET TO THE NORTHERLY RIGHT OF WAY OF STATE ROAD 19; THENCE SOUTH 46°59'01" WEST ALONG THE NORTHERLY RIGHT OF WAY, A DISTANCE OF 1350.12 FEET TO THE POINT OF BEGINNING; THENCE CONTINUE SOUTH 46°59'01" WEST, A DISTANCE OF 120.00 FEET; THENCE NORTH 43°00'59" WEST, A DISTANCE OF 125.00 FEET; TO A POINT OF CURVATURE OF A CURVE CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 120.00 FEET AND A CHORD WHICH BEARS NORTH 27°52'48" WEST, A DISTANCE 62.67 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE RIGHT, A DISTANCE OF 63.40 FEET; TO A POINT OF REVERSE CURVATURE OF A CURVE HAVING A RADIUS OF 100.00 FEET AND A CHORD WHICH BEARS NORTH 27°52'48" WEST, AND A DISTANCE OF 52.22 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE LEFT, A DISTANCE OF 52.84 FEET; THENCE NORTH 43°00'59" WEST, A DISTANCE OF 404.25 FEET; THENCE S 46°59'01" E, A DISTANCE OF 705.92 FEET; THENCE N 15°36'38" W, A DISTANCE OF 28.52 FEET TO A POINT ON THE AFOREMENTIONED NORTHERLY RIGHT OF WAY LINE OF STATE ROAD 19; THENCE S 75°06'54" W, ALONG SAID NORTHERLY RIGHT OF WAY LINE, A DISTANCE OF 210.88; THENCE LEAVING SAID NORTHERLY RIGHT OF WAY LINE, N 41°20'52" W, A DISTANCE OF 270.98 FEET TO A POINT OF CURVATURE OF A CURVE CONCAVE NORTHWESTERLY HAVING A RADIUS OF 133.42 FEET AND A CHORD BEARING AND DISTANCE OF S 62°15'27" W, A DISTANCE OF 62.77 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE RIGHT, A DISTANCE OF 63.36 FEET; THENCE S 75°51'45" W, A DISTANCE OF 298.03 FEET; THENCE S 75°08'12" W, A DISTANCE OF 229.89 FEET; THENCE S 15°36'38" W, A DISTANCE OF 28.52 FEET TO A POINT ON THE AFOREMENTIONED NORTHERLY RIGHT OF WAY LINE OF COUNTY ROAD 48 AND A POINT ON A CURVE CONCAVE SOUTHWESTERLY HAVING A RADIUS OF 2341.83 FEET AND A CHORD BEARING AND DISTANCE OF N 69°15'12" W, A DISTANCE OF 50.20 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE LEFT AND ALONG SAID NORTHERLY RIGHT OF WAY LINE, A DISTANCE OF 50.20 FEET TO THE POINT OF BEGINNING.

CONTAINING 49,343.34 SQUARE FEET OR 1.13 ACRES, MORE OR LESS.

**PARCEL 2:**

BEGIN AT THE NORTHEAST CORNER OF THE SOUTHEAST ¼ OF SECTION 22, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA, RUN SOUTH 89°09'42" WEST ALONG THE NORTH LINE OF THE SOUTHEAST ¼ OF SECTION 22, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA, A DISTANCE OF 330 FEET; THENCE NORTH 00°15'45" WEST 210 FEET; THENCE NORTH 38°44'24" EAST 583.17 FEET FOR THE POINT OF BEGINNING; THENCE CONTINUE SOUTH 46°59'01" WEST, A DISTANCE OF 120.00 FEET; THENCE NORTH 43°00'59" WEST, A DISTANCE OF 125.00 FEET; TO A POINT OF CURVATURE OF A CURVE CONCAVE NORTHEASTERLY, HAVING A RADIUS OF 120.00 FEET AND A CHORD WHICH BEARS NORTH 27°52'48" WEST, A DISTANCE 62.67 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE RIGHT, A DISTANCE OF 63.40 FEET; TO A POINT OF REVERSE CURVATURE OF A CURVE HAVING A RADIUS OF 100.00 FEET AND A CHORD WHICH BEARS NORTH 27°52'48" WEST, AND A DISTANCE OF 52.22 FEET; THENCE ALONG THE ARC OF SAID CURVE TO THE LEFT, A DISTANCE OF 52.84 FEET; THENCE NORTH 43°00'59" WEST, A DISTANCE OF 404.25 FEET; THENCE S 46°59'01" E, A DISTANCE OF 705.92 FEET; THENCE N 15°36'38" W, A DISTANCE OF 28.52 FEET TO A POINT ON THE AFOREMENTIONED NORTHERLY RIGHT OF WAY LINE OF STATE ROAD 19; THENCE S 75°06'54" W, ALONG SAID NORTHERLY RIGHT OF WAY LINE OF STATE ROAD 48; THENCE SOUTHEASTERLY ALONG SAID NORTHEASTERLY RIGHT-OF-WAY LINE OF STATE ROAD 48 TO THE EAST LINE OF THE SOUTHEAST ¼ OF SECTION 22; THENCE NORTH ALONG THE EAST LINE OF THE SOUTHEAST ¼ TO THE POINT OF BEGINNING.

**PARCEL 3**

FROM THE SOUTHEAST CORNER OF THE NORTHEAST ¼ OF SECTION 22, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA, RUN SOUTH 89°09'42" WEST ALONG THE SOUTH LINE OF THE NORTHEAST ¼ OF SECTION 22, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA, A DISTANCE OF 330 FEET; THENCE NORTH 00°15'45" WEST 210 FEET; THENCE NORTH 38°44'24" EAST 583.17 FEET FOR THE POINT OF BEGINNING; THENCE NORTH 89°10'02" EAST 1177 FEET TO THE WATERS OF LAKE HARRIS; THENCE SOUTHEASTERLY ALONG SAID WATERS OF LAKE HARRIS TO A POINT ON THE EAST LINE OF THE NORTHWEST ¼ OF SECTION 23, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA; THENCE SOUTH ALONG THE EAST LINE OF THE NORTHWEST ¼ TO THE SOUTHEAST CORNER OF THE NORTHWEST ¼ OF SECTION 23; THENCE WEST ALONG THE SOUTH LINE OF THE NORTHWEST ¼ OF SECTION 23 TO THE SOUTHWEST CORNER OF THE NORTHWEST ¼ OF SECTION 23, SAID POINT HEREBY DESIGNATED AS POINT "A"; RETURN TO THE POINT OF BEGINNING AND RUN SOUTH 38°44'24" WEST TO A POINT ON THE WEST LINE OF THE NORTHWEST ¼ OF SAID SECTION 23; THENCE NORTH ALONG THE WEST LINE OF THE NORTHWEST ¼ OF SECTION 23 TO POINT "A". LESS AND EXCEPT THAT PORTION DESCRIBED IN THAT CERTAIN CORRECTIVE WARRANTY DEED RECORDED IN BOOK 4103, PAGE 313, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA.

**PARCEL 4:**

THAT PART OF THE N.W. 1/4 OF THE S.E. 1/4 OF SECTION 23, TOWNSHIP 20 SOUTH, RANGE 25 EAST, IN LAKE COUNTY, FLORIDA, BOUNDED AND DESCRIBED AS FOLLOWS: BEGIN AT A CONCRETE MONUMENT (NO NUMBER) AT THE SOUTHEAST CORNER OF THE N.W. 1/4 OF THE S.E. 1/4 OF SAID SECTION 23, TOWNSHIP 20 SOUTH, RANGE 25 EAST, AND RUN N.00°04'21"E ALONG THE EAST LINE OF THE N.W. 1/4 OF THE S.E. 1/4 A DISTANCE OF 1202.20 FEET TO AN IRON PIN LABELED L.B. 707; THENCE CONTINUE N.00°04'21"E ALONG THE EAST LINE OF THE N.W. 1/4 OF THE S.E. 1/4 A DISTANCE OF 112 FEET, MORE OR LESS, TO A POINT ON THE SOUTHERLY WATERS EDGE OF LAKE HARRIS AND A POINT HEREBY DESIGNATED AS POINT "A", RETURN TO THE POINT OF BEGINNING AND RUN S.89°35'28"W ALONG THE SOUTH LINE OF THE N.W. 1/4 OF THE S.E. 1/4 OF SAID SECTION 23 A DISTANCE OF 1100.00 FEET TO AN IRON PIN LABELED L.B. 707; THENCE N.00°27'54"E. 1451.76 FEET TO AN IRON ROD PIN LABELED L.B. 707; THENCE CONTINUE N00°27'54"E, 33 FEET, MORE OR LESS, TO A POINT ON THE SOUTHERLY WATERS EDGE OF LAKE HARRIS; THENCE EASTERLY ALONG AND WITH SAID SOUTHERLY WATERS EDGE OF LAKE HARRIS TO INTERSECT THE AFOREMENTIONED POINT "A".

SUBJECT TO AND TOGETHER WITH AN EASEMENT FOR INGRESS AND EGRESS LYING OVER, UPON AND THROUGH THE FOLLOWING DESCRIBED PARCEL OF LAND:

THE NORTH 50 FEET OF THE S.E. 1/4 OF THE S.E. 1/4 OF SECTION 23, TOWNSHIP 20 SOUTH, RANGE 25 EAST, IN LAKE COUNTY, FLORIDA LYING WEST OF THE NORTHWESTERLY RIGHT-OF-WAY LINE OF STATE HIGHWAY NO. 19, AND AN EASEMENT FOR INGRESS AND EGRESS LYING OVER, UPON AND THROUGH THE FOLLOWING DESCRIBED PARCEL OF LAND: BEGIN AT THE SOUTHEAST CORNER OF THE N.W. 1/4 OF THE S.E. 1/4 OF SECTION 23, TOWNSHIP 20 SOUTH, RANGE 25 EAST, IN LAKE COUNTY, FLORIDA AND RUN S.00°04'21"W, ALONG THE EAST LINE OF THE N.W. 1/4 OF THE S.E. 1/4 OF SAID SECTION 23 A DISTANCE OF 50.00 FEET TO A POINT AT THE BEGINNING OF A CURVE CONCAVE NORTHEASTERLY HAVING A RADIUS OF 100.00 FEET AND A CHORD BEARING AND DISTANCE OF S.00°02'50"W; THENCE WESTERLY AND NORTHWESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 28°35'47" AN ARC LENGTH OF 49.91 FEET TO THE END OF SAID CURVE AND THE BEGINNING OF A CURVE CONCAVE SOUTHWESTERLY AND HAVING A RADIUS OF 100.00 FEET; THENCE NORTHWESTERLY AND WESTERLY ALONG THE ARC OF SAID CURVE THROUGH A CENTRAL ANGLE OF 28°35'47" AN ARC LENGTH OF 49.91 FEET TO THE END OF SAID CURVE; THENCE S.89°35'28" W, PARALLEL WITH THE SOUTH LINE OF THE N.W. 1/4 OF THE S.E. 1/4 OF THE AFOREMENTIONED SECTION 23 A DISTANCE OF 1029.81 FEET; THENCE N.00°27'54"E, 1510 FEET, MORE OR LESS TO A POINT ON THE SOUTHERLY WATERS EDGE OF LAKE HARRIS AND A POINT HEREBY DESIGNATED AS POINT "A"; RETURN TO THE POINT OF BEGINNING AND RUN N.00°04'21"E LONG THE EAST LINE OF THE N.W. 1/4 OF THE S.E. 1/4 OF THE AFOREMENTIONED SECTION 23 A DISTANCE OF 25.00 FEET; THENCE S.89°35'28"W, PARALLEL WITH THE SOUTH LINE OF THE N.W. 1/4 OF THE S.E. 1/4 A DISTANCE OF 1074.82 FEET; THENCE N.00°27'54"E, 1459 FEET, MORE OR LESS, TO A POINT ON THE SOUTHERLY WATERS EDGE OF LAKE HARRIS; THENCE WESTERLY ALONG AND WITH SAID SOUTHERLY WATERS EDGE OF LAKE HARRIS TO INTERSECT THE AFOREMENTIONED POINT "A".

**PARCEL 5:**

BEGIN AT THE SOUTHEAST CORNER OF THE NORTHEAST 1/4 OF SECTION 22, TOWNSHIP 20 SOUTH, RANGE 25 EAST, LAKE COUNTY, FLORIDA, RUN SOUTH 89°09'42" WEST ALONG THE SOUTH LINE OF THE NORTHEAST 1/4 A DISTANCE OF 330 FEET; THENCE NORTH 00°15'45" WEST, 210 FEET; THENCE NORTH 38°44'24" EAST 583.17 FEET TO A POINT ON THE EAST LINE OF THE NORTHEAST 1/4 OF SECTION 22; THENCE SOUTH ALONG THE EAST LINE OF THE NORTHEAST 1/4 TO THE POINT OF BEGINNING, LESS AND EXCEPT THAT PORTION DESCRIBED IN THAT CERTAIN CORRECTIVE WARRANTY DEED RECORDED IN BOOK 4103, PAGE 313, PUBLIC RECORDS OF LAKE COUNTY, FLORIDA.

**PARCEL 6:**

THAT PART OF SECTION 23, TOWNSHIP 20 SOUTH, RANGE 25 EAST, IN LAKE COUNTY, FLORIDA, BOUNDED AND DESCRIBED AS FOLLOWS: COMMENCE AT A CONCRETE MONUMENT (NO NUMBER) AT THE SOUTHEAST CORNER OF THE NORTHEAST 1/4 OF SECTION 22, TOWNSHIP 20 SOUTH, RANGE 25 EAST, IN LAKE COUNTY, FLORIDA, SAID POINT ALSO BEING THE SOUTHWEST CORNER OF THE NORTHWEST 1/4 OF SECTION 23, TOWNSHIP 20 SOUTH, RANGE 25 EAST, IN LAKE COUNTY, FLORIDA, RUN S.89°52'11" W, ALONG THE SOUTH LINE OF THE NORTHEAST 1/4 OF SECTION 22, A DISTANCE OF 330.00 FEET TO AN IRON PIPE LABELED LB707; THENCE N.00°09'33"E, 210.05 FEET TO A CONCRETE MONUMENT LABELED L51916; THENCE N.39°31'51" E, 583.79 FEET TO AN IRON PIN LABELED LB7514; THENCE N.89°52'31"E, 468.45 FEET TO THE POINT OF BEGINNING OF THIS DESCRIPTION; FROM SAID POINT OF BEGINNING RUN N.70°57'18"E, 519 FEET MORE OR LESS TO A POINT ON THE SOUTHWESTERLY WATERS EDGE OF LAKE HARRIS AND A POINT HEREBY DESIGNATED AS POINT "A", RETURN TO THE POINT OF BEGINNING AND RUN N.89°52'31"E, 708.81 FEET TO AN IRON PIN LABELED LB7514; THENCE CONTINUE N.89°52'31"E, 30 FEET MORE OR LESS TO A POINT ON THE SOUTHWESTERLY WATERS EDGE OF LAKE HARRIS; THENCE NORTHWESTERLY ALONG AND WITH SAID SOUTHWESTERLY WATERS EDGE OF LAKE HARRIS TO INTERSECT THE AFOREMENTIONED POINT "A".

OVERALL PARCEL TO THE BOUNDARY CLOSURE LINE CONTAINS 9,592,251.16 SQUARE FEET OR 220.21 ACRES MORE OR LESS

# PRELIMINARY SUBDIVISION PLAN FOR LAKE HILLS

## PARCELS: 23-20-25-0004-000-00200, 22-20-25-0004-000-01000, 15-20-25-0101-001-00000, 22-20-25-0001-000-01400, 23-20-25-0002-000-01100, 23-20-25-0002-000-00600, 23-20-25-0004-000-01000

### HOWEY IN THE HILLS, FLORIDA FOR



# READER COMMUNITIES

## READER COMMUNITIES

### 5850 TG LEE BOULEVARD, SUITE 200

### ORLANDO, FL. 32822

### (407) 856-4899



# MADDEN

## MOORHEAD & STOKES, LLC

### CIVIL ENGINEERS

431 E. HORATIO AVENUE, SUITE 260

MAITLAND, FLORIDA 32751


PHONE (407) 629-8330

FAX (407) 629-8336

SHEET INDEX	
Sheet #	Sheet Title
C0.00	COVER SHEET
C0.01	NOTES AND DETAILS
C1.00	OVERALL PRELIMINARY SUBDIVISION PLAN
C1.01	PRELIMINARY SUBDIVISION PLAN
C1.02	PRELIMINARY SUBDIVISION PLAN
C1.03	PRELIMINARY SUBDIVISION PLAN
C1.04	PRELIMINARY SUBDIVISION PLAN
C2.01	PRELIMINARY TREE REMOVAL TABLE

## VICINITY MAP

SCALE: 1"=5000'



**PROJECT TEAM MEMBERS:**

**OWNER:**

LAKE HARRIS (ORLANDO) ASLU VII OWNER #1, LLC  
LAKE HARRIS (ORLANDO) ASLU VII OWNER #2, LLC  
LAKE HARRIS (ORLANDO) ASLU VII OWNER #3, LLC  
923 N. PENNSYLVANIA AVE  
WINTER PARK, FL 32789

**DEVELOPER:**

READER COMMUNITIES  
5850 TG LEE BOULEVARD, SUITE 200  
ORLANDO, FL 32822  
PHONE: (407) 856-4899

**ENGINEER:**

MADDEN, MOORHEAD, & STOKES, LLC.  
431 E HORATIO AVE, STE 260  
MAITLAND, FL 32751  
PHONE: (407) 629-8330

**SURVEYOR:**

HAMILTON ENGINEERING & SURVEYING, LLC.  
3409 W. LEMON STREET  
TAMPA, FLORIDA 33609  
PHONE: (813) 250-3535

DAVID A. STOKES, P.E. #66527  
CERTIFICATE OF AUTHORIZATION NO. CA-0007723

LAKE HILLS AT LAKE HARRIS P&P (JOB NO. 23019)

\\fs01\23019-006-1116-1\p4\em\map\c0.00 cover sheet.dwg













